

$K_2(1770)$ $I(J^P) = \frac{1}{2}(2^-)$ See our mini-review in the 2004 edition of this *Review*, PDG 04. **$K_2(1770)$ MASS**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
1773 ± 8		1 ASTON	93	LASS	$11K^- p \rightarrow K^- \omega p$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1743 \pm 15		TIKHOMIROV 03	SPEC		$40.0 \pi^- C \rightarrow K_S^0 K_S^0 K_L^0 X$
1810 \pm 20		FRAME 86	OMEG +		$13 K^+ p \rightarrow \phi K^+ p$
~ 1730		ARMSTRONG 83	OMEG -		$18.5 K^- p \rightarrow 3K p$
~ 1780		2 DAUM 81C	CNTR -		$63 K^- p \rightarrow K^- 2\pi p$
1710 \pm 15	60	CHUNG 74	HBC -		$7.3 K^- p \rightarrow K^- \omega p$
1767 \pm 6		BLIEDEN 72	MMS -		$11-16 K^- p$
1730 \pm 20	306	3 FIRESTONE 72B	DBC +		$12 K^+ d$
1765 \pm 40		4 COLLEY 71	HBC +		$10 K^+ p \rightarrow K 2\pi N$
1740		DENEGRIS	71 DBC -		$12.6 K^- d \rightarrow \bar{K} 2\pi d$
1745 \pm 20		AGUILAR-...	70C HBC -		$4.6 K^- p$
1780 \pm 15		BARTSCH 70C	HBC -		$10.1 K^- p$
1760 \pm 15		LUDLAM 70	HBC -		$12.6 K^- p$

¹ From a partial wave analysis of the $K^- \omega$ system.² From a partial wave analysis of the $K^- 2\pi$ system.³ Produced in conjunction with excited deuteron.⁴ Systematic errors added correspond to spread of different fits. **$K_2(1770)$ WIDTH**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
186 ± 14		5 ASTON 93	LASS		$11K^- p \rightarrow K^- \omega p$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
147 \pm 70		TIKHOMIROV 03	SPEC		$40.0 \pi^- C \rightarrow K_S^0 K_S^0 K_L^0 X$
140 \pm 40		FRAME 86	OMEG +		$13 K^+ p \rightarrow \phi K^+ p$
~ 220		ARMSTRONG 83	OMEG -		$18.5 K^- p \rightarrow 3K p$
~ 210		6 DAUM 81C	CNTR -		$63 K^- p \rightarrow K^- 2\pi p$
110 \pm 50	60	CHUNG 74	HBC -		$7.3 K^- p \rightarrow K^- \omega p$
100 \pm 26		BLIEDEN 72	MMS -		$11-16 K^- p$
210 \pm 30	306	7 FIRESTONE 72B	DBC +		$12 K^+ d$
90 \pm 70		8 COLLEY 71	HBC +		$10 K^+ p \rightarrow K 2\pi N$
130		DENEGRIS 71	DBC -		$12.6 K^- d \rightarrow \bar{K} 2\pi d$
100 \pm 50		AGUILAR-...	70C HBC -		$4.6 K^- p$
138 \pm 40		BARTSCH 70C	HBC -		$10.1 K^- p$
50^{+40}_{-20}		LUDLAM 70	HBC -		$12.6 K^- p$

⁵ From a partial wave analysis of the $K^- \omega$ system.

⁶ From a partial wave analysis of the $K^- 2\pi$ system.

⁷ Produced in conjunction with excited deuteron.

⁸ Systematic errors added correspond to spread of different fits.

$K_2(1770)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $K\pi\pi$	
Γ_2 $K_2^*(1430)\pi$	dominant
Γ_3 $K^*(892)\pi$	seen
Γ_4 $K f_2(1270)$	seen
Γ_5 $K f_0(980)$	
Γ_6 $K\phi$	seen
Γ_7 $K\omega$	seen

$K_2(1770)$ BRANCHING RATIOS

$\Gamma(K_2^*(1430)\pi)/\Gamma(K\pi\pi)$

Γ_2/Γ_1

$(K_2^*(1430) \rightarrow K\pi)$

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
~ 0.03	DAUM	81C	CNTR	$63 K^- p \rightarrow K^- 2\pi p$
~ 1.0	⁹ FIRESTONE	72B	DBC	$+ 12 K^+ d$
<1.0	COLLEY	71	HBC	$10 K^+ p$
0.2 ± 0.2	AGUILAR-...	70C	HBC	$- 4.6 K^- p$
<1.0	BARTSCH	70C	HBC	$- 10.1 K^- p$
1.0	BARBARO-...	69	HBC	$+ 12.0 K^+ p$

⁹ Produced in conjunction with excited deuteron.

$\Gamma(K^*(892)\pi)/\Gamma(K\pi\pi)$

Γ_3/Γ_1

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
~ 0.23	DAUM	81C	CNTR $63 K^- p \rightarrow K^- 2\pi p$

$\Gamma(K f_2(1270))/\Gamma(K\pi\pi)$

Γ_4/Γ_1

$(f_2(1270) \rightarrow \pi\pi)$

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
~ 0.74	DAUM	81C	CNTR $63 K^- p \rightarrow K^- 2\pi p$

$\Gamma(K f_0(980))/\Gamma_{\text{total}}$

Γ_5/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
possibly seen	TIKHOMIROV 03	SPEC	$40.0 \frac{\pi^- C}{K_S^0 K_S^0 K_L^0 X}$

$\Gamma(K\phi)/\Gamma_{\text{total}}$					Γ_6/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>	
seen	ARMSTRONG 83	OMEG	–	$18.5 \ K^- p \rightarrow K^- \phi N$	
$\Gamma(K\omega)/\Gamma_{\text{total}}$				Γ_7/Γ	
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>	
seen	OTTER 81	HBC	±	$8.25, 10, 16 \ K^\pm p$	
seen	CHUNG 74	HBC	–	$7.3 \ K^- p \rightarrow K^- \omega p$	

K₂(1770) REFERENCES

PDG	04	PL B592 1	S. Eidelman <i>et al.</i>	(PDG Collab.)
TIKHOMIROV	03	PAN 66 828	G.D. Tikhomirov <i>et al.</i>	
		Translated from YAF 66 860.		
ASTON	93	PL B308 186	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS)
FRAME	86	NP B276 667	D. Frame <i>et al.</i>	(GLAS)
ARMSTRONG	83	NP B221 1	T.A. Armstrong <i>et al.</i>	(BARI, BIRM, CERN+)
DAUM	81C	NP B187 1	C. Daum <i>et al.</i>	(AMST, CERN, CRAC, MPIM+)
OTTER	81	NP B181 1	G. Otter	(AACH3, BERL, LOIC, VIEN, BIRM+)
CHUNG	74	PL 51B 413	S.U. Chung <i>et al.</i>	(BNL)
BLIEDEN	72	PL 39B 668	H.R. Blieden <i>et al.</i>	(STON, NEAS)
FIRESTONE	72B	PR D5 505	A. Firestone <i>et al.</i>	(LBL)
COLLEY	71	NP B26 71	D.C. Colley <i>et al.</i>	(BIRM, GLAS)
DENEGRIGR	71	NP B28 13	D. Denegri <i>et al.</i>	(JHU) JP
AGUILAR-...	70C	PRL 25 54	M. Aguilar-Benitez <i>et al.</i>	(BNL)
BARTSCH	70C	PL 33B 186	J. Bartsch <i>et al.</i>	(AACH, BERL, CERN+)
LUDLAM	70	PR D2 1234	T. Ludlam, J. Sandweiss, A.J. Slaughter	(YALE)
BARBARO-...	69	PRL 22 1207	A. Barbaro-Galtieri <i>et al.</i>	(LRL)