


$\Xi(2030)$ $I(J^P) = \frac{1}{2}(\geq \frac{5}{2})$ Status: ***

The evidence for this state has been much improved by HEMINGWAY 77, who see an eight standard deviation enhancement in $\Sigma\bar{K}$ and a weaker coupling to $\Lambda\bar{K}$. ALITTI 68 and HEMINGWAY 77 observe no signals in the $\Xi\pi\pi$ (or $\Xi(1530)\pi$) channel, in contrast to DIBIANCA 75. The decay $(\Lambda/\Sigma)\bar{K}\pi$ reported by BARTSCH 69 is also not confirmed by HEMINGWAY 77.


A moments analysis of the HEMINGWAY 77 data indicates at a level of three standard deviations that $J \geq 5/2$.

 $\Xi(2030)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
2025 \pm 5 OUR ESTIMATE					
2025.1 \pm 2.4 OUR AVERAGE					Error includes scale factor of 1.3. See the ideogram below.
2022 \pm 7		JENKINS 83	MPS	-	$K^- p \rightarrow K^+$ MM
2024 \pm 2	200	HEMINGWAY 77	HBC	-	$K^- p$ 4.2 GeV/c
2044 \pm 8		DIBIANCA 75	DBC	-0	$\Xi\pi\pi$, $\Xi^*\pi$
2019 \pm 7	15	ROSS 73C	HBC	-0	$\Sigma\bar{K}$
2030 \pm 10	42	ALITTI 69	HBC	-	$K^- p$ 3.9–5 GeV/c
2058 \pm 17	40	BARTSCH 69	HBC	-0	$K^- p$ 10 GeV/c



$\Xi(2030)$ WIDTH



$\Xi(2030)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 \Lambda\bar{K}$	$\sim 20\%$
$\Gamma_2 \Sigma\bar{K}$	$\sim 80\%$
$\Gamma_3 \Xi\pi$	small
$\Gamma_4 \Xi(1530)\pi$	small
$\Gamma_5 \Xi\pi\pi$ (not $\Xi(1530)\pi$)	small
$\Gamma_6 \Lambda\bar{K}\pi$	small
$\Gamma_7 \Sigma\bar{K}\pi$	small

$\Xi(2030)$ BRANCHING RATIOS

$$\Gamma(\Xi\pi)/[\Gamma(\Lambda\bar{K}) + \Gamma(\Sigma\bar{K}) + \Gamma(\Xi\pi) + \Gamma(\Xi(1530)\pi)] \quad \Gamma_3/(\Gamma_1+\Gamma_2+\Gamma_3+\Gamma_4)$$

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
-------	-------------	------	-----	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.30	ALITTI	69	HBC	—	1 standard dev. limit
-------	--------	----	-----	---	--------------------------

$$\Gamma(\Xi\pi)/\Gamma(\Sigma\bar{K}) \quad \Gamma_3/\Gamma_2$$

VALUE	CL%	DOCUMENT ID	TECN	CHG	COMMENT
-------	-----	-------------	------	-----	---------

<0.19	95	HEMINGWAY 77	HBC	—	$K^- p$ 4.2 GeV/c
-------	----	--------------	-----	---	-------------------

$$\Gamma(\Lambda\bar{K})/[\Gamma(\Lambda\bar{K}) + \Gamma(\Sigma\bar{K}) + \Gamma(\Xi\pi) + \Gamma(\Xi(1530)\pi)] \quad \Gamma_1/(\Gamma_1+\Gamma_2+\Gamma_3+\Gamma_4)$$

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
-------	-------------	------	-----	---------

0.25±0.15	ALITTI	69	HBC	—	$K^- p$ 3.9–5 GeV/c
-----------	--------	----	-----	---	------------------------

$$\Gamma(\Lambda\bar{K})/\Gamma(\Sigma\bar{K}) \quad \Gamma_1/\Gamma_2$$

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
-------	-------------	------	-----	---------

0.22±0.09	HEMINGWAY 77	HBC	—	$K^- p$ 4.2 GeV/c
-----------	--------------	-----	---	-------------------

$$\Gamma(\Sigma\bar{K})/[\Gamma(\Lambda\bar{K}) + \Gamma(\Sigma\bar{K}) + \Gamma(\Xi\pi) + \Gamma(\Xi(1530)\pi)] \quad \Gamma_2/(\Gamma_1+\Gamma_2+\Gamma_3+\Gamma_4)$$

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
-------	-------------	------	-----	---------

0.75±0.20	ALITTI	69	HBC	—	$K^- p$ 3.9–5 GeV/c
-----------	--------	----	-----	---	------------------------

$$\Gamma(\Xi(1530)\pi)/[\Gamma(\Lambda\bar{K}) + \Gamma(\Sigma\bar{K}) + \Gamma(\Xi\pi) + \Gamma(\Xi(1530)\pi)] \quad \Gamma_4/(\Gamma_1+\Gamma_2+\Gamma_3+\Gamma_4)$$

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
-------	-------------	------	-----	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.15	ALITTI	69	HBC	—	1 standard dev. limit
-------	--------	----	-----	---	--------------------------

$$[\Gamma(\Xi(1530)\pi) + \Gamma(\Xi\pi\pi(\text{not } \Xi(1530)\pi))]/\Gamma(\Sigma\bar{K}) \quad (\Gamma_4+\Gamma_5)/\Gamma_2$$

VALUE	CL%	DOCUMENT ID	TECN	CHG	COMMENT
-------	-----	-------------	------	-----	---------

<0.11	95	1 HEMINGWAY 77	HBC	—	$K^- p$ 4.2 GeV/c
-------	----	----------------	-----	---	-------------------

$$\Gamma(\Lambda\bar{K}\pi)/\Gamma_{\text{total}} \quad \Gamma_6/\Gamma$$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen	BARTSCH	69	HBC	$K^- p$ 10 GeV
------	---------	----	-----	----------------

$$\Gamma(\Lambda\bar{K}\pi)/\Gamma(\Sigma\bar{K}) \quad \Gamma_6/\Gamma_2$$

VALUE	CL%	DOCUMENT ID	TECN	CHG	COMMENT
-------	-----	-------------	------	-----	---------

<0.32	95	HEMINGWAY 77	HBC	—	$K^- p$ 4.2 GeV/c
-------	----	--------------	-----	---	-------------------

$$\Gamma(\Sigma\bar{K}\pi)/\Gamma_{\text{total}} \quad \Gamma_7/\Gamma$$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen	BARTSCH	69	HBC	$K^- p$ 10 GeV
------	---------	----	-----	----------------

$\Gamma(\Sigma\bar{K}\pi)/\Gamma(\Sigma\bar{K})$	Γ_7/Γ_2				
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<0.04	95	² HEMINGWAY 77	HBC	–	$K^- p$ 4.2 GeV/c

$\Xi(2030)$ FOOTNOTES

¹ For the decay mode $\Xi^-\pi^+\pi^-$ only.

² For the decay mode $\Sigma^\pm K^\mp \pi^\mp$ only.

$\Xi(2030)$ REFERENCES

JENKINS	83	PRL 51 951	C.M. Jenkins <i>et al.</i>	(FSU, BRAN, LBL+)
HEMINGWAY	77	PL 68B 197	R.J. Hemingway <i>et al.</i>	(AMST, CERN, NIJM+) IJ
Also		PL 62B 477	J.B. Gay <i>et al.</i>	(AMST, CERN, NIJM)
DIBIANCA	75	NP B98 137	F.A. Dibianca, R.J. Endorf	(CMU)
ROSS	73C	Purdue Conf. 345	R.T. Ross, J.L. Lloyd, D. Radojicic	(OXF)
ALITTI	69	PRL 22 79	J. Alitti <i>et al.</i>	(BNL, SYRA) I
BARTSCH	69	PL 28B 439	J. Bartsch <i>et al.</i>	(AACH, BERL, CERN+)
ALITTI	68	PRL 21 1119	J. Alitti <i>et al.</i>	(BNL, SYRA)