

$c\bar{c}$ MESONS

$\eta_c(1S)$

$$I^G(J^{PC}) = 0^+(0^-+)$$

Mass $m = 2980.3 \pm 1.2$ MeV (S = 1.6)

Full width $\Gamma = 28.6 \pm 2.2$ MeV (S = 2.0)

$\eta_c(1S)$ DECAY MODES	Fraction (Γ_i/Γ)	Confidence level	p (MeV/c)
--	--------------------------------	------------------	----------------

Decays involving hadronic resonances

$\eta'(958)\pi\pi$	(4.1 ± 1.7) %		1321
$\rho\rho$	(2.0 ± 0.7) %		1272
$K^*(892)^0 K^- \pi^+ + \text{c.c.}$	(2.0 ± 0.7) %		1276
$K^*(892)\overline{K}^*(892)$	(9.2 ± 3.4) $\times 10^{-3}$		1194
$K^{*0}\overline{K}^{*0}\pi^+\pi^-$	(1.1 ± 0.5) %		1071
$\phi K^+ K^-$	(2.9 ± 1.4) $\times 10^{-3}$		1102
$\phi\phi$	(2.7 ± 0.9) $\times 10^{-3}$		1087
$\phi 2(\pi^+\pi^-)$	< 3.5 $\times 10^{-3}$	90%	1249
$a_0(980)\pi$	< 2 %	90%	1325
$a_2(1320)\pi$	< 2 %	90%	1194
$K^*(892)\overline{K} + \text{c.c.}$	< 1.28 %	90%	1308
$f_2(1270)\eta$	< 1.1 %	90%	1143
$\omega\omega$	< 3.1 $\times 10^{-3}$	90%	1268
$\omega\phi$	< 1.7 $\times 10^{-3}$	90%	1183
$f_2(1270)f_2(1270)$	(7.6 ± 3.0) $\times 10^{-3}$		771
$f_2(1270)f'_2(1525)$	(2.7 ± 1.5) %		509

Decays into stable hadrons

$K\overline{K}\pi$	(7.0 ± 1.2) %		1379
$\eta\pi\pi$	(4.9 ± 1.8) %		1427
$\pi^+\pi^-K^+K^-$	(1.5 ± 0.6) %		1343
$K^+K^-2(\pi^+\pi^-)$	(7.1 ± 2.9) $\times 10^{-3}$		1252
$2(K^+K^-)$	(1.6 ± 0.7) $\times 10^{-3}$		1053
$2(\pi^+\pi^-)$	(1.20 ± 0.30) %		1457
$3(\pi^+\pi^-)$	(1.5 ± 0.5) %		1405
$p\overline{p}$	(1.3 ± 0.4) $\times 10^{-3}$		1158
$\Lambda\overline{\Lambda}$	(1.04 ± 0.31) $\times 10^{-3}$		988
$K\overline{K}\eta$	< 3.1 %	90%	1263
$\pi^+\pi^-p\overline{p}$	< 1.2 %	90%	1024

Radiative decays

$\gamma\gamma$	(6.3 ± 2.9) $\times 10^{-5}$		1490
----------------	-----------------------------------	--	------

**Charge conjugation (*C*), Parity (*P*),
Lepton family number (*LF*) violating modes**

$\pi^+ \pi^-$	$P, CP < 6$	$\times 10^{-4}$	90%	1484
$\pi^0 \pi^0$	$P, CP < 4$	$\times 10^{-4}$	90%	1484
$K^+ K^-$	$P, CP < 6$	$\times 10^{-4}$	90%	1406
$K_S^0 K_S^0$	$P, CP < 3.1$	$\times 10^{-4}$	90%	1405

J/ ψ (1S) $I^G(J^{PC}) = 0^-(1^{--})$ Mass $m = 3096.916 \pm 0.011$ MeVFull width $\Gamma = 92.9 \pm 2.8$ keV (S = 1.1) $\Gamma_{ee} = 5.55 \pm 0.14 \pm 0.02$ keV

J/ψ(1S) DECAY MODES	Fraction (Γ_i/Γ)	Scale factor/	
		Confidence level	p (MeV/c)
hadrons	(87.7 \pm 0.5) %		—
virtual $\gamma \rightarrow$ hadrons	(13.50 \pm 0.30) %		—
ggg	(64.1 \pm 1.0) %		—
γgg	(8.8 \pm 0.5) %		—
$e^+ e^-$	(5.94 \pm 0.06) %		1548
$\mu^+ \mu^-$	(5.93 \pm 0.06) %		1545

Decays involving hadronic resonances

$\rho\pi$	(1.69 \pm 0.15) %	S=2.4	1448
$\rho^0 \pi^0$	(5.6 \pm 0.7) $\times 10^{-3}$		1448
$a_2(1320)\rho$	(1.09 \pm 0.22) %		1123
$\omega\pi^+\pi^+\pi^-\pi^-$	(8.5 \pm 3.4) $\times 10^{-3}$		1392
$\omega\pi^+\pi^-\pi^0$	(4.0 \pm 0.7) $\times 10^{-3}$		1418
$\omega\pi^+\pi^-$	(8.6 \pm 0.7) $\times 10^{-3}$	S=1.1	1435
$\omega f_2(1270)$	(4.3 \pm 0.6) $\times 10^{-3}$		1142
$K^*(892)^0 \bar{K}_2^*(1430)^0 + c.c.$	(6.0 \pm 0.6) $\times 10^{-3}$		1012
$K^*(892)^0 \bar{K}_2^*(1770)^0 + c.c. \rightarrow K^*(892)^0 K^- \pi^+ + c.c.$	(6.9 \pm 0.9) $\times 10^{-4}$		—
$\omega K^*(892) \bar{K} + c.c.$	(6.1 \pm 0.9) $\times 10^{-3}$		1097
$K^+ \bar{K}^*(892)^- + c.c.$	(5.12 \pm 0.30) $\times 10^{-3}$		1373
$K^+ \bar{K}^*(892)^- + c.c. \rightarrow K^+ K^- \pi^0$	(1.97 \pm 0.20) $\times 10^{-3}$		—
$K^+ \bar{K}^*(892)^- + c.c. \rightarrow K^0 K^\pm \pi^\mp$	(3.0 \pm 0.4) $\times 10^{-3}$		—
$K^0 \bar{K}^*(892)^0 + c.c.$	(4.39 \pm 0.31) $\times 10^{-3}$		1373
$K^0 \bar{K}^*(892)^0 + c.c. \rightarrow K^0 K^\pm \pi^\mp$	(3.2 \pm 0.4) $\times 10^{-3}$		—
$K_1(1400)^\pm K^\mp$	(3.8 \pm 1.4) $\times 10^{-3}$		1170
$\bar{K}^*(892)^0 K^+ \pi^- + c.c.$	seen		1343
$\omega \pi^0 \pi^0$	(3.4 \pm 0.8) $\times 10^{-3}$		1436

$b_1(1235)^{\pm}\pi^{\mp}$	[a]	(3.0 \pm 0.5) $\times 10^{-3}$	1300	
$\omega K^{\pm} K_S^0 \pi^{\mp}$	[a]	(3.4 \pm 0.5) $\times 10^{-3}$	1210	
$b_1(1235)^0\pi^0$		(2.3 \pm 0.6) $\times 10^{-3}$	1300	
$\eta K^{\pm} K_S^0 \pi^{\mp}$	[a]	(2.2 \pm 0.4) $\times 10^{-3}$	1278	
$\phi K^*(892)\overline{K} + \text{c.c.}$		(2.18 \pm 0.23) $\times 10^{-3}$	969	
$\omega K\overline{K}$		(1.6 \pm 0.5) $\times 10^{-4}$	1268	
$\omega f_0(1710) \rightarrow \omega K\overline{K}$		(4.8 \pm 1.1) $\times 10^{-4}$	878	
$\phi 2(\pi^+\pi^-)$		(1.66 \pm 0.23) $\times 10^{-3}$	1318	
$\Delta(1232)^{++}\overline{p}\pi^-$		(1.6 \pm 0.5) $\times 10^{-3}$	1030	
$\omega\eta$		(1.74 \pm 0.20) $\times 10^{-3}$	S=1.6	1394
$\phi K\overline{K}$		(1.83 \pm 0.24) $\times 10^{-3}$	S=1.5	1179
$\phi f_0(1710) \rightarrow \phi K\overline{K}$		(3.6 \pm 0.6) $\times 10^{-4}$	875	
$\Delta(1232)^{++}\overline{\Delta}(1232)^{--}$		(1.10 \pm 0.29) $\times 10^{-3}$	938	
$\Sigma(1385)^-\overline{\Sigma}(1385)^+(\text{or c.c.})$	[a]	(1.03 \pm 0.13) $\times 10^{-3}$	697	
$\phi f'_2(1525)$		(8 \pm 4) $\times 10^{-4}$	S=2.7	871
$\phi\pi^+\pi^-$		(8.7 \pm 0.8) $\times 10^{-4}$	1365	
$\phi\pi^0\pi^0$		(5.6 \pm 1.6) $\times 10^{-4}$	1366	
$\phi K^{\pm} K_S^0 \pi^{\mp}$	[a]	(7.2 \pm 0.8) $\times 10^{-4}$	1114	
$\omega f_1(1420)$		(6.8 \pm 2.4) $\times 10^{-4}$	1062	
$\phi\eta$		(7.5 \pm 0.8) $\times 10^{-4}$	S=1.5	1320
$\Xi^0\overline{\Xi}0$		(1.20 \pm 0.24) $\times 10^{-3}$	818	
$\Xi(1530)^-\overline{\Xi}^+$		(5.9 \pm 1.5) $\times 10^{-4}$	600	
$pK^-\overline{\Sigma}(1385)^0$		(5.1 \pm 3.2) $\times 10^{-4}$	646	
$\omega\pi^0$		(4.5 \pm 0.5) $\times 10^{-4}$	S=1.4	1446
$\phi\eta'(958)$		(4.0 \pm 0.7) $\times 10^{-4}$	S=2.1	1192
$\phi f_0(980)$		(3.2 \pm 0.9) $\times 10^{-4}$	S=1.9	1182
$\phi f_0(980) \rightarrow \phi\pi^+\pi^-$		(2.2 \pm 0.4) $\times 10^{-4}$	-	
$\phi f_0(980) \rightarrow \phi\pi^0\pi^0$		(1.7 \pm 0.7) $\times 10^{-4}$	-	
$\Xi(1530)^0\overline{\Xi}0$		(3.2 \pm 1.4) $\times 10^{-4}$	608	
$\Sigma(1385)^-\overline{\Sigma}^+(\text{or c.c.})$	[a]	(3.1 \pm 0.5) $\times 10^{-4}$	855	
$\phi f_1(1285)$		(2.6 \pm 0.5) $\times 10^{-4}$	S=1.1	1032
$\eta\pi^+\pi^-$		(4.0 \pm 1.7) $\times 10^{-4}$	1487	
$\rho\eta$		(1.93 \pm 0.23) $\times 10^{-4}$	1396	
$\omega\eta'(958)$		(1.82 \pm 0.21) $\times 10^{-4}$	1279	
$\omega f_0(980)$		(1.4 \pm 0.5) $\times 10^{-4}$	1271	
$\rho\eta'(958)$		(1.05 \pm 0.18) $\times 10^{-4}$	1281	
$a_2(1320)^{\pm}\pi^{\mp}$	[a]	< 4.3 $\times 10^{-3}$ CL=90%	1263	
$K\overline{K}_2^*(1430) + \text{c.c.}$		< 4.0 $\times 10^{-3}$ CL=90%	1159	
$K_1(1270)^{\pm}K^{\mp}$		< 3.0 $\times 10^{-3}$ CL=90%	1231	
$K_2^*(1430)^0\overline{K}_2^*(1430)^0$		< 2.9 $\times 10^{-3}$ CL=90%	604	
$K^*(892)^0\overline{K}^*(892)^0$		(2.3 \pm 0.7) $\times 10^{-4}$	1266	
$\phi f_2(1270)$		(7.2 \pm 1.3) $\times 10^{-4}$	1036	
$\phi\eta(1405) \rightarrow \phi\eta\pi\pi$		< 2.5 $\times 10^{-4}$ CL=90%	946	
$\omega f'_2(1525)$		< 2.2 $\times 10^{-4}$ CL=90%	1003	

$\Sigma(1385)^0 \bar{\Lambda}$	< 2	$\times 10^{-4}$	CL=90%	912
$\Delta(1232)^+ \bar{p}$	< 1	$\times 10^{-4}$	CL=90%	1100
$\Theta(1540) \bar{\Theta}(1540) \rightarrow$	< 1.1	$\times 10^{-5}$	CL=90%	—
$K_S^0 p K^- \bar{n} + \text{c.c.}$				
$\Theta(1540) K^- \bar{n} \rightarrow K_S^0 p K^- \bar{n}$	< 2.1	$\times 10^{-5}$	CL=90%	—
$\Theta(1540) K_S^0 \bar{p} \rightarrow K_S^0 \bar{p} K^+ n$	< 1.6	$\times 10^{-5}$	CL=90%	—
$\bar{\Theta}(1540) K^+ n \rightarrow K_S^0 \bar{p} K^+ n$	< 5.6	$\times 10^{-5}$	CL=90%	—
$\bar{\Theta}(1540) K_S^0 p \rightarrow K_S^0 p K^- \bar{n}$	< 1.1	$\times 10^{-5}$	CL=90%	—
$\Sigma^0 \bar{\Lambda}$	< 9	$\times 10^{-5}$	CL=90%	1032
$\phi \pi^0$	< 6.4	$\times 10^{-6}$	CL=90%	1377

Decays into stable hadrons

$2(\pi^+ \pi^-) \pi^0$	(5.5 \pm 0.4) %		1496
$3(\pi^+ \pi^-) \pi^0$	(2.9 \pm 0.6) %		1433
$\pi^+ \pi^- \pi^0$	(2.07 \pm 0.12) %	S=1.6	1533
$\pi^+ \pi^- \pi^0 K^+ K^-$	(1.94 \pm 0.15) %		1368
$4(\pi^+ \pi^-) \pi^0$	(9.0 \pm 3.0) $\times 10^{-3}$		1345
$\pi^+ \pi^- K^+ K^-$	(6.6 \pm 0.5) $\times 10^{-3}$		1407
$\pi^+ \pi^- K^+ K^- \eta$	(1.84 \pm 0.28) $\times 10^{-3}$		1221
$\pi^0 \pi^0 K^+ K^-$	(2.45 \pm 0.31) $\times 10^{-3}$		1410
$\eta \phi f_0(980) \rightarrow \eta \phi \pi^+ \pi^-$	(3.2 \pm 1.0) $\times 10^{-4}$		—
$K \bar{K} \pi$	(6.1 \pm 1.0) $\times 10^{-3}$		1442
$2(\pi^+ \pi^-)$	(3.55 \pm 0.23) $\times 10^{-3}$		1517
$3(\pi^+ \pi^-)$	(4.3 \pm 0.4) $\times 10^{-3}$		1466
$2(\pi^+ \pi^- \pi^0)$	(1.61 \pm 0.21) %		1468
$2(\pi^+ \pi^-) \eta$	(2.29 \pm 0.24) $\times 10^{-3}$		1446
$3(\pi^+ \pi^-) \eta$	(7.2 \pm 1.5) $\times 10^{-4}$		1379
$p \bar{p}$	(2.17 \pm 0.07) $\times 10^{-3}$		1232
$p \bar{p} \pi^0$	(1.19 \pm 0.08) $\times 10^{-3}$	S=1.1	1176
$p \bar{p} \pi^+ \pi^-$	(6.0 \pm 0.5) $\times 10^{-3}$	S=1.3	1107
$p \bar{p} \pi^+ \pi^- \pi^0$	[b] (2.3 \pm 0.9) $\times 10^{-3}$	S=1.9	1033
$p \bar{p} \eta$	(2.00 \pm 0.12) $\times 10^{-3}$		948
$p \bar{p} \rho$	< 3.1 $\times 10^{-4}$	CL=90%	774
$p \bar{p} \omega$	(1.10 \pm 0.15) $\times 10^{-3}$	S=1.3	768
$p \bar{p} \eta'(958)$	(2.1 \pm 0.4) $\times 10^{-4}$		596
$p \bar{p} \phi$	(4.5 \pm 1.5) $\times 10^{-5}$		527
$n \bar{n}$	(2.2 \pm 0.4) $\times 10^{-3}$		1231
$n \bar{n} \pi^+ \pi^-$	(4 \pm 4) $\times 10^{-3}$		1106
$\Sigma^+ \bar{\Sigma}^-$	(1.50 \pm 0.24) $\times 10^{-3}$		992
$\Sigma^0 \bar{\Sigma}^0$	(1.29 \pm 0.09) $\times 10^{-3}$		988
$2(\pi^+ \pi^-) K^+ K^-$	(5.0 \pm 0.5) $\times 10^{-3}$		1320
$p \bar{n} \pi^-$	(2.12 \pm 0.09) $\times 10^{-3}$		1174
$n N(1440)$	seen		978
$n N(1520)$	seen		924

$nN(1535)$	seen		914
$\Xi^-\Xi^+$	(8.5 \pm 1.6) $\times 10^{-4}$	S=1.5	807
$\Lambda\bar{\Lambda}$	(1.61 \pm 0.15) $\times 10^{-3}$	S=1.9	1074
$\Lambda\bar{\Sigma}^-\pi^+$ (or c.c.)	[a] (8.3 \pm 0.7) $\times 10^{-4}$	S=1.2	950
$pK^-\bar{\Lambda}$	(8.9 \pm 1.6) $\times 10^{-4}$		876
$2(K^+K^-)$	(7.6 \pm 0.9) $\times 10^{-4}$		1131
$pK^-\bar{\Sigma}^0$	(2.9 \pm 0.8) $\times 10^{-4}$		819
K^+K^-	(2.37 \pm 0.31) $\times 10^{-4}$		1468
$K_S^0K_L^0$	(1.46 \pm 0.26) $\times 10^{-4}$	S=2.7	1466
$\Lambda\bar{\Lambda}\eta$	(2.6 \pm 0.7) $\times 10^{-4}$		672
$\Lambda\bar{\Lambda}\pi^0$	< 6.4 $\times 10^{-5}$ CL=90%		998
$\bar{\Lambda}nK_S^0 + \text{c.c.}$	(6.5 \pm 1.1) $\times 10^{-4}$		872
$\pi^+\pi^-$	(1.47 \pm 0.23) $\times 10^{-4}$		1542
$\Lambda\bar{\Sigma}^+ + \text{c.c.}$	< 1.5 $\times 10^{-4}$ CL=90%		1034
$K_S^0K_S^0$	< 1 $\times 10^{-6}$ CL=95%		1466

Radiative decays

3γ	(1.2 \pm 0.4) $\times 10^{-5}$		1548
4γ	< 9 $\times 10^{-6}$ CL=90%		1548
5γ	< 1.5 $\times 10^{-5}$ CL=90%		1548
$\gamma\eta_c(1S)$	(1.7 \pm 0.4) % S=1.6		114
$\gamma\eta_c(1S) \rightarrow 3\gamma$	(1.2 \pm 2.7) $\times 10^{-6}$		—
$\gamma\pi^+\pi^-2\pi^0$	(8.3 \pm 3.1) $\times 10^{-3}$		1518
$\gamma\eta\pi\pi$	(6.1 \pm 1.0) $\times 10^{-3}$		1487
$\gamma\eta_2(1870) \rightarrow \gamma\eta\pi^+\pi^-$	(6.2 \pm 2.4) $\times 10^{-4}$		—
$\gamma\eta(1405/1475) \rightarrow \gamma K\bar{K}\pi$	[c] (2.8 \pm 0.6) $\times 10^{-3}$ S=1.6		1223
$\gamma\eta(1405/1475) \rightarrow \gamma\gamma\rho^0$	(7.8 \pm 2.0) $\times 10^{-5}$ S=1.8		1223
$\gamma\eta(1405/1475) \rightarrow \gamma\eta\pi^+\pi^-$	(3.0 \pm 0.5) $\times 10^{-4}$		—
$\gamma\eta(1405/1475) \rightarrow \gamma\gamma\phi$	< 8.2 $\times 10^{-5}$ CL=95%		—
$\gamma\rho\rho$	(4.5 \pm 0.8) $\times 10^{-3}$		1340
$\gamma\rho\omega$	< 5.4 $\times 10^{-4}$ CL=90%		1338
$\gamma\rho\phi$	< 8.8 $\times 10^{-5}$ CL=90%		1258
$\gamma\eta'(958)$	(5.28 \pm 0.15) $\times 10^{-3}$		1400
$\gamma 2\pi^+ 2\pi^-$	(2.8 \pm 0.5) $\times 10^{-3}$ S=1.9		1517
$\gamma f_2(1270) f_2(1270)$	(9.5 \pm 1.7) $\times 10^{-4}$		879
$\gamma f_2(1270) f_2(1270)$ (non resonant)	(8.2 \pm 1.9) $\times 10^{-4}$		—
$\gamma K^+K^-\pi^+\pi^-$	(2.1 \pm 0.6) $\times 10^{-3}$		1407
$\gamma f_4(2050)$	(2.7 \pm 0.7) $\times 10^{-3}$		891
$\gamma\omega\omega$	(1.61 \pm 0.33) $\times 10^{-3}$		1336
$\gamma\eta(1405/1475) \rightarrow \gamma\rho^0\rho^0$	(1.7 \pm 0.4) $\times 10^{-3}$ S=1.3		1223
$\gamma f_2(1270)$	(1.43 \pm 0.11) $\times 10^{-3}$		1286
$\gamma f_0(1710) \rightarrow \gamma K\bar{K}$	(8.5 \pm 1.2) $\times 10^{-4}$ S=1.2		1075

$\gamma f_0(1710) \rightarrow \gamma \pi\pi$	(4.0 \pm 1.0) $\times 10^{-4}$	-
$\gamma f_0(1710) \rightarrow \gamma \omega\omega$	(3.1 \pm 1.0) $\times 10^{-4}$	-
$\gamma\eta$	(1.104 \pm 0.034) $\times 10^{-3}$	1500
$\gamma f_1(1420) \rightarrow \gamma K\bar{K}\pi$	(7.9 \pm 1.3) $\times 10^{-4}$	1220
$\gamma f_1(1285)$	(6.1 \pm 0.8) $\times 10^{-4}$	1283
$\gamma f_1(1510) \rightarrow \gamma\eta\pi^+\pi^-$	(4.5 \pm 1.2) $\times 10^{-4}$	-
$\gamma f'_2(1525)$	(4.5 \pm 0.7) $\times 10^{-4}$	1173
$\gamma f_2(1640) \rightarrow \gamma\omega\omega$	(2.8 \pm 1.8) $\times 10^{-4}$	-
$\gamma f_2(1910) \rightarrow \gamma\omega\omega$	(2.0 \pm 1.4) $\times 10^{-4}$	-
$\gamma f_2(1950) \rightarrow \gamma K^*(892)\bar{K}^*(892)$	(7.0 \pm 2.2) $\times 10^{-4}$	-
$\gamma K^*(892)\bar{K}^*(892)$	(4.0 \pm 1.3) $\times 10^{-3}$	1266
$\gamma\phi\phi$	(4.0 \pm 1.2) $\times 10^{-4}$	S=2.1 1166
$\gamma p\bar{p}$	(3.8 \pm 1.0) $\times 10^{-4}$	1232
$\gamma\eta(2225)$	(3.3 \pm 0.5) $\times 10^{-4}$	749
$\gamma\eta(1760) \rightarrow \gamma\rho^0\rho^0$	(1.3 \pm 0.9) $\times 10^{-4}$	1048
$\gamma\eta(1760) \rightarrow \gamma\omega\omega$	(1.98 \pm 0.33) $\times 10^{-3}$	-
$\gamma X(1835)$	(2.2 \pm 0.6) $\times 10^{-4}$	1006
$\gamma(K\bar{K}\pi) [J^{PC} = 0^- -]$	(7 \pm 4) $\times 10^{-4}$	S=2.1 1442
$\gamma\pi^0$	(3.49 \pm 0.33) $\times 10^{-5}$	1546
$\gamma p\bar{p}\pi^+\pi^-$	< 7.9 $\times 10^{-4}$ CL=90%	1107
$\gamma\Lambda\bar{\Lambda}$	< 1.3 $\times 10^{-4}$ CL=90%	1074
$\gamma f_J(2220)$	> 2.50 $\times 10^{-3}$ CL=99.9%	745
$\gamma f_J(2220) \rightarrow \gamma\pi\pi$	(8 \pm 4) $\times 10^{-5}$	-
$\gamma f_J(2220) \rightarrow \gamma K\bar{K}$	(8.1 \pm 3.0) $\times 10^{-5}$	-
$\gamma f_J(2220) \rightarrow \gamma p\bar{p}$	(1.5 \pm 0.8) $\times 10^{-5}$	-
$\gamma f_0(1500)$	>(5.7 \pm 0.8) $\times 10^{-4}$	1183
γe^+e^-	(8.8 \pm 1.4) $\times 10^{-3}$	1548

Weak decays

$D^- e^+ \nu_e + \text{c.c.}$	< 1.2	$\times 10^{-5}$ CL=90%	984
$\bar{D}^0 e^+ e^- + \text{c.c.}$	< 1.1	$\times 10^{-5}$ CL=90%	987
$D_s^- e^+ \nu_e + \text{c.c.}$	< 3.6	$\times 10^{-5}$ CL=90%	923
$D^- \pi^+ + \text{c.c.}$	< 7.5	$\times 10^{-5}$ CL=90%	977
$\bar{D}^0 \bar{K}^0 + \text{c.c.}$	< 1.7	$\times 10^{-4}$ CL=90%	898
$D_s^- \pi^+ + \text{c.c.}$	< 1.3	$\times 10^{-4}$ CL=90%	915

**Charge conjugation (*C*), Parity (*P*),
Lepton Family number (*LF*) violating modes**

$\gamma\gamma$	<i>C</i>	< 5	$\times 10^{-6}$ CL=90%	1548
$e^\pm \mu^\mp$	<i>LF</i>	< 1.1	$\times 10^{-6}$ CL=90%	1547
$e^\pm \tau^\mp$	<i>LF</i>	< 8.3	$\times 10^{-6}$ CL=90%	1039
$\mu^\pm \tau^\mp$	<i>LF</i>	< 2.0	$\times 10^{-6}$ CL=90%	1035

Other decays

invisible	< 7	$\times 10^{-4}$	CL=90%	—
-----------	-------	------------------	--------	---

 $\chi_{c0}(1P)$ $J^G(J^{PC}) = 0^+(0^{++})$ Mass $m = 3414.75 \pm 0.31$ MeVFull width $\Gamma = 10.3 \pm 0.6$ MeV

$\chi_{c0}(1P)$ DECAY MODES	Fraction (Γ_i/Γ)	Scale factor/ Confidence level	p (MeV/c)
---	--------------------------------	-----------------------------------	----------------

Hadronic decays

$2(\pi^+ \pi^-)$	(2.27 \pm 0.19) %	1679
$\rho^0 \pi^+ \pi^-$	(8.9 \pm 2.8) $\times 10^{-3}$	1607
$f_0(980) f_0(980)$	(6.8 \pm 2.2) $\times 10^{-4}$	1398
$\pi^+ \pi^- \pi^0 \pi^0$	(3.4 \pm 0.4) %	1680
$\rho^+ \pi^- \pi^0 + \text{c.c.}$	(2.9 \pm 0.4) %	1607
$\pi^+ \pi^- K^+ K^-$	(1.80 \pm 0.15) %	1580
$K_0^*(1430)^0 \bar{K}_0^*(1430)^0 \rightarrow \pi^+ \pi^- K^+ K^-$	(1.00 \pm 0.40) $\times 10^{-3}$	—
$K_0^*(1430)^0 \bar{K}_2^*(1430)^0 + \text{c.c.} \rightarrow \pi^+ \pi^- K^+ K^-$	(8.1 \pm 2.0) $\times 10^{-4}$	—
$K_1(1270)^+ K^- + \text{c.c.} \rightarrow \pi^+ \pi^- K^+ K^-$	(6.4 \pm 1.9) $\times 10^{-3}$	—
$K_1(1400)^+ K^- + \text{c.c.} \rightarrow \pi^+ \pi^- K^+ K^-$	$< 2.7 \times 10^{-3}$	CL=90% —
$f_0(980) f_0(980)$	(1.7 \pm 1.1) $\times 10^{-4}$	1398
$f_0(980) f_0(2200)$	(8.1 \pm 2.1) $\times 10^{-4}$	595
$f_0(1370) f_0(1370)$	$< 2.8 \times 10^{-4}$	CL=90% 1019
$f_0(1370) f_0(1500)$	$< 1.7 \times 10^{-4}$	CL=90% 920
$f_0(1370) f_0(1710)$	(6.8 \pm 4.0) $\times 10^{-4}$	723
$f_0(1500) f_0(1370)$	$< 1.3 \times 10^{-4}$	CL=90% 920
$f_0(1500) f_0(1500)$	$< 5 \times 10^{-5}$	CL=90% 805
$f_0(1500) f_0(1710)$	$< 7 \times 10^{-5}$	CL=90% 559
$K^+ K^- \pi^0 \pi^0$	(5.7 \pm 0.9) $\times 10^{-3}$	1582
$K^+ \pi^- K^0 \pi^0 + \text{c.c.}$	(2.53 \pm 0.34) %	1581
$\rho^+ K^- K^0 + \text{c.c.}$	(1.23 \pm 0.22) %	1458
$K^*(892)^- K^+ \pi^0 \rightarrow K^+ \pi^- K^0 \pi^0 + \text{c.c.}$	(4.7 \pm 1.2) $\times 10^{-3}$	—
$K_S^0 K_S^0 \pi^+ \pi^-$	(5.8 \pm 1.1) $\times 10^{-3}$	1579
$K^+ K^- \eta \pi^0$	(3.1 \pm 0.7) $\times 10^{-3}$	1468
$3(\pi^+ \pi^-)$	(1.20 \pm 0.18) %	1633
$K^+ \bar{K}^*(892)^0 \pi^- + \text{c.c.}$	(7.3 \pm 1.6) $\times 10^{-3}$	1523

$K^*(892)^0 \bar{K}^*(892)^0$	$(1.7 \pm 0.6) \times 10^{-3}$	1456
$\pi\pi$	$(8.4 \pm 0.4) \times 10^{-3}$	1702
$\pi^0\eta$	$< 1.8 \times 10^{-4}$	1661
$\pi^0\eta'$	$< 1.1 \times 10^{-3}$	1570
$\eta\eta$	$(2.68 \pm 0.28) \times 10^{-3}$	1617
$\eta\eta'$	$< 2.4 \times 10^{-4}$	CL=90% 1521
$\eta'\eta'$	$(2.03 \pm 0.22) \times 10^{-3}$	1413
$\omega\omega$	$(2.2 \pm 0.7) \times 10^{-3}$	1517
K^+K^-	$(6.10 \pm 0.35) \times 10^{-3}$	1634
$K_S^0 K_S^0$	$(3.16 \pm 0.18) \times 10^{-3}$	1633
$\pi^+\pi^-\eta$	$< 2.0 \times 10^{-4}$	CL=90% 1651
$\pi^+\pi^-\eta'$	$< 4 \times 10^{-4}$	CL=90% 1560
$\bar{K}^0 K^+ \pi^- + \text{c.c.}$	$< 1.0 \times 10^{-4}$	CL=90% 1610
$K^+K^-\pi^0$	$< 6 \times 10^{-5}$	CL=90% 1611
$K^+K^-\eta$	$< 2.3 \times 10^{-4}$	CL=90% 1512
$K^+K^-K_S^0 K_S^0$	$(1.4 \pm 0.5) \times 10^{-3}$	1331
$K^+K^-K^+K^-$	$(2.81 \pm 0.30) \times 10^{-3}$	1333
$K^+K^-\phi$	$(9.9 \pm 2.5) \times 10^{-4}$	1381
$\phi\phi$	$(9.2 \pm 1.9) \times 10^{-4}$	1370
$p\bar{p}$	$(2.28 \pm 0.13) \times 10^{-4}$	1426
$p\bar{p}\pi^0$	$(5.7 \pm 1.2) \times 10^{-4}$	1379
$p\bar{p}\eta$	$(3.7 \pm 1.1) \times 10^{-4}$	1187
$\pi^+\pi^-p\bar{p}$	$(2.1 \pm 0.7) \times 10^{-3}$	S=1.4 1320
$\pi^0\pi^0p\bar{p}$	$(1.05 \pm 0.28) \times 10^{-3}$	1324
$K_S^0 K_S^0 p\bar{p}$	$< 8.8 \times 10^{-4}$	CL=90% 884
$p\bar{p}\pi^-$	$(1.14 \pm 0.31) \times 10^{-3}$	1376
$\Lambda\bar{\Lambda}$	$(3.3 \pm 0.4) \times 10^{-4}$	1292
$\Lambda\bar{\Lambda}\pi^+\pi^-$	$< 4.0 \times 10^{-3}$	CL=90% 1153
$K^+\bar{p}\Lambda + \text{c.c.}$	$(1.03 \pm 0.20) \times 10^{-3}$	1132
$\Sigma^0\bar{\Sigma}^0$	$(4.2 \pm 0.7) \times 10^{-4}$	1222
$\Sigma^+\bar{\Sigma}^-$	$(3.1 \pm 0.7) \times 10^{-4}$	1225
$\Xi^0\bar{\Xi}^0$	$(3.2 \pm 0.8) \times 10^{-4}$	1089
$\Xi^-\bar{\Xi}^+$	$(4.9 \pm 0.7) \times 10^{-4}$	1081

Radiative decays

$\gamma J/\psi(1S)$	$(1.16 \pm 0.08) \%$	303
$\gamma\rho^0$	$< 9 \times 10^{-6}$	CL=90% 1619
$\gamma\omega$	$< 8 \times 10^{-6}$	CL=90% 1618
$\gamma\phi$	$< 6 \times 10^{-6}$	CL=90% 1555
$\gamma\gamma$	$(2.22 \pm 0.17) \times 10^{-4}$	1707

$\chi_{c1}(1P)$ $I^G(J^{PC}) = 0^+(1^{++})$ Mass $m = 3510.66 \pm 0.07$ MeV ($S = 1.5$)Full width $\Gamma = 0.86 \pm 0.05$ MeV

$\chi_{c1}(1P)$ DECAY MODES	Fraction (Γ_i/Γ)	Scale factor/ Confidence level	p (MeV/c)
Hadronic decays			
$3(\pi^+ \pi^-)$	$(5.8 \pm 1.4) \times 10^{-3}$	S=1.2	1683
$2(\pi^+ \pi^-)$	$(7.6 \pm 2.6) \times 10^{-3}$		1728
$\pi^+ \pi^- \pi^0 \pi^0$	$(1.26 \pm 0.17) \%$		1729
$\rho^+ \pi^- \pi^0 + \text{c.c.}$	$(1.53 \pm 0.26) \%$		1658
$\rho^0 \pi^+ \pi^-$	$(3.9 \pm 3.5) \times 10^{-3}$		1657
$\pi^+ \pi^- K^+ K^-$	$(4.5 \pm 1.0) \times 10^{-3}$		1632
$K^+ K^- \pi^0 \pi^0$	$(1.18 \pm 0.29) \times 10^{-3}$		1634
$K^+ \pi^- K^0 \pi^0 + \text{c.c.}$	$(9.0 \pm 1.5) \times 10^{-3}$		1632
$\rho^+ K^- K^0 + \text{c.c.}$	$(5.3 \pm 1.3) \times 10^{-3}$		1514
$K^*(892)^0 K^0 \pi^0 \rightarrow$ $K^+ \pi^- K^0 \pi^0 + \text{c.c.}$	$(2.5 \pm 0.7) \times 10^{-3}$		—
$K^+ K^- \eta \pi^0$	$(1.2 \pm 0.4) \times 10^{-3}$		1523
$\pi^+ \pi^- K_S^0 K_S^0$	$(7.2 \pm 3.1) \times 10^{-4}$		1630
$K^+ K^- \eta$	$(3.3 \pm 1.0) \times 10^{-4}$		1566
$K^0 K^+ \pi^- + \text{c.c.}$	$(7.3 \pm 0.6) \times 10^{-3}$		1661
$K^*(892)^0 \bar{K}^0 + \text{c.c.}$	$(1.0 \pm 0.4) \times 10^{-3}$		1602
$K^*(892)^+ K^- + \text{c.c.}$	$(1.5 \pm 0.7) \times 10^{-3}$		1602
$K_J^*(1430)^0 \bar{K}^0 + \text{c.c.} \rightarrow$ $K_S^0 K^+ \pi^- + \text{c.c.}$	$< 8 \times 10^{-4}$	CL=90%	—
$K_J^*(1430)^+ K^- + \text{c.c.} \rightarrow$ $K_S^0 K^+ \pi^- + \text{c.c.}$	$< 2.3 \times 10^{-3}$	CL=90%	—
$K^+ K^- \pi^0$	$(1.91 \pm 0.26) \times 10^{-3}$		1662
$\eta \pi^+ \pi^-$	$(5.0 \pm 0.5) \times 10^{-3}$		1701
$a_0(980)^+ \pi^- + \text{c.c.} \rightarrow \eta \pi^+ \pi^-$	$(1.9 \pm 0.7) \times 10^{-3}$		—
$f_2(1270) \eta$	$(2.8 \pm 0.8) \times 10^{-3}$		1468
$\pi^+ \pi^- \eta'$	$(2.4 \pm 0.5) \times 10^{-3}$		1612
$K^+ \bar{K}^*(892)^0 \pi^- + \text{c.c.}$	$(3.2 \pm 2.1) \times 10^{-3}$		1577
$K^*(892)^0 \bar{K}^*(892)^0$	$(1.5 \pm 0.4) \times 10^{-3}$		1512
$K^+ K^- K_S^0 K_S^0$	$< 5 \times 10^{-4}$	CL=90%	1390
$K^+ K^- K^+ K^-$	$(5.6 \pm 1.2) \times 10^{-4}$		1393
$K^+ K^- \phi$	$(4.3 \pm 1.6) \times 10^{-4}$		1440
$p \bar{p}$	$(7.3 \pm 0.4) \times 10^{-5}$		1484
$p \bar{p} \pi^0$	$(1.2 \pm 0.5) \times 10^{-4}$		1438
$p \bar{p} \eta$	$< 1.6 \times 10^{-4}$	CL=90%	1254
$\pi^+ \pi^- p \bar{p}$	$(5.0 \pm 1.9) \times 10^{-4}$		1381

$K_S^0 K_S^0 p\bar{p}$	< 4.5	$\times 10^{-4}$	CL=90%	968
$\Lambda\bar{\Lambda}$	(1.18 \pm 0.19)	$\times 10^{-4}$		1355
$\Lambda\bar{\Lambda}\pi^+\pi^-$	< 1.5	$\times 10^{-3}$	CL=90%	1223
$K^+\bar{p}\Lambda$	(3.2 \pm 1.0)	$\times 10^{-4}$		1203
$\Sigma^0\bar{\Sigma}^0$	< 4	$\times 10^{-5}$	CL=90%	1288
$\Sigma^+\bar{\Sigma}^-$	< 6	$\times 10^{-5}$	CL=90%	1291
$\Xi^0\bar{\Xi}^0$	< 6	$\times 10^{-5}$	CL=90%	1163
$\Xi^-\bar{\Xi}^+$	(8.4 \pm 2.3)	$\times 10^{-5}$		1155
$\pi^+\pi^- + K^+K^-$	< 2.1	$\times 10^{-3}$		—
$K_S^0 K_S^0$	< 6	$\times 10^{-5}$	CL=90%	1683

Radiative decays

$\gamma J/\psi(1S)$	(34.4 \pm 1.5) %		389
$\gamma\rho^0$	(2.29 \pm 0.27) $\times 10^{-4}$		1670
$\gamma\omega$	(7.8 \pm 1.8) $\times 10^{-5}$		1668
$\gamma\phi$	< 2.4 $\times 10^{-5}$	CL=90%	1607

$h_c(1P)$

$I^G(J^{PC}) = ?^?(1+-)$

Mass $m = 3525.42 \pm 0.29$ MeV (S = 1.7)

Full width $\Gamma < 1$ MeV

$h_c(1P)$ DECAY MODES	Fraction (Γ_i/Γ)	p (MeV/c)
$J/\psi(1S)\pi\pi$	not seen	312
$\eta_c\gamma$	seen	503
$\pi^+\pi^-\pi^0$	not seen	1749
$2\pi^+2\pi^-\pi^0$	seen	1716
$3\pi^+3\pi^-\pi^0$	not seen	1661

$\chi_{c2}(1P)$

$I^G(J^{PC}) = 0^+(2^{++})$

Mass $m = 3556.20 \pm 0.09$ MeV

Full width $\Gamma = 1.97 \pm 0.11$ MeV

$\chi_{c2}(1P)$ DECAY MODES	Fraction (Γ_i/Γ)	Confidence level ρ (MeV/c)
---	--------------------------------	---------------------------------

Hadronic decays

$2(\pi^+\pi^-)$	(1.11 ± 0.11) %	1751	
$\pi^+\pi^-\pi^0\pi^0$	(2.00 ± 0.26) %	1752	
$\rho^+\pi^-\pi^0 + \text{c.c.}$	(2.4 ± 0.4) %	1682	
$K^+K^-\pi^0\pi^0$	(2.2 ± 0.4) $\times 10^{-3}$	1658	
$K^+\pi^-K^0\pi^0 + \text{c.c.}$	(1.50 ± 0.22) %	1657	
$\rho^+K^-K^0 + \text{c.c.}$	(4.5 ± 1.4) $\times 10^{-3}$	1540	
$K^*(892)^0K^+\pi^- \rightarrow$	(3.2 ± 0.9) $\times 10^{-3}$	-	
$K^+\pi^-K^0\pi^0 + \text{c.c.}$			
$K^*(892)^0K^0\pi^0 \rightarrow$	(4.2 ± 0.9) $\times 10^{-3}$	-	
$K^+\pi^-K^0\pi^0 + \text{c.c.}$			
$K^*(892)^-K^+\pi^0 \rightarrow$	(4.1 ± 0.9) $\times 10^{-3}$	-	
$K^+\pi^-K^0\pi^0 + \text{c.c.}$			
$K^*(892)^+K^0\pi^- \rightarrow$	(3.2 ± 0.9) $\times 10^{-3}$	-	
$K^+\pi^-K^0\pi^0 + \text{c.c.}$			
$K^+K^-\eta\pi^0$	(1.4 ± 0.5) $\times 10^{-3}$	1549	
$\pi^+\pi^-K^+K^-$	(9.2 ± 1.1) $\times 10^{-3}$	1656	
$K^+\overline{K}^*(892)^0\pi^- + \text{c.c.}$	(2.3 ± 1.2) $\times 10^{-3}$	1602	
$K^*(892)^0\overline{K}^*(892)^0$	(2.5 ± 0.5) $\times 10^{-3}$	1538	
$3(\pi^+\pi^-)$	(8.6 ± 1.8) $\times 10^{-3}$	1707	
$\phi\phi$	(1.48 ± 0.28) $\times 10^{-3}$	1457	
$\omega\omega$	(1.9 ± 0.6) $\times 10^{-3}$	1597	
$\pi\pi$	(2.39 ± 0.14) $\times 10^{-3}$	1773	
$\rho^0\pi^+\pi^-$	(4.0 ± 1.7) $\times 10^{-3}$	1681	
$\pi^+\pi^-\eta$	(5.2 ± 1.4) $\times 10^{-4}$	1724	
$\pi^+\pi^-\eta'$	(5.4 ± 2.0) $\times 10^{-4}$	1636	
$\eta\eta$	(5.4 ± 0.8) $\times 10^{-4}$	1692	
K^+K^-	(1.09 ± 0.08) $\times 10^{-3}$	1708	
$K_S^0K_S^0$	(5.8 ± 0.5) $\times 10^{-4}$	1707	
$\overline{K}^0K^+\pi^- + \text{c.c.}$	(1.32 ± 0.20) $\times 10^{-3}$	1685	
$K^+K^-\pi^0$	(3.3 ± 0.8) $\times 10^{-4}$	1686	
$K^+K^-\eta$	< 3.5×10^{-4}	90%	1592
$\eta\eta'$	< 6×10^{-5}	90%	1600
$\eta'\eta'$	< 1.1×10^{-4}	90%	1498
$\pi^+\pi^-K_S^0K_S^0$	(2.4 ± 0.6) $\times 10^{-3}$	1655	
$K^+K^-K_S^0K_S^0$	< 4×10^{-4}	90%	1418
$K^+K^-K^+K^-$	(1.78 ± 0.22) $\times 10^{-3}$	1421	
$K^+K^-\phi$	(1.55 ± 0.32) $\times 10^{-3}$	1468	
$K_S^0K_S^0p\bar{p}$	< 7.9×10^{-4}	90%	1007
$p\bar{p}$	(7.2 ± 0.4) $\times 10^{-5}$	1510	
$p\bar{p}\pi^0$	(4.7 ± 1.0) $\times 10^{-4}$	1465	
$p\bar{p}\eta$	(2.0 ± 0.8) $\times 10^{-4}$	1285	
$\pi^+\pi^-p\bar{p}$	(1.32 ± 0.34) $\times 10^{-3}$	1410	
$\pi^0\pi^0p\bar{p}$	(8.5 ± 2.6) $\times 10^{-4}$	1414	

$p\bar{n}\pi^-$	$(1.1 \pm 0.4) \times 10^{-3}$		1463
$\Lambda\bar{\Lambda}$	$(1.86 \pm 0.27) \times 10^{-4}$		1385
$\Lambda\bar{\Lambda}\pi^+\pi^-$	$< 3.5 \times 10^{-3}$	90%	1255
$K^+\bar{p}\Lambda + \text{c.c.}$	$(9.1 \pm 1.8) \times 10^{-4}$		1236
$\Sigma^0\bar{\Sigma}^0$	$< 8 \times 10^{-5}$	90%	1319
$\Sigma^+\bar{\Sigma}^-$	$< 7 \times 10^{-5}$	90%	1322
$\Xi^0\bar{\Xi}^0$	$< 1.1 \times 10^{-4}$	90%	1197
$\Xi^-\bar{\Xi}^+$	$(1.55 \pm 0.35) \times 10^{-4}$		1189
$J/\psi(1S)\pi^+\pi^-\pi^0$	$< 1.5 \%$	90%	185

Radiative decays

$\gamma J/\psi(1S)$	$(19.5 \pm 0.8) \%$		430
$\gamma\rho^0$	$< 5 \times 10^{-5}$	90%	1694
$\gamma\omega$	$< 6 \times 10^{-6}$	90%	1692
$\gamma\phi$	$< 1.2 \times 10^{-5}$	90%	1632
$\gamma\gamma$	$(2.56 \pm 0.16) \times 10^{-4}$		1778

 $\eta_c(2S)$ $I^G(J^{PC}) = 0^+(0^-+)$

Quantum numbers are quark model predictions.

Mass $m = 3637 \pm 4$ MeV ($S = 1.7$)Full width $\Gamma = 14 \pm 7$ MeV

$\eta_c(2S)$ DECAY MODES	Fraction (Γ_i/Γ)	Confidence level	p (MeV/c)
hadrons	not seen		—
$K\bar{K}\pi$	$(1.9 \pm 1.2) \%$		1729
$2\pi^+ 2\pi^-$	not seen		1792
$3\pi^+ 3\pi^-$	not seen		1749
$K^+ K^- \pi^+ \pi^-$	not seen		1700
$K^+ K^- \pi^+ \pi^- \pi^0$	not seen		1667
$K^+ K^- 2\pi^+ 2\pi^-$	not seen		1627
$K_S^0 K^- 2\pi^+ \pi^- + \text{c.c.}$	not seen		1666
$2K^+ 2K^-$	not seen		1470
$p\bar{p}$	not seen		1558
$\gamma\gamma$	$< 5 \times 10^{-4}$	90%	1819
$\pi^+ \pi^- \eta$	not seen		1766
$\pi^+ \pi^- \eta'$	not seen		1680
$K^+ K^- \eta$	not seen		1637
$\pi^+ \pi^- \eta_c(1S)$	not seen		541

$\psi(2S)$ $I^G(J^{PC}) = 0^-(1^{--})$ Mass $m = 3686.09 \pm 0.04$ MeV ($S = 1.6$)Full width $\Gamma = 304 \pm 9$ keV $\Gamma_{ee} = 2.35 \pm 0.04$ keV

$\psi(2S)$ DECAY MODES	Fraction (Γ_i/Γ)	Scale factor/ Confidence level	p (MeV/c)
hadrons	$(97.85 \pm 0.13) \%$	—	—
virtual $\gamma \rightarrow$ hadrons	$(1.73 \pm 0.14) \%$	S=1.5	—
ggg	$(10.6 \pm 1.6) \%$	—	—
γgg	$(1.02 \pm 0.29) \%$	—	—
light hadrons	$(15.4 \pm 1.5) \%$	—	—
$e^+ e^-$	$(7.72 \pm 0.17) \times 10^{-3}$	1843	
$\mu^+ \mu^-$	$(7.7 \pm 0.8) \times 10^{-3}$	1840	
$\tau^+ \tau^-$	$(3.0 \pm 0.4) \times 10^{-3}$	490	

Decays into $J/\psi(1S)$ and anything

$J/\psi(1S)$ anything	$(59.5 \pm 0.8) \%$	—
$J/\psi(1S)$ neutrals	$(24.5 \pm 0.4) \%$	—
$J/\psi(1S)\pi^+\pi^-$	$(33.6 \pm 0.4) \%$	477
$J/\psi(1S)\pi^0\pi^0$	$(17.73 \pm 0.34) \%$	481
$J/\psi(1S)\eta$	$(3.28 \pm 0.07) \%$	199
$J/\psi(1S)\pi^0$	$(1.30 \pm 0.10) \times 10^{-3}$	S=1.4

Hadronic decays

$\pi^0 h_c(1P)$	seen	85
$3(\pi^+\pi^-)\pi^0$	$(3.5 \pm 1.6) \times 10^{-3}$	1746
$2(\pi^+\pi^-)\pi^0$	$(2.9 \pm 1.0) \times 10^{-3}$	S=4.6
$\rho a_2(1320)$	$(2.6 \pm 0.9) \times 10^{-4}$	1500
$p\bar{p}$	$(2.76 \pm 0.12) \times 10^{-4}$	1586
$\Delta^{++}\bar{\Delta}^{--}$	$(1.28 \pm 0.35) \times 10^{-4}$	1371
$\Lambda\bar{\Lambda}\pi^0$	$< 1.2 \times 10^{-4}$	CL=90%
$\Lambda\bar{\Lambda}\eta$	$< 4.9 \times 10^{-5}$	CL=90%
$\Lambda\bar{p}K^+$	$(1.00 \pm 0.14) \times 10^{-4}$	1327
$\Lambda\bar{p}K^+\pi^+\pi^-$	$(1.8 \pm 0.4) \times 10^{-4}$	1167
$\Lambda\bar{\Lambda}\pi^+\pi^-$	$(2.8 \pm 0.6) \times 10^{-4}$	1346
$\Lambda\bar{\Lambda}$	$(2.8 \pm 0.5) \times 10^{-4}$	S=2.6
$\Sigma^+\bar{\Sigma}^-$	$(2.6 \pm 0.8) \times 10^{-4}$	1408
$\Sigma^0\bar{\Sigma}^0$	$(2.2 \pm 0.4) \times 10^{-4}$	S=1.5
$\Sigma(1385)^+\bar{\Sigma}(1385)^-$	$(1.1 \pm 0.4) \times 10^{-4}$	1218
$\Xi^-\bar{\Xi}^+$	$(1.8 \pm 0.6) \times 10^{-4}$	S=2.8
$\Xi^0\bar{\Xi}^0$	$(2.8 \pm 0.9) \times 10^{-4}$	1291
$\Xi(1530)^0\bar{\Xi}(1530)^0$	$< 8.1 \times 10^{-5}$	CL=90%
$\Omega^-\bar{\Omega}^+$	$< 7.3 \times 10^{-5}$	CL=90%

$\pi^0 p\bar{p}$	$(1.33 \pm 0.17) \times 10^{-4}$	1543
$\eta p\bar{p}$	$(6.0 \pm 1.2) \times 10^{-5}$	1373
$\omega p\bar{p}$	$(6.9 \pm 2.1) \times 10^{-5}$	1247
$\phi p\bar{p}$	$< 2.4 \times 10^{-5}$	CL=90% 1109
$\pi^+ \pi^- p\bar{p}$	$(6.0 \pm 0.4) \times 10^{-4}$	1491
$p\bar{n}\pi^-$ or c.c.	$(2.48 \pm 0.17) \times 10^{-4}$	—
$p\bar{n}\pi^- \pi^0$	$(3.2 \pm 0.7) \times 10^{-4}$	1492
$2(\pi^+ \pi^- \pi^0)$	$(4.8 \pm 1.5) \times 10^{-3}$	1776
$\eta \pi^+ \pi^-$	$< 1.6 \times 10^{-4}$	CL=90% 1791
$\eta \pi^+ \pi^- \pi^0$	$(9.5 \pm 1.7) \times 10^{-4}$	1778
$2(\pi^+ \pi^-) \eta$	$(1.2 \pm 0.6) \times 10^{-3}$	1758
$\eta' \pi^+ \pi^- \pi^0$	$(4.5 \pm 2.1) \times 10^{-4}$	1692
$\omega \pi^+ \pi^-$	$(7.3 \pm 1.2) \times 10^{-4}$	S=2.1 1748
$b_1^\pm \pi^\mp$	$(4.0 \pm 0.6) \times 10^{-4}$	S=1.1 1635
$b_1^0 \pi^0$	$(2.4 \pm 0.6) \times 10^{-4}$	—
$\omega f_2(1270)$	$(2.2 \pm 0.4) \times 10^{-4}$	1515
$\pi^+ \pi^- K^+ K^-$	$(7.5 \pm 0.9) \times 10^{-4}$	S=1.9 1726
$\rho^0 K^+ K^-$	$(2.2 \pm 0.4) \times 10^{-4}$	1616
$K^*(892)^0 \bar{K}_2^*(1430)^0$	$(1.9 \pm 0.5) \times 10^{-4}$	1418
$K^+ K^- \pi^+ \pi^- \eta$	$(1.3 \pm 0.7) \times 10^{-3}$	1574
$K^+ K^- 2(\pi^+ \pi^-) \pi^0$	$(1.00 \pm 0.31) \times 10^{-3}$	1611
$K^+ K^- 2(\pi^+ \pi^-)$	$(1.9 \pm 0.9) \times 10^{-3}$	1654
$K_1(1270)^\pm K^\mp$	$(1.00 \pm 0.28) \times 10^{-3}$	1581
$K_S^0 K_S^0 \pi^+ \pi^-$	$(2.2 \pm 0.4) \times 10^{-4}$	1724
$\rho^0 p\bar{p}$	$(5.0 \pm 2.2) \times 10^{-5}$	1251
$K^+ \bar{K}^*(892)^0 \pi^-$ + c.c.	$(6.7 \pm 2.5) \times 10^{-4}$	1674
$2(\pi^+ \pi^-)$	$(2.4 \pm 0.6) \times 10^{-4}$	S=2.2 1817
$\rho^0 \pi^+ \pi^-$	$(2.2 \pm 0.6) \times 10^{-4}$	S=1.4 1750
$K^+ K^- \pi^+ \pi^- \pi^0$	$(1.26 \pm 0.09) \times 10^{-3}$	1694
$\omega f_0(1710) \rightarrow \omega K^+ K^-$	$(5.9 \pm 2.2) \times 10^{-5}$	—
$K^*(892)^0 K^- \pi^+ \pi^0$ + c.c.	$(8.6 \pm 2.2) \times 10^{-4}$	—
$K^*(892)^+ K^- \pi^+ \pi^-$ + c.c.	$(9.6 \pm 2.8) \times 10^{-4}$	—
$K^*(892)^+ K^- \rho^0$ + c.c.	$(7.3 \pm 2.6) \times 10^{-4}$	—
$K^*(892)^0 K^- \rho^+$ + c.c.	$(6.1 \pm 1.8) \times 10^{-4}$	—
$\eta K^+ K^-$	$< 1.3 \times 10^{-4}$	CL=90% 1664
$\omega K^+ K^-$	$(1.85 \pm 0.25) \times 10^{-4}$	S=1.1 1614
$3(\pi^+ \pi^-)$	$(3.5 \pm 2.0) \times 10^{-4}$	S=2.8 1774
$p\bar{p} \pi^+ \pi^- \pi^0$	$(7.3 \pm 0.7) \times 10^{-4}$	1435
$K^+ K^-$	$(6.3 \pm 0.7) \times 10^{-5}$	1776
$K_S^0 K_L^0$	$(5.4 \pm 0.5) \times 10^{-5}$	1775
$\pi^+ \pi^- \pi^0$	$(1.68 \pm 0.26) \times 10^{-4}$	S=1.4 1830
$\rho(2150)\pi \rightarrow \pi^+ \pi^- \pi^0$	$(1.9 \pm 1.2) \times 10^{-4}$	—
$\rho(770)\pi \rightarrow \pi^+ \pi^- \pi^0$	$(3.2 \pm 1.2) \times 10^{-5}$	S=1.8 1830

$\pi^+ \pi^-$	(8 \pm 5) $\times 10^{-5}$		1838
$K_1(1400)^{\pm} K^{\mp}$	< 3.1 $\times 10^{-4}$	CL=90%	1532
$K^+ K^- \pi^0$	< 2.96 $\times 10^{-5}$	CL=90%	1754
$K^+ \bar{K}^*(892)^- + \text{c.c.}$	(1.7 \pm 0.8) $\times 10^{-5}$		1698
$K^*(892)^0 \bar{K}^0 + \text{c.c.}$	(1.09 \pm 0.20) $\times 10^{-4}$		1697
$\phi \pi^+ \pi^-$	(1.17 \pm 0.29) $\times 10^{-4}$	S=1.7	1690
$\phi f_0(980) \rightarrow \pi^+ \pi^-$	(6.8 \pm 2.4) $\times 10^{-5}$	S=1.1	-
$2(K^+ K^-)$	(6.0 \pm 1.4) $\times 10^{-5}$		1499
$\phi K^+ K^-$	(7.0 \pm 1.6) $\times 10^{-5}$		1546
$2(K^+ K^-)\pi^0$	(1.10 \pm 0.28) $\times 10^{-4}$		1440
$\phi \eta$	(2.8 \pm 1.0) $\times 10^{-5}$		1654
$\phi \eta'$	(3.1 \pm 1.6) $\times 10^{-5}$		1555
$\omega \eta'$	(3.2 \pm 2.5) $\times 10^{-5}$		1623
$\omega \pi^0$	(2.1 \pm 0.6) $\times 10^{-5}$		1757
$\rho \eta'$	(1.9 \pm 1.7) $\times 10^{-5}$		1625
$\rho \eta$	(2.2 \pm 0.6) $\times 10^{-5}$	S=1.1	1717
$\omega \eta$	< 1.1 $\times 10^{-5}$	CL=90%	1715
$\phi \pi^0$	< 4 $\times 10^{-6}$	CL=90%	1699
$\eta_c \pi^+ \pi^- \pi^0$	< 1.0 $\times 10^{-3}$	CL=90%	-
$p \bar{p} K^+ K^-$	(2.7 \pm 0.7) $\times 10^{-5}$		1118
$\Lambda n K_S^0 + \text{c.c.}$	(8.1 \pm 1.8) $\times 10^{-5}$		1324
$\phi f'_2(1525)$	(4.4 \pm 1.6) $\times 10^{-5}$		1321
$\Theta(1540) \bar{\Theta}(1540) \rightarrow K_S^0 p K^- \bar{n} + \text{c.c.}$	< 8.8 $\times 10^{-6}$	CL=90%	-
$\Theta(1540) K^- \bar{n} \rightarrow K_S^0 p K^- \bar{n}$	< 1.0 $\times 10^{-5}$	CL=90%	-
$\Theta(1540) K_S^0 \bar{p} \rightarrow K_S^0 \bar{p} K^+ n$	< 7.0 $\times 10^{-6}$	CL=90%	-
$\bar{\Theta}(1540) K^+ n \rightarrow K_S^0 \bar{p} K^+ n$	< 2.6 $\times 10^{-5}$	CL=90%	-
$\bar{\Theta}(1540) K_S^0 p \rightarrow K_S^0 p K^- \bar{n}$	< 6.0 $\times 10^{-6}$	CL=90%	-
$K_S^0 K_S^0$	< 4.6 $\times 10^{-6}$		1775

Radiative decays

$\gamma \chi_{c0}(1P)$	(9.62 \pm 0.31) %		261
$\gamma \chi_{c1}(1P)$	(9.2 \pm 0.4) %		171
$\gamma \chi_{c2}(1P)$	(8.74 \pm 0.35) %		128
$\pi^0 h_c \rightarrow \gamma \eta_c(1S) \pi^0$	(4.2 \pm 0.5) $\times 10^{-4}$		-
$\gamma \eta_c(1S)$	(3.4 \pm 0.5) $\times 10^{-3}$	S=1.3	638
$\gamma \eta_c(2S)$	< 8 $\times 10^{-4}$	CL=90%	48
$\gamma \pi^0$	< 5 $\times 10^{-6}$	CL=90%	1841
$\gamma \eta'(958)$	(1.21 \pm 0.08) $\times 10^{-4}$		1719
$\gamma f_2(1270)$	(2.1 \pm 0.4) $\times 10^{-4}$		1622
$\gamma f_0(1710) \rightarrow \gamma \pi \pi$	(3.0 \pm 1.3) $\times 10^{-5}$		-
$\gamma f_0(1710) \rightarrow \gamma K \bar{K}$	(6.0 \pm 1.6) $\times 10^{-5}$		-

$\gamma\gamma$	< 1.4	$\times 10^{-4}$	CL=90%	1843
$\gamma\eta$	< 2	$\times 10^{-6}$	CL=90%	1802
$\gamma\eta\pi^+\pi^-$	(8.7 \pm 2.1)	$\times 10^{-4}$		1791
$\gamma\eta(1405) \rightarrow \gamma K\bar{K}\pi$	< 9	$\times 10^{-5}$	CL=90%	1569
$\gamma\eta(1405) \rightarrow \eta\pi^+\pi^-$	(3.6 \pm 2.5)	$\times 10^{-5}$		-
$\gamma\eta(1475) \rightarrow K\bar{K}\pi$	< 1.4	$\times 10^{-4}$	CL=90%	-
$\gamma\eta(1475) \rightarrow \eta\pi^+\pi^-$	< 8.8	$\times 10^{-5}$	CL=90%	-
$\gamma 2(\pi^+\pi^-)$	(4.0 \pm 0.6)	$\times 10^{-4}$		1817
$\gamma K^{*0} K^+ \pi^- + \text{c.c.}$	(3.7 \pm 0.9)	$\times 10^{-4}$		1674
$\gamma K^{*0} \bar{K}^{*0}$	(2.4 \pm 0.7)	$\times 10^{-4}$		1613
$\gamma K_S^0 K^+ \pi^- + \text{c.c.}$	(2.6 \pm 0.5)	$\times 10^{-4}$		1753
$\gamma K^+ K^- \pi^+ \pi^-$	(1.9 \pm 0.5)	$\times 10^{-4}$		1726
$\gamma p\bar{p}$	(2.9 \pm 0.6)	$\times 10^{-5}$		1586
$\gamma\pi^+\pi^- p\bar{p}$	(2.8 \pm 1.4)	$\times 10^{-5}$		1491
$\gamma 2(\pi^+\pi^-) K^+ K^-$	< 2.2	$\times 10^{-4}$	CL=90%	1654
$\gamma 3(\pi^+\pi^-)$	< 1.7	$\times 10^{-4}$	CL=90%	1774
$\gamma K^+ K^- K^+ K^-$	< 4	$\times 10^{-5}$	CL=90%	1499

 $\psi(3770)$ $I^G(J^{PC}) = 0^-(1^{--})$ Mass $m = 3772.92 \pm 0.35$ MeV (S = 1.1)Full width $\Gamma = 27.3 \pm 1.0$ MeV $\Gamma_{ee} = 0.265 \pm 0.018$ keV (S = 1.3)

In addition to the dominant decay mode to $D\bar{D}$, $\psi(3770)$ was found to decay into the final states containing the J/ψ (BAI 05, ADAM 06). ADAMS 06 and HUANG 06A searched for various decay modes with light hadrons and found a statistically significant signal for the decay to $\phi\eta$ only (ADAMS 06).

$\psi(3770)$ DECAY MODES	Fraction (Γ_i/Γ)	Scale factor/ Confidence level	<i>p</i> (MeV/c)
$D\bar{D}$	(93 \pm 8) %	S=2.0	285
$D^0\bar{D}^0$	(52 \pm 5) %	S=2.0	285
$D^+ D^-$	(41 \pm 4) %	S=2.0	252
$J/\psi\pi^+\pi^-$	(1.93 \pm 0.28) $\times 10^{-3}$		560
$J/\psi\pi^0\pi^0$	(8.0 \pm 3.0) $\times 10^{-4}$		564
$J/\psi\eta$	(9 \pm 4) $\times 10^{-4}$		359
$J/\psi\pi^0$	< 2.8 $\times 10^{-4}$	CL=90%	603
$\gamma\chi_{c0}$	(7.3 \pm 0.9) $\times 10^{-3}$		341
$\gamma\chi_{c1}$	(2.9 \pm 0.6) $\times 10^{-3}$		253
$\gamma\chi_{c2}$	< 9 $\times 10^{-4}$	CL=90%	210
$e^+ e^-$	(9.7 \pm 0.7) $\times 10^{-6}$	S=1.2	1886
$K_S^0 K_L^0$	< 1.2 $\times 10^{-5}$	CL=90%	1820

$2(\pi^+ \pi^-)$	< 1.12	$\times 10^{-3}$	CL=90%	1861
$2(\pi^+ \pi^-)\pi^0$	< 1.06	$\times 10^{-3}$	CL=90%	1843
$2(\pi^+ \pi^- \pi^0)$	< 5.85	%	CL=90%	1821
$\omega \pi^+ \pi^-$	< 6.0	$\times 10^{-4}$	CL=90%	1794
$3(\pi^+ \pi^-)$	< 9.1	$\times 10^{-3}$		1819
$3(\pi^+ \pi^-)\pi^0$	< 1.37	%		1792
$3(\pi^+ \pi^-)2\pi^0$	< 11.74	%	CL=90%	1759
$\eta \pi^+ \pi^-$	< 1.24	$\times 10^{-3}$	CL=90%	1836
$\pi^+ \pi^- 2\pi^0$	< 8.9	$\times 10^{-3}$	CL=90%	1862
$\rho^0 \pi^+ \pi^-$	< 6.9	$\times 10^{-3}$	CL=90%	1796
$\eta 3\pi$	< 1.34	$\times 10^{-3}$	CL=90%	1824
$\eta 2(\pi^+ \pi^-)$	< 2.43	%		1804
$\eta' 3\pi$	< 2.44	$\times 10^{-3}$	CL=90%	1740
$K^+ K^- \pi^+ \pi^-$	< 9.0	$\times 10^{-4}$	CL=90%	1772
$\phi \pi^+ \pi^-$	< 4.1	$\times 10^{-4}$	CL=90%	1737
$K^+ K^- 2\pi^0$	< 4.2	$\times 10^{-3}$	CL=90%	1774
$\phi \pi^0$	not seen			1746
$\phi \eta$	$(3.1 \pm 0.7) \times 10^{-4}$			1703
$4(\pi^+ \pi^-)$	< 1.67	%	CL=90%	1757
$4(\pi^+ \pi^-)\pi^0$	< 3.06	%	CL=90%	1720
$\phi f_0(980)$	< 4.5	$\times 10^{-4}$	CL=90%	1600
$K^+ K^- \pi^+ \pi^- \pi^0$	< 2.36	$\times 10^{-3}$	CL=90%	1741
$K^+ K^- \rho^0 \pi^0$	< 8	$\times 10^{-4}$	CL=90%	1624
$K^+ K^- \rho^+ \pi^-$	< 1.46	%	CL=90%	1622
$\omega K^+ K^-$	< 3.4	$\times 10^{-4}$	CL=90%	1664
$\phi \pi^+ \pi^- \pi^0$	< 3.8	$\times 10^{-3}$	CL=90%	1722
$K^{*0} K^- \pi^+ \pi^0 + \text{c.c.}$	< 1.62	%	CL=90%	1693
$K^{*+} K^- \pi^+ \pi^- + \text{c.c.}$	< 3.23	%	CL=90%	1692
$K^+ K^- \pi^+ \pi^- 2\pi^0$	< 2.67	%	CL=90%	1705
$K^+ K^- 2(\pi^+ \pi^-)$	< 1.03	%	CL=90%	1702
$K^+ K^- 2(\pi^+ \pi^-)\pi^0$	< 3.60	%	CL=90%	1660
$\eta K^+ K^-$	< 4.1	$\times 10^{-4}$	CL=90%	1711
$\rho^0 K^+ K^-$	< 5.0	$\times 10^{-3}$	CL=90%	1665
$2(K^+ K^-)$	< 6.0	$\times 10^{-4}$	CL=90%	1551
$\phi K^+ K^-$	< 7.5	$\times 10^{-4}$	CL=90%	1597
$2(K^+ K^-)\pi^0$	< 2.9	$\times 10^{-4}$	CL=90%	1493
$2(K^+ K^-)\pi^+ \pi^-$	< 3.2	$\times 10^{-3}$	CL=90%	1425
$K_S^0 K^- \pi^+$	< 3.2	$\times 10^{-3}$	CL=90%	1799
$K_S^0 K^- \pi^+ \pi^0$	< 1.33	%	CL=90%	1773
$K_S^0 K^- \rho^+$	< 6.6	$\times 10^{-3}$	CL=90%	1664
$K_S^0 K^- 2\pi^+ \pi^-$	< 8.7	$\times 10^{-3}$	CL=90%	1739
$K_S^0 K^- \pi^+ \rho^0$	< 1.6	%	CL=90%	1621
$K_S^0 K^- \pi^+ \eta$	< 1.3	%	CL=90%	1669
$K_S^0 K^- 2\pi^+ \pi^- \pi^0$	< 4.18	%	CL=90%	1703

$K_S^0 K^- 2\pi^+ \pi^- \eta$	< 4.8	%	CL=90%	1570
$K_S^0 K^- \pi^+ 2(\pi^+ \pi^-)$	< 1.22	%	CL=90%	1658
$K_S^0 K^- \pi^+ 2\pi^0$	< 2.65	%	CL=90%	1741
$K_S^0 K^- K^+ K^- \pi^+$	< 4.9	$\times 10^{-3}$	CL=90%	1490
$K_S^0 K^- K^+ K^- \pi^+ \pi^0$	< 3.0	%	CL=90%	1427
$K_S^0 K^- K^+ K^- \pi^+ \eta$	< 2.2	%	CL=90%	1214
$K^{*0} K^- \pi^+ + \text{c.c.}$	< 9.7	$\times 10^{-3}$	CL=90%	1721
$p\bar{p}\pi^0$	< 1.2	$\times 10^{-3}$		1595
$p\bar{p}\pi^+ \pi^-$	< 5.8	$\times 10^{-4}$	CL=90%	1544
$\Lambda\bar{\Lambda}$	< 1.2	$\times 10^{-4}$	CL=90%	1521
$p\bar{p}\pi^+ \pi^- \pi^0$	< 1.85	$\times 10^{-3}$	CL=90%	1490
$\omega p\bar{p}$	< 2.9	$\times 10^{-4}$	CL=90%	1309
$\Lambda\bar{\Lambda}\pi^0$	< 1.2	$\times 10^{-3}$	CL=90%	1468
$p\bar{p}2(\pi^+ \pi^-)$	< 2.6	$\times 10^{-3}$	CL=90%	1425
$\eta p\bar{p}$	< 5.4	$\times 10^{-4}$	CL=90%	1430
$\rho^0 p\bar{p}$	< 1.7	$\times 10^{-3}$	CL=90%	1313
$p\bar{p}K^+ K^-$	< 3.2	$\times 10^{-4}$	CL=90%	1185
$\phi p\bar{p}$	< 1.3	$\times 10^{-4}$	CL=90%	1178
$\Lambda\bar{\Lambda}\pi^+ \pi^-$	< 2.5	$\times 10^{-4}$	CL=90%	1404
$\Lambda\bar{p}K^+$	< 2.8	$\times 10^{-4}$	CL=90%	1387
$\Lambda\bar{p}K^+ \pi^+ \pi^-$	< 6.3	$\times 10^{-4}$	CL=90%	1234
$\pi^+ \pi^- \pi^0$	not seen			1874
$\rho\pi$	not seen			1804
$\omega\pi^0$	not seen			1803
$\rho\eta$	not seen			1763
$\omega\eta$	not seen			1762
$\rho\eta'$	not seen			1674
$\omega\eta'$	not seen			1672
$\phi\eta'$	not seen			1606
$K^{*0} \bar{K}^0$	not seen			1744
$K^{*+} K^-$	not seen			1745
$b_1\pi$	not seen			1683

Radiative decays

$\gamma\pi^0$	< 2	$\times 10^{-4}$	CL=90%	1884
$\gamma\eta$	< 1.5	$\times 10^{-4}$	CL=90%	1847
$\gamma\eta'$	< 1.8	$\times 10^{-4}$	CL=90%	1765

X(3872)

$$I^G(J^{PC}) = 0^? (?^+)$$

Quantum numbers not established.

Mass $m = 3871.56 \pm 0.22$ MeV

$m_{X(3872)} - m_{J/\psi} = 775 \pm 4$ MeV

$m_{X(3872)} - m_{\psi(2S)}$

Full width $\Gamma < 2.3$ MeV, CL = 90%

X(3872) DECAY MODES

Fraction (Γ_i/Γ)

p (MeV/c)

$\pi^+ \pi^- J/\psi(1S)$	>2.6 %	650
$D^0 \bar{D}^0 \pi^0$	> 3.2×10^{-3}	116
$\bar{D}^{*0} D^0$	> 5×10^{-3}	†
$\gamma J/\psi$	> 9×10^{-3}	697
$\gamma \psi(2S)$	>3.0 %	181

 $\psi(4040)$ [d]

$$I^G(J^{PC}) = 0^-(1^{--})$$

Mass $m = 4039 \pm 1$ MeV

Full width $\Gamma = 80 \pm 10$ MeV

$\Gamma_{ee} = 0.86 \pm 0.07$ keV

$\psi(4040)$ DECAY MODES	Fraction (Γ_i/Γ)	Confidence level	p (MeV/c)
$e^+ e^-$	$(1.07 \pm 0.16) \times 10^{-5}$		2019
$D \bar{D}$	seen		775
$D^0 \bar{D}^0$	seen		775
$D^+ D^-$	seen		764
$D^* \bar{D} + \text{c.c.}$	seen		569
$D^*(2007)^0 \bar{D}^0 + \text{c.c.}$	seen		575
$D^*(2010)^+ D^- + \text{c.c.}$	seen		561
$D^* \bar{D}^*$	not seen		193
$D^*(2007)^0 \bar{D}^*(2007)^0$	not seen		225
$D^*(2010)^+ D^*(2010)^-$	not seen		193
$J/\psi \pi^+ \pi^-$	< 4 $\times 10^{-3}$	90%	794
$J/\psi \pi^0 \pi^0$	< 2 $\times 10^{-3}$	90%	797
$J/\psi \eta$	< 7 $\times 10^{-3}$	90%	675
$J/\psi \pi^0$	< 2 $\times 10^{-3}$	90%	823
$J/\psi \pi^+ \pi^- \pi^0$	< 2 $\times 10^{-3}$	90%	746
$\chi_{c1} \gamma$	< 1.1 %	90%	494
$\chi_{c2} \gamma$	< 1.7 %	90%	454

$\chi_{c1}\pi^+\pi^-\pi^0$	< 1.1	%	90%	306
$\chi_{c2}\pi^+\pi^-\pi^0$	< 3.2	%	90%	233
$\phi\pi^+\pi^-$	< 3	$\times 10^{-3}$	90%	1880

 $\psi(4160)$ [d]

$I^G(J^{PC}) = 0^-(1^{--})$

Mass $m = 4153 \pm 3$ MeVFull width $\Gamma = 103 \pm 8$ MeV $\Gamma_{ee} = 0.83 \pm 0.07$ keV

$\psi(4160)$ DECAY MODES	Fraction (Γ_i/Γ)	Confidence level	$\frac{p}{(\text{MeV}/c)}$
e^+e^-	$(8.1 \pm 0.9) \times 10^{-6}$		2076
$D\bar{D}$	not seen		913
$D^0\bar{D}^0$	not seen		913
D^+D^-	not seen		904
$D^*\bar{D} + \text{c.c.}$	not seen		746
$D^*(2007)^0\bar{D}^0 + \text{c.c.}$	not seen		751
$D^*(2010)^+D^- + \text{c.c.}$	not seen		740
$D^*\bar{D}^*$	seen		520
$D^*(2007)^0\bar{D}^*(2007)^0$	seen		533
$D^*(2010)^+D^*(2010)^-$	seen		520
$J/\psi\pi^+\pi^-$	< 3	$\times 10^{-3}$	90%
$J/\psi\pi^0\pi^0$	< 3	$\times 10^{-3}$	90%
$J/\psi K^+K^-$	< 2	$\times 10^{-3}$	90%
$J/\psi\eta$	< 8	$\times 10^{-3}$	90%
$J/\psi\pi^0$	< 1	$\times 10^{-3}$	90%
$J/\psi\eta'$	< 5	$\times 10^{-3}$	90%
$J/\psi\pi^+\pi^-\pi^0$	< 1	$\times 10^{-3}$	90%
$\psi(2S)\pi^+\pi^-$	< 4	$\times 10^{-3}$	90%
$\chi_{c1}\gamma$	< 7	$\times 10^{-3}$	90%
$\chi_{c2}\gamma$	< 1.3	%	90%
$\chi_{c1}\pi^+\pi^-\pi^0$	< 2	$\times 10^{-3}$	90%
$\chi_{c2}\pi^+\pi^-\pi^0$	< 8	$\times 10^{-3}$	90%
$\phi\pi^+\pi^-$	< 2	$\times 10^{-3}$	90%
			1941

 $X(4260)$

$I^G(J^{PC}) = ?^?(1^{--})$

Mass $m = 4263^{+8}_{-9}$ MeV ($S = 1.1$)Full width $\Gamma = 95 \pm 14$ MeV

X(4260) DECAY MODES	Fraction (Γ_i/Γ)	p (MeV/c)
$J/\psi \pi^+ \pi^-$	seen	976
$J/\psi \pi^0 \pi^0$	[e] seen	978
$J/\psi K^+ K^-$	[e] seen	530
$J/\psi \eta$	[e] not seen	886
$J/\psi \pi^0$	[e] not seen	999
$J/\psi \eta'$	[e] not seen	569
$J/\psi \pi^+ \pi^- \pi^0$	[e] not seen	939
$J/\psi \eta \eta$	[e] not seen	339
$\psi(2S) \pi^+ \pi^-$	[e] not seen	470
$\psi(2S) \eta$	[e] not seen	167
$\chi_{c0} \omega$	[e] not seen	292
$\chi_{c1} \gamma$	[e] not seen	686
$\chi_{c2} \gamma$	[e] not seen	648
$\chi_{c1} \pi^+ \pi^- \pi^0$	[e] not seen	571
$\chi_{c2} \pi^+ \pi^- \pi^0$	[e] not seen	524
$\phi \pi^+ \pi^-$	[e] not seen	1999
$\phi f_0(980) \rightarrow \phi \pi^+ \pi^-$	not seen	—
$D \bar{D}$	not seen	1032
$D^0 D^{*-} \pi^+$	not seen	716
$D^* \bar{D}$	not seen	887
$D^* \bar{D}^*$	not seen	708
$D^* \bar{D} \pi$	not seen	723
$D^* \bar{D}^* \pi$	not seen	474
$D_s^+ D_s^-$	not seen	817
$D_s^{*+} D_s^-$	not seen	615
$D_s^{*+} D_s^{*-}$	not seen	284
$p \bar{p}$	not seen	1914
$K_S^0 K^\pm \pi^\mp$	not seen	2054
$K^+ K^- \pi^0$	not seen	2055

 $\psi(4415)$ $^{[d]}$ $I^G(J^{PC}) = 0^-(1^{--})$ Mass $m = 4421 \pm 4$ MeVFull width $\Gamma = 62 \pm 20$ MeV $\Gamma_{ee} = 0.58 \pm 0.07$ keV

$\psi(4415)$ DECAY MODES	Fraction (Γ_i/Γ)	Confidence level	p (MeV/c)
hadrons	dominant	—	—
$D\bar{D}$	not seen	1187	
$D^0\bar{D}^0$	not seen	1187	
D^+D^-	not seen	1179	
$D^*\bar{D} + \text{c.c.}$	not seen	1063	
$D^*(2007)^0\bar{D}^0 + \text{c.c.}$	not seen	1067	
$D^*(2010)^+D^- + \text{c.c.}$	not seen	1059	
$D^*\bar{D}^*$	not seen	919	
$D^*(2007)^0\bar{D}^*(2007)^0 + \text{c.c.}$	not seen	927	
$D^*(2010)^+D^*(2010)^- + \text{c.c.}$	not seen	919	
$(D^0 D^- \pi^+)_{\text{non-res}}$	< 2.3 %	90%	—
$D\bar{D}_2^*(2460) \rightarrow D^0 D^- \pi^+$	(10 ± 4) %	—	—
$D^0 D^{*-} \pi^+$	< 11 %	90%	926
$e^+ e^-$	(9.4 ± 3.2) × 10 ⁻⁶		2210

NOTES

- [a] The value is for the sum of the charge states or particle/antiparticle states indicated.
- [b] Includes $p\bar{p}\pi^+\pi^-\gamma$ and excludes $p\bar{p}\eta$, $p\bar{p}\omega$, $p\bar{p}\eta'$.
- [c] See the “Note on the $\eta(1405)$ ” in the $\eta(1405)$ Particle Listings.
- [d] J^{PC} known by production in e^+e^- via single photon annihilation. J^G is not known; interpretation of this state as a single resonance is unclear because of the expectation of substantial threshold effects in this energy region.
- [e] See COAN 06 for details.