

$f'_2(1525)$ $I^G(J^{PC}) = 0^+(2^{++})$ **$f'_2(1525)$ MASS**VALUE (MeV)DOCUMENT ID

1525±5 OUR ESTIMATE This is only an educated guess; the error given is larger than the error on the average of the published values.

PRODUCED BY PION BEAM

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1521±13		TIKHOMIROV 03	SPEC	$40.0 \pi^- C \rightarrow K_S^0 K_S^0 K_L^0 \chi$
1547 ⁺¹⁰ ₋₂	1	LONGACRE 86	MPS	$22 \pi^- p \rightarrow K_S^0 K_S^0 n$
1496 ⁺⁹ ₋₈	2	CHABAUD 81	ASPK	$6 \pi^- p \rightarrow K^+ K^- n$
1497 ⁺⁸ ₋₉	CHABAUD	81	ASPK	$18.4 \pi^- p \rightarrow K^+ K^- n$
1492±29		GORLICH 80	ASPK	$17 \pi^- p$ polarized $\rightarrow K^+ K^- n$
1502±25	3	CORDEN 79	OMEG	$12\text{--}15 \pi^- p \rightarrow \pi^+ \pi^- n$
1480	14	CRENNELL 66	HBC	$6.0 \pi^- p \rightarrow K_S^0 K_S^0 n$

PRODUCED BY K^\pm BEAM

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1523.4± 1.3 OUR AVERAGE Includes data from the datablock that follows this one.				
Error includes scale factor of 1.1.				
1526.8± 4.3		ASTON 88D	LASS	$11 K^- p \rightarrow K_S^0 K_S^0 \Lambda$
1504 ± 12		BOLONKIN 86	SPEC	$40 K^- p \rightarrow K_S^0 K_S^0 Y$
1529 ± 3		ARMSTRONG 83B	OMEG	$18.5 K^- p \rightarrow K^- K^+ \Lambda$
1521 ± 6	650	AGUILAR-...	81B	$4.2 K^- p \rightarrow \Lambda K^+ K^-$
1521 ± 3	572	ALHARRAN 81	HBC	$8.25 K^- p \rightarrow \Lambda K \bar{K}$
1522 ± 6	123	BARREIRO 77	HBC	$4.15 K^- p \rightarrow \Lambda K_S^0 K_S^0$
1528 ± 7	166	EVANGELIS...	77	OMEG $10 K^- p \rightarrow K^+ K^- (\Lambda, \Sigma)$
1527 ± 3	120	BRANDENB...	76C	ASPK $13 K^- p \rightarrow K^+ K^- (\Lambda, \Sigma)$
1519 ± 7	100	AGUILAR-...	72B	HBC $3.9, 4.6 K^- p \rightarrow K \bar{K} (\Lambda, \Sigma)$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1514 ± 8	61	BINON 07	GAMS	$32.5 K^- p \rightarrow \eta \eta (\Lambda / \Sigma^0)$
1513 ± 10		4 BARKOV 99	SPEC	$40 K^- p \rightarrow K_S^0 K_S^0 y$

PRODUCED IN $e^+ e^-$ ANNIHILATION

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
The data in this block is included in the average printed for a previous datablock.				

1520.7± 2.0 OUR AVERAGE

1521 ± 5		ABLIKIM 05	BES2	$J/\psi \rightarrow \phi K^+ K^-$
1518 ± 1 ± 3		ABE 04	BELL	$10.6 e^+ e^- \rightarrow e^+ e^- K^+ K^-$
1519 ± 2 ± 5 ⁺¹⁵ ₋₅		BAI 03G	BES	$J/\psi \rightarrow \gamma K \bar{K}$
1523 ± 6	331	5 ACCIARRI 01H	L3	$91, 183\text{--}209 e^+ e^- \rightarrow e^+ e^- K_S^0 K_S^0$

1535 \pm 5 \pm 4	ABREU	96C	DLPH	$Z^0 \rightarrow K^+ K^- + X$
1516 \pm 5 $^{+9}_{-15}$	BAI	96C	BES	$J/\psi \rightarrow \gamma K^+ K^-$
1531.6 \pm 10.0	AUGUSTIN	88	DM2	$J/\psi \rightarrow \gamma K^+ K^-$
1515 \pm 5	⁶ FALVARD	88	DM2	$J/\psi \rightarrow \phi K^+ K^-$
1525 \pm 10 \pm 10	BALTRUSAIT..87	MRK3		$J/\psi \rightarrow \gamma K^+ K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1523 \pm 5	870	⁷ SCHEGELSKY	06A	RVUE $\gamma\gamma \rightarrow K_S^0 K_S^0$
1496 \pm 2		⁸ FALVARD	88	DM2 $J/\psi \rightarrow \phi K^+ K^-$

PRODUCED IN $\bar{p}p$ ANNIHILATION

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1530 \pm 12	⁹ ANISOVICH	09	RVUE 0.0 $\bar{p}p, \pi N$
1513 \pm 4	AMSLER	06	CBAR 0.9 $\bar{p}p \rightarrow K^+ K^- \pi^0$
1508 \pm 9	¹⁰ AMSLER	02	CBAR 0.9 $\bar{p}p \rightarrow \pi^0 \eta\eta, \pi^0 \pi^0 \pi^0$

CENTRAL PRODUCTION

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1515 \pm 15	BARBERIS	99	OMEG 450 $p p \rightarrow p_s p_f K^+ K^-$

PRODUCED IN $e p$ COLLISIONS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
1512 \pm 3 $^{+1.4}_{-0.5}$		¹¹ CHEKANOV	08	ZEUS $e p \rightarrow K_S^0 K_S^0 X$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1537 $^{+9}_{-8}$	84	¹² CHEKANOV	04	ZEUS $e p \rightarrow K_S^0 K_S^0 X$

¹ From a partial-wave analysis of data using a K-matrix formalism with 5 poles.

² CHABAUD 81 is a reanalysis of PAWLICKI 77 data.

³ From an amplitude analysis where the $f'_2(1525)$ width and elasticity are in complete disagreement with the values obtained from $K\bar{K}$ channel, making the solution dubious.

⁴ Systematic errors not estimated.

⁵ Supersedes ACCIARRI 95J.

⁶ From an analysis ignoring interference with $f_0(1710)$.

⁷ From analysis of L3 data at 91 and 183–209 GeV.

⁸ From an analysis including interference with $f_0(1710)$.

⁹ 4-poles, 5-channel K matrix fit.

¹⁰ T-matrix pole.

¹¹ In the SU(3) based model with a specific interference pattern of the $f_2(1270)$, $a_2^0(1320)$, and $f'_2(1525)$ mesons incoherently added to the $f_0(1710)$ and non-resonant background.

¹² Systematic errors not estimated.

$f'_2(1525)$ WIDTH

VALUE (MeV)	DOCUMENT ID	COMMENT
73^{+6}_{-5} OUR FIT		
76 \pm 10	PDG	90 For fitting

PRODUCED BY PION BEAM

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
102 ± 42	TIKHO MIROV 03	SPEC	40.0 $\pi^- C \rightarrow K_S^0 K_S^0 K_L^0 X$
108 + 5 - 2	13 LONGACRE 86	MPS	22 $\pi^- p \rightarrow K_S^0 K_S^0 n$
69 + 22 - 16	14 CHABAUD 81	ASPK	6 $\pi^- p \rightarrow K^+ K^- n$
137 + 23 - 21	CHABAUD 81	ASPK	18.4 $\pi^- p \rightarrow K^+ K^- n$
150 + 83 - 50	GORLICH 80	ASPK	17 $\pi^- p$ polarized $\rightarrow K^+ K^- n$
165 ± 42	15 CORDEN 79	OMEG	12–15 $\pi^- p \rightarrow \pi^+ \pi^- n$
92 + 39 - 22	16 POLYCHRO... 79	STRC	7 $\pi^- p \rightarrow n K_S^0 K_S^0$

PRODUCED BY K^\pm BEAM

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
80.2 ± 2.6 OUR AVERAGE		Includes data from the datablock that follows this one.		
90 ± 12		ASTON 88D	LASS	11 $K^- p \rightarrow K_S^0 K_S^0 \Lambda$
73 ± 18		BOLONKIN 86	SPEC	40 $K^- p \rightarrow K_S^0 K_S^0 Y$
83 ± 15		ARMSTRONG 83B	OMEG	18.5 $K^- p \rightarrow K^- K^+ \Lambda$
85 ± 16	650	AGUILAR-...	HBC	4.2 $K^- p \rightarrow \Lambda K^+ K^-$
80 + 14 - 11	572	ALHARRAN 81	HBC	8.25 $K^- p \rightarrow \Lambda K \bar{K}$
72 ± 25	166	EVANGELIS...	77	OMEG 10 $K^- p \rightarrow K^+ K^- (\Lambda, \Sigma)$
69 ± 22	100	AGUILAR-...	72B	HBC 3.9, 4.6 $K^- p \rightarrow K \bar{K} (\Lambda, \Sigma)$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
92 + 25 - 16	61	BINON	07	GAMS 32.5 $K^- p \rightarrow \eta \eta (\Lambda / \Sigma^0)$
75 ± 20		17 BARKOV	99	SPEC 40 $K^- p \rightarrow K_S^0 K_S^0 y$
62 + 19 - 14	123	BARREIRO 77	HBC	4.15 $K^- p \rightarrow \Lambda K_S^0 K_S^0$
61 ± 8	120	BRANDENB... 76C	ASPK	13 $K^- p \rightarrow K^+ K^- (\Lambda, \Sigma)$

PRODUCED IN $e^+ e^-$ ANNIHILATION

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
The data in this block is included in the average printed for a previous datablock.				
79.9 ± 3.3 OUR AVERAGE		Error includes scale factor of 1.1.		
77 ± 15		ABLIKIM 05	BES2	$J/\psi \rightarrow \phi K^+ K^-$
82 ± 2 ± 3		ABE	04	BELL 10.6 $e^+ e^- \rightarrow e^+ e^- K^+ K^-$
75 ± 4 + 15 - 5		BAI	03G	BES $J/\psi \rightarrow \gamma K \bar{K}$
100 ± 15	331	18 ACCIARRI	01H L3	91, 183–209 $e^+ e^- \rightarrow e^+ e^- K_S^0 K_S^0$
60 ± 20 ± 19		ABREU	96C DLPH	$Z^0 \rightarrow K^+ K^- + X$
60 ± 23 + 13 - 20		BAI	96C BES	$J/\psi \rightarrow \gamma K^+ K^-$
103 ± 30		AUGUSTIN 88	DM2	$J/\psi \rightarrow \gamma K^+ K^-$
62 ± 10		19 FALVARD 88	DM2	$J/\psi \rightarrow \phi K^+ K^-$
85 ± 35		BALTRUSAIT... 87	MRK3	$J/\psi \rightarrow \gamma K^+ K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				

104	± 10	870	20 SCHEGELSKY	06A	RVUE	$\gamma\gamma \rightarrow K_S^0 K_S^0$
100	± 3		21 FALVARD	88	DM2	$J/\psi \rightarrow \phi K^+ K^-$

PRODUCED IN $\bar{p}p$ ANNIHILATION

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
79 ± 8	22 AMSLER	02	CBAR $0.9 \bar{p}p \rightarrow \pi^0 \eta\eta, \pi^0 \pi^0 \pi^0$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
128 ± 20	23 ANISOVICH	09	RVUE $0.0 \bar{p}p, \pi N$
76 ± 6	AMSLER	06	CBAR $0.9 \bar{p}p \rightarrow K^+ K^- \pi^0$

CENTRAL PRODUCTION

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
70 ± 25	BARBERIS	99	OMEG $450 pp \rightarrow p_s p_f K^+ K^-$

PRODUCED IN $e p$ COLLISIONS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
83 $\pm 9^{+5}_{-4}$		24 CHEKANOV	08	ZEUS $e p \rightarrow K_S^0 K_S^0 X$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
50 ± 34	84	25 CHEKANOV	04	ZEUS $e p \rightarrow K_S^0 K_S^0 X$

¹³ From a partial-wave analysis of data using a K-matrix formalism with 5 poles.

¹⁴ CHABAUD 81 is a reanalysis of PAWLICKI 77 data.

¹⁵ From an amplitude analysis where the $f'_2(1525)$ width and elasticity are in complete disagreement with the values obtained from $K\bar{K}$ channel, making the solution dubious.

¹⁶ From a fit to the D with $f_2(1270)$ - $f'_2(1525)$ interference. Mass fixed at 1516 MeV.

¹⁷ Systematic errors not estimated.

¹⁸ Supersedes ACCIARRI 95J.

¹⁹ From an analysis ignoring interference with $f_0(1710)$.

²⁰ From analysis of L3 data at 91 and 183–209 GeV.

²¹ From an analysis including interference with $f_0(1710)$.

²² T-matrix pole.

²³ 4-poles, 5-channel K matrix fit.

²⁴ In the SU(3) based model with a specific interference pattern of the $f_2(1270)$, $a_2^0(1320)$, and $f'_2(1525)$ mesons incoherently added to the $f_0(1710)$ and non-resonant background.

²⁵ Systematic errors not estimated.

$f'_2(1525)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $K\bar{K}$	(88.7 ± 2.2) %
Γ_2 $\eta\eta$	(10.4 ± 2.2) %
Γ_3 $\pi\pi$	(8.2 ± 1.5) $\times 10^{-3}$
Γ_4 $K\bar{K}^*(892) + c.c.$	
Γ_5 $\pi K\bar{K}$	
Γ_6 $\pi\pi\eta$	
Γ_7 $\pi^+\pi^+\pi^-\pi^-$	
Γ_8 $\gamma\gamma$	(1.11 ± 0.14) $\times 10^{-6}$

CONSTRAINED FIT INFORMATION

An overall fit to the total width, 2 partial widths, a combination of partial widths obtained from integrated cross sections, and 3 branching ratios uses 16 measurements and one constraint to determine 5 parameters. The overall fit has a $\chi^2 = 14.0$ for 12 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta p_i \delta p_j \rangle / (\delta p_i \cdot \delta p_j)$, in percent, from the fit to parameters p_i , including the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_2	-100			
x_3	-6	-1		
x_8	-6	6	1	
Γ	-23	23	-1 -55	
	x_1	x_2	x_3	x_8

	Mode	Rate (MeV)
Γ_1	$K\bar{K}$	65^{+5}_{-4}
Γ_2	$\eta\eta$	7.6 ± 1.8
Γ_3	$\pi\pi$	0.60 ± 0.12
Γ_8	$\gamma\gamma$	$(8.1 \pm 0.9) \times 10^{-5}$

$f'_2(1525)$ PARTIAL WIDTHS

$\Gamma(K\bar{K})$	Γ_1
<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>
65^{+5}_{-4} OUR FIT	<u>TECN</u>
63^{+6}_{-5}	$^{26} \text{LONGACRE}$ 86 MPS $22 \pi^- p \rightarrow K_S^0 K_S^0 n$
$\Gamma(\eta\eta)$	Γ_2
<u>VALUE (MeV)</u>	<u>EVTS</u>
7.6 ± 1.8 OUR FIT	<u>DOCUMENT ID</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •	<u>TECN</u>
5.0 ± 0.8	$^{27} \text{SCHEGELSKY}$ 06A RVUE $\gamma\gamma \rightarrow K_S^0 K_S^0$
24 ± 3	$^{26} \text{LONGACRE}$ 86 MPS $22 \pi^- p \rightarrow K_S^0 K_S^0 n$

$\Gamma(\pi\pi)$

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_3
0.60±0.12 OUR FIT					
1.4 +1.0 -0.5		26 LONGACRE 86	MPS	$22 \pi^- p \rightarrow K_S^0 K_S^0 n$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.2 +1.0 -0.2	870	27 SCHEGELSKY 06A	RVUE	$\gamma\gamma \rightarrow K_S^0 K_S^0$	

 $\Gamma(\gamma\gamma)$

<u>VALUE (keV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_8
0.081±0.009 OUR FIT					
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.13 ±0.03	870	27 SCHEGELSKY 06A	RVUE	$\gamma\gamma \rightarrow K_S^0 K_S^0$	
26 From a partial-wave analysis of data using a K-matrix formalism with 5 poles.					
27 From analysis of L3 data at 91 and 183–209 GeV, using $\Gamma(f'_2(1525) \rightarrow K\bar{K}) = 68$ MeV and SU(3) relations.					

 $f'_2(1525) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$ $\Gamma(K\bar{K}) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$

<u>VALUE (keV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	$\Gamma_1\Gamma_8/\Gamma$
0.072 ±0.007 OUR FIT					
0.072 ±0.007 OUR AVERAGE					
0.0564±0.0048±0.0116		ABE	04	BELL $10.6 e^+ e^- \rightarrow e^+ e^- K^+ K^-$	
0.076 ±0.006 ±0.011	331	28 ACCIARRI	01H	L3 $e^+ e^- \rightarrow e^+ e^- K_S^0 K_S^0$	
0.067 ±0.008 ±0.015		29 ALBRECHT	90G	ARG $e^+ e^- \rightarrow e^+ e^- K^+ K^-$	
0.11 +0.03 -0.02	±0.02	BEHREND	89C	CELL $e^+ e^- \rightarrow e^+ e^- K_S^0 K_S^0$	
0.10 +0.04 -0.03	+0.03 -0.02	BERGER	88	PLUT $e^+ e^- \rightarrow e^+ e^- K_S^0 K_S^0$	
0.12 ±0.07	±0.04	29 AIHARA	86B	TPC $e^+ e^- \rightarrow e^+ e^- K^+ K^-$	
0.11 ±0.02	±0.04	29 ALTHOFF	83	TASS $e^+ e^- \rightarrow e^+ e^- K\bar{K}$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.0314±0.0050±0.0077		30 ALBRECHT	90G	ARG $e^+ e^- \rightarrow e^+ e^- K^+ K^-$	

28 Supersedes ACCIARRI 95J. From analysis of L3 data at 91 and 183–209 GeV,

29 Using an incoherent background.

30 Using a coherent background.

 $f'_2(1525) \text{ BRANCHING RATIOS}$ $\Gamma(\eta\eta)/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_2/Γ
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.10±0.03		31 PROKOSHKIN 91	GAM4	$300 \pi^- p \rightarrow \pi^- p\eta\eta$
31 Combining results of GAM4 with those of WA76 on $K\bar{K}$ central production and results of CBAL, MRK3 and DM2 on $J/\psi \rightarrow \gamma\eta\eta$.				

$\Gamma(\eta\eta)/\Gamma(K\bar{K})$ Γ_2/Γ_1

<u>VALUE</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.118±0.028 OUR FIT					
0.115±0.028 OUR AVERAGE					
0.119±0.015±0.036	61	32 BINON	07 GAMS	32.5 $K^- p \rightarrow \eta\eta(\Lambda/\Sigma^0)$	
0.11 ±0.04		33 PROKOSHKIN 91	GAM4 300	$\pi^- p \rightarrow \pi^- p\eta\eta$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
< 0.14	90	BARBERIS	00E	450 $p p \rightarrow p_f \eta\eta p_s$	
< 0.50		BARNES	67 HBC	4.6,5.0 $K^- p$	

32 Using the compilation of the cross sections for $f'_2(1525)$ production in $K^- p$ collisions from ASTON 88D.

33 Combining results of GAM4 with those of WA76 on $K\bar{K}$ central production and results of CBAL, MRK3 and DM2 on $J/\psi \rightarrow \gamma\eta\eta$.

 $\Gamma(\pi\pi)/\Gamma_{\text{total}}$ Γ_3/Γ_1

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.0082±0.0016 OUR FIT				
0.0075±0.0016 OUR AVERAGE				
0.007 ±0.002		COSTA...	80 OMEG	10 $\pi^- p \rightarrow K^+ K^- n$
0.027 +0.071 -0.013	34 GORLICH	80 ASPK	17,18 $\pi^- p$	
0.0075±0.0025	34,35 MARTIN	79 RVUE		
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.06	95	AGUILAR-...	81B HBC	4.2 $K^- p \rightarrow \Lambda K^+ K^-$
0.19 ±0.03		CORDEN	79 OMEG	12–15 $\pi^- p \rightarrow \pi^+ \pi^- n$
<0.045	95	BARREIRO	77 HBC	4.15 $K^- p \rightarrow \Lambda K_S^0 K_S^0$
0.012 ±0.004	34 PAWLICKI	77 SPEC	6 $\pi N \rightarrow K^+ K^- N$	
<0.063	90	BRANDENB...	76C ASPK	13 $K^- p \rightarrow K^+ K^- (\Lambda, \Sigma)$
<0.0086	34 BEUSCH	75B OSPK	8.9 $\pi^- p \rightarrow K^0 \bar{K}^0 n$	

34 Assuming that the $f'_2(1525)$ is produced by an one-pion exchange production mechanism.

35 MARTIN 79 uses the PAWLICKI 77 data with different input value of the $f'_2(1525) \rightarrow K\bar{K}$ branching ratio.

 $\Gamma(\pi\pi)/\Gamma(K\bar{K})$ Γ_3/Γ_1

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.0092±0.0018 OUR FIT			
0.075 ±0.035			
AUGUSTIN	87 DM2	$J/\psi \rightarrow \gamma\pi^+\pi^-$	

 $[\Gamma(K\bar{K}^*(892)+\text{c.c.}) + \Gamma(\pi K\bar{K})]/\Gamma(K\bar{K})$ $(\Gamma_4+\Gamma_5)/\Gamma_1$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.35	95	AGUILAR-...	72B HBC	3.9,4.6 $K^- p$
<0.4	67	AMMAR	67 HBC	

 $\Gamma(\pi\pi\eta)/\Gamma(K\bar{K})$ Γ_6/Γ_1

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.41	95	AGUILAR-...	72B HBC	3.9,4.6 $K^- p$
<0.3	67	AMMAR	67 HBC	

$\Gamma(\pi^+\pi^+\pi^-\pi^-)/\Gamma(K\bar{K})$				Γ_7/Γ_1
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.32	95	AGUILAR-...	72B HBC	3.9,4.6 $K^- p$

$f'_2(1525)$ REFERENCES

ANISOVICH	09	IJMP A24 2481	V.V. Anisovich, A.V. Sarantsev	
CHEKANOV	08	PRL 101 112003	S. Chekanov <i>et al.</i>	(ZEUS Collab.)
BINON	07	PAN 70 1713	F. Binon <i>et al.</i>	(GAMS Collab.)
		Translated from YAF 70 1758.		
AMSLER	06	PL B639 165	C. Amsler <i>et al.</i>	(CBAR Collab.)
SCHEGELSKY	06A	EPJ A27 207	V.A. Schegelsky <i>et al.</i>	
ABLIKIM	05	PL B607 243	M. Ablikim <i>et al.</i>	(BES Collab.)
ABE	04	EPJ C32 323	K. Abe <i>et al.</i>	(BELLE Collab.)
CHEKANOV	04	PL B578 33	S. Chekanov <i>et al.</i>	(ZEUS Collab.)
BAI	03G	PR D68 052003	J.Z. Bai <i>et al.</i>	(BES Collab.)
TIKHOMIROV	03	PAN 66 828	G.D. Tikhomirov <i>et al.</i>	
		Translated from YAF 66 860.		
AMSLER	02	EPJ C23 29	C. Amsler <i>et al.</i>	
ACCIARRI	01H	PL B501 173	M. Acciarri <i>et al.</i>	(L3 Collab.)
BARBERIS	00E	PL B479 59	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS	99	PL B453 305	D. Barberis <i>et al.</i>	(Omega Expt.)
BARKOV	99	JETPL 70 248	B.P. Barkov <i>et al.</i>	
		Translated from ZETFP 70 242.		
ABREU	96C	PL B379 309	P. Abreu <i>et al.</i>	(DELPHI Collab.)
BAI	96C	PRL 77 3959	J.Z. Bai <i>et al.</i>	(BES Collab.)
ACCIARRI	95J	PL B363 118	M. Acciarri <i>et al.</i>	(L3 Collab.)
PROKOSHKIN	91	SPD 36 155	Y.D. Prokoshkin	(GAM2, GAM4 Collab.)
		Translated from DANS 316 900.		
ALBRECHT	90G	ZPHY C48 183	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
PDG	90	PL B239 1	J.J. Hernandez <i>et al.</i>	(IFIC, BOST, CIT+)
BEHREND	89C	ZPHY C43 91	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
ASTON	88D	NP B301 525	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS)
AUGUSTIN	88	PRL 60 2238	J.E. Augustin <i>et al.</i>	(DM2 Collab.)
BERGER	88	ZPHY C37 329	C. Berger <i>et al.</i>	(PLUTO Collab.)
FALVARD	88	PR D38 2706	A. Falvard <i>et al.</i>	(CLER, FRAS, LAZO+)
AUGUSTIN	87	ZPHY C36 369	J.E. Augustin <i>et al.</i>	(LAZO, CLER, FRAS+)
BALTRUSAIT...	87	PR D35 2077	R.M. Baltrusaitis <i>et al.</i>	(Mark III Collab.)
AIHARA	86B	PRL 57 404	H. Aihara <i>et al.</i>	(TPC-2 γ Collab.)
BOLONKIN	86	SJNP 43 776	B.V. Bolonkin <i>et al.</i>	(ITEP) JP
		Translated from YAF 43 1211.		
LONGACRE	86	PL B177 223	R.S. Longacre <i>et al.</i>	(BNL, BRAN, CUNY+)
ALTHOFF	83	PL 121B 216	M. Althoff <i>et al.</i>	(TASSO Collab.)
ARMSTRONG	83B	NP B224 193	T.A. Armstrong <i>et al.</i>	(BARI, BIRM, CERN+)
AGUILAR-...	81B	ZPHY C8 313	M. Aguilar-Benitez <i>et al.</i>	(CERN, CDEF+)
ALHARRAN	81	NP B191 26	S. Al-Harran <i>et al.</i>	(BIRM, CERN, GLAS+)
CHABAUD	81	APP B12 575	V. Chabaud <i>et al.</i>	(CERN, CRAC, MPIM)
COSTA...	80	NP B175 402	G. Costa de Beauregard <i>et al.</i>	(BARI, BONN+)
GORLICH	80	NP B174 16	L. Gorlich <i>et al.</i>	(CRAC, MPIM, CERN+)
CORDEN	79	NP B157 250	M.J. Corden <i>et al.</i>	(BIRM, RHEL, TELA+) JP
MARTIN	79	NP B158 520	A.D. Martin, E.N. Ozmutlu	(DURH)
POLYCHRO...	79	PR D19 1317	V.A. Polychronakos <i>et al.</i>	(NDAM, ANL)
BARREIRO	77	NP B121 237	F. Barreiro <i>et al.</i>	(CERN, AMST, NIJM+)
EVANGELIS...	77	NP B127 384	C. Evangelista <i>et al.</i>	(BARI, BONN, CERN+)
PAWICKI	77	PR D15 3196	A.J. Pawlicki <i>et al.</i>	(ANL) IJP
BRANDENB...	76C	NP B104 413	G.W. Brandenburg <i>et al.</i>	(SLAC)
BEUSCH	75B	PL 60B 101	W. Beusch <i>et al.</i>	(CERN, ETH)
AGUILAR-...	72B	PR D6 29	M. Aguilar-Benitez <i>et al.</i>	(BNL)
AMMAR	67	PRL 19 1071	R. Ammar <i>et al.</i>	(NWES, ANL) JP
BARNES	67	PRL 19 964	V.E. Barnes <i>et al.</i>	(BNL, SYRA) IJPC
CRENNELL	66	PRL 16 1025	D.J. Crennell <i>et al.</i>	(BNL) I