

$a_2(1320)$

$$I^G(J^{PC}) = 1^-(2^{++})$$

 $a_2(1320)$ MASSVALUE (MeV)DOCUMENT ID


$1318.3^{+0.5}_{-0.6}$ OUR AVERAGE Includes data from the 4 datablocks that follow this one.
Error includes scale factor of 1.2.

3 π MODEVALUE (MeV)EVTSDOCUMENT IDTECNCHGCOMMENT

The data in this block is included in the average printed for a previous datablock.

$1319.0^{+1.0}_{-1.3}$ OUR AVERAGE Error includes scale factor of 1.4. See the ideogram below.

1321	± 1	$^{+0}_{-7}$	420k	ALEKSEEV	10	COMP	190 $\pi^- Pb \rightarrow \pi^- \pi^- \pi^+ Pb'$
1326	± 2	± 2		CHUNG	02	B852	18.3 $\pi^- p \rightarrow \pi^+ \pi^- \pi^- p$
1317	± 3			BARBERIS	98B		450 $p p \rightarrow p_f \pi^+ \pi^- \pi^0 p_s$
1323	± 4	± 3		ACCIARRI	97T	L3	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
1320	± 7			ALBRECHT	97B	ARG	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
1311.3	$\pm 1.6 \pm 3.0$		72.4k	AMELIN	96	VES	36 $\pi^- p \rightarrow \pi^+ \pi^- \pi^0 n$
1310	± 5			ARMSTRONG	90	OMEG 0	300.0 $p p \rightarrow p p \pi^+ \pi^- \pi^0$
1323.8	± 2.3		4022	AUGUSTIN	89	DM2 \pm	$J/\psi \rightarrow \rho^\pm a_2^\mp$
1320.6	± 3.1		3562	AUGUSTIN	89	DM2 0	$J/\psi \rightarrow \rho^0 a_2^0$
1317	± 2		25k	¹ DAUM	80C	SPEC $-$	63,94 $\pi^- p \rightarrow 3\pi p$
1320	± 10		1097	¹ BALTAY	78B	HBC $+0$	15 $\pi^+ p \rightarrow p 4\pi$
1306	± 8			FERRERSORIA	78	OMEG $-$	9 $\pi^- p \rightarrow p 3\pi$
1318	± 7		1.6k	¹ EMMS	75	DBC 0	4 $\pi^+ n \rightarrow p(3\pi)^0$
1315	± 5			¹ ANTIPOV	73C	CNTR $-$	25,40 $\pi^- p \rightarrow p \eta \pi^-$
1306	± 9		1580	CHALOUPKA	73	HBC $-$	3.9 $\pi^- p$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●							
1300	± 2	± 4	18k	² SCHEGELSKY	06	RVUE 0	$\gamma\gamma \rightarrow \pi^+ \pi^- \pi^0$
1305	± 14			CONDO	93	SHF	$\gamma p \rightarrow \eta \pi^+ \pi^+ \pi^-$
1310	± 2			¹ EVANGELIS...	81	OMEG $-$	12 $\pi^- p \rightarrow 3\pi p$
1343	± 11		490	BALTAY	78B	HBC 0	15 $\pi^+ p \rightarrow \Delta 3\pi$
1309	± 5		5k	BINNIE	71	MMS $-$	$\pi^- p$ near a_2 thresh- old
1299	± 6		28k	BOWEN	71	MMS $-$	5 $\pi^- p$
1300	± 6		24k	BOWEN	71	MMS $+$	5 $\pi^+ p$
1309	± 4		17k	BOWEN	71	MMS $-$	7 $\pi^- p$
1306	± 4		941	ALSTON-...	70	HBC $+$	7.0 $\pi^+ p \rightarrow 3\pi p$

¹From a fit to $J^P = 2^+ \rho\pi$ partial wave.²From analysis of L3 data at 183–209 GeV. **$K\bar{K}$ MODE**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

The data in this block is included in the average printed for a previous datablock.

1318.1 \pm 0.7 OUR AVERAGE

1319 \pm 5	4700	^{3,4} CLELAND	82B	SPEC	+	50 $\pi^+ p \rightarrow K_S^0 K^+ p$
1324 \pm 6	5200	^{3,4} CLELAND	82B	SPEC	-	50 $\pi^- p \rightarrow K_S^0 K^- p$
1320 \pm 2	4000	CHABAUD	80	SPEC	-	17 $\pi^- A \rightarrow K_S^0 K^- A$
1312 \pm 4	11000	CHABAUD	78	SPEC	-	9.8 $\pi^- p \rightarrow K^- K_S^0 p$
1316 \pm 2	4730	CHABAUD	78	SPEC	-	18.8 $\pi^- p \rightarrow K^- K_S^0 p$
1318 \pm 1		^{3,5} MARTIN	78D	SPEC	-	10 $\pi^- p \rightarrow K_S^0 K^- p$
1320 \pm 2	2724	MARGULIE	76	SPEC	-	23 $\pi^- p \rightarrow K^- K_S^0 p$
1313 \pm 4	730	FOLEY	72	CNTR	-	20.3 $\pi^- p \rightarrow K^- K_S^0 p$
1319 \pm 3	1500	⁵ GRAYER	71	ASPK	-	17.2 $\pi^- p \rightarrow K^- K_S^0 p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1304 \pm 10	870	⁶ SCHEGELSKY	06A	RVUE	0	$\gamma\gamma \rightarrow K_S^0 K_S^0$
1330 \pm 11	1000	^{3,4} CLELAND	82B	SPEC	+	30 $\pi^+ p \rightarrow K_S^0 K^+ p$
1324 \pm 5	350	HYAMS	78	ASPK	+	12.7 $\pi^+ p \rightarrow K^+ K_S^0 p$

³From a fit to $J^P = 2^+$ partial wave.⁴Number of events evaluated by us.⁵Systematic error in mass scale subtracted.⁶From analysis of L3 data at 91 and 183–209 GeV.

$\eta\pi$ MODE

VALUE (MeV)	EVTs	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

The data in this block is included in the average printed for a previous datablock.

1317.7 \pm 1.4 OUR AVERAGE

1308 ± 9		BARBERIS	00H		450 $p p \rightarrow p_f \eta \pi^0 p_s$
1316 ± 9		BARBERIS	00H		450 $p p \rightarrow \Delta_f^{++} \eta \pi^- p_s$
1317 $\pm 1 \pm 2$		THOMPSON	97	MPS	18 $\pi^- p \rightarrow \eta \pi^- p$
1315 $\pm 5 \pm 2$		⁷ AMSLER	94D	CBAR	0.0 $\bar{p} p \rightarrow \pi^0 \pi^0 \eta$
1325.1 \pm 5.1		AOYAGI	93	BKEI	$\pi^- p \rightarrow \eta \pi^- p$
1317.7 \pm 1.4 \pm 2.0		BELADIDZE	93	VES	37 $\pi^- N \rightarrow \eta \pi^- N$
1323 ± 8	1000	⁸ KEY	73	OSPK	– 6 $\pi^- p \rightarrow p \pi^- \eta$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1309 ± 4		ANISOVICH	09	RVUE	$\bar{p} p, \pi N$
1324 ± 5		ARMSTRONG	93C	E760	0 $\bar{p} p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$
1336.2 \pm 1.7	2561	DELFOSSSE	81	SPEC	+ $\pi^\pm p \rightarrow p \pi^\pm \eta$
1330.7 \pm 2.4	1653	DELFOSSSE	81	SPEC	– $\pi^\pm p \rightarrow p \pi^\pm \eta$
1324 ± 8	6200	^{8,9} CONFORTO	73	OSPK	– 6 $\pi^- p \rightarrow p \text{MM}^-$

⁷ The systematic error of 2 MeV corresponds to the spread of solutions.

⁸ Error includes 5 MeV systematic mass-scale error.

⁹ Missing mass with enriched MMS = $\eta \pi^-$, $\eta = 2\gamma$.

 $\eta'\pi$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

The data in this block is included in the average printed for a previous datablock.

1322 ± 7 OUR AVERAGE

1318 $\pm 8 \begin{smallmatrix} +3 \\ -5 \end{smallmatrix}$		IVANOV	01	B852	18 $\pi^- p \rightarrow \eta' \pi^- p$
1327.0 \pm 10.7		BELADIDZE	93	VES	37 $\pi^- N \rightarrow \eta' \pi^- N$

 $a_2(1320)$ WIDTH**3 π MODE**

VALUE (MeV)	EVTs	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

105.0 $^{+1.6}_{-1.9}$ OUR AVERAGE

110 $\pm 2 \begin{smallmatrix} +2 \\ -15 \end{smallmatrix}$	420k	ALEKSEEV	10	COMP	190 $\pi^- Pb \rightarrow \pi^- \pi^- \pi^+ Pb'$
108 $\pm 3 \pm 15$		CHUNG	02	B852	18.3 $\pi^- p \rightarrow \pi^+ \pi^- \pi^- p$
120 ± 10		BARBERIS	98B		450 $p p \rightarrow p_f \pi^+ \pi^- \pi^0 p_s$
105 $\pm 10 \pm 11$		ACCIARRI	97T	L3	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
120 ± 10		ALBRECHT	97B	ARG	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
103.0 \pm 6.0 \pm 3.3	72.4k	AMELIN	96	VES	36 $\pi^- p \rightarrow \pi^+ \pi^- \pi^0 n$
120 ± 10		ARMSTRONG	90	OMEG 0	300.0 $p p \rightarrow p p \pi^+ \pi^- \pi^0$

107.0 ± 9.7	4022	AUGUSTIN	89	DM2	±	$J/\psi \rightarrow \rho^\pm a_2^\mp$
118.5 ± 12.5	3562	AUGUSTIN	89	DM2	0	$J/\psi \rightarrow \rho^0 a_2^0$
97 ± 5		¹⁰ EVANGELIS...	81	OMEG	−	$12 \pi^- p \rightarrow 3\pi p$
96 ± 9	25k	¹⁰ DAUM	80c	SPEC	−	$63,94 \pi^- p \rightarrow 3\pi p$
110 ± 15	1097	¹⁰ BALTAY	78B	HBC	+0	$15 \pi^+ p \rightarrow p 4\pi$
112 ± 18	1.6k	¹⁰ EMMS	75	DBC	0	$4 \pi^+ n \rightarrow p(3\pi)^0$
122 ± 14	1.2k	^{10,11} WAGNER	75	HBC	0	$7 \pi^+ p \rightarrow \Delta^{++}(3\pi)^0$
115 ± 15		¹⁰ ANTIPOV	73c	CNTR	−	$25,40 \pi^- p \rightarrow p \eta \pi^-$
99 ± 15	1580	CHALOUPKA	73	HBC	−	$3.9 \pi^- p$
105 ± 5	28k	BOWEN	71	MMS	−	$5 \pi^- p$
99 ± 5	24k	BOWEN	71	MMS	+	$5 \pi^+ p$
103 ± 5	17k	BOWEN	71	MMS	−	$7 \pi^- p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

117 ± 6 ± 20	18k	¹² SCHEGELSKY	06	RVUE	0	$\gamma\gamma \rightarrow \pi^+ \pi^- \pi^0$
120 ± 40		CONDO	93	SHF		$\gamma p \rightarrow \eta \pi^+ \pi^+ \pi^-$
115 ± 14	490	BALTAY	78B	HBC	0	$15 \pi^+ p \rightarrow \Delta 3\pi$
72 ± 16	5k	BINNIE	71	MMS	−	$\pi^- p$ near a_2 thresh- old
79 ± 12	941	ALSTON-...	70	HBC	+	$7.0 \pi^+ p \rightarrow 3\pi p$

¹⁰From a fit to $J^P = 2^+ \rho\pi$ partial wave.

¹¹Width errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.

¹²From analysis of L3 data at 183–209 GeV.

$K\bar{K}$ AND $\eta\pi$ MODES

VALUE (MeV) DOCUMENT ID

107 ± 5 OUR ESTIMATE

110.4 ± 1.7 OUR AVERAGE Includes data from the 2 datablocks that follow this one.

$K\bar{K}$ MODE

VALUE (MeV) EVTS DOCUMENT ID TECN CHG COMMENT

The data in this block is included in the average printed for a previous datablock.

109.8 ± 2.4 OUR AVERAGE

112 ± 20	4700	^{13,14} CLELAND	82B	SPEC	+	$50 \pi^+ p \rightarrow K_S^0 K^+ p$
120 ± 25	5200	^{13,14} CLELAND	82B	SPEC	−	$50 \pi^- p \rightarrow K_S^0 K^- p$
106 ± 4	4000	CHABAUD	80	SPEC	−	$17 \pi^- A \rightarrow K_S^0 K^- A$
126 ± 11	11000	CHABAUD	78	SPEC	−	$9.8 \pi^- p \rightarrow K^- K_S^0 p$
101 ± 8	4730	CHABAUD	78	SPEC	−	$18.8 \pi^- p \rightarrow K^- K_S^0 p$
113 ± 4		^{13,15} MARTIN	78D	SPEC	−	$10 \pi^- p \rightarrow K_S^0 K^- p$
105 ± 8	2724	¹⁵ MARGULIE	76	SPEC	−	$23 \pi^- p \rightarrow K^- K_S^0 p$
113 ± 19	730	FOLEY	72	CNTR	−	$20.3 \pi^- p \rightarrow K^- K_S^0 p$
123 ± 13	1500	¹⁵ GRAYER	71	ASPK	−	$17.2 \pi^- p \rightarrow K^- K_S^0 p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

120 ± 15	870	¹⁶ SCHEGELSKY	06A	RVUE	0	$\gamma\gamma \rightarrow K_S^0 K_S^0$
121 ± 51	1000	^{13,14} CLELAND	82B	SPEC	+	$30 \pi^+ p \rightarrow K_S^0 K^+ p$
110 ± 18	350	HYAMS	78	ASPK	+	$12.7 \pi^+ p \rightarrow K^+ K_S^0 p$

¹³ From a fit to $J^P = 2^+$ partial wave.

¹⁴ Number of events evaluated by us.

¹⁵ Width errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.

¹⁶ From analysis of L3 data at 91 and 183–209 GeV.

$\eta\pi$ MODE

VALUE (MeV)	EVTs	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

The data in this block is included in the average printed for a previous datablock.

111.1± 2.4 OUR AVERAGE

115 ± 20		BARBERIS	00H		450 $pp \rightarrow p_f \eta \pi^0 p_s$
112 ± 14		BARBERIS	00H		450 $pp \rightarrow \Delta_f^{++} \eta \pi^- p_s$
112 ± 3 ± 2		¹⁷ AMSLER	94D	CBAR	0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \eta$
103 ± 6 ± 3		BELADIDZE	93	VES	37 $\pi^- N \rightarrow \eta \pi^- N$
112.2 ± 5.7	2561	DELFOSE	81	SPEC +	$\pi^\pm p \rightarrow p \pi^\pm \eta$
116.6 ± 7.7	1653	DELFOSE	81	SPEC −	$\pi^\pm p \rightarrow p \pi^\pm \eta$
108 ± 9	1000	KEY	73	OSPK −	6 $\pi^- p \rightarrow p \pi^- \eta$

• • • We do not use the following data for averages, fits, limits, etc. • • •

110 ± 4		ANISOVICH	09	RVUE	$\bar{p}p, \pi N$
127 ± 2 ± 2		¹⁸ THOMPSON	97	MPS	18 $\pi^- p \rightarrow \eta \pi^- p$
118 ± 10		ARMSTRONG	93C	E760 0	$\bar{p}p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$
104 ± 9	6200	¹⁹ CONFORTO	73	OSPK −	6 $\pi^- p \rightarrow p \pi^- \eta$

¹⁷ The systematic error of 2 MeV corresponds to the spread of solutions.

¹⁸ Resolution is not unfolded.

¹⁹ Missing mass with enriched MMS = $\eta \pi^-$, $\eta = 2\gamma$.

$\eta'\pi$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

119±25 OUR AVERAGE

140 ± 35 ± 20	IVANOV	01	B852	18 $\pi^- p \rightarrow \eta' \pi^- p$
106 ± 32	BELADIDZE	93	VES	37 $\pi^- N \rightarrow \eta' \pi^- N$

$a_2(1320)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1 3π	(70.1 ± 2.7) %	S=1.2
Γ_2 $\rho(770)\pi$		
Γ_3 $f_2(1270)\pi$		
Γ_4 $\rho(1450)\pi$		
Γ_5 $\eta\pi$	(14.5 ± 1.2) %	
Γ_6 $\omega\pi\pi$	(10.6 ± 3.2) %	S=1.3
Γ_7 $K\bar{K}$	(4.9 ± 0.8) %	
Γ_8 $\eta'(958)\pi$	(5.3 ± 0.9) × 10 ^{−3}	
Γ_9 $\pi^\pm\gamma$	(2.68 ± 0.31) × 10 ^{−3}	
Γ_{10} $\gamma\gamma$	(9.4 ± 0.7) × 10 ^{−6}	
Γ_{11} e^+e^-	< 5 × 10 ^{−9}	CL=90%

CONSTRAINED FIT INFORMATION

An overall fit to 5 branching ratios uses 18 measurements and one constraint to determine 4 parameters. The overall fit has a $\chi^2 = 9.3$ for 15 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_5	10		
x_6	−89	−46	
x_7	−1	−2	−24
	x_1	x_5	x_6

 $a_2(1320)$ PARTIAL WIDTHS **$\Gamma(\eta\pi)$ Γ_5**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

18.5 ± 3.0	870	²⁰ SCHEGELSKY 06A	RVUE	0	$\gamma\gamma \rightarrow K_S^0 K_S^0$
----------------	-----	------------------------------	------	---	--

²⁰ From analysis of L3 data at 91 and 183–209 GeV, using $\Gamma(a_2(1320) \rightarrow \gamma\gamma) = 0.91$ keV and SU(3) relations.

 $\Gamma(K\bar{K})$ Γ_7

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

$7.0^{+2.0}_{-1.5}$	870	²¹ SCHEGELSKY 06A	RVUE	0	$\gamma\gamma \rightarrow K_S^0 K_S^0$
---------------------	-----	------------------------------	------	---	--

²¹ From analysis of L3 data at 91 and 183–209 GeV, using $\Gamma(a_2(1320) \rightarrow \gamma\gamma) = 0.91$ keV and SU(3) relations.

 $\Gamma(\pi^\pm\gamma)$ Γ_9

VALUE (keV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

287 ± 30 OUR AVERAGE

$284 \pm 25 \pm 25$	7100	MOLCHANOV 01	SELX		$600 \pi^- A \rightarrow \pi^+ \pi^- \pi^- A$
295 ± 60		CIHANGIR 82	SPEC	+	$200 \pi^+ A$

• • • We do not use the following data for averages, fits, limits, etc. • • •

461 ± 110	²² MAY	77	SPEC	±	$9.7 \gamma A$
---------------	-------------------	----	------	---	----------------

²² Assuming one-pion exchange.

$\Gamma(\gamma\gamma)$						Γ_{10}
VALUE (keV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT	
1.00±0.06 OUR AVERAGE						
0.98±0.05±0.09		ACCIARRI	97T	L3		$e^+e^- \rightarrow e^+e^-\pi^+\pi^-\pi^0$
0.96±0.03±0.13		ALBRECHT	97B	ARG		$e^+e^- \rightarrow e^+e^-\pi^+\pi^-\pi^0$
1.26±0.26±0.18	36	BARU	90	MD1		$e^+e^- \rightarrow e^+e^-\pi^+\pi^-\pi^0$
1.00±0.07±0.15	415	BEHREND	90C	CELL	0	$e^+e^- \rightarrow e^+e^-\pi^+\pi^-\pi^0$
1.03±0.13±0.21		BUTLER	90	MRK2		$e^+e^- \rightarrow e^+e^-\pi^+\pi^-\pi^0$
1.01±0.14±0.22	85	OEST	90	JADE		$e^+e^- \rightarrow e^+e^-\pi^0\eta$
0.90±0.27±0.15	56	²³ ALTHOFF	86	TASS	0	$e^+e^- \rightarrow e^+e^-3\pi$
1.14±0.20±0.26		²⁴ ANTREASYAN	86	CBAL	0	$e^+e^- \rightarrow e^+e^-\pi^0\eta$
1.06±0.18±0.19		BERGER	84C	PLUT	0	$e^+e^- \rightarrow e^+e^-3\pi$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●						
0.81±0.19 ^{+0.42} _{-0.11}	35	²³ BEHREND	83B	CELL	0	$e^+e^- \rightarrow e^+e^-3\pi$
0.77±0.18±0.27	22	²⁴ EDWARDS	82F	CBAL	0	$e^+e^- \rightarrow e^+e^-\pi^0\eta$
²³ From $\rho\pi$ decay mode.						
²⁴ From $\eta\pi^0$ decay mode.						

$\Gamma(e^+e^-)$					Γ_{11}
<u>VALUE (eV)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
< 0.56	90	ACHASOV	00K	SND	$e^+e^- \rightarrow \pi^0\pi^0$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
<25	90	VOROBYEV	88	ND	$e^+e^- \rightarrow \pi^0\eta$

$a_2(1320) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(3\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$					$\Gamma_1\Gamma_{10}/\Gamma$
<u>VALUE (keV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
$0.65 \pm 0.02 \pm 0.02$	18k	²⁵ SCHEGELSKY	06	RVUE	$\gamma\gamma \rightarrow \pi^+\pi^-\pi^0$
²⁵ From analysis of L3 data at 183–209 GeV.					

$\Gamma(\eta\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$				$\Gamma_5\Gamma_{10}/\Gamma$	
<u>VALUE (keV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$0.145^{+0.097}_{-0.034}$	²⁶ UEHARA	09A	BELL	$e^+e^- \rightarrow e^+e^-\eta\pi^0$	
²⁶ From the D_2 -wave. The fraction of the D_0 -wave is $3.4^{+2.3}_{-1.1}\%$.					

$\Gamma(K\bar{K}) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$
 $\Gamma_7\Gamma_{10}/\Gamma$

VALUE (keV)		DOCUMENT ID	TECN	COMMENT
0.126±0.007±0.028	27	ALBRECHT	90G ARG	$e^+e^- \rightarrow e^+e^-K^+K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.081±0.006±0.027	28	ALBRECHT	90G ARG	$e^+e^- \rightarrow e^+e^-K^+K^-$
27 Using an incoherent background.				
28 Using a coherent background.				

 $a_2(1320)$ BRANCHING RATIOS
 $[\Gamma(f_2(1270)\pi) + \Gamma(\rho(1450)\pi)]/\Gamma(\rho(770)\pi)$
 $(\Gamma_3+\Gamma_4)/\Gamma_2$

VALUE	CL%	DOCUMENT ID	TECN	CHG	COMMENT
<0.12	90	ABRAMOVI...	70B HBC	—	3.93 π^-p


 $\Gamma(\eta\pi)/\Gamma(3\pi)$
 Γ_5/Γ_1

VALUE	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
0.207±0.018 OUR FIT					
0.213±0.020 OUR AVERAGE					
0.18 ±0.05		FORINO	76 HBC		11 π^-p
0.22 ±0.05	52	ANTIPOV	73 CNTR	—	40 π^-p
0.211±0.044	149	CHALOUPKA	73 HBC	—	3.9 π^-p
0.246±0.042	167	ALSTON-...	71 HBC	+	7.0 π^+p
0.25 ±0.09	15	BOECKMANN	70 HBC	+	5.0 π^+p
0.23 ±0.08	22	ASCOLI	68 HBC	—	5 π^-p
0.12 ±0.08		CHUNG	68 HBC	—	3.2 π^-p
0.22 ±0.09		CONTE	67 HBC	—	11.0 π^-p

 $\Gamma(\omega\pi\pi)/\Gamma(3\pi)$
 Γ_6/Γ_1

VALUE	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
0.15±0.05 OUR FIT Error includes scale factor of 1.3.					
0.15±0.05 OUR AVERAGE Error includes scale factor of 1.3. See the ideogram below.					
0.28±0.09	60	DIAZ	74 DBC	0	6 π^+n
0.18±0.08	29	KARSHON	74 HBC		Avg. of above two
0.10±0.05	279	CHALOUPKA	73 HBC	—	3.9 π^-p
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.29±0.08	140	29 KARSHON	74 HBC	0	4.9 π^+p
0.10±0.04	60	29 KARSHON	74 HBC	+	4.9 π^+p
0.19±0.08		DEFOIX	73 HBC	0	0.7 $\bar{p}p$

29 KARSHON 74 suggest an additional $I = 0$ state strongly coupled to $\omega\pi\pi$ which could explain discrepancies in branching ratios and masses. We use a central value and a systematic spread.



$\Gamma(K\bar{K})/\Gamma(3\pi)$

Γ_7/Γ_1

VALUE	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
0.070 ± 0.012 OUR FIT					
0.078 ± 0.017		CHABAUD 78	RVUE		
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.011 ± 0.003		³⁰ BERTIN 98B	OBLX		$0.0 \bar{p}p \rightarrow K^\pm K_s \pi^\mp$
0.056 ± 0.014	50	³¹ CHALOUKPA 73	HBC	—	$3.9 \pi^- p$
0.097 ± 0.018	113	³¹ ALSTON-... 71	HBC	+	$7.0 \pi^+ p$
0.06 ± 0.03		³¹ ABRAMOV... 70B	HBC	—	$3.93 \pi^- p$
0.054 ± 0.022		³¹ CHUNG 68	HBC	—	$3.2 \pi^- p$

³⁰ Using 4π data from BERTIN 97D.

³¹ Included in CHABAUD 78 review.

$\Gamma(K\bar{K})/\Gamma(\eta\pi)$

Γ_7/Γ_5

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.08 ± 0.02	³² BERTIN 98B	OBLX	$0.0 \bar{p}p \rightarrow K^\pm K_s \pi^\mp$

³² Using $\eta\pi\pi$ data from AMSLER 94D.

$\Gamma(\eta\pi)/[\Gamma(3\pi) + \Gamma(\eta\pi) + \Gamma(K\bar{K})]$

$\Gamma_5/(\Gamma_1 + \Gamma_5 + \Gamma_7)$

VALUE	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
0.162 ± 0.012 OUR FIT					
0.140 ± 0.028 OUR AVERAGE					
0.13 ± 0.04		ESPIGAT 72	HBC	±	$0.0 \bar{p}p$
0.15 ± 0.04	34	BARNHAM 71	HBC	+	$3.7 \pi^+ p$

$$\Gamma(K\bar{K})/[\Gamma(3\pi) + \Gamma(\eta\pi) + \Gamma(K\bar{K})] \quad \Gamma_7/(\Gamma_1 + \Gamma_5 + \Gamma_7)$$

VALUE	EVTs	DOCUMENT ID	TECN	CHG	COMMENT
-------	------	-------------	------	-----	---------

0.054±0.009 OUR FIT**0.048±0.012 OUR AVERAGE**

0.05 ±0.02		TOET	73	HBC	+	5 $\pi^+ p$
0.09 ±0.04		TOET	73	HBC	0	5 $\pi^+ p$
0.03 ±0.02	8	DAMERI	72	HBC	−	11 $\pi^- p$
0.06 ±0.03	17	BARNHAM	71	HBC	+	3.7 $\pi^+ p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.020±0.004		³³ ESPIGAT	72	HBC	±	0.0 $\bar{p}p$
-------------	--	-----------------------	----	-----	---	----------------

³³Not averaged because of discrepancy between masses from $K\bar{K}$ and $\rho\pi$ modes.
$$\Gamma(\eta'(958)\pi)/\Gamma_{\text{total}} \quad \Gamma_8/\Gamma$$

VALUE	CL%	DOCUMENT ID	TECN	CHG	COMMENT
-------	-----	-------------	------	-----	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.006	95	ALDE	92B	GAM2		38,100 $\pi^- p \rightarrow \eta' \pi^0 n$
<0.02	97	BARNHAM	71	HBC	+	3.7 $\pi^+ p$
0.004±0.004		BOESEBECK	68	HBC	+	8 $\pi^+ p$

$$\Gamma(\eta'(958)\pi)/\Gamma(3\pi) \quad \Gamma_8/\Gamma_1$$

VALUE	CL%	DOCUMENT ID	TECN	CHG	COMMENT
-------	-----	-------------	------	-----	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.011	90	EISENSTEIN	73	HBC	−	5 $\pi^- p$
<0.04		ALSTON-...	71	HBC	+	7.0 $\pi^+ p$
0.04 $^{+0.03}_{-0.04}$		BOECKMANN	70	HBC	0	5.0 $\pi^+ p$

$$\Gamma(\eta'(958)\pi)/\Gamma(\eta\pi) \quad \Gamma_8/\Gamma_5$$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

0.037±0.006 OUR AVERAGE

0.032±0.009		ABELE	97C	CBAR	0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \eta'$
0.047±0.010±0.004	³⁴	BELADIDZE	93	VES	37 $\pi^- N \rightarrow a_2^- N$
0.034±0.008±0.005		BELADIDZE	92	VES	36 $\pi^- C \rightarrow a_2^- C$

³⁴Using $B(\eta' \rightarrow \pi^+ \pi^- \eta) = 0.441$, $B(\eta \rightarrow \gamma\gamma) = 0.389$ and $B(\eta \rightarrow \pi^+ \pi^- \pi^0) = 0.236$.
$$\Gamma(\pi^\pm \gamma)/\Gamma_{\text{total}} \quad \Gamma_9/\Gamma$$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.005 $^{+0.005}_{-0.003}$	³⁵	EISENBERG	72	HBC	4.3, 5.25, 7.5 γp
----------------------------	---------------	-----------	----	-----	---------------------------

³⁵Pion-exchange model used in this estimation.
$$\Gamma(e^+ e^-)/\Gamma_{\text{total}} \quad \Gamma_{11}/\Gamma$$

VALUE (units 10^{-9})	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<6	90	ACHASOV	00K	SND	$e^+ e^- \rightarrow \pi^0 \pi^0$
----	----	---------	-----	-----	-----------------------------------

$a_2(1320)$ REFERENCES

ALEKSEEV	10	PRL 104 241803	M.G. Alekseev <i>et al.</i>	(COMPASS Collab.)
ANISOVICH	09	IJMP A24 2481	V.V. Anisovich, A.V. Sarantsev	
UEHARA	09A	PR D80 032001	S. Uehara <i>et al.</i>	(BELLE Collab.)
SCHEGELSKY	06	EPJ A27 199	V.A. Schegelsky <i>et al.</i>	
SCHEGELSKY	06A	EPJ A27 207	V.A. Schegelsky <i>et al.</i>	
CHUNG	02	PR D65 072001	S.U. Chung <i>et al.</i>	(BNL E852 Collab.)
IVANOV	01	PRL 86 3977	E.I. Ivanov <i>et al.</i>	(BNL E852 Collab.)
MOLCHANOV	01	PL B521 171	V.V. Molchanov <i>et al.</i>	(FNAL SELEX Collab.)
ACHASOV	00K	PL B492 8	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
BARBERIS	00H	PL B488 225	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS	98B	PL B422 399	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BERTIN	98B	PL B434 180	A. Bertin <i>et al.</i>	(OBELIX Collab.)
ABELE	97C	PL B404 179	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ACCIARRI	97T	PL B413 147	M. Acciarri <i>et al.</i>	(L3 Collab.)
ALBRECHT	97B	ZPHY C74 469	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
THOMPSON	97	PRL 79 1630	D.R. Thompson <i>et al.</i>	(BNL E852 Collab.)
AMELIN	96	ZPHY C70 71	D.V. Amelin <i>et al.</i>	(SERP, TBIL)
AMSLER	94D	PL B333 277	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AOYAGI	93	PL B314 246	H. Aoyagi <i>et al.</i>	(BKEI Collab.)
ARMSTRONG	93C	PL B307 394	T.A. Armstrong <i>et al.</i>	(FNAL, FERR, GENO+)
BELADIDZE	93	PL B313 276	G.M. Beladidze <i>et al.</i>	(VES Collab.)
CONDO	93	PR D48 3045	G.T. Condo <i>et al.</i>	(SLAC Hybrid Collab.)
ALDE	92B	ZPHY C54 549	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP+)
BELADIDZE	92	ZPHY C54 235	G.M. Beladidze <i>et al.</i>	(VES Collab.)
ALBRECHT	90G	ZPHY C48 183	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
ARMSTRONG	90	ZPHY C48 213	T.A. Armstrong, M. Benayoun, W. Beusch	(WA76 Coll.)
BARU	90	ZPHY C48 581	S.E. Baru <i>et al.</i>	(MD-1 Collab.)
BEHREND	90C	ZPHY C46 583	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
BUTLER	90	PR D42 1368	F. Butler <i>et al.</i>	(Mark II Collab.)
OEST	90	ZPHY C47 343	T. Oest <i>et al.</i>	(JADE Collab.)
AUGUSTIN	89	NP B320 1	J.E. Augustin, G. Cosme	(DM2 Collab.)
VOROBYEV	88	SJNP 48 273	P.V. Vorobiev <i>et al.</i>	(NOVO)
ALTHOFF	86	ZPHY C31 537	M. Althoff <i>et al.</i>	(TASSO Collab.)
ANTREASYAN	86	PR D33 1847	D. Antreasyan <i>et al.</i>	(Crystal Ball Collab.)
BERGER	84C	PL 149B 427	C. Berger <i>et al.</i>	(PLUTO Collab.)
BEHREND	83B	PL 125B 518 (erratum)	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
CHANGIR	82	PL 117B 123	S. Cihangir <i>et al.</i>	(FNAL, MINN, ROCH)
CLELAND	82B	NP B208 228	W.E. Cleland <i>et al.</i>	(DURH, GEVA, LAUS+)
EDWARDS	82F	PL 110B 82	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
DELFOSSÉ	81	NP B183 349	A. Delfosse <i>et al.</i>	(GEVA, LAUS)
EVANGELIS...	81	NP B178 197	C. Evangelista <i>et al.</i>	(BARI, BONN, CERN+)
CHABAUD	80	NP B175 189	V. Chabaud <i>et al.</i>	(CERN, MPIM, AMST)
DAUM	80C	PL 89B 276	C. Daum <i>et al.</i>	(AMST, CERN, CRAC, MPIM+) JP
BALTAY	78B	PR D17 62	C. Baltay <i>et al.</i>	(COLU, BING)
CHABAUD	78	NP B145 349	V. Chabaud <i>et al.</i>	(CERN, MPIM)
FERRERSORIA	78	PL 74B 287	A. Ferrer Soria <i>et al.</i>	(ORSAY, CERN, CDEF+)
HYAMS	78	NP B146 303	B.D. Hyams <i>et al.</i>	(CERN, MPIM, ATEN)
MARTIN	78D	PL 74B 417	A.D. Martin <i>et al.</i>	(DURH, GEVA) JP
MAY	77	PR D16 1983	E.N. May <i>et al.</i>	(ROCH, CORN)
FORINO	76	NC 35A 465	A. Forino <i>et al.</i>	(BGNA, FIRZ, GENO, MILA+)
MARGULIE	76	PR D14 667	M. Margulies <i>et al.</i>	(BNL, CUNY)
EMMS	75	PL 58B 117	M.J. Emms <i>et al.</i>	(BIRM, DURH, RHEL) JP
WAGNER	75	PL 58B 201	F. Wagner, M. Tabak, D.M. Chew	(LBL) JP
DIAZ	74	PRL 32 260	J. Diaz <i>et al.</i>	(CASE, CMU)
KARSHON	74	PRL 32 852	U. Karshon <i>et al.</i>	(REHO)
ANTIPOV	73	NP B63 175	Y.M. Antipov <i>et al.</i>	(CERN, SERP) JP
ANTIPOV	73C	NP B63 153	Y.M. Antipov <i>et al.</i>	(CERN, SERP) JP
CHALOUPKA	73	PL 44B 211	V. Chaloupka <i>et al.</i>	(CERN)
CONFORTO	73	PL 45B 154	G. Conforto <i>et al.</i>	(EFI, FNAL, TNTO+)
DEFOIX	73	PL 43B 141	C. Defoix <i>et al.</i>	(CDEF)
EISENSTEIN	73	PR D7 278	L. Eisenstein <i>et al.</i>	(ILL)
KEY	73	PRL 30 503	A.W. Key <i>et al.</i>	(TNTO, EFI, FNAL, WISC)
TOET	73	NP B63 248	D.Z. Toet <i>et al.</i>	(NIJM, BONN, DURH, TORI)
DAMERI	72	NC 9A 1	M. Dameri <i>et al.</i>	(GENO, MILA, SACL)
EISENBERG	72	PR D5 15	Y. Eisenberg <i>et al.</i>	(REHO, SLAC, TELA)
ESPIGAT	72	NP B36 93	P. Espigat <i>et al.</i>	(CERN, CDEF)
FOLEY	72	PR D6 747	K.J. Foley <i>et al.</i>	(BNL, CUNY)

ALSTON-...	71	PL 34B 156	M. Alston-Garnjost <i>et al.</i>	(LRL)
BARNHAM	71	PRL 26 1494	K.W.J. Barnham <i>et al.</i>	(LBL)
BINNIE	71	PL 36B 257	D.M. Binnie <i>et al.</i>	(LOIC, SHMP)
BOWEN	71	PRL 26 1663	D.R. Bowen <i>et al.</i>	(NEAS, STON)
GRAYER	71	PL 34B 333	G. Grayer <i>et al.</i>	(CERN, MPIM)
ABRAMOVI...	70B	NP B23 466	M. Abramovich <i>et al.</i>	(CERN) JP
ALSTON-...	70	PL 33B 607	M. Alston-Garnjost <i>et al.</i>	(LRL)
BOECKMANN	70	NP B16 221	K. Boeckmann <i>et al.</i>	(BONN, DURH, NIJM+)
ASCOLI	68	PRL 20 1321	G. Ascoli <i>et al.</i>	(ILL) JP
BOESEBECK	68	NP B4 501	K. Boesebeck <i>et al.</i>	(AACH, BERL, CERN)
CHUNG	68	PR 165 1491	S.U. Chung <i>et al.</i>	(LRL)
CONTE	67	NC 51A 175	F. Conte <i>et al.</i>	(GENO, HAMB, MILA, SACL)
