

**$N(1990) 7/2^+$**  $I(J^P) = \frac{1}{2}(\frac{7}{2}^+)$  Status: \*\*

## OMITTED FROM SUMMARY TABLE

Most of the results published before 1975 are now obsolete and have been omitted. They may be found in our 1982 edition, Physics Letters **111B** 1 (1982). Some further obsolete results published before 1984 were last included in our 2006 edition, Journal of Physics, G **33** 1 (2006).

The various analyses do not agree very well with one another.

The latest GWU analysis (ARNDT 06) finds no evidence for this resonance.

 **$N(1990)$  BREIT-WIGNER MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>\approx 1990</math> OUR ESTIMATE</b>			
2060 $\pm$ 65	ANISOVICH	12A DPWA	Multichannel
2086 $\pm$ 28	MANLEY	92 IPWA	$\pi N \rightarrow \pi N$ & $N\pi\pi$
1970 $\pm$ 50	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$
2005 $\pm$ 150	HOEHLER	79 IPWA	$\pi N \rightarrow \pi N$
1999	BARBOUR	78 DPWA	$\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
2311 $\pm$ 16	VRANA	00 DPWA	Multichannel

 **$N(1990)$  BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
240 $\pm$ 50	ANISOVICH	12A DPWA	Multichannel
535 $\pm$ 120	MANLEY	92 IPWA	$\pi N \rightarrow \pi N$ & $N\pi\pi$
350 $\pm$ 120	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$
350 $\pm$ 100	HOEHLER	79 IPWA	$\pi N \rightarrow \pi N$
216	BARBOUR	78 DPWA	$\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
205 $\pm$ 72	VRANA	00 DPWA	Multichannel

 **$N(1990)$  POLE POSITION****REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2030 $\pm$ 65	ANISOVICH	12A DPWA	Multichannel
1900 $\pm$ 30	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
2301	VRANA	00 DPWA	Multichannel
not seen	ARNDT	91 DPWA	$\pi N \rightarrow \pi N$ Soln SM90

### – 2×IMAGINARY PART

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
240±60	ANISOVICH 12A	DPWA	Multichannel
260±60	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
202	VRANA 00	DPWA	Multichannel
not seen	ARNDT 91	DPWA	$\pi N \rightarrow \pi N$ Soln SM90

### N(1990) ELASTIC POLE RESIDUE

#### MODULUS $|r|$

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2±1	ANISOVICH 12A	DPWA	Multichannel
9±3	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$

#### PHASE $\theta$

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
125±65	ANISOVICH 12A	DPWA	Multichannel
– 60±30	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$

### N(1990) DECAY MODES

Mode
$\Gamma_1$ $N\pi$
$\Gamma_2$ $N\eta$
$\Gamma_3$ $\Lambda K$
$\Gamma_4$ $\Sigma K$
$\Gamma_5$ $N\pi\pi$
$\Gamma_6$ $p\gamma$ , helicity=1/2
$\Gamma_7$ $p\gamma$ , helicity=3/2
$\Gamma_8$ $n\gamma$ , helicity=1/2
$\Gamma_9$ $n\gamma$ , helicity=3/2

### N(1990) BRANCHING RATIOS

<u><math>\Gamma(N\pi)/\Gamma_{\text{total}}</math></u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	<u><math>\Gamma_1/\Gamma</math></u>
2±1	ANISOVICH 12A	DPWA	Multichannel	
6±2	MANLEY 92	IPWA	$\pi N \rightarrow \pi N$ & $N\pi\pi$	
6±2	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$	
4±2	HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
22±11	VRANA 00	DPWA	Multichannel	

<u><math>(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}</math> in <math>N\pi \rightarrow N(1990) \rightarrow N\eta</math></u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	<u><math>(\Gamma_1\Gamma_2)^{1/2}/\Gamma</math></u>
–0.043	BAKER 79	DPWA	$\pi^- p \rightarrow n\eta$	

$\Gamma(N\eta)/\Gamma_{\text{total}}$				$\Gamma_2/\Gamma$
VALUE (%)	DOCUMENT ID	TECN	COMMENT	
$0 \pm 1$	VRANA	00	DPWA	Multichannel

  

$(\Gamma_i \Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(1990) \rightarrow \Lambda K$				$(\Gamma_1 \Gamma_3)^{1/2}/\Gamma$
VALUE	DOCUMENT ID	TECN	COMMENT	
+0.01	BELL	83	DPWA	$\pi^- p \rightarrow \Lambda K^0$
not seen	SAXON	80	DPWA	$\pi^- p \rightarrow \Lambda K^0$
$-0.021 \pm 0.033$	DEVENISH	74B		Fixed-t dispersion rel.

  

$(\Gamma_i \Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(1990) \rightarrow \Sigma K$				$(\Gamma_1 \Gamma_4)^{1/2}/\Gamma$
VALUE	DOCUMENT ID	TECN	COMMENT	
0.010 to 0.023	<sup>1</sup> DEANS	75	DPWA	$\pi N \rightarrow \Sigma K$
0.06	LANGBEIN	73	IPWA	$\pi N \rightarrow \Sigma K$ (sol. 1)

  

$(\Gamma_i \Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(1990) \rightarrow N\pi\pi$				$(\Gamma_1 \Gamma_5)^{1/2}/\Gamma$
VALUE	DOCUMENT ID	TECN	COMMENT	
not seen	LONGACRE	75	IPWA	$\pi N \rightarrow N\pi\pi$

### $N(1990)$ PHOTON DECAY AMPLITUDES

Papers on  $\gamma N$  amplitudes predating 1981 may be found in our 2006 edition, Journal of Physics, G **33** 1 (2006).

#### $N(1990) \rightarrow p\gamma$ , helicity-1/2 amplitude $A_{1/2}$

VALUE ( $\text{GeV}^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
$0.042 \pm 0.014$	<sup>2</sup> ANISOVICH	12A	DPWA Phase = $(-30 \pm 20)^\circ$
$0.030 \pm 0.029$	AWAJI	81	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.040	BARBOUR	78	DPWA $\gamma N \rightarrow \pi N$

#### $N(1990) \rightarrow p\gamma$ , helicity-3/2 amplitude $A_{3/2}$

VALUE ( $\text{GeV}^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
$0.058 \pm 0.012$	<sup>2</sup> ANISOVICH	12A	DPWA Phase = $(-35 \pm 25)^\circ$
$0.086 \pm 0.060$	AWAJI	81	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
+0.004	BARBOUR	78	DPWA $\gamma N \rightarrow \pi N$

#### $N(1990) \rightarrow n\gamma$ , helicity-1/2 amplitude $A_{1/2}$

VALUE ( $\text{GeV}^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
-0.001	AWAJI	81	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.069	BARBOUR	78	DPWA $\gamma N \rightarrow \pi N$

**$N(1990) \rightarrow n\gamma$ , helicity-3/2 amplitude  $A_{3/2}$** 

<u>VALUE (GeV<sup>-1/2</sup>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.178	AWAJI	81	DPWA $\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-0.072	BARBOUR	78	DPWA $\gamma N \rightarrow \pi N$

 **$N(1990)$  FOOTNOTES**

<sup>1</sup> The range given for DEANS 75 is from the four best solutions.

<sup>2</sup> This ANISOVICH 12A value is the complex helicity amplitude at the pole position.

 **$N(1990)$  REFERENCES**

For early references, see Physics Letters **111B** 1 (1982).

ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
PDG	06	JPG 33 1	W.-M. Yao <i>et al.</i>	(PDG Collab.)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman,, T.-S.H. Lee	(PITT+)
MANLEY	92	PR D45 4002	D.M. Manley, E.M. Saleski	(KENT) IJP
Also		PR D30 904	D.M. Manley <i>et al.</i>	(VPI)
ARNDT	91	PR D43 2131	R.A. Arndt <i>et al.</i>	(VPI, TELE) IJP
BELL	83	NP B222 389	K.W. Bell <i>et al.</i>	(RL) IJP
PDG	82	PL 111B 1	M. Roos <i>et al.</i>	(HELS, CIT, CERN)
AWAJI	81	Bonn Conf. 352	N. Awaji, R. Kajikawa	(NAGO)
Also		NP B197 365	K. Fujii <i>et al.</i>	(NAGO)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
SAXON	80	NP B162 522	D.H. Saxon <i>et al.</i>	(RHEL, BRIS) IJP
BAKER	79	NP B156 93	R.D. Baker <i>et al.</i>	(RHEL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
BARBOUR	78	NP B141 253	I.M. Barbour, R.L. Crawford, N.H. Parsons	(GLAS)
DEANS	75	NP B96 90	S.R. Deans <i>et al.</i>	(SFLA, ALAH) IJP
LONGACRE	75	PL 55B 415	R.S. Longacre <i>et al.</i>	(LBL, SLAC) IJP
DEVENISH	74B	NP B81 330	R.C.E. Devenish, C.D. Froggatt, B.R. Martin	(DESY+)
LANGBEIN	73	NP B53 251	W. Langbein, F. Wagner	(MUNI) IJP