



$$I(J^P) = \frac{1}{2}(\frac{1}{2}^+) \text{ Status: } ***$$

According to the quark model, the Ξ_c^0 (quark content dsc) and Ξ_c^+ form an isospin doublet, and the spin-parity ought to be $J^P = 1/2^+$. None of I , J , or P has actually been measured.

Ξ_c^0 MASS

The fit uses the Ξ_c^0 and Ξ_c^+ mass and mass-difference measurements.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

2470.88^{+0.34}_{-0.80} OUR FIT Error includes scale factor of 1.1.

2471.09^{+0.35}_{-1.00} OUR AVERAGE

2471.0 ± 0.3	^{+0.2} _{-1.4}	8620 ± 355	¹ LESIAK	05 BELL	$e^+ e^-$, $\Upsilon(4S)$
2470.0 ± 2.8	± 2.6	85	FRABETTI	98B E687	γ Be, $\bar{E}_\gamma = 220$ GeV
2469	± 2 ± 3	9	HENDERSON	92B CLEO	$\Omega^- K^+$
2472.1	± 2.7 ± 1.6	54	ALBRECHT	90F ARG	$e^+ e^-$ at $\Upsilon(4S)$
2473.3	± 1.9 ± 1.2	4	BARLAG	90 ACCM	$\pi^- (K^-)$ Cu 230 GeV
2472	± 3 ± 4	19	ALAM	89 CLEO	$e^+ e^-$ 10.6 GeV

• • • We do not use the following data for averages, fits, limits, etc. • • •

2462.1 ± 3.1	± 1.4	42	² FRABETTI	93C E687	See FRABETTI 98B
2471	± 3 ± 4	14	AVERY	89 CLEO	See ALAM 89

¹The systematic error was (wrongly) given the other way round in LESIAK 05.

²The FRABETTI 93C mass is well below the other measurements.

$\Xi_c^0 - \Xi_c^+$ MASS DIFFERENCE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

3.1^{+0.4}_{-0.5} OUR FIT

3.1 ± 0.5 OUR AVERAGE

+2.9 ± 0.5	LESIAK	05 BELL	$e^+ e^-$, $\Upsilon(4S)$
+7.0 ± 4.5 ± 2.2	ALBRECHT	90F ARG	$e^+ e^-$ at $\Upsilon(4S)$
+6.8 ± 3.3 ± 0.5	BARLAG	90 ACCM	$\pi^- (K^-)$ Cu 230 GeV
+5 ± 4 ± 1	ALAM	89 CLEO	$\Xi_c^0 \rightarrow \Xi^- \pi^+$, $\Xi_c^+ \rightarrow \Xi^- \pi^+ \pi^+$

Ξ_c^0 MEAN LIFE

VALUE (10^{-15} s)	EVTS	DOCUMENT ID	TECN	COMMENT
112^{+13}_{-10} OUR AVERAGE				
$118^{+14}_{-12} \pm 5$	110	LINK	02H FOCS	γ nucleus, ≈ 180 GeV
$101^{+25}_{-17} \pm 5$	42	FRABETTI	93C E687	γ Be, $\bar{E}_\gamma = 220$ GeV
82^{+59}_{-30}	4	BARLAG	90 ACCM	π^- (K^-) Cu 230 GeV

Ξ_c^0 DECAY MODES

No absolute branching fractions have been measured. Several measurements of ratios of fractions may be found in the Listings that follow.

Mode	Fraction (Γ_i/Γ)
Γ_1 $pK^- K^- \pi^+$	seen
Γ_2 $pK^- \bar{K}^*(892)^0$	seen
Γ_3 $pK^- K^- \pi^+$ no $\bar{K}^*(892)^0$	seen
Γ_4 ΛK_S^0	seen
Γ_5 $\Lambda K^- \pi^+$	
Γ_6 $\Lambda \bar{K}^0 \pi^+ \pi^-$	seen
Γ_7 $\Lambda K^- \pi^+ \pi^+ \pi^-$	seen
Γ_8 $\Xi^- \pi^+$	seen
Γ_9 $\Xi^- \pi^+ \pi^+ \pi^-$	seen
Γ_{10} $\Omega^- K^+$	seen
Γ_{11} $\Xi^- e^+ \nu_e$	seen
Γ_{12} $\Xi^- \ell^+$ anything	seen

Ξ_c^0 BRANCHING RATIOS

$\Gamma(pK^- K^- \pi^+)/\Gamma(\Xi^- \pi^+)$ Γ_1/Γ_8

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.34 ± 0.04 OUR AVERAGE				
$0.33 \pm 0.03 \pm 0.03$	1908 ± 62	LESLIAK	05 BELL	$e^+ e^-$, $\gamma(4S)$
$0.35 \pm 0.06 \pm 0.03$	148 ± 18	DANKO	04 CLEO	$e^+ e^-$

$\Gamma(pK^- \bar{K}^*(892)^0)/\Gamma(\Xi^- \pi^+)$ Γ_2/Γ_8

Unseen decay modes of the $\bar{K}^*(892)^0$ are included.

VALUE	DOCUMENT ID	TECN	COMMENT
$0.210 \pm 0.045 \pm 0.015$	DANKO	04 CLEO	$e^+ e^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen BARLAG 90 ACCM π^- (K^-) Cu 230 GeV

$\Gamma(\rho K^- K^- \pi^+ \text{ no } \bar{K}^*(892)^0)/\Gamma(\Xi^- \pi^+)$ Γ_3/Γ_8

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.21±0.04±0.02	DANKO 04	CLEO	$e^+ e^-$

$\Gamma(\Lambda K_S^0)/\Gamma(\Xi^- \pi^+)$ Γ_4/Γ_8

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.21±0.02±0.02	465 ± 37	LESLIAK 05	BELL	$e^+ e^-$, $\Upsilon(4S)$

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen	7	ALBRECHT 95B	ARG	$e^+ e^- \approx 10.4 \text{ GeV}$
------	---	--------------	-----	------------------------------------

$\Gamma(\Lambda K^- \pi^+)/\Gamma(\Xi^- \pi^+)$ Γ_5/Γ_8

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.07±0.12±0.07	2979 ± 211	LESLIAK 05	BELL	$e^+ e^-$, $\Upsilon(4S)$

$\Gamma(\Lambda \bar{K}^0 \pi^+ \pi^-)/\Gamma_{\text{total}}$ Γ_6/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
seen	FRABETTI 98B	E687	$\gamma \text{ Be}$, $\bar{E}_\gamma = 220 \text{ GeV}$

$\Gamma(\Lambda K^- \pi^+ \pi^+ \pi^-)/\Gamma_{\text{total}}$ Γ_7/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
seen	FRABETTI 98B	E687	$\gamma \text{ Be}$, $\bar{E}_\gamma = 220 \text{ GeV}$

$\Gamma(\Xi^- \pi^+)/\Gamma(\Xi^- \pi^+ \pi^+ \pi^-)$ Γ_8/Γ_9

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.30±0.12±0.05	ALBRECHT 90F	ARG	$e^+ e^-$ at $\Upsilon(4S)$

$\Gamma(\Omega^- K^+)/\Gamma(\Xi^- \pi^+)$ Γ_{10}/Γ_8

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.297±0.024 OUR AVERAGE				
0.294±0.018±0.016	650	AUBERT,B 05M	BABR	$e^+ e^- \approx \Upsilon(4S)$
0.50 ±0.21 ±0.05	9	HENDERSON 92B	CLEO	$e^+ e^- \approx 10.6 \text{ GeV}$

$\Gamma(\Xi^- e^+ \nu_e)/\Gamma(\Xi^- \pi^+)$ Γ_{11}/Γ_8

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3.1±1.0^{+0.3}_{-0.5}	54	ALEXANDER 95B	CLE2	$e^+ e^- \approx \Upsilon(4S)$

$\Gamma(\Xi^- \ell^+ \text{ anything})/\Gamma(\Xi^- \pi^+)$ Γ_{12}/Γ_8

The ratio is for the *average* (not the sum) of the $\Xi^- e^+$ anything and $\Xi^- \mu^+$ anything modes.

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.96±0.43±0.18	18	ALBRECHT 93B	ARG	$e^+ e^- \approx 10.4 \text{ GeV}$

$\Gamma(\Xi^- \ell^+ \text{ anything})/\Gamma(\Xi^- \pi^+ \pi^+ \pi^-)$ Γ_{12}/Γ_9

The ratio is for the *average* (not the sum) of the $\Xi^- e^+$ anything and $\Xi^- \mu^+$ anything modes.

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.29±0.12±0.04	18	ALBRECHT 93B	ARG	$e^+ e^- \approx 10.4 \text{ GeV}$

Ξ_c^0 DECAY PARAMETERS

See the note on “Baryon Decay Parameters” in the neutron Listings.

α FOR $\Xi_c^0 \rightarrow \Xi^- \pi^+$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$-0.56 \pm 0.39^{+0.10}_{-0.09}$	138	CHAN	01 CLE2	$e^+ e^- \approx \Upsilon(4S)$

Ξ_c^0 REFERENCES

AUBERT,B	05M	PRL 95 142003	B. Aubert <i>et al.</i>	(BABAR Collab.)
LESIK	05	PL B605 237	T. Lesiak <i>et al.</i>	(BELLE Collab.)
Also		PL B617 198 (errata)	T. Lesiak <i>et al.</i>	(BELLE Collab.)
DANKO	04	PR D69 052004	I. Danko <i>et al.</i>	(CLEO Collab.)
LINK	02H	PL B541 211	J.M. Link <i>et al.</i>	(FNAL FOCUS Collab.)
CHAN	01	PR D63 111102	S. Chan <i>et al.</i>	(CLEO Collab.)
FRABETTI	98B	PL B426 403	P.L. Frabetti <i>et al.</i>	(FNAL E687 Collab.)
ALBRECHT	95B	PL B342 397	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
ALEXANDER	95B	PRL 74 3113	J. Alexander <i>et al.</i>	(CLEO Collab.)
Also		PRL 75 4155 (erratum)	J. Alexander <i>et al.</i>	(CLEO Collab.)
ALBRECHT	93B	PL B303 368	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
FRABETTI	93C	PRL 70 2058	P.L. Frabetti <i>et al.</i>	(FNAL E687 Collab.)
HENDERSON	92B	PL B283 161	S. Henderson <i>et al.</i>	(CLEO Collab.)
ALBRECHT	90F	PL B247 121	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
BARLAG	90	PL B236 495	S. Barlag <i>et al.</i>	(ACCMOR Collab.)
ALAM	89	PL B226 401	M.S. Alam <i>et al.</i>	(CLEO Collab.)
AVERY	89	PRL 62 863	P. Avery <i>et al.</i>	(CLEO Collab.)