

**$D_{s1}^*(2700)^{\pm}$**  $I(J^P) = 0(1^-)$  **$D_{s1}^*(2700)^+ \text{ MASS}$** 

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>2709 <math>\pm 4</math> OUR AVERAGE</b>				
2709.2 $\pm 1.9$ $\pm 4.5$	52k	1 AAIJ	12AU LHCb	$p p \rightarrow (D K)^+ X$ at 7 TeV
2710 $\pm 2$ $\pm 12$	10.4k	2 AUBERT	09AR BABR	$e^+ e^- \rightarrow D^{(*)} K X$
2708 $\pm 9$ $\pm 11$	182	BRODZICKA	08 BELL	$B^+ \rightarrow D^0 \bar{D}^0 K^+$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
2688 $\pm 4$ $\pm 3$		3 AUBERT,BE	06E BABR	$10.6 e^+ e^- \rightarrow D K X$
1 From the combined fit of the $D^+ K_S^0$ and $D^0 K^+$ modes in the model including the $D_{s2}^*(2573)^+$ , $D_{s1}^*(2700)^+$ and spin-0 $D_{sJ}^*(2860)^+$ .				
2 From simultaneous fits to the two $D K$ mass spectra and to the total $D^* K$ mass spectrum.				
3 Superseded by AUBERT 09AR.				

 **$D_{s1}^*(2700)^+ \text{ WIDTH}$** 

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>117 <math>\pm 13</math> OUR AVERAGE</b>				
115.8 $\pm 7.3$ $\pm 12.1$	52k	4 AAIJ	12AU LHCb	$p p \rightarrow (D K)^+ X$ at 7 TeV
149 $\pm 7$ $\pm 39$	10.4k	5 AUBERT	09AR BABR	$e^+ e^- \rightarrow D^{(*)} K X$
108 $\pm 23$ $\pm 36$	182	BRODZICKA	08 BELL	$B^+ \rightarrow D^0 \bar{D}^0 K^+$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
112 $\pm 7$ $\pm 36$		6 AUBERT,BE	06E BABR	$10.6 e^+ e^- \rightarrow D K X$
4 From the combined fit of the $D^+ K_S^0$ and $D^0 K^+$ modes in the model including the $D_{s2}^*(2573)^+$ , $D_{s1}^*(2700)^+$ and spin-0 $D_{sJ}^*(2860)^+$ .				
5 From simultaneous fits to the two $D K$ mass spectra and to the total $D^* K$ mass spectrum.				
6 Superseded by AUBERT 09AR.				

 **$D_{s1}^*(2700)^{\pm} \text{ DECAY MODES}$** 

## Mode

$\Gamma_1$	$D K$
$\Gamma_2$	$D^0 K^+$
$\Gamma_3$	$D^+ K_S^0$
$\Gamma_4$	$D^* K$
$\Gamma_5$	$D^{*0} K^+$
$\Gamma_6$	$D^{*+} K_S^0$

## $D_{s1}^*(2700)^{\pm}$ BRANCHING RATIOS

### $\Gamma(D^*K)/\Gamma(DK)$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	$\Gamma_4/\Gamma_1$
<b>0.91±0.13±0.12</b>	10.4k	<sup>7</sup> AUBERT	09AR BABR	$e^+ e^- \rightarrow D^{(*)} K X$	

<sup>7</sup> From the average of the corresponding ratios with  $D^{(*)}0 K^+$  and  $D^{(*)}+ K_S^0$ .

### $\Gamma(D^{*0}K^+)/\Gamma(D^0K^+)$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	$\Gamma_5/\Gamma_2$
• • • We do not use the following data for averages, fits, limits, etc. • • •					

$0.88 \pm 0.14 \pm 0.14$       7716      <sup>8</sup> AUBERT      09AR BABR       $e^+ e^- \rightarrow D^{(*)} K X$

<sup>8</sup> From the  $D^{*0} K^+$  and  $D^0 K^+$ , where  $D^{*0} \rightarrow D^0 \pi^0$ .

### $\Gamma(D^{*+}K_S^0)/\Gamma(D^+K_S^0)$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	$\Gamma_6/\Gamma_3$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$1.14 \pm 0.39 \pm 0.23$	2700	<sup>9</sup> AUBERT	09AR BABR	$e^+ e^- \rightarrow D^{(*)} K X$	

<sup>9</sup> From the  $D^{*+} K_S^0$  and  $D^+ K_S^0$ , where  $D^{*+} \rightarrow D^+ \pi^0$ .

## $D_{s1}^*(2700)^{\pm}$ REFERENCES

AAIJ	12AU	JHEP 1210 151	R. Aaij <i>et al.</i>	(LHCb Collab.)
AUBERT	09AR	PR D80 092003	B. Aubert <i>et al.</i>	(BABAR Collab.)
BRODZICKA	08	PRL 100 092001	J. Brodzicka <i>et al.</i>	(BELLE Collab.)
AUBERT,BE	06E	PRL 97 222001	B. Aubert <i>et al.</i>	(BABAR Collab.)