

$N(1895)$ $1/2^-$ $I(J^P) = \frac{1}{2}(\frac{1}{2}^-)$ Status: $\ast\ast$

OMITTED FROM SUMMARY TABLE

Before our 2012 *Review*, this state appeared in our Listings as the $N(2090)$. Any structure in the S_{11} wave above 1800 MeV is listed here. A few early results that are now obsolete have been omitted.

The latest GWU analysis (ARNDT 06) finds no evidence for this resonance.

 $N(1895)$ BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1895 ± 15	ANISOVICH	12A	DPWA Multichannel
2180 ± 80	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1880 ± 20	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
1910 ± 15	SHRESTHA	12A	DPWA Multichannel
1812 ± 25	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1822 ± 43	VRANA	00	DPWA Multichannel
1897 ± 50 $^{+30}_{-2}$	PLOETZKE	98	SPEC $\gamma p \rightarrow p\eta'(958)$
1928 ± 59	MANLEY	92	IPWA $\pi N \rightarrow \pi N & N\pi\pi$

 $N(1895)$ BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
90 $^{+30}_{-15}$	ANISOVICH	12A	DPWA Multichannel
350 ± 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
95 ± 30	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
502 ± 47	SHRESTHA	12A	DPWA Multichannel
405 ± 40	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
248 ± 185	VRANA	00	DPWA Multichannel
396 ± 155 $^{+35}_{-45}$	PLOETZKE	98	SPEC $\gamma p \rightarrow p\eta'(958)$
414 ± 157	MANLEY	92	IPWA $\pi N \rightarrow \pi N & N\pi\pi$

 $N(1895)$ POLE POSITION**REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1900 ± 15	ANISOVICH	12A	DPWA Multichannel
2150 ± 70	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1937 or 1949	¹ LONGACRE	78	IPWA $\pi N \rightarrow N\pi\pi$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
1858	SHRESTHA	12A	DPWA Multichannel
1797 ± 26	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1795	VRANA	00	DPWA Multichannel

-2×IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
90+ 30 – 15	ANISOVICH	12A	DPWA Multichannel
350±100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
139 or 131	¹ LONGACRE	78	IPWA $\pi N \rightarrow N\pi\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
479	SHRESTHA	12A	DPWA Multichannel
420± 45	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
220	VRANA	00	DPWA Multichannel

N(1895) ELASTIC POLE RESIDUE

MODULUS | $r|$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1± 1	ANISOVICH	12A	DPWA Multichannel
40±20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
60	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

PHASE θ

VALUE (°)	DOCUMENT ID	TECN	COMMENT
0±90	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
–164	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

N(1895) INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(1895) \rightarrow N\eta$

MODULUS (%)	PHASE (°)	DOCUMENT ID	TECN	COMMENT
6±2	40 ± 20	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1895) \rightarrow \Lambda K$

MODULUS (%)	PHASE (°)	DOCUMENT ID	TECN	COMMENT
5±2	–90 ± 30	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1895) \rightarrow \Sigma K$

MODULUS (%)	PHASE (°)	DOCUMENT ID	TECN	COMMENT
6±2	40 ± 30	ANISOVICH	12A	DPWA Multichannel

N(1895) DECAY MODES

Mode
$\Gamma_1 N\pi$
$\Gamma_2 N\eta$
$\Gamma_3 \Lambda K$
$\Gamma_4 \Sigma K$
$\Gamma_5 N\pi\pi$
$\Gamma_6 \Delta\pi$
$\Gamma_7 \Delta(1232)\pi, D\text{-wave}$
$\Gamma_8 N\rho$
$\Gamma_9 N\rho, S=1/2, S\text{-wave}$
$\Gamma_{10} N\rho, S=3/2, D\text{-wave}$
$\Gamma_{11} N(\pi\pi)^{I=0}_{S\text{-wave}}$
$\Gamma_{12} N(1440)\pi$
$\Gamma_{13} p\gamma, \text{ helicity}=1/2$
$\Gamma_{14} n\gamma, \text{ helicity}=1/2$

N(1895) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$	Γ_1/Γ
<i>VALUE (%)</i>	<i>DOCUMENT ID</i> <i>TECN</i> <i>COMMENT</i>
2 ± 1	ANISOVICH 12A DPWA Multichannel
18 ± 8	CUTKOSKY 80 IPWA $\pi N \rightarrow \pi N$
9 ± 5	HOEHLER 79 IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •	
17 ± 2	SHRESTHA 12A DPWA Multichannel
32 ± 6	BATINIC 10 DPWA $\pi N \rightarrow N\pi, N\eta$
17 ± 3	VRANA 00 DPWA Multichannel
10 ± 10	MANLEY 92 IPWA $\pi N \rightarrow \pi N \& N\pi\pi$
$\Gamma(N\eta)/\Gamma_{\text{total}}$	Γ_2/Γ
<i>VALUE (%)</i>	<i>DOCUMENT ID</i> <i>TECN</i> <i>COMMENT</i>
21 ± 6	ANISOVICH 12A DPWA Multichannel
41 ± 4	VRANA 00 DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •	
40 ± 4	SHRESTHA 12A DPWA Multichannel
22 ± 10	BATINIC 10 DPWA $\pi N \rightarrow N\pi, N\eta$
$\Gamma(\Lambda K)/\Gamma_{\text{total}}$	Γ_3/Γ
<i>VALUE (%)</i>	<i>DOCUMENT ID</i> <i>TECN</i> <i>COMMENT</i>
18 ± 5	ANISOVICH 12A DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •	
1.8 ± 0.8	SHRESTHA 12A DPWA Multichannel

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow N(1895) \rightarrow \Lambda K$	$(\Gamma_1 \Gamma_3)^{1/2} / \Gamma$		
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
not seen	SAXON	80	DPWA $\pi^- p \rightarrow \Lambda K^0$
$\Gamma(\Sigma K) / \Gamma_{\text{total}}$	Γ_4 / Γ		
<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
13 \pm 7	ANISOVICH	12A	DPWA Multichannel
$\Gamma(\Delta(1232)\pi, D\text{-wave}) / \Gamma_{\text{total}}$	Γ_7 / Γ		
<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1 \pm 1	VRANA	00	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
7 \pm 3	SHRESTHA	12A	DPWA Multichannel
$\Gamma(N\rho, S=1/2, S\text{-wave}) / \Gamma_{\text{total}}$	Γ_9 / Γ		
<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
36 \pm 1	VRANA	00	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
< 2	SHRESTHA	12A	DPWA Multichannel
$\Gamma(N\rho, S=3/2, D\text{-wave}) / \Gamma_{\text{total}}$	Γ_{10} / Γ		
<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1 \pm 1	VRANA	00	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
9 \pm 3	SHRESTHA	12A	DPWA Multichannel
$\Gamma(N(\pi\pi)^{I=0}_{S\text{-wave}}) / \Gamma_{\text{total}}$	Γ_{11} / Γ		
<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2 \pm 1	VRANA	00	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
< 2	SHRESTHA	12A	DPWA Multichannel
$\Gamma(N(1440)\pi) / \Gamma_{\text{total}}$	Γ_{12} / Γ		
<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2 \pm 1	VRANA	00	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
24 \pm 4	SHRESTHA	12A	DPWA Multichannel

$N(1895)$ PHOTON DECAY AMPLITUDES

$N(1895) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>VALUE (GeV$^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.012 \pm 0.006	² ANISOVICH	12A	DPWA Phase = $(120 \pm 50)^\circ$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
0.012 \pm 0.006	SHRESTHA	12A	DPWA Multichannel

N(1895) → nγ, helicity-1/2 amplitude A_{1/2}

VALUE (GeV ^{-1/2})	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.003±0.007	SHRESTHA	12A DPWA Multichannel	

N(1895) FOOTNOTES

¹ LONGACRE 78 values are from a search for poles in the unitarized T-matrix. The first (second) value uses, in addition to $\pi N \rightarrow N\pi\pi$ data, elastic amplitudes from a Saclay (CERN) partial-wave analysis.

² This ANISOVICH 12A value is the complex helicity amplitude at the pole position.

N(1895) REFERENCES

ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman,, T.-S.H. Lee	(PITT+)
PLOETZKE	98	PL B444 555	R. Ploetzke <i>et al.</i>	(Bonn SAPHIR Collab.)
MANLEY	92	PR D45 4002	D.M. Manley, E.M. Saleski	(KSA) IJP
Also		PR D30 904	D.M. Manley <i>et al.</i>	(VPI)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL)
SAXON	80	NP B162 522	D.H. Saxon <i>et al.</i>	(RHEL, BRIS) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
LONGACRE	78	PR D17 1795	R.S. Longacre <i>et al.</i>	(LBL, SLAC)