

**$N(1680)$**   $5/2^+$  $I(J^P) = \frac{1}{2}(\frac{5}{2}^+)$  Status: \*\*\*

Most of the results published before 1975 were last included in our 1982 edition, Physics Letters **111B** 1 (1982). Some further obsolete results published before 1984 were last included in our 2006 edition, Journal of Physics **G33** 1 (2006).

 **$N(1680)$  BREIT-WIGNER MASS**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>1680 to 1690 (<math>\approx 1685</math>) OUR ESTIMATE</b>			
1676 $\pm$ 2	SHKLYAR	13	DPWA Multichannel
1689 $\pm$ 6	ANISOVICH	12A	DPWA Multichannel
1680.1 $\pm$ 0.2	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1680 $\pm$ 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1684 $\pm$ 3	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1682.7 $\pm$ 0.5	SHRESTHA	12A	DPWA Multichannel
1685 $\pm$ 5	ANISOVICH	10	DPWA Multichannel
1680 $\pm$ 7	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1684 $\pm$ 8	THOMA	08	DPWA Multichannel
1683.2 $\pm$ 0.7	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
1679 $\pm$ 3	VRANA	00	DPWA Multichannel
1679 $\pm$ 5	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
1678	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
1684 $\pm$ 4	MANLEY	92	IPWA $\pi N \rightarrow \pi N & N\pi\pi$
1660	<sup>1</sup> LONGACRE	77	IPWA $\pi N \rightarrow N\pi\pi$
1670	<sup>2</sup> LONGACRE	75	IPWA $\pi N \rightarrow N\pi\pi$

 **$N(1680)$  BREIT-WIGNER WIDTH**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>120 to 140 (<math>\approx 130</math>) OUR ESTIMATE</b>			
115 $\pm$ 1	SHKLYAR	13	DPWA Multichannel
118 $\pm$ 6	ANISOVICH	12A	DPWA Multichannel
128.0 $\pm$ 1.1	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
120 $\pm$ 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
128 $\pm$ 8	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
126 $\pm$ 1	SHRESTHA	12A	DPWA Multichannel
117 $\pm$ 12	ANISOVICH	10	DPWA Multichannel
142 $\pm$ 7	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
105 $\pm$ 8	THOMA	08	DPWA Multichannel
134.4 $\pm$ 3.8	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
128 $\pm$ 9	VRANA	00	DPWA Multichannel

124	$\pm$ 4	ARNDT	96	IPWA	$\gamma N \rightarrow \pi N$
126		ARNDT	95	DPWA	$\pi N \rightarrow N\pi$
139	$\pm$ 8	MANLEY	92	IPWA	$\pi N \rightarrow \pi N \& N\pi\pi$
150		<sup>1</sup> LONGACRE	77	IPWA	$\pi N \rightarrow N\pi\pi$
130		<sup>2</sup> LONGACRE	75	IPWA	$\pi N \rightarrow N\pi\pi$

## **N(1680) POLE POSITION**

### **REAL PART**

VALUE (MeV)		DOCUMENT ID	TECN	COMMENT	
<b>1665 to 1680 (<math>\approx</math> 1675) OUR ESTIMATE</b>					
1674 $\pm$ 2 $\pm$ 1	<sup>3</sup> SVARC	14	MLS	$\pi N \rightarrow \pi N$	
1676 $\pm$ 6	ANISOVICH	12A	DPWA	Multichannel	
1674	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$	
1673	<sup>4</sup> HOEHLER	93	ARGD	$\pi N \rightarrow \pi N$	
1667 $\pm$ 5	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$	
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>					
1660	SHKLYAR	13	DPWA	Multichannel	
1669	SHRESTHA	12A	DPWA	Multichannel	
1672 $\pm$ 4	ANISOVICH	10	DPWA	Multichannel	
1666 $\pm$ 8	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$	
1674 $\pm$ 5	THOMA	08	DPWA	Multichannel	
1678	ARNDT	04	DPWA	$\pi N \rightarrow \pi N, \eta N$	
1667	VRANA	00	DPWA	Multichannel	
1670	ARNDT	95	DPWA	$\pi N \rightarrow N\pi$	
1670	ARNDT	91	DPWA	$\pi N \rightarrow \pi N$ Soln SM90	
1668 or 1674	<sup>5</sup> LONGACRE	78	IPWA	$\pi N \rightarrow N\pi\pi$	
1656 or 1653	<sup>1</sup> LONGACRE	77	IPWA	$\pi N \rightarrow N\pi\pi$	

### **-2xIMAGINARY PART**

VALUE (MeV)		DOCUMENT ID	TECN	COMMENT	
<b>110 to 135 (<math>\approx</math> 120) OUR ESTIMATE</b>					
129 $\pm$ 3 $\pm$ 1	<sup>3</sup> SVARC	14	MLS	$\pi N \rightarrow \pi N$	
113 $\pm$ 4	ANISOVICH	12A	DPWA	Multichannel	
115	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$	
135	<sup>4</sup> HOEHLER	93	ARGD	$\pi N \rightarrow \pi N$	
110 $\pm$ 10	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$	
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>					
98	SHKLYAR	13	DPWA	Multichannel	
119	SHRESTHA	12A	DPWA	Multichannel	
114 $\pm$ 12	ANISOVICH	10	DPWA	Multichannel	
135 $\pm$ 6	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$	
95 $\pm$ 10	THOMA	08	DPWA	Multichannel	
120	ARNDT	04	DPWA	$\pi N \rightarrow \pi N, \eta N$	
122	VRANA	00	DPWA	Multichannel	
120	ARNDT	95	DPWA	$\pi N \rightarrow N\pi$	
116	ARNDT	91	DPWA	$\pi N \rightarrow \pi N$ Soln SM90	
132 or 137	<sup>5</sup> LONGACRE	78	IPWA	$\pi N \rightarrow N\pi\pi$	
145 or 143	<sup>1</sup> LONGACRE	77	IPWA	$\pi N \rightarrow N\pi\pi$	

## **N(1680) ELASTIC POLE RESIDUE**

### **MODULUS $|r|$**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>40±5 OUR ESTIMATE</b>			
44±1±1	<sup>3</sup> SVARC	14	MLS $\pi N \rightarrow \pi N$
43±4	ANISOVICH	12A	DPWA Multichannel
42	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
44	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
34±2	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
33	SHKLYAR	13	DPWA Multichannel
44	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
43	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
40	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
37	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90

### **PHASE $\theta$**

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>-10±10 OUR ESTIMATE</b>			
-16± 1±1	<sup>3</sup> SVARC	14	MLS $\pi N \rightarrow \pi N$
- 2±10	ANISOVICH	12A	DPWA Multichannel
- 4	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
-17	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
-25± 5	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-32	SHKLYAR	13	DPWA Multichannel
-19	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
+ 1	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
-14	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90

## **N(1680) INELASTIC POLE RESIDUE**

The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .

### **Normalized residue in $N\pi \rightarrow N(1680) \rightarrow \Delta\pi, P\text{-wave}$**

<u>MODULUS (%)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>15±3</b>	<b>-70 ± 45</b>	ANISOVICH	12A	DPWA Multichannel

### **Normalized residue in $N\pi \rightarrow N(1680) \rightarrow \Delta\pi, F\text{-wave}$**

<u>MODULUS (%)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>23±4</b>	<b>85 ± 15</b>	ANISOVICH	12A	DPWA Multichannel

### **Normalized residue in $N\pi \rightarrow N(1680) \rightarrow N(\pi\pi)_{S\text{-wave}}^{I=0}$**

<u>MODULUS (%)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>26±4</b>	<b>-56 ± 15</b>	ANISOVICH	12A	DPWA Multichannel

## ***N(1680)* DECAY MODES**

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1 N\pi$	65–70 %
$\Gamma_2 N\eta$	$(0 \pm 7) \times 10^{-3}$
$\Gamma_3 \Lambda K$	
$\Gamma_4 \Sigma K$	
$\Gamma_5 N\pi\pi$	30–40 %
$\Gamma_6 \Delta\pi$	5–15 %
$\Gamma_7 \Delta(1232)\pi$ , <i>P</i> -wave	$(10 \pm 5) \%$
$\Gamma_8 \Delta(1232)\pi$ , <i>F</i> -wave	0–12 %
$\Gamma_9 N\rho$	3–15 %
$\Gamma_{10} N\rho$ , <i>S</i> =1/2, <i>F</i> -wave	
$\Gamma_{11} N\rho$ , <i>S</i> =3/2, <i>P</i> -wave	<12 %
$\Gamma_{12} N\rho$ , <i>S</i> =3/2, <i>F</i> -wave	1–5 %
$\Gamma_{13} N(\pi\pi)_{S\text{-wave}}^{I=0}$	$(11 \pm 5) \%$
$\Gamma_{14} p\gamma$	0.21–0.32 %
$\Gamma_{15} p\gamma$ , helicity=1/2	0.001–0.011 %
$\Gamma_{16} p\gamma$ , helicity=3/2	0.20–0.32 %
$\Gamma_{17} n\gamma$	0.021–0.046 %
$\Gamma_{18} n\gamma$ , helicity=1/2	0.004–0.029 %
$\Gamma_{19} n\gamma$ , helicity=3/2	0.01–0.024 %

## ***N(1680)* BRANCHING RATIOS**

$\Gamma(N\pi)/\Gamma_{\text{total}}$	$\Gamma_1/\Gamma$			
VALUE (%)	DOCUMENT ID	TECN	COMMENT	
<b>65 to 70 OUR ESTIMATE</b>				
68 $\pm$ 1	SHKLYAR	13	DPWA	Multichannel
64 $\pm$ 5	ANISOVICH	12A	DPWA	Multichannel
70.1 $\pm$ 0.1	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
62 $\pm$ 5	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
65 $\pm$ 2	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
68.0 $\pm$ 0.5	SHRESTHA	12A	DPWA	Multichannel
66 $\pm$ 8	ANISOVICH	10	DPWA	Multichannel
67 $\pm$ 3	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
72 $\pm$ 15	THOMA	08	DPWA	Multichannel
67.0 $\pm$ 0.4	ARNDT	04	DPWA	$\pi N \rightarrow \pi N, \eta N$
69 $\pm$ 2	VRANA	00	DPWA	Multichannel
68	ARNDT	95	DPWA	$\pi N \rightarrow N\pi$
70 $\pm$ 3	MANLEY	92	IPWA	$\pi N \rightarrow \pi N$ & $N\pi\pi$

$$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}} \text{ in } N\pi \rightarrow N(1680) \rightarrow N\eta \quad (\Gamma_1 \Gamma_2)^{1/2} / \Gamma$$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
not seen	BAKER	79	DPWA $\pi^- p \rightarrow n\eta$

$$\Gamma(N\eta)/\Gamma_{\text{total}} \quad \Gamma_2/\Gamma$$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.0 ±0.7 OUR AVERAGE</b>			
0 ±1	SHKLYAR	13	DPWA Multichannel
0 ±1	VRANA	00	DPWA Multichannel
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
1.0 ±0.3	SHRESTHA	12A	DPWA Multichannel
0.4 ±0.2	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
<1	THOMA	08	DPWA Multichannel
0.15 <sup>+0.35</sup> <sub>-0.10</sub>	TIATOR	99	DPWA $\gamma p \rightarrow p\eta$

$$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}} \text{ in } N\pi \rightarrow N(1680) \rightarrow \Lambda K \quad (\Gamma_1 \Gamma_3)^{1/2} / \Gamma$$

Coupling to  $\Lambda K$  not required in the analyses of SAXON 80 or BELL 83.

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
-0.01	SHRESTHA	12A	DPWA Multichannel

Note: Signs of couplings from  $\pi N \rightarrow N\pi\pi$  analyses were changed in the 1986 edition to agree with the baryon-first convention; the overall phase ambiguity is resolved by choosing a negative sign for the  $\Delta(1620) S_{31}$  coupling to  $\Delta(1232)\pi$ .

$$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}} \text{ in } N\pi \rightarrow N(1680) \rightarrow \Delta(1232)\pi, P\text{-wave} \quad (\Gamma_1 \Gamma_7)^{1/2} / \Gamma$$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>-0.31 to -0.21 OUR ESTIMATE</b>			
-0.27	<sup>1,6</sup> LONGACRE	77	IPWA $\pi N \rightarrow N\pi\pi$
-0.25	<sup>2</sup> LONGACRE	75	IPWA $\pi N \rightarrow N\pi\pi$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
-0.26 ± 0.04	MANLEY	92	IPWA $\pi N \rightarrow \pi N \& N\pi\pi$

$$\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}} \quad \Gamma_7/\Gamma$$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>10 ±5 OUR ESTIMATE</b>			
5 ±3	ANISOVICH	12A	DPWA Multichannel
14 ±3	VRANA	00	DPWA Multichannel
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
10.5 ±0.9	SHRESTHA	12A	DPWA Multichannel
8 ±3	THOMA	08	DPWA Multichannel

$(\Gamma_f/\Gamma_f)^{1/2}/\Gamma_{\text{total}}$  in  $N\pi \rightarrow N(1680) \rightarrow \Delta(1232)\pi$ , **F-wave**       $(\Gamma_1\Gamma_8)^{1/2}/\Gamma$ 

VALUE	DOCUMENT ID	TECN	COMMENT
<b>+0.03 to +0.11 OUR ESTIMATE</b>			
+0.07	<sup>1,6</sup> LONGACRE 77	IPWA	$\pi N \rightarrow N\pi\pi$
+0.08	<sup>2</sup> LONGACRE 75	IPWA	$\pi N \rightarrow N\pi\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
+0.07 ± 0.03	MANLEY 92	IPWA	$\pi N \rightarrow \pi N \& N\pi\pi$

 $\Gamma(\Delta(1232)\pi, \text{F-wave})/\Gamma_{\text{total}}$        $\Gamma_8/\Gamma$ 

VALUE (%)	DOCUMENT ID	TECN	COMMENT
<b>0 to 12 (<math>\approx 5</math>) OUR ESTIMATE</b>			
10 ± 3	ANISOVICH 12A	DPWA	Multichannel
1 ± 1	VRANA 00	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1.0 ± 0.1	SHRESTHA 12A	DPWA	Multichannel
4 ± 3	THOMA 08	DPWA	Multichannel

 $(\Gamma_f/\Gamma_f)^{1/2}/\Gamma_{\text{total}}$  in  $N\pi \rightarrow N(1680) \rightarrow N\rho, S=3/2, P\text{-wave}$        $(\Gamma_1\Gamma_{11})^{1/2}/\Gamma$ 

VALUE	DOCUMENT ID	TECN	COMMENT
<b>-0.30 to -0.10 OUR ESTIMATE</b>			
-0.23	<sup>1,6</sup> LONGACRE 77	IPWA	$\pi N \rightarrow N\pi\pi$
-0.30	<sup>2</sup> LONGACRE 75	IPWA	$\pi N \rightarrow N\pi\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.20 ± 0.05	MANLEY 92	IPWA	$\pi N \rightarrow \pi N \& N\pi\pi$

 $\Gamma(N\rho, S=3/2, P\text{-wave})/\Gamma_{\text{total}}$        $\Gamma_{11}/\Gamma$ 

VALUE (%)	DOCUMENT ID	TECN	COMMENT
<b>5 ± 1</b>			
5 ± 1	VRANA 00	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
7.4 ± 0.7	SHRESTHA 12A	DPWA	Multichannel

 $(\Gamma_f/\Gamma_f)^{1/2}/\Gamma_{\text{total}}$  in  $N\pi \rightarrow N(1680) \rightarrow N\rho, S=3/2, F\text{-wave}$        $(\Gamma_1\Gamma_{12})^{1/2}/\Gamma$ 

VALUE	DOCUMENT ID	TECN	COMMENT
<b>-0.18 to -0.10 OUR ESTIMATE</b>			
-0.15	<sup>1,6</sup> LONGACRE 77	IPWA	$\pi N \rightarrow N\pi\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.13 ± 0.03	MANLEY 92	IPWA	$\pi N \rightarrow \pi N \& N\pi\pi$

 $\Gamma(N\rho, S=3/2, F\text{-wave})/\Gamma_{\text{total}}$        $\Gamma_{12}/\Gamma$ 

VALUE (%)	DOCUMENT ID	TECN	COMMENT
<b>3 ± 1</b>			
3 ± 1	VRANA 00	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2.4 ± 0.3	SHRESTHA 12A	DPWA	Multichannel

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow N(1680) \rightarrow N(\pi\pi)_{S\text{-wave}}^{I=0}$		$(\Gamma_1 \Gamma_{13})^{1/2} / \Gamma$	
VALUE	DOCUMENT ID	TECN	COMMENT
<b>+0.25 to +0.35 OUR ESTIMATE</b>			
+0.31	<sup>1,6</sup> LONGACRE 77	IPWA	$\pi N \rightarrow N\pi\pi$
+0.30	<sup>2</sup> LONGACRE 75	IPWA	$\pi N \rightarrow N\pi\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
+0.29 ± 0.04	MANLEY 92	IPWA	$\pi N \rightarrow \pi N \& N\pi\pi$
$\Gamma(N(\pi\pi)_{S\text{-wave}}^{I=0}) / \Gamma_{\text{total}}$		$\Gamma_{13}/\Gamma$	
VALUE (%)	DOCUMENT ID	TECN	COMMENT
<b>11 ± 5 OUR ESTIMATE</b>			
14 ± 7	ANISOVICH 12A	DPWA	Multichannel
9 ± 1	VRANA 00	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
9.4 ± 0.8	SHRESTHA 12A	DPWA	Multichannel
11 ± 5	THOMA 08	DPWA	Multichannel

### $N(1680)$ PHOTON DECAY AMPLITUDES

Papers on  $\gamma N$  amplitudes predating 1981 may be found in our 2006 edition,  
Journal of Physics **G33** 1 (2006).

#### $N(1680) \rightarrow p\gamma$ , helicity-1/2 amplitude $A_{1/2}$

VALUE ( $\text{GeV}^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
<b>-0.015 ± 0.006 OUR ESTIMATE</b>			
-0.013 ± 0.003	ANISOVICH 12A	DPWA	Multichannel
-0.007 ± 0.002	WORKMAN 12A	DPWA	$\gamma N \rightarrow N\pi$
-0.017 ± 0.001	DUGGER 07	DPWA	$\gamma N \rightarrow \pi N$
-0.017 ± 0.018	CRAWFORD 83	IPWA	$\gamma N \rightarrow \pi N$
-0.009 ± 0.006	AWAJI 81	DPWA	$\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.003 ± 0.001	SHKLYAR 13	DPWA	Multichannel
-0.017 ± 0.001	SHRESTHA 12A	DPWA	Multichannel
-0.012 ± 0.006	ANISOVICH 10	DPWA	Multichannel
-0.025	DRECHSEL 07	DPWA	$\gamma N \rightarrow \pi N$
-0.010 ± 0.004	ARNDT 96	IPWA	$\gamma N \rightarrow \pi N$
-0.006 ± 0.002	LI 93	IPWA	$\gamma N \rightarrow \pi N$

#### $N(1680) \rightarrow p\gamma$ , helicity-3/2 amplitude $A_{3/2}$

VALUE ( $\text{GeV}^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
<b>+0.133 ± 0.012 OUR ESTIMATE</b>			
0.135 ± 0.006	ANISOVICH 12A	DPWA	Multichannel
0.140 ± 0.002	WORKMAN 12A	DPWA	$\gamma N \rightarrow N\pi$
0.134 ± 0.002	DUGGER 07	DPWA	$\gamma N \rightarrow \pi N$
0.132 ± 0.010	CRAWFORD 83	IPWA	$\gamma N \rightarrow \pi N$
0.115 ± 0.008	AWAJI 81	DPWA	$\gamma N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.116 \pm 0.001$	SHKLYAR	13	DPWA	Multichannel
$0.136 \pm 0.001$	SHRESTHA	12A	DPWA	Multichannel
$0.136 \pm 0.012$	ANISOVICH	10	DPWA	Multichannel
$0.134$	DRECHSEL	07	DPWA	$\gamma N \rightarrow \pi N$
$0.145 \pm 0.005$	ARNDT	96	IPWA	$\gamma N \rightarrow \pi N$
$0.154 \pm 0.002$	LI	93	IPWA	$\gamma N \rightarrow \pi N$

### **$N(1680) \rightarrow n\gamma$ , helicity-1/2 amplitude $A_{1/2}$**

VALUE (GeV $^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
------------------------	-------------	------	---------

#### **+0.029±0.010 OUR ESTIMATE**

$0.034 \pm 0.006$	ANISOVICH	13B	DPWA	Multichannel
$0.026 \pm 0.004$	CHEN	12A	DPWA	$\gamma N \rightarrow \pi N$
$0.017 \pm 0.014$	AWAJI	81	DPWA	$\gamma N \rightarrow \pi N$
$0.032 \pm 0.003$	FUJII	81	DPWA	$\gamma N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.029 \pm 0.002$	SHRESTHA	12A	DPWA	Multichannel
$0.028$	DRECHSEL	07	DPWA	$\gamma N \rightarrow \pi N$
$0.030 \pm 0.005$	ARNDT	96	IPWA	$\gamma N \rightarrow \pi N$
$0.022 \pm 0.002$	LI	93	IPWA	$\gamma N \rightarrow \pi N$

### **$N(1680) \rightarrow n\gamma$ , helicity-3/2 amplitude $A_{3/2}$**

VALUE (GeV $^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
------------------------	-------------	------	---------

#### **-0.033±0.009 OUR ESTIMATE**

$-0.044 \pm 0.009$	ANISOVICH	13B	DPWA	Multichannel
$-0.029 \pm 0.002$	CHEN	12A	DPWA	$\gamma N \rightarrow \pi N$
$-0.033 \pm 0.013$	AWAJI	81	DPWA	$\gamma N \rightarrow \pi N$
$-0.023 \pm 0.005$	FUJII	81	DPWA	$\gamma N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$-0.059 \pm 0.002$	SHRESTHA	12A	DPWA	Multichannel
$-0.038$	DRECHSEL	07	DPWA	$\gamma N \rightarrow \pi N$
$-0.040 \pm 0.015$	ARNDT	96	IPWA	$\gamma N \rightarrow \pi N$
$-0.048 \pm 0.002$	LI	93	IPWA	$\gamma N \rightarrow \pi N$

## **$N(1680)$ FOOTNOTES**

<sup>1</sup> LONGACRE 77 pole positions are from a search for poles in the unitarized T-matrix; the first (second) value uses, in addition to  $\pi N \rightarrow N\pi\pi$  data, elastic amplitudes from a Saclay (CERN) partial-wave analysis. The other LONGACRE 77 values are from eyeball fits with Breit-Wigner circles to the T-matrix amplitudes.

<sup>2</sup> From method II of LONGACRE 75: eyeball fits with Breit-Wigner circles to the T-matrix amplitudes.

<sup>3</sup> Fit to the amplitudes of HOEHLER 79.

<sup>4</sup> See HOEHLER 93 for a detailed discussion of the evidence for and the pole parameters of  $N$  and  $\Delta$  resonances as determined from Argand diagrams of  $\pi N$  elastic partial-wave amplitudes and from plots of the speeds with which the amplitudes traverse the diagrams.

<sup>5</sup> LONGACRE 78 values are from a search for poles in the unitarized T-matrix. The first (second) value uses, in addition to  $\pi N \rightarrow N\pi\pi$  data, elastic amplitudes from a Saclay (CERN) partial-wave analysis.

<sup>6</sup> LONGACRE 77 considers this coupling to be well determined.

## **N(1680) REFERENCES**

For early references, see Physics Letters **111B** 1 (1982). For very early references, see Reviews of Modern Physics **37** 633 (1965).

SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>
SHKLYAR	13	PR C87 015201	V. Shklyar, H. Lenske, U. Mosel (GIES)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i> (BONN, PNPI)
CHEN	12A	PR C86 015206	W. Chen <i>et al.</i> (DUKE, GWU, MSST, ITEP+)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley (KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i> (GWU)
ANISOVICH	10	EPJ A44 203	A.V. Anisovich <i>et al.</i> (BONN, PNPI)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i> (ZAGR)
THOMA	08	PL B659 87	U. Thoma <i>et al.</i> (CB-ELSA Collab.)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator (MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger <i>et al.</i> (Jefferson Lab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i> (GWU)
PDG	06	JP G33 1	W.-M. Yao <i>et al.</i> (PDG Collab.)
ARNDT	04	PR C69 035213	R.A. Arndt <i>et al.</i> (GWU, TRIU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman,, T.-S.H. Lee (PITT+)
TIATOR	99	PR C60 035210	L. Tiator <i>et al.</i>
ARNDT	96	PR C53 430	R.A. Arndt, I.I. Strakovsky, R.L. Workman (VPI)
ARNDT	95	PR C52 2120	R.A. Arndt <i>et al.</i> (VPI, BRCO)
HOEHLER	93	$\pi N$ Newsletter 9 1	G. Hohler (KARL)
LI	93	PR C47 2759	Z.J. Li <i>et al.</i> (VPI)
MANLEY	92	PR D45 4002	D.M. Manley, E.M. Saleski (KSA) IJP
Also		PR D30 904	D.M. Manley <i>et al.</i> (VPI)
ARNDT	91	PR D43 2131	R.A. Arndt <i>et al.</i> (VPI, TELE) IJP
BELL	83	NP B222 389	K.W. Bell <i>et al.</i> (RL) IJP
CRAWFORD	83	NP B211 1	R.L. Crawford, W.T. Morton (GLAS)
PDG	82	PL 111B 1	M. Roos <i>et al.</i> (HELS, CIT, CERN)
AWAJI	81	Bonn Conf. 352	N. Awaji, R. Kajikawa (NAGO)
Also		NP B197 365	K. Fujii <i>et al.</i> (NAGO)
FUJII	81	NP B187 53	K. Fujii <i>et al.</i> (NAGO, OSAK)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i> (CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i> (CMU, LBL) IJP
SAXON	80	NP B162 522	D.H. Saxon <i>et al.</i> (RHEL, BRIS) IJP
BAKER	79	NP B156 93	R.D. Baker <i>et al.</i> (RHEL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i> (KARLT) IJP
Also		Toronto Conf. 3	R. Koch (KARLT) IJP
LONGACRE	78	PR D17 1795	R.S. Longacre <i>et al.</i> (LBL, SLAC)
LONGACRE	77	NP B122 493	R.S. Longacre, J. Dolbeau (SACL) IJP
Also		NP B108 365	J. Dolbeau <i>et al.</i> (SACL) IJP
LONGACRE	75	PL 55B 415	R.S. Longacre <i>et al.</i> (LBL, SLAC) IJP

---