

$N(1675) \frac{5}{2}^-$ $I(J^P) = \frac{1}{2}(\frac{5}{2}^-)$ Status: ***

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics C **38** 070001 (2014).

 $N(1675)$ POLE POSITION**REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1655 to 1665 (≈ 1660) OUR ESTIMATE			
1655 \pm 4	SOKHOYAN 15A	DPWA	Multichannel
1654 \pm 2	¹ SVARC 14	L+P	$\pi N \rightarrow \pi N$
1657	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
1656	HOEHLER 93	ARGD	$\pi N \rightarrow \pi N$
1660 \pm 10	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1640	SHKLYAR 13	DPWA	Multichannel
1654 \pm 4	ANISOVICH 12A	DPWA	Multichannel
1656	SHRESTHA 12A	DPWA	Multichannel
1658 \pm 9	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$
1674	VRANA 00	DPWA	Multichannel

-2xIMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
125 to 150 (≈ 135) OUR ESTIMATE			
147 \pm 5	SOKHOYAN 15A	DPWA	Multichannel
125 \pm 3 \pm 1	¹ SVARC 14	L+P	$\pi N \rightarrow \pi N$
139	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
126	HOEHLER 93	ARGD	$\pi N \rightarrow \pi N$
140 \pm 10	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
108	SHKLYAR 13	DPWA	Multichannel
151 \pm 5	ANISOVICH 12A	DPWA	Multichannel
128	SHRESTHA 12A	DPWA	Multichannel
137 \pm 7	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$
120	VRANA 00	DPWA	Multichannel

 $N(1675)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
27 \pm 5 OUR ESTIMATE			
28 \pm 1	SOKHOYAN 15A	DPWA	Multichannel
23 \pm 1	¹ SVARC 14	L+P	$\pi N \rightarrow \pi N$
27	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
23	HOEHLER 93	ARGD	$\pi N \rightarrow \pi N$
31 \pm 5	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
20	SHKLYAR 13	DPWA	Multichannel
28 \pm 1	ANISOVICH 12A	DPWA	Multichannel
25	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$

PHASE θ

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-25 ± 6 OUR ESTIMATE			
-24 ± 4	SOKHOYAN 15A	DPWA	Multichannel
-25 ± 2	SVARC 14	L+P	$\pi N \rightarrow \pi N$
-21	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
-22	HOEHLER 93	ARGD	$\pi N \rightarrow \pi N$
-30 ± 10	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-49	SHKLYAR 13	DPWA	Multichannel
-26 ± 4	ANISOVICH 12A	DPWA	Multichannel
-16	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$

N(1675) INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(1675) \rightarrow \Delta\pi, D\text{-wave}$

<u>MODULUS (%)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
33 ± 4	90 ± 15	SOKHOYAN 15A	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
33 ± 5	82 ± 10	ANISOVICH 12A	DPWA	Multichannel

Normalized residue in $N\pi \rightarrow N(1675) \rightarrow N\sigma$

<u>MODULUS (%)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
13 ± 3	125 ± 20	SOKHOYAN 15A	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
15 ± 4	132 ± 18	ANISOVICH 12A	DPWA	Multichannel

N(1675) BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1670 to 1680 (≈ 1675) OUR ESTIMATE			
1663 ± 4	SOKHOYAN 15A	DPWA	Multichannel
1666 ± 2	SHKLYAR 13	DPWA	Multichannel
1674.1 ± 0.2	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
1675 ± 10	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
1679 ± 8	HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1664 ± 5	ANISOVICH 12A	DPWA	Multichannel
1679 ± 1	SHRESTHA 12A	DPWA	Multichannel
1679 ± 9	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$
1685 ± 4	VRANA 00	DPWA	Multichannel

N(1675) BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
130 to 165 (≈ 150) OUR ESTIMATE			
146 ± 6	SOKHOYAN 15A	DPWA	Multichannel
148 ± 1	SHKLYAR 13	DPWA	Multichannel
146.5 ± 1.0	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
160 ± 20	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
120 ± 15	HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

152 \pm 7	ANISOVICH	12A	DPWA	Multichannel
145 \pm 4	SHRESTHA	12A	DPWA	Multichannel
152 \pm 8	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
131 \pm 10	VRANA	00	DPWA	Multichannel

N(1675) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	35–45 %
Γ_2 $N\eta$	< 1 %
Γ_3 $N\pi\pi$	25–45 %
Γ_4 $\Delta(1232)\pi$	
Γ_5 $\Delta(1232)\pi$, D-wave	23–37 %
Γ_6 $N\sigma$	3–7 %
Γ_7 $p\gamma$	0–0.02 %
Γ_8 $p\gamma$, helicity=1/2	0–0.01 %
Γ_9 $p\gamma$, helicity=3/2	0–0.01 %
Γ_{10} $n\gamma$	0–0.15 %
Γ_{11} $n\gamma$, helicity=1/2	0–0.05 %
Γ_{12} $n\gamma$, helicity=3/2	0–0.10 %

N(1675) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$

VALUE (%)

35 to 45 OUR ESTIMATE

DOCUMENT ID	TECN	COMMENT	Γ_1/Γ
SOKHOYAN	15A	DPWA	Multichannel
SHKLYAR	13	DPWA	Multichannel
ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
ANISOVICH	12A	DPWA	Multichannel
SHRESTHA	12A	DPWA	Multichannel
BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
VRANA	00	DPWA	Multichannel

$\Gamma(N\eta)/\Gamma_{\text{total}}$

VALUE (%)

DOCUMENT ID	TECN	COMMENT	Γ_2/Γ
SHKLYAR	13	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
SHRESTHA	12A	DPWA	Multichannel
BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
THOMA	08	DPWA	Multichannel
VRANA	00	DPWA	Multichannel

$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$ Γ_5/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
30±7	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
33±8	ANISOVICH	12A	DPWA Multichannel
46±1	SHRESTHA	12A	DPWA Multichannel
63±2	VRANA	00	DPWA Multichannel

 $\Gamma(N\sigma)/\Gamma_{\text{total}}$ Γ_6/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
5±2	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
7±3	ANISOVICH	12A	DPWA Multichannel

N(1675) PHOTON DECAY AMPLITUDES AT THE POLE **$N(1675) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

MODULUS ($\text{GeV}^{-1/2}$)	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.022±0.003	-12 ± 7	SOKHOYAN	15A	DPWA Multichannel

 $N(1675) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.028±0.006	-17 ± 6	SOKHOYAN	15A	DPWA Multichannel

N(1675) BREIT-WIGNER PHOTON DECAY AMPLITUDES **$N(1675) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
+0.019±0.008 OUR ESTIMATE			
0.022±0.003	SOKHOYAN	15A	DPWA Multichannel
0.013±0.001	WORKMAN	12A	DPWA $\gamma N \rightarrow N\pi$
0.018±0.002	DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.009±0.001	SHKLYAR	13	DPWA Multichannel
0.024±0.003	ANISOVICH	12A	DPWA Multichannel
0.011±0.001	SHRESTHA	12A	DPWA Multichannel
0.015	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$

 $N(1675) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
+0.020±0.005 OUR ESTIMATE			
0.027±0.006	SOKHOYAN	15A	DPWA Multichannel
0.016±0.001	WORKMAN	12A	DPWA $\gamma N \rightarrow N\pi$
0.021±0.001	DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.021±0.001	SHKLYAR	13	DPWA Multichannel
0.025±0.007	ANISOVICH	12A	DPWA Multichannel
0.020±0.001	SHRESTHA	12A	DPWA Multichannel
0.022	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$

N(1675) → nγ, helicity-1/2 amplitude A_{1/2}

VALUE (GeV ^{-1/2})	DOCUMENT ID	TECN	COMMENT
-0.060±0.005 OUR ESTIMATE			
-0.060±0.007	ANISOVICH	13B	DPWA Multichannel
-0.058±0.002	CHEN	12A	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.040±0.004	SHRESTHA	12A	DPWA Multichannel
-0.062	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$

N(1675) → nγ, helicity-3/2 amplitude A_{3/2}

VALUE (GeV ^{-1/2})	DOCUMENT ID	TECN	COMMENT
-0.085±0.010 OUR ESTIMATE			
-0.088±0.010	ANISOVICH	13B	DPWA Multichannel
-0.080±0.005	CHEN	12A	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.068±0.004	SHRESTHA	12A	DPWA Multichannel
-0.084	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$

N(1675) FOOTNOTES

¹ Fit to the amplitudes of HOEHLER 79.

N(1675) REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CPC 38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
SHKLYAR	13	PR C87 015201	V. Shklyar, H. Lenske, U. Mosel	(GIES)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
CHEN	12A	PR C86 015206	W. Chen <i>et al.</i>	(DUKE, GWU, MSST, ITEP+)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
THOMA	08	PL B659 87	U. Thoma <i>et al.</i>	(CB-ELSA Collab.)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger <i>et al.</i>	(JLab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP