

**$N(1700) \ 3/2^-$**  $I(J^P) = \frac{1}{2}(\frac{3}{2}^-)$  Status: \*\*\*

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics C **38** 070001 (2014).

 **$N(1700)$  POLE POSITION****REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

**1650 to 1750 ( $\approx 1700$ ) OUR ESTIMATE**1780  $\pm$  35 SOKHOYAN 15A DPWA Multichannel1757  $\pm$  4  $\pm$  1 <sup>1</sup> SVARC 14 L+P  $\pi N \rightarrow \pi N$ 1700 HOEHLER 93 SPED  $\pi N \rightarrow \pi N$ 1660  $\pm$  30 CUTKOSKY 80 IPWA  $\pi N \rightarrow \pi N$ 

• • • We do not use the following data for averages, fits, limits, etc. • • •

1770  $\pm$  40 ANISOVICH 12A DPWA Multichannel

1662 SHRESTHA 12A DPWA Multichannel

1806  $\pm$  23 BATINIC 10 DPWA  $\pi N \rightarrow N\pi, N\eta$ 

1704 VRANA 00 DPWA Multichannel

**-2×IMAGINARY PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

**100 to 300 OUR ESTIMATE**420  $\pm$  140 SOKHOYAN 15A DPWA Multichannel136  $\pm$  7  $\pm$  4 <sup>1</sup> SVARC 14 L+P  $\pi N \rightarrow \pi N$ 120 HOEHLER 93 SPED  $\pi N \rightarrow \pi N$ 90  $\pm$  40 CUTKOSKY 80 IPWA  $\pi N \rightarrow \pi N$ 

• • • We do not use the following data for averages, fits, limits, etc. • • •

420  $\pm$  180 ANISOVICH 12A DPWA Multichannel

55 SHRESTHA 12A DPWA Multichannel

129  $\pm$  33 BATINIC 10 DPWA  $\pi N \rightarrow N\pi, N\eta$ 

156 VRANA 00 DPWA Multichannel

 **$N(1700)$  ELASTIC POLE RESIDUE****MODULUS  $|r|$** 

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

**5 to 50 OUR ESTIMATE**60  $\pm$  30 SOKHOYAN 15A DPWA Multichannel7  $\pm$  1  $\pm$  1 <sup>1</sup> SVARC 14 L+P  $\pi N \rightarrow \pi N$ 5 HOEHLER 93 SPED  $\pi N \rightarrow \pi N$ 6  $\pm$  3 CUTKOSKY 80 IPWA  $\pi N \rightarrow \pi N$ 

• • • We do not use the following data for averages, fits, limits, etc. • • •

50  $\pm$  40 ANISOVICH 12A DPWA Multichannel7 BATINIC 10 DPWA  $\pi N \rightarrow N\pi, N\eta$ **PHASE  $\theta$** 

VALUE (°)	DOCUMENT ID	TECN	COMMENT
-----------	-------------	------	---------

**-120 to 20 OUR ESTIMATE**-115  $\pm$  30 SOKHOYAN 15A DPWA Multichannel

$-113 \pm 4 \pm 2$	<sup>1</sup> SVARC	14	L+P	$\pi N \rightarrow \pi N$
$0 \pm 50$	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>				
$-100 \pm 40$	ANISOVICH	12A	DPWA	Multichannel
$-34$	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$

### N(1700) INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .

#### Normalized residue in $N\pi \rightarrow N(1700) \rightarrow \Delta\pi, S\text{-wave}$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
$0.33 \pm 0.10$	$-70 \pm 25$	SOKHOYAN	15A	DPWA Multichannel
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>				
$0.34 \pm 0.21$	$-60 \pm 40$	ANISOVICH	12A	DPWA Multichannel

#### Normalized residue in $N\pi \rightarrow N(1700) \rightarrow \Delta\pi, D\text{-wave}$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
$0.10 \pm 0.06$	$75 \pm 30$	SOKHOYAN	15A	DPWA Multichannel
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>				
$0.08 \pm 0.06$	$90 \pm 35$	ANISOVICH	12A	DPWA Multichannel

#### Normalized residue in $N\pi \rightarrow N(1700) \rightarrow N\sigma$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
$0.13 \pm 0.08$	$-100 \pm 35$	SOKHOYAN	15A	DPWA Multichannel

#### Normalized residue in $N\pi \rightarrow N(1700) \rightarrow N(1440)\pi$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
$0.13 \pm 0.05$	$40 \pm 35$	SOKHOYAN	15A	DPWA Multichannel

#### Normalized residue in $N\pi \rightarrow N(1700) \rightarrow N(1520)\pi, P\text{-wave}$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
$0.07 \pm 0.03$	$160 \pm 45$	SOKHOYAN	15A	DPWA Multichannel

### N(1700) BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>1650 to 1750 (<math>\approx 1700</math>) OUR ESTIMATE</b>			
$1800 \pm 35$	SOKHOYAN	15A	DPWA Multichannel
$1675 \pm 25$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
$1731 \pm 15$	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
$1790 \pm 40$	ANISOVICH	12A	DPWA Multichannel
$1665 \pm 3$	SHRESTHA	12A	DPWA Multichannel
$1817 \pm 22$	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
$1736 \pm 33$	VRANA	00	DPWA Multichannel

**N(1700) BREIT-WIGNER WIDTH**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>100 to 250 (<math>\approx 150</math>) OUR ESTIMATE</b>			
400 $\pm$ 100	SOKHOYAN	15A	DPWA Multichannel
90 $\pm$ 40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
110 $\pm$ 30	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
390 $\pm$ 140	ANISOVICH	12A	DPWA Multichannel
56 $\pm$ 8	SHRESTHA	12A	DPWA Multichannel
134 $\pm$ 37	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
175 $\pm$ 133	VRANA	00	DPWA Multichannel

**N(1700) DECAY MODES**

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1 N\pi$	7–17 %
$\Gamma_2 N\eta$	seen
$\Gamma_3 N\pi\pi$	60–90 %
$\Gamma_4 \Delta(1232)\pi$	55–85 %
$\Gamma_5 \Delta(1232)\pi, S\text{-wave}$	50–80 %
$\Gamma_6 \Delta(1232)\pi, D\text{-wave}$	4–14 %
$\Gamma_7 N(1440)\pi$	3–11 %
$\Gamma_8 N(1520)\pi$	<4 %
$\Gamma_9 N\rho, S=3/2, S\text{-wave}$	seen
$\Gamma_{10} N\sigma$	2–14 %
$\Gamma_{11} p\gamma$	0.01–0.05 %
$\Gamma_{12} p\gamma, \text{ helicity}=1/2$	0.0–0.024 %
$\Gamma_{13} p\gamma, \text{ helicity}=3/2$	0.002–0.026 %
$\Gamma_{14} n\gamma$	0.01–0.13 %
$\Gamma_{15} n\gamma, \text{ helicity}=1/2$	0.0–0.09 %
$\Gamma_{16} n\gamma, \text{ helicity}=3/2$	0.01–0.05 %

**N(1700) BRANCHING RATIOS**

$\Gamma(N\pi)/\Gamma_{\text{total}}$	$\Gamma_1/\Gamma$
VALUE (%)	DOCUMENT ID
<b>12 <math>\pm</math> 5 OUR ESTIMATE</b>	
15 $\pm$ 6	SOKHOYAN
11 $\pm$ 5	CUTKOSKY
8 $\pm$ 3	HOEHLER
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$	
12 $\pm$ 5	ANISOVICH
2.8 $\pm$ 0.5	SHRESTHA
9 $\pm$ 6	BATINIC
4 $\pm$ 2	VRANA

$\Gamma(N\eta)/\Gamma_{\text{total}}$  $\Gamma_2/\Gamma$ 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>• • •</b> We do not use the following data for averages, fits, limits, etc. <b>• • •</b>			
14±5	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
10±5	THOMA	08	DPWA Multichannel
0±1	VRANA	00	DPWA Multichannel

 $\Gamma(\Delta(1232)\pi, S\text{-wave})/\Gamma_{\text{total}}$  $\Gamma_5/\Gamma$ 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
65±15	SOKHOYAN	15A	DPWA Multichannel
<b>• • •</b> We do not use the following data for averages, fits, limits, etc. <b>• • •</b>			
72±23	ANISOVICH	12A	DPWA Multichannel
31± 9	SHRESTHA	12A	DPWA Multichannel
11± 1	VRANA	00	DPWA Multichannel

 $\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$  $\Gamma_6/\Gamma$ 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
9± 5	SOKHOYAN	15A	DPWA Multichannel
<b>• • •</b> We do not use the following data for averages, fits, limits, etc. <b>• • •</b>			
<10	ANISOVICH	12A	DPWA Multichannel
3± 2	SHRESTHA	12A	DPWA Multichannel
79±56	VRANA	00	DPWA Multichannel

 $\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$  $\Gamma_7/\Gamma$ 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
7±4	SOKHOYAN	15A	DPWA Multichannel

 $\Gamma(N(1520)\pi)/\Gamma_{\text{total}}$  $\Gamma_8/\Gamma$ 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<4	SOKHOYAN	15A	DPWA Multichannel

 $\Gamma(N\rho, S=3/2, S\text{-wave})/\Gamma_{\text{total}}$  $\Gamma_9/\Gamma$ 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>• • •</b> We do not use the following data for averages, fits, limits, etc. <b>• • •</b>			
38±6	SHRESTHA	12A	DPWA Multichannel
7±1	VRANA	00	DPWA Multichannel

 $\Gamma(N\sigma)/\Gamma_{\text{total}}$  $\Gamma_{10}/\Gamma$ 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
8± 6	SOKHOYAN	15A	DPWA Multichannel
<b>• • •</b> We do not use the following data for averages, fits, limits, etc. <b>• • •</b>			
24± 6	SHRESTHA	12A	DPWA Multichannel
18±12	THOMA	08	DPWA Multichannel
0± 1	VRANA	00	DPWA Multichannel

**N(1700) PHOTON DECAY AMPLITUDES AT THE POLE** **$N(1700) \rightarrow p\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

<u>MODULUS (GeV<math>^{-1/2}</math>)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.047 ± 0.016	75 ± 30	SOKHOYAN	15A	DPWA Multichannel

 **$N(1700) \rightarrow p\gamma$ , helicity-3/2 amplitude  $A_{3/2}$** 

<u>MODULUS (GeV<math>^{-1/2}</math>)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.041 ± 0.014	0 ± 20	SOKHOYAN	15A	DPWA Multichannel

**N(1700) BREIT-WIGNER PHOTON DECAY AMPLITUDES** **$N(1700) \rightarrow p\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

<u>VALUE (GeV<math>^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.041 ± 0.017	ANISOVICH	12A	DPWA Multichannel
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
0.021 ± 0.005	SHRESTHA	12A	DPWA Multichannel

 **$N(1700) \rightarrow p\gamma$ , helicity-3/2 amplitude  $A_{3/2}$** 

<u>VALUE (GeV<math>^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.037 ± 0.014	SOKHOYAN	15A	DPWA Multichannel
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
-0.034 ± 0.013	ANISOVICH	12A	DPWA Multichannel
0.050 ± 0.009	SHRESTHA	12A	DPWA Multichannel

 **$N(1700) \rightarrow n\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

<u>VALUE (GeV<math>^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.025 ± 0.010	ANISOVICH	13B	DPWA Multichannel
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
-0.049 ± 0.008	SHRESTHA	12A	DPWA Multichannel

 **$N(1700) \rightarrow n\gamma$ , helicity-3/2 amplitude  $A_{3/2}$** 

<u>VALUE (GeV<math>^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.032 ± 0.018	ANISOVICH	13B	DPWA Multichannel
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
-0.092 ± 0.014	SHRESTHA	12A	DPWA Multichannel

**N(1700) FOOTNOTES**<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

## **N(1700) REFERENCES**

For early references, see Physics Letters **111B** 1 (1982).

SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CPC 38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
THOMA	08	PL B659 87	U. Thoma <i>et al.</i>	(CB-ELSA Collab.)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	$\pi N$ Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP