

N(1990) 7/2⁺ $I(J^P) = \frac{1}{2}(\frac{7}{2}^+)$ Status: *** ***

OMITTED FROM SUMMARY TABLE

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics C **38** 070001 (2014).

N(1990) POLE POSITION**REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2030±65	ANISOVICH	12A	DPWA Multichannel
1900±30	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1941	SHRESTHA	12A	DPWA Multichannel
2301	VRANA	00	DPWA Multichannel

-2×IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
240±60	ANISOVICH	12A	DPWA Multichannel
260±60	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
130	SHRESTHA	12A	DPWA Multichannel
202	VRANA	00	DPWA Multichannel

N(1990) ELASTIC POLE RESIDUE**MODULUS |*r*|**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2±1	ANISOVICH	12A	DPWA Multichannel
9±3	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

PHASE *θ*

VALUE (°)	DOCUMENT ID	TECN	COMMENT
125±65	ANISOVICH	12A	DPWA Multichannel
– 60±30	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

N(1990) BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2060± 65	ANISOVICH	12A	DPWA Multichannel
1970± 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
2005±150	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1990± 45	SHRESTHA	12A	DPWA Multichannel
2311± 16	VRANA	00	DPWA Multichannel

N(1990) BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
200 to 400 (≈ 300) OUR ESTIMATE			
240 \pm 50	ANISOVICH	12A	DPWA Multichannel
350 \pm 120	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
350 \pm 100	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
203 \pm 161	SHRESTHA	12A	DPWA Multichannel
205 \pm 72	VRANA	00	DPWA Multichannel

N(1990) DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	2–6 %
Γ_2 $p\gamma$	0.01–0.12 %
Γ_3 $p\gamma$, helicity=1/2	0.003–0.042 %
Γ_4 $p\gamma$, helicity=3/2	0.009–0.075 %
Γ_5 $n\gamma$	0.01–0.16 %
Γ_6 $n\gamma$, helicity=1/2	0.003–0.066 %
Γ_7 $n\gamma$, helicity=3/2	0.003–0.098 %

N(1990) BRANCHING RATIOS

<u>$\Gamma(N\pi)/\Gamma_{\text{total}}$</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>Γ_1/Γ</u>
2 to 6 (≈ 4) OUR ESTIMATE			
2 \pm 1	ANISOVICH	12A	DPWA Multichannel
6 \pm 2	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
4 \pm 2	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2 \pm 1	SHRESTHA	12A	DPWA Multichannel
22 \pm 11	VRANA	00	DPWA Multichannel

N(1990) BREIT-WIGNER PHOTON DECAY AMPLITUDES**N(1990) $\rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

<u>VALUE (GeV$^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.040 \pm 0.012	ANISOVICH	12A	DPWA Multichannel

N(1990) $\rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>VALUE (GeV$^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.057 \pm 0.012	ANISOVICH	12A	DPWA Multichannel

N(1990) $\rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>VALUE (GeV$^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.045 \pm 0.020	ANISOVICH	13B	DPWA Multichannel

$N(1990) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.052 ± 0.027	ANISOVICH	13B	DPWA Multichannel

$N(1990)$ REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

PDG	14	CPC 38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP