

$N(2060) \frac{5}{2}^-$ $I(J^P) = \frac{1}{2}(\frac{5}{2}^-)$ Status: *** *****OMITTED FROM SUMMARY TABLE**Before our 2012 *Review*, this state appeared in our Listings as the $N(2200)$. **$N(2060)$ POLE POSITION****REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2030 \pm 15	SOKHOYAN 15A	DPWA	Multichannel
2119 \pm 11 \pm 1	¹ SVARC 14	L+P	$\pi N \rightarrow \pi N$
2100 \pm 60	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2040 \pm 15	ANISOVICH 12A	DPWA	Multichannel
2064	SHRESTHA 12A	DPWA	Multichannel
2144 \pm 31	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$

 $-2 \times$ IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
400 \pm 35	SOKHOYAN 15A	DPWA	Multichannel
370 \pm 20 \pm 5	¹ SVARC 14	L+P	$\pi N \rightarrow \pi N$
360 \pm 80	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
390 \pm 25	ANISOVICH 12A	DPWA	Multichannel
267	SHRESTHA 12A	DPWA	Multichannel
438 \pm 13	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$

 $N(2060)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
25 \pm 8	SOKHOYAN 15A	DPWA	Multichannel
19 \pm 1 \pm 1	¹ SVARC 14	L+P	$\pi N \rightarrow \pi N$
20 \pm 10	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
19 \pm 5	ANISOVICH 12A	DPWA	Multichannel
26	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$

PHASE θ

VALUE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
-130 \pm 20	SOKHOYAN 15A	DPWA	Multichannel
- 94 \pm 5 \pm 1	¹ SVARC 14	L+P	$\pi N \rightarrow \pi N$
- 90 \pm 50	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-125 \pm 20	ANISOVICH 12A	DPWA	Multichannel
- 71	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$

N(2060) INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow N\eta$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.05 ± 0.03	40 ± 25	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow \Lambda K$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.01 ± 0.005		ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow \Sigma K$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.04 ± 0.02	-70 ± 30	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow \Delta(1232)\pi$, D-wave

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.06 ± 0.03	-90 ± 40	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow N\sigma$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.12 ± 0.06	80 ± 40	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow N(1440)\pi$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.17 ± 0.09	-60 ± 35	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow N(1520)\pi$, P-wave

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.14 ± 0.06	-45 ± 15	SOKHOYAN	15A	DPWA Multichannel

N(2060) BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2045 ± 15	SOKHOYAN	15A	DPWA Multichannel
2180 ± 80	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
2228 ± 30	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2060 ± 15	ANISOVICH	12A	DPWA Multichannel
2116 ± 21	SHRESTHA	12A	DPWA Multichannel
2217 ± 27	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

N(2060) BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
420 ± 30	SOKHOYAN	15A	DPWA Multichannel
400 ± 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
310 ± 50	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

375 ± 25	ANISOVICH	12A	DPWA	Multichannel
307 ± 112	SHRESTHA	12A	DPWA	Multichannel
481 ± 17	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$

N(2060) DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 N\pi$	7–12 %
$\Gamma_2 N\eta$	2–6 %
$\Gamma_3 \Lambda K$	seen
$\Gamma_4 \Sigma K$	1–5 %
$\Gamma_5 N\pi\pi$	
$\Gamma_6 \Delta(1232)\pi$	
$\Gamma_7 \Delta(1232)\pi, D\text{-wave}$	4–10 %
$\Gamma_8 N\rho$	
$\Gamma_9 N\rho, S=1/2, P\text{-wave}$	seen
$\Gamma_{10} N\sigma$	3–9 %
$\Gamma_{11} N(1440)\pi$	4–14 %
$\Gamma_{12} N(1520)\pi, P\text{-wave}$	9–21 %
$\Gamma_{13} N(1680)\pi, S\text{-wave}$	8–22 %
$\Gamma_{14} p\gamma$	0.03–0.19 %
$\Gamma_{15} p\gamma, \text{ helicity}=1/2$	0.02–0.08 %
$\Gamma_{16} p\gamma, \text{ helicity}=3/2$	0.01–0.10 %
$\Gamma_{17} n\gamma$	0.003–0.07 %
$\Gamma_{18} n\gamma, \text{ helicity}=1/2$	0.001–0.02 %
$\Gamma_{19} n\gamma, \text{ helicity}=3/2$	0.002–0.05 %

N(2060) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$	Γ_1/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
11 ± 2	SOKHOYAN 15A DPWA Multichannel
10 ± 3	CUTKOSKY 80 IPWA $\pi N \rightarrow \pi N$
7 ± 2	HOEHLER 79 IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •	
8 ± 2	ANISOVICH 12A DPWA Multichannel
9 ± 2	SHRESTHA 12A DPWA Multichannel
13 ± 4	BATINIC 10 DPWA $\pi N \rightarrow N\pi, N\eta$

$\Gamma(N\eta)/\Gamma_{\text{total}}$	Γ_2/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
4 ± 2	ANISOVICH 12A DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •	
<1	SHRESTHA 12A DPWA Multichannel
0.2 ± 1.0	BATINIC 10 DPWA $\pi N \rightarrow N\pi, N\eta$

$\Gamma(\Sigma K)/\Gamma_{\text{total}}$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
3±2	ANISOVICH	12A	DPWA Multichannel

 Γ_4/Γ $\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
7±3	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
40±13	SHRESTHA	12A	DPWA Multichannel

 Γ_7/Γ $\Gamma(N\rho, S=1/2, P\text{-wave})/\Gamma_{\text{total}}$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
21±15	SHRESTHA	12A	DPWA Multichannel

 Γ_9/Γ $\Gamma(N\sigma)/\Gamma_{\text{total}}$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
6±3	SOKHOYAN	15A	DPWA Multichannel

 Γ_{10}/Γ $\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
9±5	SOKHOYAN	15A	DPWA Multichannel

 Γ_{11}/Γ $\Gamma(N(1520)\pi, P\text{-wave})/\Gamma_{\text{total}}$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
15±6	SOKHOYAN	15A	DPWA Multichannel

 Γ_{12}/Γ $\Gamma(N(1680)\pi, S\text{-wave})/\Gamma_{\text{total}}$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
15±7	SOKHOYAN	15A	DPWA Multichannel

 Γ_{13}/Γ **N(2060) PHOTON DECAY AMPLITUDES AT THE POLE** **$N(2060) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

MODULUS ($\text{GeV}^{-1/2}$)	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.064±0.010	12 ± 8	SOKHOYAN	15A	DPWA Multichannel

 $N(2060) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.060±0.020	13 ± 10	SOKHOYAN	15A	DPWA Multichannel

N(2060) BREIT-WIGNER PHOTON DECAY AMPLITUDES **$N(2060) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.062±0.010	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.018±0.004	SHRESTHA	12A	DPWA Multichannel

$N(2060) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.062 \pm 0.020	SOKHOYAN	15A	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
0.010 \pm 0.004	SHRESTHA	12A	DPWA Multichannel

 $N(2060) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.025 \pm 0.011	ANISOVICH	13B	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
-0.012 \pm 0.017	SHRESTHA	12A	DPWA Multichannel

 $N(2060) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.037 \pm 0.017	ANISOVICH	13B	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
-0.023 \pm 0.023	SHRESTHA	12A	DPWA Multichannel

 $N(2060)$ FOOTNOTES

¹ Fit to the amplitudes of HOEHLER 79.

 $N(2060)$ REFERENCES

SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL)
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP