

$a_0(1450)$

$$I^G(J^{PC}) = 1^-(0^{++})$$

See minireview on scalar mesons under $f_0(500)$. **$a_0(1450)$ MASS**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
1474 ±19 OUR AVERAGE				
1480 ±30		ABELE 98	CBAR	0.0 $\bar{p}p \rightarrow K^0_L K^\pm \pi^\mp$
1470 ±25		¹ AMSLER 95D	CBAR	0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \pi^0$, $\pi^0 \eta \eta$, $\pi^0 \pi^0 \eta$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1515 ±30		² ANISOVICH 09	RVUE	0.0 $\bar{p}p$, πN
$1316.8^{+0.7+24.7}_{-1.0-4.6}$		³ UEHARA 09A	BELL	$\gamma\gamma \rightarrow \pi^0 \eta$
1432 ±13 ±25		⁴ BUGG 08A	RVUE	$\bar{p}p$
1477 ±10	80k	⁵ UMAN 06	E835	5.2 $\bar{p}p \rightarrow \eta \eta \pi^0$
1441 $^{+40}_{-15}$	35280	² BAKER 03	SPEC	$\bar{p}p \rightarrow \omega \pi^+ \pi^- \pi^0$
1303 ±16		⁶ BARGIOTTI 03	OBLX	$\bar{p}p$
1296 ±10		⁷ AMSLER 02	CBAR	0.9 $\bar{p}p \rightarrow \pi^0 \pi^0 \eta$
1565 ±30		⁷ ANISOVICH 98B	RVUE	Compilation
1290 ±10		⁸ BERTIN 98B	OBLX	0.0 $\bar{p}p \rightarrow K^\pm K_S^0 \pi^\mp$
1450 ±40		AMSLER 94D	CBAR	0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \eta$
1410 ±25		ETKIN 82C	MPS	23 $\pi^- p \rightarrow n 2K_S^0$
~ 1300		MARTIN 78	SPEC	10 $K^\pm p \rightarrow K_S^0 \pi p$
1255 ± 5		⁹ CASON 76		

¹ Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AMSLER 94D.² From the pole position.³ May be a different state.⁴ Using data from AMSLER 94D, ABELE 98, and BAKER 03. Supersedes BUGG 94.⁵ Statistical error only.⁶ Coupled channel analysis of $\pi^+ \pi^- \pi^0$, $K^+ K^- \pi^0$, and $K^\pm K_S^0 \pi^\mp$.⁷ T-matrix pole.⁸ Not confirmed by BUGG 08A.⁹ Isospin 0 not excluded. **$a_0(1450)$ WIDTH**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
265 ±13 OUR AVERAGE				
265 ±15		ABELE 98	CBAR	0.0 $\bar{p}p \rightarrow K^0_L K^\pm \pi^\mp$
265 ±30		¹⁰ AMSLER 95D	CBAR	0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \pi^0$, $\pi^0 \eta \eta$, $\pi^0 \pi^0 \eta$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
230 ±36		¹¹ ANISOVICH 09	RVUE	0.0 $\bar{p}p$, πN
$65.0^{+2.1+99.1}_{-5.4-32.6}$		¹² UEHARA 09A	BELL	$\gamma\gamma \rightarrow \pi^0 \eta$

196 ± 10 ± 10		13 BUGG	08A RVUE	$\bar{p}p$
267 ± 11	80k	14 UMAN	06 E835	$5.2 \bar{p}p \rightarrow \eta\eta\pi^0$
110 ± 14	35280	11 BAKER	03 SPEC	$\bar{p}p \rightarrow \omega\pi^+\pi^-\pi^0$
92 ± 16		15 BARGIOTTI	03 OBLX	$\bar{p}p$
81 ± 21		16 AMSLER	02 CBAR	$0.9 \bar{p}p \rightarrow \pi^0\pi^0\eta$
292 ± 40		16 ANISOVICH	98B RVUE	Compilation
80 ± 5		17 BERTIN	98B OBLX	$0.0 \bar{p}p \rightarrow K^\pm K_S^0 \pi^\mp$
270 ± 40		AMSLER	94D CBAR	$0.0 \bar{p}p \rightarrow \pi^0\pi^0\eta$
230 ± 30		ETKIN	82C MPS	$23 \pi^- p \rightarrow n 2 K_S^0$
~ 250		MARTIN	78 SPEC	$10 K^\pm p \rightarrow K_S^0 \pi p$
79 ± 10		18 CASON	76	

- ¹⁰ Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AMSLER 94D.
¹¹ From the pole position.
¹² May be a different state.
¹³ Using data from AMSLER 94D, ABELE 98, and BAKER 03. Supersedes BUGG 94.
¹⁴ Statistical error only.
¹⁵ Coupled channel analysis of $\pi^+\pi^-\pi^0$, $K^+K^-\pi^0$, and $K^\pm K_S^0 \pi^\mp$.
¹⁶ T-matrix pole.
¹⁷ Not confirmed by BUGG 08A.
¹⁸ Isospin 0 not excluded.

$a_0(1450)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 \quad \pi\eta$	seen
$\Gamma_2 \quad \pi\eta'(958)$	seen
$\Gamma_3 \quad K\bar{K}$	seen
$\Gamma_4 \quad \omega\pi\pi$	seen
$\Gamma_5 \quad a_0(980)\pi\pi$	seen
$\Gamma_6 \quad \gamma\gamma$	seen

$a_0(1450) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(\pi\eta) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$	$\Gamma_1\Gamma_6/\Gamma$
VALUE (eV)	DOCUMENT ID TECN COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •	
$432 \pm 6^{+1073}_{-256}$	¹⁹ UEHARA 09A BELL $\gamma\gamma \rightarrow \pi^0\eta$
¹⁹ May be a different state.	

$a_0(1450)$ BRANCHING RATIOS

$\Gamma(\pi\eta'(958))/\Gamma(\pi\eta)$	Γ_2/Γ_1
VALUE	DOCUMENT ID TECN COMMENT
0.35 ± 0.16	²⁰ ABELE 98 CBAR $0.0 \bar{p}p \rightarrow K_L^0 K^\pm \pi^\mp$
• • • We do not use the following data for averages, fits, limits, etc. • • •	
0.43 ± 0.19	ABELE 97C CBAR $0.0 \bar{p}p \rightarrow \pi^0\pi^0\eta'$
²⁰ Using $\pi^0\eta$ from AMSLER 94D.	

$\Gamma(K\bar{K})/\Gamma(\pi\eta)$ Γ_3/Γ_1

VALUE	DOCUMENT ID	TECN	COMMENT
0.88 ± 0.23	²¹ ABELE	98	CBAR $0.0 \bar{p}p \rightarrow K_L^0 K^\pm \pi^\mp$

²¹ Using $\pi^0 \eta$ from AMSLER 94D. $\Gamma(\omega\pi\pi)/\Gamma(\pi\eta)$ Γ_4/Γ_1

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
10.7 ± 2.3	35280	²² BAKER	03	SPEC $\bar{p}p \rightarrow \omega \pi^+ \pi^- \pi^0$

²² Using results on $\bar{p}p \rightarrow a_0(1450)^0 \pi^0$, $a_0(1450) \rightarrow \eta \pi^0$ from ABELE 96C and assuming the $\omega\rho$ mechanism for the $\omega\pi\pi$ state. $\Gamma(a_0(980)\pi\pi)/\Gamma_{\text{total}}$ Γ_5/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
seen	BUGG	08A	RVUE $\bar{p}p$

 $\Gamma(a_0(980)\pi\pi)/\Gamma(\pi\eta)$ Γ_5/Γ_1

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
≤ 4.3	ANISOVICH	01	RVUE 0	$\bar{p}p \rightarrow \eta 2\pi^+ 2\pi^-$

 $\Gamma(\gamma\gamma)/\Gamma_{\text{total}}$ Γ_6/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
seen	²³ UEHARA	09A	BELL $\gamma\gamma \rightarrow \pi^0 \eta$

²³ May be a different state. **$a_0(1450)$ REFERENCES**

ANISOVICH	09	IJMP A24 2481	V.V. Anisovich, A.V. Sarantsev	
UEHARA	09A	PR D80 032001	S. Uehara <i>et al.</i>	(BELLE Collab.)
BUGG	08A	PR D78 074023	D.V. Bugg	(LOQM)
UMAN	06	PR D73 052009	I. Uman <i>et al.</i>	(FNAL E835)
BAKER	03	PL B563 140	C.A. Baker <i>et al.</i>	
BARGIOTTI	03	EPJ C26 371	M. Bargiotti <i>et al.</i>	(OBELIX Collab.)
AMSLER	02	EPJ C23 29	C. Amsler <i>et al.</i>	
ANISOVICH	01	NP A690 567	A.V. Anisovich <i>et al.</i>	
ABELE	98	PR D57 3860	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH	98B	SPU 41 419	V.V. Anisovich <i>et al.</i>	
		Translated from UFN 168 481.		
BERTIN	98B	PL B434 180	A. Bertin <i>et al.</i>	(OBELIX Collab.)
ABELE	97C	PL B404 179	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	96C	NP A609 562	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95B	PL B342 433	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95C	PL B353 571	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95D	PL B355 425	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	94D	PL B333 277	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.) IGJPC
BUGG	94	PR D50 4412	D.V. Bugg <i>et al.</i>	(LOQM)
ETKIN	82C	PR D25 2446	A. Etkin <i>et al.</i>	(BNL, CUNY, TUFTS, VAND)
MARTIN	78	NP B134 392	A.D. Martin <i>et al.</i>	(DURH, GEVA)
CASON	76	PRL 36 1485	N.M. Cason <i>et al.</i>	(NDAM, ANL)