

$f'_2(1525)$ $I^G(J^{PC}) = 0^+(2^{++})$ **$f'_2(1525)$ MASS**VALUE (MeV)DOCUMENT ID**1525±5 OUR ESTIMATE** This is only an educated guess; the error given is larger than the error on the average of the published values.**PRODUCED BY PION BEAM**

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1521±13		TIKHOMIROV 03	SPEC	$40.0 \pi^- C \rightarrow K_S^0 K_S^0 K_L^0 X$
1547 ⁺¹⁰ ₋₂		¹ LONGACRE 86	MPS	$22 \pi^- p \rightarrow K_S^0 K_S^0 n$
1496 ⁺⁹ ₋₈		² CHABAUD 81	ASPK	$6 \pi^- p \rightarrow K^+ K^- n$
1497 ⁺⁸ ₋₉		CHABAUD 81	ASPK	$18.4 \pi^- p \rightarrow K^+ K^- n$
1492±29		GORLICH 80	ASPK	$17 \pi^- p$ polarized $\rightarrow K^+ K^- n$
1502±25		³ CORDEN 79	OMEG	$12\text{--}15 \pi^- p \rightarrow \pi^+ \pi^- n$
1480	14	CRENNELL 66	HBC	$6.0 \pi^- p \rightarrow K_S^0 K_S^0 n$

PRODUCED BY K^\pm BEAM

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1523.3± 1.1 OUR AVERAGE Includes data from the datablock that follows this one.				
Error includes scale factor of 1.1.				
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1526.8± 4.3		ASTON 88D	LASS	$11 K^- p \rightarrow K_S^0 K_S^0 \Lambda$
1504 ± 12		BOLONKIN 86	SPEC	$40 K^- p \rightarrow K_S^0 K_S^0 Y$
1529 ± 3		ARMSTRONG 83B	OMEG	$18.5 K^- p \rightarrow K^- K^+ \Lambda$
1521 ± 6	650	AGUILAR-...	HBC	$4.2 K^- p \rightarrow \Lambda K^+ K^-$
1521 ± 3	572	ALHARRAN 81	HBC	$8.25 K^- p \rightarrow \Lambda K \bar{K}$
1522 ± 6	123	BARREIRO 77	HBC	$4.15 K^- p \rightarrow \Lambda K_S^0 K_S^0$
1528 ± 7	166	EVANGELIS...	77	OMEG $10 K^- p \rightarrow K^+ K^- (\Lambda, \Sigma)$
1527 ± 3	120	BRANDENB...	76C	ASPK $13 K^- p \rightarrow K^+ K^- (\Lambda, \Sigma)$
1519 ± 7	100	AGUILAR-...	72B	HBC $3.9, 4.6 K^- p \rightarrow K \bar{K} (\Lambda, \Sigma)$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1514 ± 8	61	BINON 07	GAMS	$32.5 K^- p \rightarrow \eta \eta (\Lambda / \Sigma^0)$
1513 ± 10		⁴ BARKOV 99	SPEC	$40 K^- p \rightarrow K_S^0 K_S^0 y$

PRODUCED IN $e^+ e^-$ ANNIHILATION AND PARTICLE DECAYS

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
The data in this block is included in the average printed for a previous datablock.				

1521.9^{+ 1.8}_{- 1.5} OUR AVERAGE Error includes scale factor of 1.1.

1522.2± 2.8 ^{+ 5.3} _{- 2.0}		AAIJ	13AN LHCb	$\bar{B}_s^0 \rightarrow J/\psi K^+ K^-$
1513 ± 5 ^{+ 4} _{- 10}	5.5k	⁵ ABLIKIM	13N BES3	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma \eta \eta$
1525.3 ^{+ 1.2} _{- 1.4} ^{+ 3.7} _{- 2.1}		UEHARA	13 BELL	$\gamma \gamma \rightarrow K_S^0 K_S^0$

1521	± 5		ABLIKIM	05	BES2	$J/\psi \rightarrow \phi K^+ K^-$
1518	± 1	± 3	ABE	04	BELL	$10.6 e^+ e^- \rightarrow e^+ e^- K^+ K^-$
1519	± 2	$+15$ -5	BAI	03G	BES	$J/\psi \rightarrow \gamma K\bar{K}$
1523	± 6	331	⁶ ACCIARRI	01H	L3	$91, 183-209 e^+ e^- \rightarrow e^+ e^- K_S^0 K_S^0$
1535	± 5	± 4	ABREU	96C	DLPH	$Z^0 \rightarrow K^+ K^- + X$
1516	± 5	$+9$ -15	BAI	96C	BES	$J/\psi \rightarrow \gamma K^+ K^-$
1531.6	± 10.0		AUGUSTIN	88	DM2	$J/\psi \rightarrow \gamma K^+ K^-$
1515	± 5		⁷ FALVARD	88	DM2	$J/\psi \rightarrow \phi K^+ K^-$
1525	± 10	± 10	BALTRUSAIT..87	MRK3		$J/\psi \rightarrow \gamma K^+ K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
1532	± 3	± 6	644	^{8,9} DOBBS	15	$J/\psi \rightarrow \gamma K^+ K^-$
1557	± 9	± 3	113	^{8,9} DOBBS	15	$\psi(2S) \rightarrow \gamma K^+ K^-$
1523	± 5		870	¹⁰ SCHEGELSKY	06A	$\gamma\gamma \rightarrow K_S^0 K_S^0$
1496	± 2			¹¹ FALVARD	88	$DM2 \quad J/\psi \rightarrow \phi K^+ K^-$

PRODUCED IN $\bar{p}p$ ANNIHILATION

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1530 ± 12	¹² ANISOVICH	09	RVUE $0.0 \bar{p}p, \pi N$
1513 ± 4	AMSLER	06	CBAR $0.9 \bar{p}p \rightarrow K^+ K^- \pi^0$
1508 ± 9	¹³ AMSLER	02	CBAR $0.9 \bar{p}p \rightarrow \pi^0 \eta\eta, \pi^0 \pi^0 \pi^0$

CENTRAL PRODUCTION

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1515 ± 15	BARBERIS	99	OMEG $450 pp \rightarrow p_s p_f K^+ K^-$

PRODUCED IN $e p$ COLLISIONS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
1512 ± 3 $+1.4$ -0.5		¹⁴ CHEKANOV	08	ZEUS $e p \rightarrow K_S^0 K_S^0 X$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1537 $^{+9}_{-8}$	84	¹⁵ CHEKANOV	04	ZEUS $e p \rightarrow K_S^0 K_S^0 X$

¹ From a partial-wave analysis of data using a K-matrix formalism with 5 poles.

² CHABAUD 81 is a reanalysis of PAWLICKI 77 data.

³ From an amplitude analysis where the $f_2'(1525)$ width and elasticity are in complete disagreement with the values obtained from $K\bar{K}$ channel, making the solution dubious.

⁴ Systematic errors not estimated.

⁵ From partial wave analysis including all possible combinations of 0^{++} , 2^{++} , and 4^{++} resonances.

⁶ Supersedes ACCIARRI 95J.

⁷ From an analysis ignoring interference with $f_0(1710)$.

⁸ Using CLEO-c data but not authored by the CLEO Collaboration.

⁹ From a fit to a Breit-Wigner line shape with fixed $\Gamma = 73$ MeV.

¹⁰ From analysis of L3 data at 91 and 183–209 GeV.

¹¹ From an analysis including interference with $f_0(1710)$.

¹² 4-poles, 5-channel K matrix fit.

¹³ T-matrix pole.

- ¹⁴ In the SU(3) based model with a specific interference pattern of the $f_2(1270)$, $a_2^0(1320)$, and $f'_2(1525)$ mesons incoherently added to the $f_0(1710)$ and non-resonant background.
¹⁵ Systematic errors not estimated.

 $f'_2(1525)$ WIDTH

VALUE (MeV)	DOCUMENT ID	COMMENT
73^{+6}_{-5} OUR FIT		
76 ± 10	PDG	90 For fitting

PRODUCED BY PION BEAM

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
102 \pm 42	TIKHOMIROV 03	SPEC	$40.0 \pi^- C \rightarrow K_S^0 K_S^0 K_L^0 X$
108 $^{+5}_{-2}$	¹⁶ LONGACRE 86	MPS	$22 \pi^- p \rightarrow K_S^0 K_S^0 n$
69 $^{+22}_{-16}$	¹⁷ CHABAUD 81	ASPK	$6 \pi^- p \rightarrow K^+ K^- n$
137 $^{+23}_{-21}$	CHABAUD 81	ASPK	$18.4 \pi^- p \rightarrow K^+ K^- n$
150 $^{+83}_{-50}$	GORLICH 80	ASPK	$17 \pi^- p$ polarized $\rightarrow K^+ K^- n$
165 \pm 42	¹⁸ CORDEN 79	OMEG	$12\text{--}15 \pi^- p \rightarrow \pi^+ \pi^- n$
92 $^{+39}_{-22}$	¹⁹ POLYCHRO... 79	STRC	$7 \pi^- p \rightarrow n K_S^0 K_S^0$

PRODUCED BY K^\pm BEAM

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
$81.4^{+2.2}_{-1.9}$ OUR AVERAGE	Includes data from the datablock that follows this one.			
90 \pm 12		ASTON 88D	LASS	$11 K^- p \rightarrow K_S^0 K_S^0 \Lambda$
73 \pm 18		BOLONKIN 86	SPEC	$40 K^- p \rightarrow K_S^0 K_S^0 Y$
83 \pm 15		ARMSTRONG 83B	OMEG	$18.5 K^- p \rightarrow K^- K^+ \Lambda$
85 \pm 16	650	AGUILAR.... 81B	HBC	$4.2 K^- p \rightarrow \Lambda K^+ K^-$
80 $^{+14}_{-11}$	572	ALHARRAN 81	HBC	$8.25 K^- p \rightarrow \Lambda K \bar{K}$
72 \pm 25	166	EVANGELIS... 77	OMEG	$10 K^- p \rightarrow K^+ K^- (\Lambda, \Sigma)$
69 \pm 22	100	AGUILAR.... 72B	HBC	$3.9, 4.6 K^- p \rightarrow K \bar{K} (\Lambda, \Sigma)$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
92 $^{+25}_{-16}$	61	BINON 07	GAMS	$32.5 K^- p \rightarrow \eta \eta (\Lambda / \Sigma^0)$
75 \pm 20		²⁰ BARKOV 99	SPEC	$40 K^- p \rightarrow K_S^0 K_S^0 y$
62 $^{+19}_{-14}$	123	BARREIRO 77	HBC	$4.15 K^- p \rightarrow \Lambda K_S^0 K_S^0$
61 \pm 8	120	BRANDENB... 76C	ASPK	$13 K^- p \rightarrow K^+ K^- (\Lambda, \Sigma)$

PRODUCED IN $e^+ e^-$ ANNIHILATION AND PARTICLE DECAYS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
The data in this block is included in the average printed for a previous datablock.				

 $81.4^{+2.4}_{-2.0}$ OUR AVERAGE $84 \pm 6 \pm 10$ AAIJ $\overline{B}_s^0 \rightarrow J/\psi K^+ K^-$

75	± 12	± 16	5.5k	21	ABLIKIM	13N	BES3	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma\eta\eta$	
82.9	± 2.1	± 3.3			UEHARA	13	BELL	$\gamma\gamma \rightarrow K_S^0 K_S^0$	
77	± 15				ABLIKIM	05	BES2	$J/\psi \rightarrow \phi K^+ K^-$	
82	± 2	± 3			ABE	04	BELL	$10.6 e^+ e^- \rightarrow e^+ e^- K^+ K^-$	
75	± 4	± 15			BAI	03G	BES	$J/\psi \rightarrow \gamma K\bar{K}$	
100	± 15		331	22	ACCIARRI	01H	L3	$91, 183-209 e^+ e^- \rightarrow e^+ e^- K_S^0 K_S^0$	
60	± 20	± 19			ABREU	96C	DLPH	$Z^0 \rightarrow K^+ K^- + X$	
60	± 23	± 13			BAI	96C	BES	$J/\psi \rightarrow \gamma K^+ K^-$	
103	± 30				AUGUSTIN	88	DM2	$J/\psi \rightarrow \gamma K^+ K^-$	
62	± 10			23	FALVARD	88	DM2	$J/\psi \rightarrow \phi K^+ K^-$	
85	± 35				BALTRUSAIT..87	..87	MRK3	$J/\psi \rightarrow \gamma K^+ K^-$	
• • • We do not use the following data for averages, fits, limits, etc. • • •									
104	± 10		870	24	SCHEGELSKY	06A	RVUE	$\gamma\gamma \rightarrow K_S^0 K_S^0$	
100	± 3			25	FALVARD	88	DM2	$J/\psi \rightarrow \phi K^+ K^-$	

PRODUCED IN $\bar{p}p$ ANNIHILATION

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
79 ± 8	26 AMSLER	02 CBAR	$0.9 \bar{p}p \rightarrow \pi^0 \eta\eta, \pi^0 \pi^0 \pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
128 ± 20	27 ANISOVICH	09 RVUE	$0.0 \bar{p}p, \pi N$
76 ± 6	AMSLER	06 CBAR	$0.9 \bar{p}p \rightarrow K^+ K^- \pi^0$

CENTRAL PRODUCTION

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
70 ± 25	BARBERIS	99 OMEG	$450 pp \rightarrow p_s p_f K^+ K^-$

PRODUCED IN ep COLLISIONS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
83 $\pm 9^{+5}_{-4}$		28 CHEKANOV	08 ZEUS	$ep \rightarrow K_S^0 K_S^0 X$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
50 ± 34	84	29 CHEKANOV	04 ZEUS	$ep \rightarrow K_S^0 K_S^0 X$

¹⁶ From a partial-wave analysis of data using a K-matrix formalism with 5 poles.

¹⁷ CHABAUD 81 is a reanalysis of PAWLICKI 77 data.

¹⁸ From an amplitude analysis where the $f'_2(1525)$ width and elasticity are in complete disagreement with the values obtained from $K\bar{K}$ channel, making the solution dubious.

¹⁹ From a fit to the D with $f_2(1270)-f'_2(1525)$ interference. Mass fixed at 1516 MeV.

²⁰ Systematic errors not estimated.

²¹ From partial wave analysis including all possible combinations of 0^{++} , 2^{++} , and 4^{++} resonances.

²² Supersedes ACCIARRI 95J.

²³ From an analysis ignoring interference with $f_0(1710)$.

²⁴ From analysis of L3 data at 91 and 183–209 GeV.

²⁵ From an analysis including interference with $f_0(1710)$.

26 T-matrix pole.

27 4-poles, 5-channel K matrix fit.

28 In the SU(3) based model with a specific interference pattern of the $f_2(1270)$, $a_2^0(1320)$, and $f'_2(1525)$ mesons incoherently added to the $f_0(1710)$ and non-resonant background.

29 Systematic errors not estimated.

$f'_2(1525)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $K\bar{K}$	(88.7 \pm 2.2) %
Γ_2 $\eta\eta$	(10.4 \pm 2.2) %
Γ_3 $\pi\pi$	(8.2 \pm 1.5) $\times 10^{-3}$
Γ_4 $K\bar{K}^*(892) + \text{c.c.}$	
Γ_5 $\pi K\bar{K}$	
Γ_6 $\pi\pi\eta$	
Γ_7 $\pi^+\pi^+\pi^-\pi^-$	
Γ_8 $\gamma\gamma$	(1.10 \pm 0.14) $\times 10^{-6}$

CONSTRAINED FIT INFORMATION

An overall fit to the total width, 2 partial widths, a combination of partial widths obtained from integrated cross sections, and 3 branching ratios uses 17 measurements and one constraint to determine 5 parameters. The overall fit has a $\chi^2 = 14.3$ for 13 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta p_i \delta p_j \rangle / (\delta p_i \cdot \delta p_j)$, in percent, from the fit to parameters p_i , including the branching fractions, $x_i \equiv \Gamma_i/\Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

$$\begin{array}{cc|cccc} & & -100 & & & & \\ x_2 & & -6 & -1 & & & \\ x_3 & & -6 & 6 & 1 & & \\ x_8 & & -23 & 23 & -1 & -56 & \\ \hline \Gamma & & x_1 & x_2 & x_3 & x_8 & \end{array}$$

Mode	Rate (MeV)
Γ_1 $K\bar{K}$	65 $^{+5}_{-4}$
Γ_2 $\eta\eta$	7.6 \pm 1.8
Γ_3 $\pi\pi$	0.60 \pm 0.12
Γ_8 $\gamma\gamma$	(8.1 \pm 0.9) $\times 10^{-5}$

$f'_2(1525)$ PARTIAL WIDTHS **$\Gamma(K\bar{K})$** VALUE (MeV)DOCUMENT IDTECNCOMMENT **Γ_1** **65^{+5}_{-4} OUR FIT** **63^{+6}_{-5}** 30 LONGACRE 86 MPS $22 \pi^- p \rightarrow K_S^0 K_S^0 n$ **$\Gamma(\eta\eta)$** VALUE (MeV)EVTSDOCUMENT IDTECNCOMMENT **Γ_2** **7.6 ± 1.8 OUR FIT****• • • We do not use the following data for averages, fits, limits, etc. • • •**5.0 ± 0.8

870

31 SCHEGELSKY 06A RVUE $\gamma\gamma \rightarrow K_S^0 K_S^0$ 24 $+3_{-1}$ 30 LONGACRE 86 MPS $22 \pi^- p \rightarrow K_S^0 K_S^0 n$ **$\Gamma(\pi\pi)$** VALUE (MeV)EVTSDOCUMENT IDTECNCOMMENT **Γ_3** **0.60 ± 0.12 OUR FIT** **$1.4^{+1.0}_{-0.5}$** 30 LONGACRE 86 MPS $22 \pi^- p \rightarrow K_S^0 K_S^0 n$ **• • • We do not use the following data for averages, fits, limits, etc. • • •**0.2 $+1.0_{-0.2}$

870

31 SCHEGELSKY 06A RVUE $\gamma\gamma \rightarrow K_S^0 K_S^0$ **$\Gamma(\gamma\gamma)$** VALUE (keV)EVTSDOCUMENT IDTECNCOMMENT **Γ_8** **0.081 ± 0.009 OUR FIT****• • • We do not use the following data for averages, fits, limits, etc. • • •**0.13 ± 0.03

870

31 SCHEGELSKY 06A RVUE $\gamma\gamma \rightarrow K_S^0 K_S^0$

30 From a partial-wave analysis of data using a K-matrix formalism with 5 poles.

31 From analysis of L3 data at 91 and 183–209 GeV, using $\Gamma(f'_2(1525) \rightarrow K\bar{K}) = 68$ MeV and SU(3) relations. **$f'_2(1525) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$** **$\Gamma(K\bar{K}) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$** VALUE (keV)EVTSDOCUMENT IDTECNCOMMENT **$\Gamma_1\Gamma_8/\Gamma$** **0.072 ± 0.007 OUR FIT** **0.072 ± 0.007 OUR AVERAGE**0.048 $+0.067_{-0.008}^{+0.108}_{-0.012}$

UEHARA

13

BELL

 $\gamma\gamma \rightarrow K_S^0 K_S^0$ 0.0564 $\pm 0.0048 \pm 0.0116$

ABE

04

BELL

 $10.6 e^+ e^- \rightarrow e^+ e^- K^+ K^-$ 0.076 $\pm 0.006 \pm 0.011$ 331

32 ACCIARRI

01H

L3

 $e^+ e^- \rightarrow e^+ e^- K_S^0 K_S^0$ 0.067 $\pm 0.008 \pm 0.015$

33 ALBRECHT

90G

ARG

 $e^+ e^- \rightarrow e^+ e^- K^+ K^-$

0.11	$\begin{array}{c} +0.03 \\ -0.02 \end{array}$	± 0.02	BEHREND	89C	CELL	$e^+ e^- \rightarrow e^+ e^- K_S^0 K_S^0$
0.10	$\begin{array}{c} +0.04 \\ -0.03 \end{array}$	$\begin{array}{c} +0.03 \\ -0.02 \end{array}$	BERGER	88	PLUT	$e^+ e^- \rightarrow e^+ e^- K_S^0 K_S^0$
0.12	± 0.07	± 0.04	33 AIHARA	86B	TPC	$e^+ e^- \rightarrow e^+ e^- K^+ K^-$
0.11	± 0.02	± 0.04	33 ALTHOFF	83	TASS	$e^+ e^- \rightarrow e^+ e^- K\bar{K}$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
0.0314 $\pm 0.0050 \pm 0.0077$						
34 ALBRECHT 90G ARG $e^+ e^- \rightarrow e^+ e^- K^+ K^-$						
32 Supersedes ACCIARRI 95J. From analysis of L3 data at 91 and 183–209 GeV,						
33 Using an incoherent background.						
34 Using a coherent background.						

$f'_2(1525)$ BRANCHING RATIOS

$\Gamma(\eta\eta)/\Gamma_{\text{total}}$

Γ_2/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
seen	UEHARA 10A	BELL	10.6 $e^+ e^- \rightarrow e^+ e^- \eta\eta$
0.10 ± 0.03	35 PROKOSHKIN 91	GAM4	$300 \pi^- p \rightarrow \pi^- p\eta\eta$
35 Combining results of GAM4 with those of WA76 on $K\bar{K}$ central production and results of CBAL, MRK3 and DM2 on $J/\psi \rightarrow \gamma\eta\eta$.			

$\Gamma(\eta\eta)/\Gamma(K\bar{K})$

Γ_2/Γ_1

VALUE	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
0.118 ± 0.028 OUR FIT					
0.115 ± 0.028 OUR AVERAGE					
$0.119 \pm 0.015 \pm 0.036$	61	36 BINON	07	GAMS	$32.5 K^- p \rightarrow \eta\eta(\Lambda/\Sigma^0)$
0.11 ± 0.04		37 PROKOSHKIN 91	GAM4	$300 \pi^- p \rightarrow \pi^- p\eta\eta$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
< 0.14	90	BARBERIS	00E		$450 pp \rightarrow pf\eta\eta p_s$
< 0.50		BARNES	67	HBC	$4.6, 5.0 K^- p$
36 Using the compilation of the cross sections for $f'_2(1525)$ production in $K^- p$ collisions from ASTON 88D.					
37 Combining results of GAM4 with those of WA76 on $K\bar{K}$ central production and results of CBAL, MRK3 and DM2 on $J/\psi \rightarrow \gamma\eta\eta$.					

$\Gamma(\pi\pi)/\Gamma_{\text{total}}$

Γ_3/Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
0.0082 ± 0.0016 OUR FIT				
0.0075 ± 0.0016 OUR AVERAGE				
0.007 ± 0.002		COSTA...	80	OMEG $10 \pi^- p \rightarrow K^+ K^- n$
$0.027 \begin{array}{c} +0.071 \\ -0.013 \end{array}$		38 GORLICH	80	ASPK $17, 18 \pi^- p$
0.0075 ± 0.0025		38, 39 MARTIN	79	RVUE
• • • We do not use the following data for averages, fits, limits, etc. • • •				
< 0.06	95	AGUILAR...	81B	HBC $4.2 K^- p \rightarrow \Lambda K^+ K^-$
0.19 ± 0.03		CORDEN	79	OMEG $12-15 \pi^- p \rightarrow \pi^+ \pi^- n$
< 0.045	95	BARREIRO	77	HBC $4.15 K^- p \rightarrow \Lambda K_S^0 K_S^0$
0.012 ± 0.004		38 PAWICKI	77	SPEC $6 \pi N \rightarrow K^+ K^- N$
< 0.063	90	BRANDENB...	76C	ASPK $13 K^- p \rightarrow K^+ K^- (\Lambda, \Sigma)$
< 0.0086		38 BEUSCH	75B	OSPK $8.9 \pi^- p \rightarrow K^0 \bar{K}^0 n$

38 Assuming that the $f'_2(1525)$ is produced by an one-pion exchange production mechanism.

39 MARTIN 79 uses the PAWLICKI 77 data with different input value of the $f'_2(1525) \rightarrow K\bar{K}$ branching ratio.

$\Gamma(\pi\pi)/\Gamma(K\bar{K})$

VALUE	DOCUMENT ID	TECN	COMMENT
0.0092 ± 0.0018 OUR FIT			
0.075 ± 0.035	AUGUSTIN	87	DM2 $J/\psi \rightarrow \gamma\pi^+\pi^-$

$[\Gamma(K\bar{K}^*(892)+c.c.) + \Gamma(\pi K\bar{K})]/\Gamma(K\bar{K})$

$(\Gamma_4 + \Gamma_5)/\Gamma_1$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.35	95	AGUILAR-...	72B	HBC 3.9,4.6 $K^- p$
<0.4	67	AMMAR	67	HBC

$\Gamma(\pi\pi\eta)/\Gamma(K\bar{K})$

Γ_6/Γ_1

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.41	95	AGUILAR-...	72B	HBC 3.9,4.6 $K^- p$
<0.3	67	AMMAR	67	HBC

$\Gamma(\pi^+\pi^+\pi^-\pi^-)/\Gamma(K\bar{K})$

Γ_7/Γ_1

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.32	95	AGUILAR-...	72B	HBC 3.9,4.6 $K^- p$

$f'_2(1525)$ REFERENCES

DOBBS	15	PR D91 052006	S. Dobbs <i>et al.</i>	(NWES)
AAIJ	13AN	PR D87 072004	R. Aaij <i>et al.</i>	(LHCb Collab.)
ABLIKIM	13N	PR D87 092009	Ablikim M. <i>et al.</i>	(BES III Collab.)
UEHARA	13	PTEP 2013 123C01	S. Uehara <i>et al.</i>	(BELLE Collab.)
UEHARA	10A	PR D82 114031	S. Uehara <i>et al.</i>	(BELLE Collab.)
ANISOVICH	09	IJMP A24 2481	V.V. Anisovich, A.V. Sarantsev	
CHEKANOV	08	PRL 101 112003	S. Chekanov <i>et al.</i>	(ZEUS Collab.)
BINON	07	PAN 70 1713	F. Binon <i>et al.</i>	(GAMS Collab.)
		Translated from YAF 70 1758.		
AMSLER	06	PL B639 165	C. Amsler <i>et al.</i>	(CBAR Collab.)
SCHEGELSKY	06A	EPJ A27 207	V.A. Schegelsky <i>et al.</i>	
ABLIKIM	05	PL B607 243	M. Ablikim <i>et al.</i>	(BES Collab.)
ABE	04	EPJ C32 323	K. Abe <i>et al.</i>	(BELLE Collab.)
CHEKANOV	04	PL B578 33	S. Chekanov <i>et al.</i>	(ZEUS Collab.)
BAI	03G	PR D68 052003	J.Z. Bai <i>et al.</i>	(BES Collab.)
TIKHOMIROV	03	PAN 66 828	G.D. Tikhomirov <i>et al.</i>	
		Translated from YAF 66 860.		
AMSLER	02	EPJ C23 29	C. Amsler <i>et al.</i>	
ACCIARRI	01H	PL B501 173	M. Acciari <i>et al.</i>	(L3 Collab.)
BARBERIS	00E	PL B479 59	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS	99	PL B453 305	D. Barberis <i>et al.</i>	(Omega Expt.)
BARKOV	99	JETPL 70 248	B.P. Barkov <i>et al.</i>	
		Translated from ZETFP 70 242.		
ABREU	96C	PL B379 309	P. Abreu <i>et al.</i>	(DELPHI Collab.)
BAI	96C	PRL 77 3959	J.Z. Bai <i>et al.</i>	(BES Collab.)
ACCIARRI	95J	PL B363 118	M. Acciari <i>et al.</i>	(L3 Collab.)
PROKOSHKIN	91	SPD 36 155	Y.D. Prokoshkin	(GAM2, GAM4 Collab.)
		Translated from DANS 316 900.		

ALBRECHT	90G	ZPHY C48 183	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
PDG	90	PL B239 1	J.J. Hernandez <i>et al.</i>	(IFIC, BOST, CIT+)
BEHREND	89C	ZPHY C43 91	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
ASTON	88D	NP B301 525	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS)
AUGUSTIN	88	PRL 60 2238	J.E. Augustin <i>et al.</i>	(DM2 Collab.)
BERGER	88	ZPHY C37 329	C. Berger <i>et al.</i>	(PLUTO Collab.)
FALVARD	88	PR D38 2706	A. Falvard <i>et al.</i>	(CLER, FRAS, LAZO+)
AUGUSTIN	87	ZPHY C36 369	J.E. Augustin <i>et al.</i>	(LAZO, CLER, FRAS+)
BALTRUSAIT...	87	PR D35 2077	R.M. Baltrusaitis <i>et al.</i>	(Mark III Collab.)
AIHARA	86B	PRL 57 404	H. Aihara <i>et al.</i>	(TPC-2 γ Collab.)
BOLONKIN	86	SJNP 43 776	B.V. Bolonkin <i>et al.</i>	(ITEP) JP
Translated from YAF 43 1211.				
LONGACRE	86	PL B177 223	R.S. Longacre <i>et al.</i>	(BNL, BRAN, CUNY+)
ALTHOFF	83	PL 121B 216	M. Althoff <i>et al.</i>	(TASSO Collab.)
ARMSTRONG	83B	NP B224 193	T.A. Armstrong <i>et al.</i>	(BARI, BIRM, CERN+)
AGUILAR-...	81B	ZPHY C8 313	M. Aguilar-Benitez <i>et al.</i>	(CERN, CDEF+)
ALHARRAN	81	NP B191 26	S. Al-Harran <i>et al.</i>	(BIRM, CERN, GLAS+)
CHABAUD	81	APP B12 575	V. Chabaud <i>et al.</i>	(CERN, CRAC, MPIM)
COSTA...	80	NP B175 402	G. Costa de Beauregard <i>et al.</i>	(BARI, BONN+)
GORLICH	80	NP B174 16	L. Gorlich <i>et al.</i>	(CRAC, MPIM, CERN+) JP
CORDEN	79	NP B157 250	M.J. Corden <i>et al.</i>	(BIRM, RHEL, TELA+) JP
MARTIN	79	NP B158 520	A.D. Martin, E.N. Ozmutlu	(DURH)
POLYCHRO...	79	PR D19 1317	V.A. Polychronakos <i>et al.</i>	(NDAM, ANL)
BARREIRO	77	NP B121 237	F. Barreiro <i>et al.</i>	(CERN, AMST, NIJM+)
EVANGELIS...	77	NP B127 384	C. Evangelista <i>et al.</i>	(BARI, BONN, CERN+)
PAWLICKI	77	PR D15 3196	A.J. Pawlicki <i>et al.</i>	(ANL) IJP
BRANDENB...	76C	NP B104 413	G.W. Brandenburg <i>et al.</i>	(SLAC)
BEUSCH	75B	PL 60B 101	W. Beusch <i>et al.</i>	(CERN, ETH)
AGUILAR-...	72B	PR D6 29	M. Aguilar-Benitez <i>et al.</i>	(BNL)
AMMAR	67	PRL 19 1071	R. Ammar <i>et al.</i>	(NWES, ANL) JP
BARNES	67	PRL 19 964	V.E. Barnes <i>et al.</i>	(BNL, SYRA) IJPC
CRENNELL	66	PRL 16 1025	D.J. Crennell <i>et al.</i>	(BNL) I
