

$\omega(1650)$ $I^G(J^{PC}) = 0^-(1^{--})$ **$\omega(1650)$ MASS**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
1670 ± 30 OUR ESTIMATE				
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1680 \pm 10	13.1k	1 AULCHENKO	15A SND	$1.05\text{--}1.80 e^+e^- \rightarrow \pi^+\pi^-\pi^0$
1667 \pm 13 \pm 6		AUBERT	07AU BABR	$10.6 e^+e^- \rightarrow \omega\pi^+\pi^-\gamma$
1645 \pm 8	13	AUBERT	06D BABR	$10.6 e^+e^- \rightarrow \omega\eta\gamma$
1660 \pm 10 \pm 2		AUBERT,B	04N BABR	$10.6 e^+e^- \rightarrow \pi^+\pi^-\pi^0\gamma$
1770 \pm 50 \pm 60	1.2M	2 ACHASOV	03D RVUE	$0.44\text{--}2.00 e^+e^- \rightarrow \pi^+\pi^-\pi^0$
1619 \pm 5		3 HENNER	02 RVUE	$1.2\text{--}2.0 e^+e^- \rightarrow \rho\pi, \omega\pi\pi$
1700 \pm 20		EUGENIO	01 SPEC	$18\pi^-p \rightarrow \omega\eta n$
1705 \pm 26	612	4 AKHMETSHIN	00D CMD2	$e^+e^- \rightarrow \omega\pi^+\pi^-$
1820^{+190}_{-150}		5 ACHASOV	98H RVUE	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
1840^{+100}_{-70}		6 ACHASOV	98H RVUE	$e^+e^- \rightarrow \omega\pi^+\pi^-$
1780^{+170}_{-300}		7 ACHASOV	98H RVUE	$e^+e^- \rightarrow K^+K^-$
~ 2100		8 ACHASOV	98H RVUE	$e^+e^- \rightarrow K_S^0 K^\pm\pi^\mp$
1606 \pm 9		9 CLEGG	94 RVUE	
1662 \pm 13	750	10 ANTONELLI	92 DM2	$1.34\text{--}2.4e^+e^- \rightarrow \rho\pi, \omega\pi\pi$
1670 \pm 20		ATKINSON	83B OMEG	$20\text{--}70\gamma p \rightarrow 3\pi X$
1657 \pm 13		CORDIER	81 DM1	$e^+e^- \rightarrow \omega 2\pi$
1679 \pm 34	21	ESPOSITO	80 FRAM	$e^+e^- \rightarrow 3\pi$
1652 \pm 17		COSME	79 OSPK	$e^+e^- \rightarrow 3\pi$

¹ From a fit with contributions from $\omega(782)$, $\phi(1020)$, $\omega(1420)$, and $\omega(1650)$.² From the combined fit of ANTONELLI 92, ACHASOV 01E, ACHASOV 02E, and ACHASOV 03D data on the $\pi^+\pi^-\pi^0$ and ANTONELLI 92 on the $\omega\pi^+\pi^-$ final states. Supersedes ACHASOV 99E and ACHASOV 02E.³ Using results of CORDIER 81 and preliminary data of DOLINSKY 91 and ANTONELLI 92.⁴ Using the data of AKHMETSHIN 00D and ANTONELLI 92. The $\rho\pi$ dominance for the energy dependence of the $\omega(1420)$ and $\omega(1650)$ width assumed.⁵ Using data from BARKOV 87, DOLINSKY 91, and ANTONELLI 92.⁶ Using the data from ANTONELLI 92.⁷ Using the data from IVANOV 81 and BISELLO 88B.⁸ Using the data from BISELLO 91C.⁹ From a fit to two Breit-Wigner functions and using the data of DOLINSKY 91 and ANTONELLI 92.¹⁰ From the combined fit of the $\rho\pi$ and $\omega\pi\pi$ final states.

$\omega(1650)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
315± 35 OUR ESTIMATE				
• • • We do not use the following data for averages, fits, limits, etc. • • •				
310± 30	13.1k	11 AULCHENKO	15A SND	1.05–1.80 $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
222± 25± 20		AUBERT	07AU BABR	10.6 $e^+ e^- \rightarrow \omega \pi^+ \pi^- \gamma$
114± 14	13	AUBERT	06D BABR	10.6 $e^+ e^- \rightarrow \omega \eta \gamma$
230± 30± 20		AUBERT,B	04N BABR	10.6 $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0 \gamma$
490 ⁺²⁰⁰ ₋₁₅₀ ± 130	1.2M	12 ACHASOV	03D RVUE	0.44–2.00 $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
250± 14		13 HENNER	02 RVUE	1.2–2.0 $e^+ e^- \rightarrow \rho \pi, \omega \pi \pi$
250± 50		EUGENIO	01 SPEC	18 $\pi^- p \rightarrow \omega \eta n$
370± 25	612	14 AKHMETSHIN	00D CMD2	0.44–2.00 $e^+ e^- \rightarrow \omega \pi^+ \pi^-$
113± 20		15 CLEGG	94 RVUE	
280± 24	750	16 ANTONELLI	92 DM2	1.34–2.4 $e^+ e^- \rightarrow \rho \pi, \omega \pi \pi$
160± 20		ATKINSON	83B OMEG	20–70 $\gamma p \rightarrow 3\pi X$
136± 46		CORDIER	81 DM1	$e^+ e^- \rightarrow \omega 2\pi$
99± 49	21	ESPOSITO	80 FRAM	$e^+ e^- \rightarrow 3\pi$
42± 17		COSME	79 OSPK	$e^+ e^- \rightarrow 3\pi$
11 From a fit with contributions from $\omega(782)$, $\phi(1020)$, $\omega(1420)$, and $\omega(1650)$.				
12 From the combined fit of ANTONELLI 92, ACHASOV 01E, ACHASOV 02E, and ACHASOV 03D data on the $\pi^+ \pi^- \pi^0$ and ANTONELLI 92 on the $\omega \pi^+ \pi^-$ final states. Supersedes ACHASOV 99E and ACHASOV 02E.				
13 Using results of CORDIER 81 and preliminary data of DOLINSKY 91 and ANTONELLI 92.				
14 Using the data of AKHMETSHIN 00D and ANTONELLI 92. The $\rho \pi$ dominance for the energy dependence of the $\omega(1420)$ and $\omega(1650)$ width assumed.				
15 From a fit to two Breit-Wigner functions and using the data of DOLINSKY 91 and ANTONELLI 92.				
16 From the combined fit of the $\rho \pi$ and $\omega \pi \pi$ final states.				

$\omega(1650)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 \rho \pi$	seen
$\Gamma_2 \omega \pi \pi$	seen
$\Gamma_3 \omega \eta$	seen
$\Gamma_4 e^+ e^-$	seen

$$\omega(1650) \Gamma(i) \Gamma(e^+ e^-) / \Gamma^2(\text{total})$$

VALUE (units 10^{-6})	EVTS	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1.56 ± 0.23	13.1k	17 AULCHENKO	15A SND	1.05–1.80 $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
1.3 ± 0.1 ± 0.1		AUBERT,B	04N BABR	10.6 $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0 \gamma$

1.2	± 0.4	± 0.8	1.2M	18,19	ACHASOV	03D	RVUE	$0.44\text{--}2.00 \pi^+ \pi^- \rightarrow \pi^+ \pi^- \pi^0$	$e^+ e^- \rightarrow \omega \pi\pi$
0.921 ± 0.230				20,21	CLEGG	94	RVUE		
0.479 ± 0.050			750	22,23	ANTONELLI	92	DM2	$1.34\text{--}2.4 e^+ e^- \rightarrow \rho\pi, \omega\pi\pi$	

$\Gamma(\omega\pi\pi)/\Gamma_{\text{total}} \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_2/\Gamma \times \Gamma_4/\Gamma$

VALUE (units 10^{-7})	EVTS	DOCUMENT ID	TECN	COMMENT
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
7.0 ± 0.5		AUBERT	07AU BABR	$10.6 e^+ e^- \rightarrow \omega\pi^+\pi^-\gamma$
4.1 ± 0.9 ± 1.3	1.2M	18,19	ACHASOV	03D RVUE $0.44\text{--}2.00 e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
5.40 ± 0.95		24	AKHMETSHIN 00D	CMD2 $1.2\text{--}1.38 e^+ e^- \rightarrow \omega\pi^+\pi^-$
3.18 ± 0.80		20,21	CLEGG	94 RVUE
6.07 ± 0.61	750	22,23	ANTONELLI	92 DM2 $1.34\text{--}2.4 e^+ e^- \rightarrow \rho\pi, \omega\pi\pi$

$\Gamma(\omega\eta)/\Gamma_{\text{total}} \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_3/\Gamma \times \Gamma_4/\Gamma$

VALUE (units 10^{-6})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					

- • • We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$
- 7.0 ± 0.5 AUBERT 07AU BABR $10.6 e^+ e^- \rightarrow \omega\eta\gamma$
- <6 90 25 AKHMETSHIN 03B CMD2 $e^+ e^- \rightarrow \eta\pi^0\gamma$
- 17 From a fit with contributions from $\omega(782)$, $\phi(1020)$, $\omega(1420)$, and $\omega(1650)$.
- 18 Calculated by us from the cross section at the peak.
- 19 From the combined fit of ANTONELLI 92, ACHASOV 01E, ACHASOV 02E, and ACHASOV 03D data on the $\pi^+\pi^-\pi^0$ and ANTONELLI 92 on the $\omega\pi^+\pi^-$ final states. Supersedes ACHASOV 99E and ACHASOV 02E.
- 20 From a fit to two Breit-Wigner functions and using the data of DOLINSKY 91 and ANTONELLI 92.
- 21 From the partial and leptonic width given by the authors.
- 22 From the combined fit of the $\rho\pi$ and $\omega\pi\pi$ final states.
- 23 From the product of the leptonic width and partial branching ratio given by the authors.
- 24 Using the data of AKHMETSHIN 00D and ANTONELLI 92. The $\rho\pi$ dominance for the energy dependence of the $\omega(1420)$ and $\omega(1650)$ width assumed.
- 25 $\omega(1650)$ mass and width fixed at 1700 MeV and 250 MeV, respectively.

$\omega(1650)$ BRANCHING RATIOS

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	Γ_2/Γ
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
~ 0.35	1.2M	26 ACHASOV	03D RVUE	$0.44\text{--}2.00 e^+ e^- \rightarrow \pi^+\pi^-\pi^0$	
0.620 ± 0.014		27 HENNER	02 RVUE	$1.2\text{--}2.0 e^+ e^- \rightarrow \rho\pi, \omega\pi\pi$	

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	Γ_1/Γ
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
~ 0.65	1.2M	26 ACHASOV	03D RVUE	$0.44\text{--}2.00 e^+ e^- \rightarrow \pi^+\pi^-\pi^0$	
0.380 ± 0.014		27 HENNER	02 RVUE	$1.2\text{--}2.0 e^+ e^- \rightarrow \rho\pi, \omega\pi\pi$	

$\Gamma(e^+ e^-)/\Gamma_{\text{total}}$ Γ_4/Γ

<u>VALUE (units 10^{-7})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •				
~ 18	1.2M	27,28 ACHASOV	03D RVUE	$0.44-2.00 e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
32 ± 1	27	HENNER	02 RVUE	$1.2-2.0 e^+ e^- \rightarrow \rho\pi, \omega\pi\pi$
26 From the combined fit of ANTONELLI 92, ACHASOV 01E, ACHASOV 02E, and ACHASOV 03D data on the $\pi^+ \pi^- \pi^0$ and ANTONELLI 92 on the $\omega \pi^+ \pi^-$ final states. Supersedes ACHASOV 99E and ACHASOV 02E.				
27 Assuming that the $\omega(1650)$ decays into $\rho\pi$ and $\omega\pi\pi$ only.				
28 Calculated by us from the cross section at the peak.				

 $\omega(1650)$ REFERENCES

AULCHENKO	15A	JETP 121 27 Translated from ZETF 148 34.	V.M. Aulchenko <i>et al.</i>	(SND Collab.)
AUBERT	07AU	PR D76 092005	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT	06D	PR D73 052003	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT,B	04N	PR D70 072004	B. Aubert <i>et al.</i>	(BABAR Collab.)
ACHASOV	03D	PR D68 052006	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
AKHMETSHIN	03B	PL B562 173	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
ACHASOV	02E	PR D66 032001	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
HENNER	02	EPJ C26 3	V.K. Henner <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	01E	PR D63 072002	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
EUGENIO	01	PL B497 190	P. Eugenio <i>et al.</i>	
AKHMETSHIN	00D	PL B489 125	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
ACHASOV	99E	PL B462 365	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	98H	PR D57 4334	N.N. Achasov, A.A. Kozhevnikov	
CLEGG	94	ZPHY C62 455	A.B. Clegg, A. Donnachie	(LANC, MCHS)
ANTONELLI	92	ZPHY C56 15	A. Antonelli <i>et al.</i>	(DM2 Collab.)
BISELLO	91C	ZPHY C52 227	D. Bisello <i>et al.</i>	(DM2 Collab.)
DOLINSKY	91	PRPL 202 99	S.I. Dolinsky <i>et al.</i>	(NOVO)
BISELLO	88B	ZPHY C39 13	D. Bisello <i>et al.</i>	(PADO, CLER, FRAS+)
BARKOV	87	JETPL 46 164 Translated from ZETFP 46 132.	L.M. Barkov <i>et al.</i>	(NOVO)
ATKINSON	83B	PL 127B 132	M. Atkinson <i>et al.</i>	(BONN, CERN, GLAS+)
CORDIER	81	PL 106B 155	A. Cordier <i>et al.</i>	(ORSAY)
IVANOV	81	PL 107B 297	P.M. Ivanov <i>et al.</i>	(NOVO)
ESPOSITO	80	LNC 28 195	B. Esposito <i>et al.</i>	(FRAS, NAPL, PADO+)
COSME	79	NP B152 215	G. Cosme <i>et al.</i>	(IPN)