

$\Delta(1900)$ 1/2⁻ $I(J^P) = \frac{3}{2}(\frac{1}{2}^-)$ Status: * *

OMITTED FROM SUMMARY TABLE

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014). **$\Delta(1900)$ POLE POSITION****REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1845±20	SOKHOYAN	15A	DPWA Multichannel
1865±35±19	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
1780	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
1870±40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1845±20	GUTZ	14	DPWA Multichannel
1845±25	ANISOVICH	12A	DPWA Multichannel
1844	SHRESTHA	12A	DPWA Multichannel
1795	VRANA	00	DPWA Multichannel

-2×IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
295±35	SOKHOYAN	15A	DPWA Multichannel
187±50±19	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
180±50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
295±35	GUTZ	14	DPWA Multichannel
300±45	ANISOVICH	12A	DPWA Multichannel
223	SHRESTHA	12A	DPWA Multichannel
58	VRANA	00	DPWA Multichannel

 $\Delta(1900)$ ELASTIC POLE RESIDUE**MODULUS | r |**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
11±2	SOKHOYAN	15A	DPWA Multichannel
11±4±2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
10±3	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
11±2	GUTZ	14	DPWA Multichannel
10±3	ANISOVICH	12A	DPWA Multichannel

PHASE θ

VALUE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
-115 ± 20	SOKHOYAN 15A	DPWA	Multichannel
$20 \pm 27 \pm 19$	¹ SVARC 14	L+P	$\pi N \rightarrow \pi N$
$+ 20 \pm 40$	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-115 ± 20	GUTZ 14	DPWA	Multichannel
-125 ± 20	ANISOVICH 12A	DPWA	Multichannel

 $\Delta(1900)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow \Delta(1900) \rightarrow \Sigma K$

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.07 ± 0.02	-50 ± 30	ANISOVICH 12A	DPWA	Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1900) \rightarrow \Delta\pi, D\text{-wave}$

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.18 ± 0.10	105 ± 25	SOKHOYAN 15A	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$0.12^{+0.08}_{-0.05}$	110 ± 20	ANISOVICH 12A	DPWA	Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1900) \rightarrow \Delta(1232)\eta$

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.013 ± 0.006	undefined	GUTZ 14	DPWA	Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1900) \rightarrow N(1440)\pi$

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.11 ± 0.06	115 ± 30	SOKHOYAN 15A	DPWA	Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1900) \rightarrow N(1520)\pi$

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.06 ± 0.03	undefined	SOKHOYAN 15A	DPWA	Multichannel

 $\Delta(1900)$ BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1840 to 1920 (≈ 1860) OUR ESTIMATE			
1840 ± 20	SOKHOYAN 15A	DPWA	Multichannel
1890 ± 50	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
1908 ± 30	HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1840 ± 20	GUTZ	14	DPWA	Multichannel
1840 ± 30	ANISOVICH	12A	DPWA	Multichannel
1868 ± 12	SHRESTHA	12A	DPWA	Multichannel
1802 ± 87	VRANA	00	DPWA	Multichannel

$\Delta(1900)$ BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
295 ± 30	SOKHOYAN	15A	DPWA Multichannel
170 ± 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
140 ± 40	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
295 ± 30	GUTZ	14	DPWA Multichannel
300 ± 45	ANISOVICH	12A	DPWA Multichannel
234 ± 27	SHRESTHA	12A	DPWA Multichannel
48 ± 45	VRANA	00	DPWA Multichannel

$\Delta(1900)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 N\pi$	4–12 %
$\Gamma_2 \Sigma K$	seen
$\Gamma_3 N\pi\pi$	45–85 %
$\Gamma_4 \Delta(1232)\pi$	
$\Gamma_5 \Delta(1232)\pi, D\text{-wave}$	30–70 %
$\Gamma_6 N\rho$	
$\Gamma_7 N\rho, S=1/2, S\text{-wave}$	seen
$\Gamma_8 N\rho, S=3/2, D\text{-wave}$	seen
$\Gamma_9 N(1440)\pi$	8–32 %
$\Gamma_{10} N(1520)\pi$	2–10 %
$\Gamma_{11} \Delta(1232)\eta$	0–2 %
$\Gamma_{12} N\gamma, \text{ helicity}=1/2$	0.06–0.43 %

$\Delta(1900)$ BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$	Γ_1/Γ
VALUE (%)	DOCUMENT ID TECN COMMENT
7 ± 2	SOKHOYAN 15A DPWA Multichannel
10 ± 3	CUTKOSKY 80 IPWA $\pi N \rightarrow \pi N$
8 ± 4	HOEHLER 79 IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •	
7 ± 2	GUTZ 14 DPWA Multichannel
7 ± 3	ANISOVICH 12A DPWA Multichannel
8 ± 1	SHRESTHA 12A DPWA Multichannel
33 ± 10	VRANA 00 DPWA Multichannel

$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$	Γ_5/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
50 \pm 20	SOKHOYAN 15A DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •	
15 $^{+50}_{-10}$	ANISOVICH 12A DPWA Multichannel
56 \pm 6	SHRESTHA 12A DPWA Multichannel
28 \pm 1	VRANA 00 DPWA Multichannel
$\Gamma(N\rho, S=1/2, S\text{-wave})/\Gamma_{\text{total}}$	Γ_7/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •	
12 \pm 4	SHRESTHA 12A DPWA Multichannel
30 \pm 2	VRANA 00 DPWA Multichannel
$\Gamma(N\rho, S=3/2, D\text{-wave})/\Gamma_{\text{total}}$	Γ_8/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •	
23 \pm 5	SHRESTHA 12A DPWA Multichannel
5 \pm 1	VRANA 00 DPWA Multichannel
$\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$	Γ_9/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
20 \pm 12	SOKHOYAN 15A DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •	
< 1	SHRESTHA 12A DPWA Multichannel
4 \pm 1	VRANA 00 DPWA Multichannel
$\Gamma(N(1520)\pi)/\Gamma_{\text{total}}$	Γ_{10}/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
6 \pm 4	SOKHOYAN 15A DPWA Multichannel
$\Gamma(\Delta(1232)\eta)/\Gamma_{\text{total}}$	Γ_{11}/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
1 \pm 1	GUTZ 14 DPWA Multichannel

$\Delta(1900)$ PHOTON DECAY AMPLITUDES AT THE POLE

$\Delta(1900) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>MODULUS ($\text{GeV}^{-1/2}$)</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.064 \pm 0.015	60 \pm 20	SOKHOYAN	15A	DPWA Multichannel

$\Delta(1900)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

$\Delta(1900) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.065±0.015	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.057±0.014	GUTZ	14	DPWA Multichannel
-0.082±0.009	SHRESTHA	12A	DPWA Multichannel

$\Delta(1900)$ FOOTNOTES

¹ Fit to the amplitudes of HOEHLER 79.

$\Delta(1900)$ REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP