

$$\Delta(1905) \ 5/2^+$$

$$I(J^P) = \frac{3}{2}(\frac{5}{2}^+) \text{ Status: } ****$$

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

$\Delta(1905)$ POLE POSITION

REAL PART

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1805 to 1835 (\approx 1820) OUR ESTIMATE			
1800 \pm 6	SOKHOYAN	15A	DPWA Multichannel
1752 \pm 3 \pm 2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
1819	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1829	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
1830 \pm 40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1800 \pm 6	GUTZ	14	DPWA Multichannel
1805 \pm 10	ANISOVICH	12A	DPWA Multichannel
1769	SHRESTHA	12A	DPWA Multichannel
1793	VRANA	00	DPWA Multichannel

−2×IMAGINARY PART

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
265 to 300 (\approx 280) OUR ESTIMATE			
290 \pm 15	SOKHOYAN	15A	DPWA Multichannel
346 \pm 6 \pm 2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
247	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
303	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
280 \pm 60	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
290 \pm 15	GUTZ	14	DPWA Multichannel
300 \pm 15	ANISOVICH	12A	DPWA Multichannel
239	SHRESTHA	12A	DPWA Multichannel
302	VRANA	00	DPWA Multichannel

$\Delta(1905)$ ELASTIC POLE RESIDUE

MODULUS $|r|$

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
15 to 25 (\approx 20) OUR ESTIMATE			
19 \pm 2	SOKHOYAN	15A	DPWA Multichannel
24 \pm 1 \pm 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
15	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
25	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
25 \pm 8	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
19 \pm 2	GUTZ	14	DPWA Multichannel
20 \pm 2	ANISOVICH	12A	DPWA Multichannel

PHASE θ

<u>VALUE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
–120 to –30 (\approx –50) OUR ESTIMATE			
– 45 \pm 4	SOKHOYAN	15A	DPWA Multichannel
– 114 \pm 1 \pm 2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
– 30	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
– 50 \pm 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
– 45 \pm 4	GUTZ	14	DPWA Multichannel
– 44 \pm 5	ANISOVICH	12A	DPWA Multichannel

 $\Delta(1905)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow \Delta(1905) \rightarrow \Delta\pi, P$ -wave

<u>MODULUS (%)</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
19 \pm 7	10 \pm 30	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
25 \pm 6	0 \pm 15	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1905) \rightarrow N(1535)\pi$

<u>MODULUS (%)</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.5 \pm 1.0	130 \pm 35	GUTZ	14	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1905) \rightarrow \Delta(1232)\eta$

<u>MODULUS (%)</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
7 \pm 2	40 \pm 20	GUTZ	14	DPWA Multichannel

 $\Delta(1905)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1855 to 1910 (\approx 1880) OUR ESTIMATE			
1856 \pm 6	SOKHOYAN	15A	DPWA Multichannel
1857.8 \pm 1.6	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1910 \pm 30	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1905 \pm 20	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1856 \pm 6	GUTZ	14	DPWA Multichannel
1861 \pm 6	ANISOVICH	12A	DPWA Multichannel
1818 \pm 8	SHRESTHA	12A	DPWA Multichannel
1873 \pm 77	VRANA	00	DPWA Multichannel

 $\Delta(1905)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
270 to 400 (\approx 330) OUR ESTIMATE			
325 \pm 15	SOKHOYAN	15A	DPWA Multichannel
320.6 \pm 8.6	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
400 \pm 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
260 \pm 20	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

325 ± 15	GUTZ	14	DPWA	Multichannel
335 ± 18	ANISOVICH	12A	DPWA	Multichannel
278 ± 18	SHRESTHA	12A	DPWA	Multichannel
461 ± 111	VRANA	00	DPWA	Multichannel

$\Delta(1905)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	9–15 %
Γ_2 $N\pi\pi$	
Γ_3 $\Delta(1232)\pi$	
Γ_4 $\Delta(1232)\pi$, <i>P</i> -wave	23–43 %
Γ_5 $\Delta(1232)\pi$, <i>F</i> -wave	seen
Γ_6 $N\rho$	
Γ_7 $N\rho$, $S=3/2$, <i>P</i> -wave	seen
Γ_8 $N(1535)\pi$	< 1 %
Γ_9 $N(1680)\pi$, <i>P</i> -wave	5–15 %
Γ_{10} $\Delta(1232)\eta$	2–6 %
Γ_{11} $N\gamma$	0.012–0.036 %
Γ_{12} $N\gamma$, helicity=1/2	0.002–0.006 %
Γ_{13} $N\gamma$, helicity=3/2	0.01–0.03 %

$\Delta(1905)$ BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$					Γ_1/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
9 to 15 OUR ESTIMATE					
13 ± 2	SOKHOYAN	15A	DPWA	Multichannel	
12.2±0.1	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$	
8 ± 3	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$	
15 ± 2	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$	

• • • We do not use the following data for averages, fits, limits, etc. • • •

13 ± 2	GUTZ	14	DPWA	Multichannel
13 ± 2	ANISOVICH	12A	DPWA	Multichannel
6 ± 1	SHRESTHA	12A	DPWA	Multichannel
9 ± 1	VRANA	00	DPWA	Multichannel

$\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}}$					Γ_4/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
33±10	SOKHOYAN	15A	DPWA	Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
45±14	ANISOVICH	12A	DPWA	Multichannel	
28± 7	SHRESTHA	12A	DPWA	Multichannel	
23± 1	VRANA	00	DPWA	Multichannel	

$\Gamma(\Delta(1232)\pi, F\text{-wave})/\Gamma_{\text{total}}$ Γ_5/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
64 ± 8	SHRESTHA	12A	DPWA Multichannel
44 ± 1	VRANA	00	DPWA Multichannel

$\Gamma(N\rho, S=3/2, P\text{-wave})/\Gamma_{\text{total}}$ Γ_7/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
< 6	SHRESTHA	12A	DPWA Multichannel
24 ± 1	VRANA	00	DPWA Multichannel

$\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$ Γ_8/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 1	GUTZ	14	DPWA Multichannel

$\Gamma(N(1680)\pi, P\text{-wave})/\Gamma_{\text{total}}$ Γ_9/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
10 ± 5	SOKHOYAN	15A	DPWA Multichannel

$\Gamma(\Delta(1232)\eta)/\Gamma_{\text{total}}$ Γ_{10}/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4 ± 2	GUTZ	14	DPWA Multichannel

$\Delta(1905)$ PHOTON DECAY AMPLITUDES AT THE POLE

$\Delta(1905) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>MODULUS ($\text{GeV}^{-1/2}$)</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.025 ± 0.005	-28 ± 12	SOKHOYAN	15A	DPWA Multichannel
$0.013^{+0.013}_{-0.005}$	64^{+72}_{-36}	ROENCHEN	14	DPWA

$\Delta(1905) \rightarrow N\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>MODULUS ($\text{GeV}^{-1/2}$)</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.050 ± 0.004	5 ± 10	SOKHOYAN	15A	DPWA Multichannel
0.072 ± 0.016	113^{+13}_{-7}	ROENCHEN	14	DPWA

$\Delta(1905)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

$\Delta(1905) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>VALUE ($\text{GeV}^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$+0.022 \pm 0.005$ OUR ESTIMATE			
0.025 ± 0.005	SOKHOYAN	15A	DPWA Multichannel
0.020 ± 0.002	DUGGER	13	DPWA $\gamma N \rightarrow \pi N$
0.019 ± 0.002	WORKMAN	12A	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.025 ± 0.005	GUTZ	14	DPWA Multichannel
0.025 ± 0.004	ANISOVICH	12A	DPWA Multichannel
0.066 ± 0.018	SHRESTHA	12A	DPWA Multichannel
0.018	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$

$\Delta(1905) \rightarrow N\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.045±0.010 OUR ESTIMATE			
-0.050±0.005	SOKHOYAN	15A	DPWA Multichannel
-0.049±0.005	DUGGER	13	DPWA $\gamma N \rightarrow \pi N$
-0.038±0.004	WORKMAN	12A	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.050±0.005	GUTZ	14	DPWA Multichannel
-0.049±0.004	ANISOVICH	12A	DPWA Multichannel
-0.223±0.029	SHRESTHA	12A	DPWA Multichannel
-0.028	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$

 $\Delta(1905)$ FOOTNOTES

¹ Fit to the amplitudes of HOEHLER 79.

 $\Delta(1905)$ REFERENCES

For early references, see *Physics Letters* **111B** 1 (1982).

SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
ROENCHEN	14	EPJ A50 101	D. Roenchen <i>et al.</i>	
Also		EPJ A51 63 (errat.)	D. Roenchen <i>et al.</i>	
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	
DUGGER	13	PR C88 065203	M. Dugger <i>et al.</i>	(JLab CLAS Collab.)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP