

$\Delta(1910) \ 1/2^+$ $I(J^P) = \frac{3}{2}(\frac{1}{2}^+)$ Status: ***

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

 $\Delta(1910)$ POLE POSITION**REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1830 to 1890 (≈ 1860) OUR ESTIMATE			
1840 \pm 40	SOKHOYAN	15A	DPWA Multichannel
1896 \pm 11	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
1880 \pm 30	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1799	ROENCHEN	15A	DPWA Multichannel
1840 \pm 40	GUTZ	14	DPWA Multichannel
1850 \pm 40	ANISOVICH	12A	DPWA Multichannel
1910	SHRESTHA	12A	DPWA Multichannel
1771	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1880	VRANA	00	DPWA Multichannel
1874	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

-2×IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
200 to 400 (≈ 300) OUR ESTIMATE			
370 \pm 60	SOKHOYAN	15A	DPWA Multichannel
302 \pm 22	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
200 \pm 40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
648	ROENCHEN	15A	DPWA Multichannel
370 \pm 60	GUTZ	14	DPWA Multichannel
350 \pm 45	ANISOVICH	12A	DPWA Multichannel
199	SHRESTHA	12A	DPWA Multichannel
479	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
496	VRANA	00	DPWA Multichannel
283	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

 $\Delta(1910)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
20 to 30 (≈ 25) OUR ESTIMATE			
25 \pm 6	SOKHOYAN	15A	DPWA Multichannel
29 \pm 2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
20 \pm 4	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

90	ROENCHEN	15A	DPWA	Multichannel
25±6	GUTZ	14	DPWA	Multichannel
24±6	ANISOVICH	12A	DPWA	Multichannel
45	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
38	HOEHLER	93	SPED	$\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

PHASE θ

VALUE (°)	DOCUMENT ID	TECN	COMMENT
-180 to -80 (≈ -130) OUR ESTIMATE			
-155±30	SOKHOYAN	15A	DPWA Multichannel
-83±4±1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
-90±30	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-83	ROENCHEN	15A	DPWA Multichannel
-155±30	GUTZ	14	DPWA Multichannel
-145±30	ANISOVICH	12A	DPWA Multichannel
+172	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$

¹ Fit to the amplitudes of HOEHLER 79.

$\Delta(1910)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow \Delta(1910) \rightarrow \Sigma K$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.07 ± 0.02	-110 ± 30	ANISOVICH	12A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.019	-123	ROENCHEN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1910) \rightarrow \Delta\pi, P\text{-wave}$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.24±0.10	85 ± 35	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.58	131	ROENCHEN	15A	DPWA Multichannel
0.16±0.09	95 ± 40	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1910) \rightarrow \Delta(1232)\eta$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.11±0.04	-150 ± 50	GUTZ	14	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1910) \rightarrow N(1440)\pi$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.06±0.03	170 ± 45	SOKHOYAN	15A	DPWA Multichannel

$\Delta(1910)$ BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1850 to 1950 (≈ 1900) OUR ESTIMATE			
1845 ± 40	SOKHOYAN	15A	DPWA Multichannel
1934 ± 5	¹ SHRESTHA	12A	DPWA Multichannel
2067.9 ± 1.7	¹ ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1910 ± 40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1888 ± 20	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1845 ± 40	GUTZ	14	DPWA Multichannel
1860 ± 40	ANISOVICH	12A	DPWA Multichannel
1995 ± 12	VRANA	00	DPWA Multichannel

¹ Statistical error only.

 $\Delta(1910)$ BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
200 to 400 (≈ 300) OUR ESTIMATE			
360 ± 60	SOKHOYAN	15A	DPWA Multichannel
211 ± 11	¹ SHRESTHA	12A	DPWA Multichannel
543 ± 10	¹ ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
225 ± 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
280 ± 50	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
360 ± 60	GUTZ	14	DPWA Multichannel
350 ± 55	ANISOVICH	12A	DPWA Multichannel
713 ± 465	VRANA	00	DPWA Multichannel

¹ Statistical error only.

 $\Delta(1910)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 N\pi$	15–30 %
$\Gamma_2 \Sigma K$	4–14 %
$\Gamma_3 N\pi\pi$	
$\Gamma_4 \Delta(1232)\pi$	34–66 %
$\Gamma_5 N(1440)\pi$	3–9 %
$\Gamma_6 \Delta(1232)\eta$	5–13 %
$\Gamma_7 N\gamma$, helicity=1/2	0.0–0.02 %

$\Delta(1910)$ BRANCHING RATIOS **$\Gamma(N\pi)/\Gamma_{\text{total}}$**

VALUE (%)

15 to 30 (≈ 20) OUR ESTIMATE

		DOCUMENT ID	TECN	COMMENT
12 \pm 3	SOKHOYAN	15A	DPWA	Multichannel
17 \pm 1	¹ SHRESTHA	12A	DPWA	Multichannel
23.9 \pm 0.1	¹ ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
19 \pm 3	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
24 \pm 6	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
12 \pm 3	GUTZ	14	DPWA	Multichannel
12 \pm 3	ANISOVICH	12A	DPWA	Multichannel
29 \pm 21	VRANA	00	DPWA	Multichannel

¹ Statistical error only. **Γ_1/Γ** **$\Gamma(\Sigma K)/\Gamma_{\text{total}}$**

VALUE (%)

9 \pm 5

	DOCUMENT ID	TECN	COMMENT
ANISOVICH	12A	DPWA	Multichannel

 Γ_2/Γ **$\Gamma(\Delta(1232)\pi)/\Gamma_{\text{total}}$**

VALUE (%)

50 \pm 16**• • • We do not use the following data for averages, fits, limits, etc. • • •**60 \pm 28

	DOCUMENT ID	TECN	COMMENT
SOKHOYAN	15A	DPWA	Multichannel
ANISOVICH	12A	DPWA	Multichannel

 Γ_4/Γ **$\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$**

VALUE (%)

6 \pm 347 \pm 6**• • • We do not use the following data for averages, fits, limits, etc. • • •**56 \pm 7

	DOCUMENT ID	TECN	COMMENT
SOKHOYAN	15A	DPWA	Multichannel
¹ SHRESTHA	12A	DPWA	Multichannel

¹ Statistical error only. **Γ_5/Γ** **$\Gamma(\Delta(1232)\eta)/\Gamma_{\text{total}}$**

VALUE (%)

9 \pm 4

	DOCUMENT ID	TECN	COMMENT
GUTZ	14	DPWA	Multichannel

 Γ_6/Γ **$\Delta(1910)$ PHOTON DECAY AMPLITUDES AT THE POLE** **$\Delta(1910) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$**

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
0.027 \pm 0.009	-30 \pm 60	SOKHOYAN	15A	DPWA Multichannel
-0.246 $^{+0.024}_{-0.047}$	159 $^{+9}_{-4}$	ROENCHEN	14	DPWA
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.321	39	ROENCHEN	15A	DPWA Multichannel

$\Delta(1910)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

$\Delta(1910) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.010 to 0.030 (≈ 0.020) OUR ESTIMATE			
0.026 \pm 0.008	SOKHOYAN 15A	DPWA Multichannel	
-0.002 \pm 0.008	¹ ARNDT 96	IPWA $\gamma N \rightarrow \pi N$	
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.026 \pm 0.008	GUTZ 14	DPWA Multichannel	
0.022 \pm 0.009	ANISOVICH 12A	DPWA Multichannel	
0.030 \pm 0.002	¹ SHRESTHA 12A	DPWA Multichannel	

¹ Statistical error only.

$\Delta(1910)$ REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
ROENCHEN	14	EPJ A50 101	D. Roenchen <i>et al.</i>	
Also		EPJ A51 63 (errat.)	D. Roenchen <i>et al.</i>	
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
ARNDT	96	PR C53 430	R.A. Arndt, I.I. Strakovsky, R.L. Workman	(VPI)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP