

$\Delta(1920) \ 3/2^+$ $I(J^P) = \frac{3}{2}(\frac{3}{2}^+)$ Status: ***

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

 $\Delta(1920)$ POLE POSITION**REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1850 to 1950 (≈ 1900) OUR ESTIMATE			
1875 \pm 30	SOKHOYAN	15A	DPWA Multichannel
1906 \pm 10 \pm 2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
1900 \pm 80	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1715	ROENCHEN	15A	DPWA Multichannel
1875 \pm 30	GUTZ	14	DPWA Multichannel
1890 \pm 30	ANISOVICH	12A	DPWA Multichannel
2110	SHRESTHA	12A	DPWA Multichannel
1880	VRANA	00	DPWA Multichannel
1900	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

 $-2 \times$ IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
200 to 400 (≈ 300) OUR ESTIMATE			
300 \pm 40	SOKHOYAN	15A	DPWA Multichannel
310 \pm 20 \pm 11	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
300 \pm 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
882	ROENCHEN	15A	DPWA Multichannel
300 \pm 40	GUTZ	14	DPWA Multichannel
300 \pm 60	ANISOVICH	12A	DPWA Multichannel
386	SHRESTHA	12A	DPWA Multichannel
120	VRANA	00	DPWA Multichannel

¹ Fit to the amplitudes of HOEHLER 79.

 $\Delta(1920)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
8 to 24 (≈ 16) OUR ESTIMATE			
16 \pm 6	SOKHOYAN	15A	DPWA Multichannel
26 \pm 3 \pm 2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
24 \pm 4	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
38	ROENCHEN	15A	DPWA Multichannel
16 \pm 6	GUTZ	14	DPWA Multichannel
17 \pm 8	ANISOVICH	12A	DPWA Multichannel

¹ Fit to the amplitudes of HOEHLER 79.

PHASE θ

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-150 to -50 (≈ -100) OUR ESTIMATE			
- 50 \pm 25	SOKHOYAN	15A	DPWA Multichannel
- 130 \pm 5 \pm 3	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
- 150 \pm 30	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
146	ROENCHEN	15A	DPWA Multichannel
- 50 \pm 25	GUTZ	14	DPWA Multichannel
- 40 \pm 20	ANISOVICH	12A	DPWA Multichannel

¹ Fit to the amplitudes of HOEHLER 79.

 $\Delta(1920)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow \Delta(1920) \rightarrow \Delta\eta$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.15 \pm 0.04	70 \pm 20	GUTZ	14	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.17 \pm 0.08	70 \pm 20	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1920) \rightarrow \Sigma K$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.09 \pm 0.03	80 \pm 40	ANISOVICH	12A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.17	-35	ROENCHEN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1920) \rightarrow \Delta\pi, P\text{-wave}$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.20 \pm 0.08	-105 \pm 25	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.069	131	ROENCHEN	15A	DPWA Multichannel
0.20 \pm 0.12	-120 \pm 30	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1920) \rightarrow \Delta\pi, F\text{-wave}$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.37 \pm 0.10	-90 \pm 20	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.013	-115	ROENCHEN	15A	DPWA Multichannel
0.28 \pm 0.07	-95 \pm 35	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1920) \rightarrow N(1535)\pi$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.03 \pm 0.02	35 \pm 45	GUTZ	14	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1920) \rightarrow N\omega_0(980)$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.03 \pm 0.02	-85 \pm 45	GUTZ	14	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1920) \rightarrow N(1440)\pi$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.04±0.03	undefined	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1920) \rightarrow N(1520)\pi$, S-wave

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.05±0.05	undefined	SOKHOYAN	15A	DPWA Multichannel

 $\Delta(1920)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1870 to 1970 (≈ 1920) OUR ESTIMATE			
1880± 30	SOKHOYAN	15A	DPWA Multichannel
2146± 32	¹ SHRESTHA	12A	DPWA Multichannel
1920± 80	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1868± 10	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1880± 30	GUTZ	14	DPWA Multichannel
1900± 30	ANISOVICH	12A	DPWA Multichannel
2057± 1	PENNER	02C	DPWA Multichannel
1889±100	VRANA	00	DPWA Multichannel

¹ Statistical error only.

 $\Delta(1920)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
240 to 360 (≈ 300) OUR ESTIMATE			
300± 40	SOKHOYAN	15A	DPWA Multichannel
400± 80	¹ SHRESTHA	12A	DPWA Multichannel
300±100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
220± 80	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
300± 40	GUTZ	14	DPWA Multichannel
310± 60	ANISOVICH	12A	DPWA Multichannel
525± 32	PENNER	02C	DPWA Multichannel
123± 53	VRANA	00	DPWA Multichannel

¹ Statistical error only.

 $\Delta(1920)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	5–20 %
Γ_2 ΣK	2–6 %
Γ_3 $N\pi\pi$	
Γ_4 $\Delta(1232)\pi$	50–90 %
Γ_5 $\Delta(1232)\pi$, P-wave	8–28 %

Γ_6	$\Delta(1232)\pi$, <i>F</i> -wave	44–72 %
Γ_7	$N(1440)\pi$, <i>P</i> -wave	<4 %
Γ_8	$N(1520)\pi$, <i>S</i> -wave	<5 %
Γ_9	$N(1535)\pi$	<2 %
Γ_{10}	$N\alpha_0(980)$	seen
Γ_{11}	$\Delta(1232)\eta$	5–17 %

$\Delta(1920)$ BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$		Γ_1/Γ
VALUE (%)	DOCUMENT ID	TECN COMMENT

5 to 20 (≈ 12) OUR ESTIMATE

8±4	SOKHOYAN	15A	DPWA	Multichannel
16±4	SHRESTHA	12A	DPWA	Multichannel
20±5	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
14±4	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
8±4	GUTZ	14	DPWA	Multichannel
8±4	ANISOVICH	12A	DPWA	Multichannel
15±1	PENNER	02C	DPWA	Multichannel
5±4	VRANA	00	DPWA	Multichannel

¹ Statistical error only.

$\Gamma(\Sigma K)/\Gamma_{\text{total}}$		Γ_2/Γ
VALUE (%)	DOCUMENT ID	TECN COMMENT

4 ± 2	ANISOVICH	12A	DPWA	Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
2.1±0.3	PENNER	02C	DPWA	Multichannel

$\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}}$		Γ_5/Γ
VALUE (%)	DOCUMENT ID	TECN COMMENT

18±10	SOKHOYAN	15A	DPWA	Multichannel
7± 5	SHRESTHA	12A	DPWA	Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
22±12	ANISOVICH	12A	DPWA	Multichannel
41± 3	VRANA	00	DPWA	Multichannel

¹ Statistical error only.

$\Gamma(\Delta(1232)\pi, F\text{-wave})/\Gamma_{\text{total}}$		Γ_6/Γ
VALUE (%)	DOCUMENT ID	TECN COMMENT

58±14	SOKHOYAN	15A	DPWA	Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
45±20	ANISOVICH	12A	DPWA	Multichannel

$\Gamma(N(1440)\pi, P\text{-wave})/\Gamma_{\text{total}}$

VALUE (%)	DOCUMENT ID	TECN	COMMENT	Γ_7/Γ
< 4	SOKHOYAN 15A	DPWA	Multichannel	
<20	SHRESTHA 12A	DPWA	Multichannel	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
53±8	VRANA 00	DPWA	Multichannel	

 $\Gamma(N(1520)\pi, S\text{-wave})/\Gamma_{\text{total}}$

VALUE (%)	DOCUMENT ID	TECN	COMMENT	Γ_8/Γ
<5	SOKHOYAN 15A	DPWA	Multichannel	

 $\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$

VALUE (%)	DOCUMENT ID	TECN	COMMENT	Γ_9/Γ
<2	GUTZ 14	DPWA	Multichannel	

 $\Gamma(N a_0(980))/\Gamma_{\text{total}}$

VALUE (%)	DOCUMENT ID	TECN	COMMENT	Γ_{10}/Γ
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
4±2	HORN 08A	DPWA	Multichannel	

 $\Gamma(\Delta(1232)\eta)/\Gamma_{\text{total}}$

VALUE (%)	DOCUMENT ID	TECN	COMMENT	Γ_{11}/Γ
11±6	GUTZ 14	DPWA	Multichannel	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
15±8	ANISOVICH 12A	DPWA	Multichannel	

 $\Delta(1920)$ PHOTON DECAY AMPLITUDES AT THE POLE **$\Delta(1920) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$**

MODULUS ($\text{GeV}^{-1/2}$)	PHASE (°)	DOCUMENT ID	TECN	COMMENT	Γ_{12}/Γ
0.110±0.030	-50 ± 20	SOKHOYAN 15A	DPWA	Multichannel	
0.190 ^{+0.050} _{-0.022}	-160 ⁺²⁴ ₋₁₁	ROENCHEN 14	DPWA		
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
-0.192	46	ROENCHEN 15A	DPWA	Multichannel	

 $\Delta(1920) \rightarrow N\gamma$, helicity-3/2 amplitude $A_{3/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE (°)	DOCUMENT ID	TECN	COMMENT	Γ_{13}/Γ
-0.100±0.040	0 ± 20	SOKHOYAN 15A	DPWA	Multichannel	
-0.398 ^{+0.070} _{-0.067}	-110 ⁺⁴ ₋₅	ROENCHEN 14	DPWA		

 $\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$

0.522	67	ROENCHEN 15A	DPWA	Multichannel	Γ_{14}/Γ
-------	----	--------------	------	--------------	----------------------

$\Delta(1920)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

$\Delta(1920) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.110±0.030	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.110±0.030	GUTZ	14	DPWA Multichannel
0.130 $^{+0.030}_{-0.060}$	ANISOVICH	12A	DPWA Multichannel
0.051±0.010	¹ SHRESTHA	12A	DPWA Multichannel
-0.007	PENNER	02D	DPWA Multichannel

¹ Statistical error only.

$\Delta(1920) \rightarrow N\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.105±0.035	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.105±0.035	GUTZ	14	DPWA Multichannel
-0.115 $^{+0.025}_{-0.050}$	ANISOVICH	12A	DPWA Multichannel
0.017±0.015	¹ SHRESTHA	12A	DPWA Multichannel
-0.001	PENNER	02D	DPWA Multichannel

¹ Statistical error only.

$\Delta(1920)$ REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
ROENCHEN	14	EPJ A50 101	D. Roenchen <i>et al.</i>	
Also		EPJ A51 63 (errat.)	D. Roenchen <i>et al.</i>	
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
HORN	08A	EPJ A38 173	I. Horn <i>et al.</i>	(CB-ELSA Collab.)
Also		PRL 101 202002	I. Horn <i>et al.</i>	(CB-ELSA Collab.)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP