

**$\Delta(1950) \ 7/2^+$**  $I(J^P) = \frac{3}{2}(\frac{7}{2}^+)$  Status: \*\*\*

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

 **$\Delta(1950)$  POLE POSITION****REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

**1870 to 1890 ( $\approx 1880$ ) OUR ESTIMATE**

1888 $\pm$ 4	SOKHOYAN	15A	DPWA Multichannel
1877 $\pm$ 2 $\pm$ 1	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
1890 $\pm$ 15	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
<b>• • •</b> We do not use the following data for averages, fits, limits, etc. <b>• • •</b>			
1874	ROENCHEN	15A	DPWA Multichannel
1888 $\pm$ 4	GUTZ	14	DPWA Multichannel
1890 $\pm$ 4	ANISOVICH	12A	DPWA Multichannel
1871	SHRESTHA	12A	DPWA Multichannel
1876	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1910	VRANA	00	DPWA Multichannel
1878	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

**-2×IMAGINARY PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

**220 to 260 ( $\approx 240$ ) OUR ESTIMATE**

245 $\pm$ 8	SOKHOYAN	15A	DPWA Multichannel
223 $\pm$ 4 $\pm$ 1	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
260 $\pm$ 40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
<b>• • •</b> We do not use the following data for averages, fits, limits, etc. <b>• • •</b>			
239	ROENCHEN	15A	DPWA Multichannel
245 $\pm$ 8	GUTZ	14	DPWA Multichannel
243 $\pm$ 8	ANISOVICH	12A	DPWA Multichannel
220	SHRESTHA	12A	DPWA Multichannel
227	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
230	VRANA	00	DPWA Multichannel
230	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

 **$\Delta(1950)$  ELASTIC POLE RESIDUE****MODULUS  $|r|$** 

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

**44 to 60 ( $\approx 52$ ) OUR ESTIMATE**

58 $\pm$ 2	SOKHOYAN	15A	DPWA Multichannel
44 $\pm$ 1	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
50 $\pm$ 7	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

56	ROENCHEN	15A	DPWA	Multichannel
58±2	GUTZ	14	DPWA	Multichannel
58±2	ANISOVICH	12A	DPWA	Multichannel
53	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
47	HOEHLER	93	ARGD	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

## PHASE $\theta$

VALUE (°)	DOCUMENT ID	TECN	COMMENT
<b>-40 to -24 (<math>\approx -32</math>) OUR ESTIMATE</b>			

-24±3	SOKHOYAN	15A	DPWA	Multichannel
-39±1±1	<sup>1</sup> SVARC	14	L+P	$\pi N \rightarrow \pi N$
-33±8	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
-33	ROENCHEN	15A	DPWA	Multichannel
-24±3	GUTZ	14	DPWA	Multichannel
-24±3	ANISOVICH	12A	DPWA	Multichannel
-31	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
-32	HOEHLER	93	ARGD	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

## $\Delta(1950)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .

### Normalized residue in $N\pi \rightarrow \Delta(1950) \rightarrow \Sigma K$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.05 ± 0.01	-65 ± 25	ANISOVICH	12A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.031	-87	ROENCHEN	15A	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow \Delta(1950) \rightarrow \Delta\pi, F\text{-wave}$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.12±0.04	undefined	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.54	131	ROENCHEN	15A	DPWA Multichannel
0.12±0.04	12 ± 10	ANISOVICH	12A	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow \Delta(1950) \rightarrow \Delta\pi, H\text{-wave}$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.033	-97	ROENCHEN	15A	DPWA Multichannel

**Normalized residue in  $N\pi \rightarrow \Delta(1950) \rightarrow \Delta(1232)\eta$** 

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.035 \pm 0.005$	$90 \pm 25$	GUTZ	14	DPWA Multichannel

 **$\Delta(1950)$  BREIT-WIGNER MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1915 to 1950 (<math>\approx 1930</math>) OUR ESTIMATE</b>			
1917 $\pm$ 4	ANISOVICH	17	DPWA Multichannel
1918 $\pm$ 1	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
1921.3 $\pm$ 0.2	<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1950 $\pm$ 15	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1913 $\pm$ 8	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1917 $\pm$ 4	SOKHOYAN	15A	DPWA Multichannel
1917 $\pm$ 4	GUTZ	14	DPWA Multichannel
1915 $\pm$ 6	ANISOVICH	12A	DPWA Multichannel
1936 $\pm$ 5	VRANA	00	DPWA Multichannel

<sup>1</sup> Statistical error only.

 **$\Delta(1950)$  BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>235 to 335 (<math>\approx 285</math>) OUR ESTIMATE</b>			
251 $\pm$ 8	ANISOVICH	17	DPWA Multichannel
259 $\pm$ 4	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
271.1 $\pm$ 1.1	<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
340 $\pm$ 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
224 $\pm$ 10	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
251 $\pm$ 8	SOKHOYAN	15A	DPWA Multichannel
251 $\pm$ 8	GUTZ	14	DPWA Multichannel
246 $\pm$ 10	ANISOVICH	12A	DPWA Multichannel
245 $\pm$ 12	VRANA	00	DPWA Multichannel

<sup>1</sup> Statistical error only.

 **$\Delta(1950)$  DECAY MODES**

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $N\pi$	35–45 %
$\Gamma_2$ $\Sigma K$	0.3–0.5 %
$\Gamma_3$ $N\pi\pi$	
$\Gamma_4$ $\Delta(1232)\pi$ , F-wave	1–9 %
$\Gamma_5$ $N(1680)\pi$ , P-wave	3–9 %
$\Gamma_6$ $\Delta(1232)\eta$	< 0.6 %

**$\Delta(1950)$  BRANCHING RATIOS** **$\Gamma(N\pi)/\Gamma_{\text{total}}$** 

VALUE (%)		DOCUMENT ID	TECN	COMMENT	$\Gamma_1/\Gamma$
<b>35 to 45 (<math>\approx 40</math>) OUR ESTIMATE</b>					
46	$\pm 2$	ANISOVICH	17	DPWA Multichannel	
45.6	$\pm 0.4$	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel	
47.1	$\pm 0.1$	<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$	
39	$\pm 4$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$	
38	$\pm 2$	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
0.046 $\pm 0.002$		SOKHOYAN	15A	DPWA Multichannel	
46	$\pm 2$	GUTZ	14	DPWA Multichannel	
45	$\pm 2$	ANISOVICH	12A	DPWA Multichannel	
44	$\pm 1$	VRANA	00	DPWA Multichannel	

<sup>1</sup> Statistical error only. **$\Gamma(\Sigma K)/\Gamma_{\text{total}}$** 

VALUE (%)		DOCUMENT ID	TECN	COMMENT	$\Gamma_2/\Gamma$
0.6 $\pm 0.2$		ANISOVICH	17	DPWA Multichannel	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
0.4 $\pm 0.1$		ANISOVICH	12A	DPWA Multichannel	

 **$\Gamma(\Delta(1232)\pi, F\text{-wave})/\Gamma_{\text{total}}$** 

VALUE (%)		DOCUMENT ID	TECN	COMMENT	$\Gamma_4/\Gamma$
5 $\pm 3$		ANISOVICH	17	DPWA Multichannel	
8 $\pm 1$		<sup>1</sup> SHRESTHA	12A	DPWA Multichannel	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
5 $\pm 4$		SOKHOYAN	15A	DPWA Multichannel	
2.8 $\pm 1.4$		ANISOVICH	12A	DPWA Multichannel	
36 $\pm 1$		VRANA	00	DPWA Multichannel	

<sup>1</sup> Statistical error only. **$\Gamma(N(1680)\pi, P\text{-wave})/\Gamma_{\text{total}}$** 

VALUE (%)		DOCUMENT ID	TECN	COMMENT	$\Gamma_5/\Gamma$
6 $\pm 3$		SOKHOYAN	15A	DPWA Multichannel	

 **$\Gamma(\Delta(1232)\eta)/\Gamma_{\text{total}}$** 

VALUE (%)		DOCUMENT ID	TECN	COMMENT	$\Gamma_6/\Gamma$
0.3 $\pm 0.3$		ANISOVICH	17	DPWA Multichannel	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
<1		GUTZ	14	DPWA Multichannel	

**$\Delta(1950)$  PHOTON DECAY AMPLITUDES AT THE POLE** **$\Delta(1950) \rightarrow N\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

<u>MODULUS (GeV<math>^{-1/2}</math>)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.067±0.004	-10 ± 5	SOKHOYAN	15A	DPWA Multichannel
-0.071±0.004	-14 $^{+2}_{-4}$	ROENCHEN	14	DPWA
• • • We do not use the following data for averages, fits, limits, etc. • • •				
-0.068	-19	ROENCHEN	15A	DPWA Multichannel

 **$\Delta(1950) \rightarrow N\gamma$ , helicity-3/2 amplitude  $A_{3/2}$** 

<u>MODULUS (GeV<math>^{-1/2}</math>)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.095±0.004	-10 ± 5	SOKHOYAN	15A	DPWA Multichannel
-0.089 $^{+0.008}_{-0.007}$	-10 $^{+3}_{-1}$	ROENCHEN	14	DPWA
• • • We do not use the following data for averages, fits, limits, etc. • • •				
-0.084	-19	ROENCHEN	15A	DPWA Multichannel

 **$\Delta(1950)$  BREIT-WIGNER PHOTON DECAY AMPLITUDES** **$\Delta(1950) \rightarrow N\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

<u>VALUE (GeV<math>^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>-0.075 to -0.065 (<math>\approx -0.070</math>) OUR ESTIMATE</b>			
-0.067±0.005	ANISOVICH	17	DPWA Multichannel
-0.083±0.004	WORKMAN	12A	DPWA $\gamma N \rightarrow N\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.067±0.005	SOKHOYAN	15A	DPWA Multichannel
-0.067±0.005	GUTZ	14	DPWA Multichannel
-0.071±0.004	ANISOVICH	12A	DPWA Multichannel
-0.065±0.001	12A	DPWA Multichannel	
-0.094	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$

<sup>1</sup> Statistical error only.

 **$\Delta(1950) \rightarrow N\gamma$ , helicity-3/2 amplitude  $A_{3/2}$** 

<u>VALUE (GeV<math>^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>-0.100 to -0.080 (<math>\approx -0.090</math>) OUR ESTIMATE</b>			
-0.094±0.004	ANISOVICH	17	DPWA Multichannel
-0.096±0.004	WORKMAN	12A	DPWA $\gamma N \rightarrow N\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.094±0.004	SOKHOYAN	15A	DPWA Multichannel
-0.094±0.004	GUTZ	14	DPWA Multichannel
-0.094±0.005	ANISOVICH	12A	DPWA Multichannel
-0.083±0.001	12A	DPWA Multichannel	
-0.121	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$

<sup>1</sup> Statistical error only.

## $\Delta(1950)$ REFERENCES

ANISOVICH	17	PL B766 357	A.V. Anisovich <i>et al.</i>
ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>
GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i>
PDG	14	CP C38 070001	K. Olive <i>et al.</i>
ROENCHEN	14	EPJ A50 101	D. Roenchen <i>et al.</i>
Also		EPJ A51 63 (errat.)	D. Roenchen <i>et al.</i>
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee
HOEHLER	93	$\pi N$ Newsletter 9 1	G. Hohler
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>
Also		Toronto Conf. 3	R. Koch