

**$N(1860) \ 5/2^+$**  $I(J^P) = \frac{1}{2}(\frac{5}{2}^+)$  Status: **\* \*****OMITTED FROM SUMMARY TABLE**

Before the 2012 *Review*, all the evidence for a  $J^P = 5/2^+$  state with a mass above 1800 MeV was filed under a two-star  $N(2000)$ . There is now some evidence from ANISOVICH 12A for two  $5/2^+$  states in this region, so we have split the older data (according to mass) between two two-star  $5/2^+$  states, an  $N(1860)$  and an  $N(2000)$ .

 **$N(1860)$  POLE POSITION****REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
$1834 \pm 19 \pm 6$	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
$1830^{+120}_{-60}$	ANISOVICH	12A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

1863	SHRESTHA	12A	DPWA Multichannel
1807	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

**-2×IMAGINARY PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
$122 \pm 34 \pm 7$	<sup>2</sup> SVARC	14	$\pi N \rightarrow \pi N$
$250^{+150}_{-50}$	ANISOVICH	12A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

189	SHRESTHA	12A	DPWA Multichannel
109	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$

<sup>2</sup> Fit to the amplitudes of HOEHLER 79.

 **$N(1860)$  ELASTIC POLE RESIDUE****MODULUS  $|r|$** 

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
$4 \pm 1 \pm 1$	<sup>3</sup> SVARC	14	$\pi N \rightarrow \pi N$
$50 \pm 20$	ANISOVICH	12A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

60	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
----	-------	----	--

<sup>3</sup> Fit to the amplitudes of HOEHLER 79.

**PHASE  $\theta$** 

VALUE (°)	DOCUMENT ID	TECN	COMMENT
$-39 \pm 18 \pm 9$	<sup>4</sup> SVARC	14	$\pi N \rightarrow \pi N$
$-80 \pm 40$	ANISOVICH	12A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

-67	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
-----	-------	----	--

<sup>4</sup> Fit to the amplitudes of HOEHLER 79.

---

### N(1860) BREIT-WIGNER MASS

VALUE (MeV)		DOCUMENT ID	TECN	COMMENT
1860	+120 - 60	ANISOVICH	12A	DPWA Multichannel
1900	± 7	SHRESTHA	12A	DPWA Multichannel
1882	± 10	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
<b>• • •</b> We do not use the following data for averages, fits, limits, etc. <b>• • •</b>				
1817.7		ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$

<sup>5</sup> Statistical error only.

---

### N(1860) BREIT-WIGNER WIDTH

VALUE (MeV)		DOCUMENT ID	TECN	COMMENT
270	+140 - 50	ANISOVICH	12A	DPWA Multichannel
219	± 23	SHRESTHA	12A	DPWA Multichannel
95	± 20	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
<b>• • •</b> We do not use the following data for averages, fits, limits, etc. <b>• • •</b>				
117.6		ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$

<sup>6</sup> Statistical error only.

---

### N(1860) DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1 N\pi$	4–20 %
$\Gamma_2 N\eta$	2–6 %
$\Gamma_3 N\pi\pi$	
$\Gamma_4 N\sigma$	35–47 %
$\Gamma_5 p\gamma$	
$\Gamma_6 p\gamma$ , helicity=1/2	seen
$\Gamma_7 p\gamma$ , helicity=3/2	seen
$\Gamma_8 n\gamma$	0.0017–0.062 %
$\Gamma_9 n\gamma$ , helicity=1/2	0.0003–0.019 %
$\Gamma_{10} n\gamma$ , helicity=3/2	0.0014–0.043 %

### N(1860) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$	$\Gamma_1/\Gamma$
VALUE (%)	
20 ± 6	ANISOVICH
17 ± 1	SHRESTHA
4 ± 2	HOEHLER
<b>• • •</b> We do not use the following data for averages, fits, limits, etc. <b>• • •</b>	
12.7	ARNDT

<sup>7</sup> Statistical error only.

---

$\Gamma(N\eta)/\Gamma_{\text{total}}$ 

VALUE (%)	DOCUMENT ID	TECN	COMMENT	$\Gamma_2/\Gamma$
4±2	<sup>8</sup> SHRESTHA	12A	DPWA Multichannel	

<sup>8</sup> Statistical error only. $\Gamma(N\sigma)/\Gamma_{\text{total}}$ 

VALUE (%)	DOCUMENT ID	TECN	COMMENT	$\Gamma_4/\Gamma$
41±6	<sup>9</sup> SHRESTHA	12A	DPWA Multichannel	

<sup>9</sup> Statistical error only.**N(1860) BREIT-WIGNER PHOTON DECAY AMPLITUDES** **$N(1860) \rightarrow p\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

VALUE (GeV <sup>-1/2</sup> )	DOCUMENT ID	TECN	COMMENT	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
–0.017±0.003	<sup>10</sup> SHRESTHA	12A	DPWA Multichannel	

<sup>10</sup> Statistical error only. **$N(1860) \rightarrow p\gamma$ , helicity-3/2 amplitude  $A_{3/2}$** 

VALUE	DOCUMENT ID	TECN	COMMENT	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.029±0.004	<sup>11</sup> SHRESTHA	12A	DPWA Multichannel	

<sup>11</sup> Statistical error only. **$N(1860) \rightarrow n\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

VALUE (GeV <sup>-1/2</sup> )	DOCUMENT ID	TECN	COMMENT	
0.021±0.013	ANISOVICH	13B	DPWA Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •				

VALUE (GeV <sup>-1/2</sup> )	DOCUMENT ID	TECN	COMMENT	
0.010±0.005	<sup>12</sup> SHRESTHA	12A	DPWA Multichannel	

<sup>12</sup> Statistical error only. **$N(1860) \rightarrow n\gamma$ , helicity-3/2 amplitude  $A_{3/2}$** 

VALUE (GeV <sup>-1/2</sup> )	DOCUMENT ID	TECN	COMMENT	
0.034±0.017	ANISOVICH	13B	DPWA Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •				

VALUE (GeV <sup>-1/2</sup> )	DOCUMENT ID	TECN	COMMENT	
–0.009±0.005	<sup>13</sup> SHRESTHA	12A	DPWA Multichannel	

<sup>13</sup> Statistical error only.**N(1860) REFERENCES**

SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT)