

**$N(1710) 1/2^+$**  $I(J^P) = \frac{1}{2}(\frac{1}{2}^+)$  Status: \* \* \* \*Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014). **$N(1710)$  POLE POSITION****REAL PART**

| <u>VALUE (MeV)</u>  | <u>DOCUMENT ID</u>     | <u>TECN</u> | <u>COMMENT</u>                                |
|---|------------------------|-------------|---|
| <b>1680 to 1720 (<math>\approx 1700</math>) OUR ESTIMATE</b>                  |                        |             |   |
| 1690 $\pm$ 15   | ANISOVICH              | 17A         | DPWA Multichannel                             |
| 1697 $\pm$ 23   | <sup>1</sup> ANISOVICH | 17A         | L+P $\gamma p, \pi^- p \rightarrow K \Lambda$ |
| 1770 $\pm$ 5 $\pm$ 2  | <sup>2</sup> SVARC     | 14          | L+P $\pi N \rightarrow \pi N$                 |
| 1690 $\pm$ 20   | CUTKOSKY               | 80          | IPWA $\pi N \rightarrow \pi N$                |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                        |             |   |
| 1651  | ROENCHEN               | 15A         | DPWA Multichannel                             |
| 1690 $\pm$ 15   | SOKHOYAN               | 15A         | DPWA Multichannel                             |
| 1690 $\pm$ 15   | GUTZ                   | 14          | DPWA Multichannel                             |
| 1670  | SHKLYAR                | 13          | DPWA Multichannel                             |
| 1687 $\pm$ 17   | ANISOVICH              | 12A         | DPWA Multichannel                             |
| 1644  | SHRESTHA               | 12A         | DPWA Multichannel                             |
| 1711 $\pm$ 15   | <sup>3</sup> BATINIC   | 10          | DPWA $\pi N \rightarrow N\pi, N\eta$          |
| 1679  | VRANA                  | 00          | DPWA Multichannel                             |
| 1690  | HOEHLER                | 93          | SPED $\pi N \rightarrow \pi N$                |
| 1698  | CUTKOSKY               | 90          | IPWA $\pi N \rightarrow \pi N$                |

<sup>1</sup> Statistical error only.<sup>2</sup> Fit to the amplitudes of HOEHLER 79.<sup>3</sup> BATINIC 10 finds evidence for a second  $P_{11}$  state with all parameters except for the phase of the pole residue very similar to the parameters we give here.**–2×IMAGINARY PART**

| <u>VALUE (MeV)</u>  | <u>DOCUMENT ID</u>     | <u>TECN</u> | <u>COMMENT</u>                                |
|---|------------------------|-------------|---|
| <b>80 to 160 (<math>\approx 120</math>) OUR ESTIMATE</b>                      |                        |             |   |
| 155 $\pm$ 25  | ANISOVICH              | 17A         | DPWA Multichannel                             |
| 84 $\pm$ 34   | <sup>1</sup> ANISOVICH | 17A         | L+P $\gamma p, \pi^- p \rightarrow K \Lambda$ |
| 98 $\pm$ 8 $\pm$ 5  | <sup>2</sup> SVARC     | 14          | L+P $\pi N \rightarrow \pi N$                 |
| 80 $\pm$ 20   | CUTKOSKY               | 80          | IPWA $\pi N \rightarrow \pi N$                |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                        |             |   |
| 121   | ROENCHEN               | 15A         | DPWA Multichannel                             |
| 170 $\pm$ 20  | SOKHOYAN               | 15A         | DPWA Multichannel                             |
| 170 $\pm$ 20  | GUTZ                   | 14          | DPWA Multichannel                             |
| 159   | SHKLYAR                | 13          | DPWA Multichannel                             |
| 200 $\pm$ 25  | ANISOVICH              | 12A         | DPWA Multichannel                             |
| 104   | SHRESTHA               | 12A         | DPWA Multichannel                             |
| 174 $\pm$ 16  | <sup>3</sup> BATINIC   | 10          | DPWA $\pi N \rightarrow N\pi, N\eta$          |
| 132   | VRANA                  | 00          | DPWA Multichannel                             |
| 200   | HOEHLER                | 93          | SPED $\pi N \rightarrow \pi N$                |
| 88  | CUTKOSKY               | 90          | IPWA $\pi N \rightarrow \pi N$                |

<sup>1</sup> Statistical error only.<sup>2</sup> Fit to the amplitudes of HOEHLER 79.<sup>3</sup> BATINIC 10 finds evidence for a second  $P_{11}$  state with all parameters except for the phase of the pole residue very similar to the parameters we give here.

---

## **$N(1710)$ ELASTIC POLE RESIDUE**

### **MODULUS $|r|$**

| <u>VALUE (MeV)</u>  | <u>DOCUMENT ID</u>   | <u>TECN</u> | <u>COMMENT</u>                  |
|---|----------------------|-------------|---------------------------------|
| <b>4 to 10 (<math>\approx 7</math>) OUR ESTIMATE</b>                          |                      |             |                                 |
| 6 $\pm 3$   | SOKHOYAN             | 15A DPWA    | Multichannel                    |
| 5 $\pm 1 \pm 1$   | <sup>1</sup> SVARC   | 14 L+P      | $\pi N \rightarrow \pi N$       |
| 8 $\pm 2$   | CUTKOSKY             | 80 IPWA     | $\pi N \rightarrow \pi N$       |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                      |             |                                 |
| 3.2   | ROENCHEN             | 15A DPWA    | Multichannel                    |
| 6 $\pm 3$   | GUTZ                 | 14 DPWA     | Multichannel                    |
| 11  | SHKLYAR              | 13 DPWA     | Multichannel                    |
| 6 $\pm 4$   | ANISOVICH            | 12A DPWA    | Multichannel                    |
| 24  | <sup>2</sup> BATINIC | 10 DPWA     | $\pi N \rightarrow N\pi, N\eta$ |
| 15  | HOEHLER              | 93 SPED     | $\pi N \rightarrow \pi N$       |
| 9   | CUTKOSKY             | 90 IPWA     | $\pi N \rightarrow \pi N$       |

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.<sup>2</sup> BATINIC 10 finds evidence for a second  $P_{11}$  state with all parameters except for the phase of the pole residue very similar to the parameters we give here.

### **PHASE $\theta$**

| <u>VALUE (<math>^\circ</math>)</u>  | <u>DOCUMENT ID</u>   | <u>TECN</u> | <u>COMMENT</u>                  |
|---|----------------------|-------------|---------------------------------|
| <b>120 to 260 (<math>\approx 190</math>) OUR ESTIMATE</b>                     |                      |             |                                 |
| 130 $\pm 35$  | SOKHOYAN             | 15A DPWA    | Multichannel                    |
| -104 $\pm 7 \pm 3$  | <sup>1</sup> SVARC   | 14 L+P      | $\pi N \rightarrow \pi N$       |
| 175 $\pm 35$  | CUTKOSKY             | 80 IPWA     | $\pi N \rightarrow \pi N$       |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                      |             |                                 |
| 55  | ROENCHEN             | 15A DPWA    | Multichannel                    |
| 120 $\pm 45$  | GUTZ                 | 14 DPWA     | Multichannel                    |
| 9   | SHKLYAR              | 13 DPWA     | Multichannel                    |
| 120 $\pm 70$  | ANISOVICH            | 12A DPWA    | Multichannel                    |
| 20  | <sup>2</sup> BATINIC | 10 DPWA     | $\pi N \rightarrow N\pi, N\eta$ |
| -167  | CUTKOSKY             | 90 IPWA     | $\pi N \rightarrow \pi N$       |

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.<sup>2</sup> BATINIC 10 finds evidence for a second  $P_{11}$  state with all parameters except for the phase of the pole residue very similar to the parameters we give here.

---

## **$N(1710)$ INELASTIC POLE RESIDUE**

The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .

### **Normalized residue in $N\pi \rightarrow N(1710) \rightarrow N\eta$**

| <u>MODULUS</u>  | <u>PHASE (<math>^\circ</math>)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|------------------------------------|--------------------|-------------|----------------|
| 0.12 $\pm 0.04$   | 0 $\pm 45$                         | ANISOVICH          | 12A DPWA    | Multichannel   |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                                    |                    |             |                |
| 0.16  | -180                               | ROENCHEN           | 15A DPWA    | Multichannel   |

**Normalized residue in  $N\pi \rightarrow N(1710) \rightarrow \Lambda K$** 

| <u>MODULUS</u>         | <u>PHASE (<math>^\circ</math>)</u> | <u>DOCUMENT ID</u>     | <u>TECN</u> | <u>COMMENT</u>                            |
|------------------------|------------------------------------|------------------------|-------------|---|
| $0.16 \pm 0.05$        | $-160 \pm 25$                      | ANISOVICH              | 17A DPWA    | Multichannel                              |
| $0.12^{+0.24}_{-0.12}$ | $-119 \pm 83$                      | <sup>1</sup> ANISOVICH | 17A L+P     | $\gamma p, \pi^- p \rightarrow K \Lambda$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

|                 |               |           |          |              |
|-----------------|---------------|-----------|----------|--------------|
| 0.12            | -32           | ROENCHEN  | 15A DPWA | Multichannel |
| $0.17 \pm 0.06$ | $-110 \pm 20$ | ANISOVICH | 12A DPWA | Multichannel |

<sup>1</sup>Statistical error only.

**Normalized residue in  $N\pi \rightarrow N(1710) \rightarrow \Sigma K$** 

| <u>MODULUS</u> | <u>PHASE (<math>^\circ</math>)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|----------------|------------------------------------|--------------------|-------------|----------------|
| 0.004          | -43                                | ROENCHEN           | 15A DPWA    | Multichannel   |

• • • We do not use the following data for averages, fits, limits, etc. • • •

**Normalized residue in  $N\pi \rightarrow N(1710) \rightarrow N(1535)\pi$** 

| <u>MODULUS</u>  | <u>PHASE (<math>^\circ</math>)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-----------------|------------------------------------|--------------------|-------------|----------------|
| $0.10 \pm 0.04$ | $140 \pm 40$                       | GUTZ               | 14 DPWA     | Multichannel   |

 **$N(1710)$  BREIT-WIGNER MASS**

| <u>VALUE (MeV)</u>  | <u>DOCUMENT ID</u>    | <u>TECN</u> | <u>COMMENT</u>                  |
|---|-----------------------|-------------|---------------------------------|
| <b>1680 to 1740 (<math>\approx 1710</math>) OUR ESTIMATE</b>                  |                       |             |                                 |
| $1715 \pm 20$   | SOKHOYAN              | 15A DPWA    | Multichannel                    |
| $1737 \pm 17$   | <sup>1</sup> SHKLYAR  | 13 DPWA     | Multichannel                    |
| $1662 \pm 7$  | <sup>1</sup> SHRESTHA | 12A DPWA    | Multichannel                    |
| $1700 \pm 50$   | CUTKOSKY              | 80 IPWA     | $\pi N \rightarrow \pi N$       |
| $1723 \pm 9$  | HOEHLER               | 79 IPWA     | $\pi N \rightarrow \pi N$       |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                       |             |                                 |
| $1715 \pm 20$   | GUTZ                  | 14 DPWA     | Multichannel                    |
| $1710 \pm 20$   | ANISOVICH             | 12A DPWA    | Multichannel                    |
| $1729 \pm 16$   | <sup>2</sup> BATINIC  | 10 DPWA     | $\pi N \rightarrow N\pi, N\eta$ |
| $1752 \pm 3$  | PENNER                | 02C DPWA    | Multichannel                    |
| $1699 \pm 65$   | VRANA                 | 00 DPWA     | Multichannel                    |

<sup>1</sup>Statistical error only.

<sup>2</sup>BATINIC 10 finds evidence for a second  $P_{11}$  state with all parameters except for the phase of the pole residue very similar to the parameters we give here.

 **$N(1710)$  BREIT-WIGNER WIDTH**

| <u>VALUE (MeV)</u>                                       | <u>DOCUMENT ID</u>    | <u>TECN</u> | <u>COMMENT</u>            |
|--|-----------------------|-------------|---------------------------|
| <b>80 to 200 (<math>\approx 140</math>) OUR ESTIMATE</b> |                       |             |                           |
| $175 \pm 15$   | SOKHOYAN              | 15A DPWA    | Multichannel              |
| $368 \pm 120$  | <sup>1</sup> SHKLYAR  | 13 DPWA     | Multichannel              |
| $116 \pm 17$   | <sup>1</sup> SHRESTHA | 12A DPWA    | Multichannel              |
| $93 \pm 30$  | CUTKOSKY              | 90 IPWA     | $\pi N \rightarrow \pi N$ |
| $90 \pm 30$  | CUTKOSKY              | 80 IPWA     | $\pi N \rightarrow \pi N$ |
| $120 \pm 15$   | HOEHLER               | 79 IPWA     | $\pi N \rightarrow \pi N$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

|           |                      |     |      |                                 |
|-----------|----------------------|-----|------|---------------------------------|
| 175 ± 15  | GUTZ                 | 14  | DPWA | Multichannel                    |
| 200 ± 18  | ANISOVICH            | 12A | DPWA | Multichannel                    |
| 180 ± 17  | <sup>2</sup> BATINIC | 10  | DPWA | $\pi N \rightarrow N\pi, N\eta$ |
| 386 ± 59  | PENNER               | 02C | DPWA | Multichannel                    |
| 143 ± 100 | VRANA                | 00  | DPWA | Multichannel                    |

<sup>1</sup>Statistical error only.

<sup>2</sup>BATINIC 10 finds evidence for a second  $P_{11}$  state with all parameters except for the phase of the pole residue very similar to the parameters we give here.

## N(1710) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

| Mode   | Fraction ( $\Gamma_i/\Gamma$ ) |
|--|--------------------------------|
| $\Gamma_1$ $N\pi$                            | 5–20 %                         |
| $\Gamma_2$ $N\eta$                           | 10–50 %                        |
| $\Gamma_3$ $N\omega$                         | 1–5 %                          |
| $\Gamma_4$ $\Lambda K$                       | 5–25 %                         |
| $\Gamma_5$ $\Sigma K$                        | seen                           |
| $\Gamma_6$ $N\pi\pi$                         | seen                           |
| $\Gamma_7$ $\Delta(1232)\pi$                 |                                |
| $\Gamma_8$ $\Delta(1232)\pi, P\text{-wave}$  | 3–9 %                          |
| $\Gamma_9$ $N(1535)\pi$                      | 9–21 %                         |
| $\Gamma_{10}$ $N\rho$                        |                                |
| $\Gamma_{11}$ $N\rho, S=1/2, P\text{-wave}$  | 11–23 %                        |
| $\Gamma_{12}$ $p\gamma, \text{helicity}=1/2$ | 0.002–0.08 %                   |
| $\Gamma_{13}$ $n\gamma, \text{helicity}=1/2$ | 0.0–0.02%                      |

## N(1710) BRANCHING RATIOS

| $\Gamma(N\pi)/\Gamma_{\text{total}}$                  | $\Gamma_1/\Gamma$     |      |                                |
|---|-----------------------|------|--------------------------------|
| VALUE (%)   | DOCUMENT ID           | TECN | COMMENT                        |
| <b>5 to 20 (<math>\approx 10</math>) OUR ESTIMATE</b> |                       |      |                                |
| 5 ± 3   | SOKHOYAN              | 15A  | DPWA Multichannel              |
| 2 ± 2   | <sup>1</sup> SHKLYAR  | 13   | PWA Multichannel               |
| 15 ± 4  | <sup>1</sup> SHRESTHA | 12A  | DPWA Multichannel              |
| 20 ± 4  | CUTKOSKY              | 80   | IPWA $\pi N \rightarrow \pi N$ |
| 12 ± 4  | HOEHLER               | 79   | IPWA $\pi N \rightarrow \pi N$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

|         |                      |     |      |                                 |
|---------|----------------------|-----|------|---------------------------------|
| 5 ± 3   | GUTZ                 | 14  | DPWA | Multichannel                    |
| 5 ± 4   | ANISOVICH            | 12A | DPWA | Multichannel                    |
| 22 ± 24 | <sup>2</sup> BATINIC | 10  | DPWA | $\pi N \rightarrow N\pi, N\eta$ |
| 14 ± 8  | PENNER               | 02C | DPWA | Multichannel                    |
| 27 ± 13 | VRANA                | 00  | DPWA | Multichannel                    |

<sup>1</sup>Statistical error only.

<sup>2</sup>BATINIC 10 finds evidence for a second  $P_{11}$  state with all parameters except for the phase of the pole residue very similar to the parameters we give here.

$\Gamma(N\eta)/\Gamma_{\text{total}}$   $\Gamma_2/\Gamma$

| <u>VALUE (%)</u>  | <u>DOCUMENT ID</u>    | <u>TECN</u> | <u>COMMENT</u>                       |
|---|-----------------------|-------------|--------------------------------------|
| <b>10 to 50 (<math>\approx 30</math>) OUR ESTIMATE</b>                        |                       |             |                                      |
| 45 ± 4  | <sup>1</sup> SHKLYAR  | 13          | DPWA Multichannel                    |
| 17 ± 10   | ANISOVICH             | 12A         | DPWA Multichannel                    |
| 11 ± 7  | <sup>1</sup> SHRESTHA | 12A         | DPWA Multichannel                    |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                       |             |                                      |
| 6 ± 8   | <sup>2</sup> BATINIC  | 10          | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| 36 ± 11   | PENNER                | 02C         | DPWA Multichannel                    |
| 6 ± 1   | VRANA                 | 00          | DPWA Multichannel                    |

<sup>1</sup>Statistical error only.

<sup>2</sup>BATINIC 10 finds evidence for a second  $P_{11}$  state with all parameters except for the phase of the pole residue very similar to the parameters we give here.

$\Gamma(N\omega)/\Gamma_{\text{total}}$   $\Gamma_3/\Gamma$

| <u>VALUE (%)</u>  | <u>DOCUMENT ID</u>   | <u>TECN</u> | <u>COMMENT</u>    |
|---|----------------------|-------------|-------------------|
| <b>1 to 5 (<math>\approx 3</math>) OUR ESTIMATE</b>                           |                      |             |                   |
| 2 ± 2   | DENISENKO            | 16          | DPWA Multichannel |
| 3 ± 2   | <sup>1</sup> SHKLYAR | 13          | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                      |             |                   |
| 13 ± 2  | PENNER               | 02C         | DPWA Multichannel |

<sup>1</sup>Statistical error only

$\Gamma(\Lambda K)/\Gamma_{\text{total}}$   $\Gamma_4/\Gamma$

| <u>VALUE (%)</u>  | <u>DOCUMENT ID</u>    | <u>TECN</u> | <u>COMMENT</u>    |
|---|-----------------------|-------------|-------------------|
| <b>5 to 25 (<math>\approx 15</math>) OUR ESTIMATE</b>                         |                       |             |                   |
| 23 ± 7  | ANISOVICH             | 12A         | DPWA Multichannel |
| 8 ± 4   | <sup>1</sup> SHRESTHA | 12A         | DPWA Multichannel |
| 5 ± 3   | SHKLYAR               | 05          | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                       |             |                   |
| 5 ± 2   | PENNER                | 02C         | DPWA Multichannel |
| 10 ± 10   | VRANA                 | 00          | DPWA Multichannel |

<sup>1</sup>Statistical error only.

$\Gamma(\Sigma K)/\Gamma_{\text{total}}$   $\Gamma_5/\Gamma$

| <u>VALUE (%)</u>  | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u>    |
|---|--------------------|-------------|-------------------|
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                    |             |                   |
| 7 ± 7   | PENNER             | 02C         | DPWA Multichannel |

$\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}}$   $\Gamma_8/\Gamma$

| <u>VALUE (%)</u>  | <u>DOCUMENT ID</u>    | <u>TECN</u> | <u>COMMENT</u>    |
|---|-----------------------|-------------|-------------------|
| 6 ± 3   | <sup>1</sup> SHRESTHA | 12A         | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                       |             |                   |
| 39 ± 8  | VRANA                 | 00          | DPWA Multichannel |

<sup>1</sup>Statistical error only.

$\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$   $\Gamma_9/\Gamma$ 

| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u>    |
|------------------|--------------------|-------------|-------------------|
| 15±6             | GUTZ               | 14          | DPWA Multichannel |

 $\Gamma(N\rho, S=1/2, P\text{-wave})/\Gamma_{\text{total}}$   $\Gamma_{11}/\Gamma$ 

| <u>VALUE (%)</u> | <u>DOCUMENT ID</u>    | <u>TECN</u> | <u>COMMENT</u>    |
|------------------|-----------------------|-------------|-------------------|
| 17±6             | <sup>1</sup> SHRESTHA | 12A         | DPWA Multichannel |

• • • We do not use the following data for averages, fits, limits, etc. • • •

|      |       |    |                   |
|------|-------|----|-------------------|
| 17±1 | VRANA | 00 | DPWA Multichannel |
|------|-------|----|-------------------|

<sup>1</sup>Statistical error only.

 **$N(1710)$  PHOTON DECAY AMPLITUDES AT THE POLE** **$N(1710) \rightarrow \rho\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

| <u>MODULUS (<math>\text{GeV}^{-1/2}</math>)</u> | <u>PHASE (<math>^\circ</math>)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|------------------------------------|--------------------|-------------|----------------|
| 0.028 <sup>+0.009</sup> <sub>-0.002</sub>       | 103 <sup>+20</sup> <sub>-6</sub>   | ROENCHEN           | 14          | DPWA           |

• • • We do not use the following data for averages, fits, limits, etc. • • •

|       |     |          |     |                   |
|-------|-----|----------|-----|-------------------|
| 0.020 | -83 | ROENCHEN | 15A | DPWA Multichannel |
|-------|-----|----------|-----|-------------------|

 **$N(1710)$  BREIT-WIGNER PHOTON DECAY AMPLITUDES** **$N(1710) \rightarrow \rho\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

| <u>VALUE (<math>\text{GeV}^{-1/2}</math>)</u>                                 | <u>DOCUMENT ID</u>    | <u>TECN</u> | <u>COMMENT</u>    |
|---|-----------------------|-------------|-------------------|
| 0.050±0.010   | SOKHOYAN              | 15A         | DPWA Multichannel |
| -0.050±0.001  | <sup>1</sup> SHKLYAR  | 13          | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                       |             |                   |
| 0.05 ±0.01  | GUTZ                  | 14          | DPWA Multichannel |
| 0.052±0.015   | ANISOVICH             | 12A         | DPWA Multichannel |
| -0.008±0.003  | <sup>2</sup> SHRESTHA | 12A         | DPWA Multichannel |
| 0.044   | PENNER                | 02D         | DPWA Multichannel |

<sup>1</sup>Statistical error only

<sup>2</sup>Statistical error only.

 **$N(1710) \rightarrow n\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

| <u>VALUE (<math>\text{GeV}^{-1/2}</math>)</u>                                 | <u>DOCUMENT ID</u>    | <u>TECN</u> | <u>COMMENT</u>    |
|---|-----------------------|-------------|-------------------|
| -0.040±0.020  | ANISOVICH             | 13B         | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                       |             |                   |
| 0.017±0.003   | <sup>1</sup> SHRESTHA | 12A         | DPWA Multichannel |
| -0.024  | PENNER                | 02D         | DPWA Multichannel |

<sup>1</sup>Statistical error only.

## N(1710) REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

|           |     |                        |                                      |                         |
|-----------|-----|------------------------|--------------------------------------|-------------------------|
| ANISOVICH | 17A | PRL 119 062004         | A.V. Anisovich <i>et al.</i>         |                         |
| DENISENKO | 16  | PL B755 97             | I. Denisenko <i>et al.</i>           |                         |
| ROENCHEN  | 15A | EPJ A51 70             | D. Roenchen <i>et al.</i>            |                         |
| SOKHOYAN  | 15A | EPJ A51 95             | V. Sokhoyan <i>et al.</i>            | (CBELSA/TAPS Collab.)   |
| GUTZ      | 14  | EPJ A50 74             | E. Gutz <i>et al.</i>                | (CBELSA/TAPS Collab.)   |
| PDG       | 14  | CP C38 070001          | K. Olive <i>et al.</i>               | (PDG Collab.)           |
| ROENCHEN  | 14  | EPJ A50 101            | D. Roenchen <i>et al.</i>            |                         |
| Also      |     | EPJ A51 63 (errat.)    | D. Roenchen <i>et al.</i>            |                         |
| SVARC     | 14  | PR C89 045205          | A. Svarc <i>et al.</i>               | (RBI Zagreb, UNI Tuzla) |
| ANISOVICH | 13B | EPJ A49 67             | A.V. Anisovich <i>et al.</i>         |                         |
| SHKLYAR   | 13  | PR C87 015201          | V. Shklyar, H. Lenske, U. Mosel      | (GIES)                  |
| ANISOVICH | 12A | EPJ A48 15             | A.V. Anisovich <i>et al.</i>         | (BONN, PNPI)            |
| SHRESTHA  | 12A | PR C86 055203          | M. Shrestha, D.M. Manley             | (KSU)                   |
| BATINIC   | 10  | PR C82 038203          | M. Batinic <i>et al.</i>             | (ZAGR)                  |
| SHKLYAR   | 05  | PR C72 015210          | V. Shklyar, H. Lenske, U. Mosel      | (GIES)                  |
| PENNER    | 02C | PR C66 055211          | G. Penner, U. Mosel                  | (GIES)                  |
| PENNER    | 02D | PR C66 055212          | G. Penner, U. Mosel                  | (GIES)                  |
| VRANA     | 00  | PRPL 328 181           | T.P. Vrana, S.A. Dytman, T.-S.H. Lee | (PITT, ANL)             |
| HOEHLER   | 93  | $\pi N$ Newsletter 9 1 | G. Hohler                            | (KARL)                  |
| CUTKOSKY  | 90  | PR D42 235             | R.E. Cutkosky, S. Wang               | (CMU)                   |
| CUTKOSKY  | 80  | Toronto Conf. 19       | R.E. Cutkosky <i>et al.</i>          | (CMU, LBL) IJP          |
| Also      |     | PR D20 2839            | R.E. Cutkosky <i>et al.</i>          | (CMU, LBL) IJP          |
| HOEHLER   | 79  | PDAT 12-1              | G. Hohler <i>et al.</i>              | (KARLT) IJP             |
| Also      |     | Toronto Conf. 3        | R. Koch                              | (KARLT) IJP             |