

$$\Delta(2420) \ 11/2^+$$

$$I(J^P) = \frac{3}{2}(\frac{11}{2}^+) \text{ Status: } ****$$

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

## $\Delta(2420)$ POLE POSITION

### REAL PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>2300 to 2500 (<math>\approx</math> 2400) OUR ESTIMATE</b>			
2454 $\pm$ 4 $\pm$ 11	<sup>1</sup> SVARC 14	L+P	$\pi N \rightarrow \pi N$
2360 $\pm$ 100	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
2529	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
2300	HOEHLER 93	ARGD	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

### −2×IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>350 to 550 (<math>\approx</math> 450) OUR ESTIMATE</b>			
462 $\pm$ 8 $\pm$ 50	<sup>1</sup> SVARC 14	L+P	$\pi N \rightarrow \pi N$
420 $\pm$ 100	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
621	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
620	HOEHLER 93	ARGD	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

## $\Delta(2420)$ ELASTIC POLE RESIDUE

### MODULUS $|r|$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>20 to 40 (<math>\approx</math> 30) OUR ESTIMATE</b>			
30 $\pm$ 1 $\pm$ 7	<sup>1</sup> SVARC 14	L+P	$\pi N \rightarrow \pi N$
18 $\pm$ 6	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
33	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
39	HOEHLER 93	ARGD	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

### PHASE $\theta$

VALUE (°)	DOCUMENT ID	TECN	COMMENT
<b>−60 to 20 (<math>\approx</math> −20) OUR ESTIMATE</b>			
11 $\pm$ 1 $\pm$ 8	<sup>1</sup> SVARC 14	L+P	$\pi N \rightarrow \pi N$
−30 $\pm$ 40	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
−45	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
−60	HOEHLER 93	ARGD	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

**$\Delta(2420)$  BREIT-WIGNER MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2300 to 2600 (<math>\approx 2450</math>) OUR ESTIMATE</b>			
$2633 \pm 29$	<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
$2400 \pm 125$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
$2416 \pm 17$	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

<sup>1</sup> Statistical error only. **$\Delta(2420)$  BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>300 to 700 (<math>\approx 500</math>) OUR ESTIMATE</b>			
$692 \pm 47$	<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
$450 \pm 150$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
$340 \pm 28$	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

<sup>1</sup> Statistical error only. **$\Delta(2420)$  DECAY MODES**

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1 \quad N\pi$	5–10 %

 **$\Delta(2420)$  BRANCHING RATIOS**

$\Gamma(N\pi)/\Gamma_{\text{total}}$	$\Gamma_1/\Gamma$		
<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>5 to 10 (<math>\approx 8</math>) OUR ESTIMATE</b>			
$8.5 \pm 0.8$	<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
$8 \pm 3$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
$8.0 \pm 1.5$	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

<sup>1</sup> Statistical error only. **$\Delta(2420)$  REFERENCES**

PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
HOEHLER	93	$\pi N$ Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL)
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP