

$N(2190) 7/2^-$ $I(J^P) = \frac{1}{2}(7^-)$ Status: ****Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014). **$N(2190)$ POLE POSITION****REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2050 to 2150 (\approx 2100) OUR ESTIMATE			
2140 \pm 20	AFZAL	20	DPWA Multichannel
2150 \pm 25	SOKHOYAN	15A	DPWA Multichannel
2079 \pm 4 \pm 9	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
2100 \pm 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
2162	HUNT	19	DPWA Multichannel
2074	ROENCHEN	15A	DPWA Multichannel
2150 \pm 25	ANISOVICH	12A	DPWA Multichannel
2063 \pm 32	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
2070	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
2107	VRANA	00	DPWA Multichannel
2042	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹Fit to the amplitudes of HOEHLER 79.**-2xIMAGINARY PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
300 to 500 (\approx 400) OUR ESTIMATE			
420 ⁺¹²⁰ ₋₄₀	AFZAL	20	DPWA Multichannel
325 \pm 25	SOKHOYAN	15A	DPWA Multichannel
509 \pm 7 \pm 16	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
400 \pm 160	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
407	HUNT	19	DPWA Multichannel
327	ROENCHEN	15A	DPWA Multichannel
330 \pm 30	ANISOVICH	12A	DPWA Multichannel
330 \pm 101	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
520	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
380	VRANA	00	DPWA Multichannel
482	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹Fit to the amplitudes of HOEHLER 79. **$N(2190)$ ELASTIC POLE RESIDUE****MODULUS $|r|$**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
25 to 70 (\approx 50) OUR ESTIMATE			
30 \pm 4	SOKHOYAN	15A	DPWA Multichannel
54 \pm 1 \pm 3	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
25 \pm 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

35	ROENCHEN	15A	DPWA	Multichannel
30 ± 5	ANISOVICH	12A	DPWA	Multichannel
34	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
72	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
45	HOEHLER	93	SPED	$\pi N \rightarrow \pi N$

¹Fit to the amplitudes of HOEHLER 79.

PHASE θ

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
------------------	--------------------	-------------	----------------

– 30 to 30 (≈ 0) OUR ESTIMATE

28 ± 10	SOKHOYAN	15A	DPWA	Multichannel
– 18 ± 1 ± 3	¹ SVARC	14	L+P	$\pi N \rightarrow \pi N$
– 30 ± 50	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

– 40	ROENCHEN	15A	DPWA	Multichannel
30 ± 10	ANISOVICH	12A	DPWA	Multichannel
– 19	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
– 32	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$

¹Fit to the amplitudes of HOEHLER 79.

N(2190) INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(2190) \rightarrow \Lambda K$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
----------------	------------------	--------------------	-------------	----------------

0.03 ± 0.01	20 ± 15	ANISOVICH	12A	DPWA	Multichannel
-------------	---------	-----------	-----	------	--------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.005	– 51	ROENCHEN	15A	DPWA	Multichannel
-------	------	----------	-----	------	--------------

Normalized residue in $N\pi \rightarrow N(2190) \rightarrow \Sigma K$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
----------------	------------------	--------------------	-------------	----------------

0.013	– 69	ROENCHEN	15A	DPWA	Multichannel
-------	------	----------	-----	------	--------------

Normalized residue in $N\pi \rightarrow N(2190) \rightarrow N\eta$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
----------------	------------------	--------------------	-------------	----------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.016	129	ROENCHEN	15A	DPWA	Multichannel
-------	-----	----------	-----	------	--------------

Normalized residue in $N\pi \rightarrow N(2190) \rightarrow \Delta(1232)\pi, D\text{-wave}$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
----------------	------------------	--------------------	-------------	----------------

0.27 ± 0.04	– 165 ± 20	SOKHOYAN	15A	DPWA	Multichannel
-------------	------------	----------	-----	------	--------------

Normalized residue in $N\pi \rightarrow N(2190) \rightarrow N\sigma$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
----------------	------------------	--------------------	-------------	----------------

0.13 ± 0.05	50 ± 15	SOKHOYAN	15A	DPWA	Multichannel
-------------	---------	----------	-----	------	--------------

$N(2190)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2140 to 2220 (\approx 2180) OUR ESTIMATE			
2222 \pm 15	¹ HUNT	19	DPWA Multichannel
2205 \pm 18	SOKHOYAN	15A	DPWA Multichannel
2152.4 \pm 1.4	¹ ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
2200 \pm 70	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
2140 \pm 12	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
2180 \pm 20	ANISOVICH	12A	DPWA Multichannel
2150 \pm 26	¹ SHRESTHA	12A	DPWA Multichannel
2125 \pm 61	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
2168 \pm 18	VRANA	00	DPWA Multichannel
¹ Statistical error only.			

 $N(2190)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
300 to 500 (\approx 400) OUR ESTIMATE			
442 \pm 40	¹ HUNT	19	DPWA Multichannel
355 \pm 30	SOKHOYAN	15A	DPWA Multichannel
484 \pm 13	¹ ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
500 \pm 150	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
390 \pm 30	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
335 \pm 40	ANISOVICH	12A	DPWA Multichannel
500 \pm 74	¹ SHRESTHA	12A	DPWA Multichannel
381 \pm 160	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
453 \pm 101	VRANA	00	DPWA Multichannel
¹ Statistical error only.			

 $N(2190)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	10–20 %
Γ_2 $N\eta$	1–3 %
Γ_3 $N\omega$	8–20 %
Γ_4 ΛK	
Γ_5 $N\pi\pi$	
Γ_6 $\Delta(1232)\pi$	
Γ_7 $\Delta(1232)\pi, D$ -wave	19–31 %
Γ_8 $N\rho$	
Γ_9 $N\rho, S=3/2, D$ -wave	seen
Γ_{10} $\Lambda K^*(892)$	0.2–0.8 %

Γ_{11}	$N\sigma$	3–9 %
Γ_{12}	$p\gamma$	0.014–0.077 %
Γ_{13}	$p\gamma$, helicity=1/2	
Γ_{14}	$p\gamma$, helicity=3/2	
Γ_{15}	$n\gamma$	<0.04 %
Γ_{16}	$n\gamma$, helicity=1/2	
Γ_{17}	$n\gamma$, helicity=3/2	<0.03 %

N(2190) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$ Γ_1/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
10 to 20 (≈ 15) OUR ESTIMATE			
22.9 ± 0.6	¹ HUNT	19	DPWA Multichannel
16 ± 2	SOKHOYAN	15A	DPWA Multichannel
23.8 ± 0.1	¹ ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
12 ± 6	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
14 ± 2	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
16 ± 2	ANISOVICH	12A	DPWA Multichannel
20 ± 1	¹ SHRESTHA	12A	DPWA Multichannel
18 ± 12	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
20 ± 4	VRANA	00	DPWA Multichannel

¹Statistical error only.

$\Gamma(N\eta)/\Gamma_{\text{total}}$ Γ_2/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4 ± 2	MUELLER	20	DPWA Multichannel
2.7 ± 2.2	¹ HUNT	19	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
2 ± 1	¹ SHRESTHA	12A	DPWA Multichannel
0.1 ± 0.3	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
0 ± 1	VRANA	00	DPWA Multichannel

¹Statistical error only.

$\Gamma(N\omega)/\Gamma_{\text{total}}$ Γ_3/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
14 ± 6	DENISENKO	16	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
seen	WILLIAMS	09	IPWA $\gamma p \rightarrow p\omega$

$\Gamma(\Lambda K)/\Gamma_{\text{total}}$ Γ_4/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.6 ± 0.1	¹ HUNT	19	DPWA Multichannel
0.5 ± 0.3	ANISOVICH	12A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
<1	¹ SHRESTHA	12A	DPWA Multichannel

¹Statistical error only.

$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$ Γ_7/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
25 ± 6	SOKHOYAN 15A	DPWA	Multichannel

$\Gamma(N\rho, S=3/2, D\text{-wave})/\Gamma_{\text{total}}$ Γ_9/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
<11	¹ HUNT 19	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

29 ± 28	VRANA 00	DPWA	Multichannel
---------	----------	------	--------------

¹Statistical error only.

$\Gamma(\Lambda K^*(892))/\Gamma_{\text{total}}$ Γ_{10}/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
0.005 ± 0.003	ANISOVICH 17B	DPWA	Multichannel

$\Gamma(N\sigma)/\Gamma_{\text{total}}$ Γ_{11}/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
6 ± 3	SOKHOYAN 15A	DPWA	Multichannel

$N(2190)$ PHOTON DECAY AMPLITUDES AT THE POLE

$N(2190) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
0.068 ± 0.005	-170 ± 12	SOKHOYAN 15A	DPWA	Multichannel
-0.083 $^{+0.007}_{-0.003}$	-11 $^{+6}_{-2}$	ROENCHEN 14	DPWA	

• • • We do not use the following data for averages, fits, limits, etc. • • •

-0.041	-21	ROENCHEN 15A	DPWA	Multichannel
--------	-----	--------------	------	--------------

$N(2190) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
0.025 ± 0.010	22 ± 10	SOKHOYAN 15A	DPWA	Multichannel
0.095 $^{+0.013}_{-0.010}$	-3 $^{+3}_{-5}$	ROENCHEN 14	DPWA	

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.085	-22	ROENCHEN 15A	DPWA	Multichannel
-------	-----	--------------	------	--------------

$N(2190)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

$N(2190) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.001 ± 0.002	¹ HUNT 19	DPWA	Multichannel
-0.071 ± 0.006	SOKHOYAN 15A	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

-0.065 ± 0.008	ANISOVICH 12A	DPWA	Multichannel
----------------	---------------	------	--------------

¹Statistical error only.

$N(2190) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.015±0.003	¹ HUNT	19	DPWA Multichannel
0.027±0.010	SOKHOYAN	15A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.035±0.017	ANISOVICH	12A	DPWA Multichannel

¹Statistical error only. **$N(2190) \rightarrow p\gamma$, ratio of helicity amplitudes $A_{3/2}/A_{1/2}$**

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.17±0.15	WILLIAMS	09	IPWA $\gamma p \rightarrow p\omega$

 $N(2190) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.01 ±0.02	¹ HUNT	19	DPWA Multichannel
-0.015±0.013	ANISOVICH	13B	DPWA Multichannel

¹Statistical error only. **$N(2190) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$**

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.023±0.022	¹ HUNT	19	DPWA Multichannel
-0.034±0.022	ANISOVICH	13B	DPWA Multichannel

¹Statistical error only. **$N(2190)$ REFERENCES**For early references, see Physics Letters **111B** 1 (1982).

AFZAL	20	PRL 125 152002	F. Afzal <i>et al.</i>	(CBELSA/TAPS Collab.)
MUELLER	20	PL B803 135323	J. Mueller <i>et al.</i>	(CBELSA/TAPS Collab.)
HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
ANISOVICH	17B	PL B771 142	A.V. Anisovich <i>et al.</i>	
DENISENKO	16	PL B755 97	I. Denisenko <i>et al.</i>	
ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
ROENCHEN	14	EPJ A50 101	D. Roenchen <i>et al.</i>	
Also		EPJ A51 63 (errat.)	D. Roenchen <i>et al.</i>	
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
WILLIAMS	09	PR C80 065209	M. Williams <i>et al.</i>	(JLab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP