

$\Lambda(1800) 1/2^-$  $I(J^P) = 0(\frac{1}{2}^-)$  Status: \*\*\* **$\Lambda(1800)$  POLE POSITION****REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>1809±9</b>	SARANTSEV 19	DPWA	$\overline{K}N$ multichannel
••• We do not use the following data for averages, fits, limits, etc. •••			
1729	ZHANG	13A DPWA	Multichannel

**-2×IMAGINARY PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>205±16</b>	SARANTSEV 19	DPWA	$\overline{K}N$ multichannel
••• We do not use the following data for averages, fits, limits, etc. •••			
198	ZHANG	13A DPWA	Multichannel

 **$\Lambda(1800)$  POLE RESIDUES**The normalized residue is the residue divided by  $\Gamma_{pole}/2$ .**Normalized residue in  $N\overline{K} \rightarrow \Lambda(1800) \rightarrow N\overline{K}$** 

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
<b>0.34±0.07</b>	<b>103 ± 8</b>	SARANTSEV 19	DPWA	$\overline{K}N$ multichannel

**Normalized residue in  $N\overline{K} \rightarrow \Lambda(1800) \rightarrow \Sigma\pi$** 

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
<b>0.30±0.06</b>	<b>-123 ± 8</b>	SARANTSEV 19	DPWA	$\overline{K}N$ multichannel

**Normalized residue in  $N\overline{K} \rightarrow \Lambda(1800) \rightarrow \Lambda\eta$** 

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
<b>0.06±0.03</b>	<b>75 ± 10</b>	SARANTSEV 19	DPWA	$\overline{K}N$ multichannel

**Normalized residue in  $N\overline{K} \rightarrow \Lambda(1800) \rightarrow \Lambda\sigma$** 

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
<b>0.24±0.05</b>	<b>25 ± 10</b>	SARANTSEV 19	DPWA	$\overline{K}N$ multichannel

**Normalized residue in  $N\overline{K} \rightarrow \Lambda(1800) \rightarrow \Lambda\omega, S=1/2, S\text{-wave}$** 

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
<b>0.12±0.04</b>	<b>-114 ± 30</b>	SARANTSEV 19	DPWA	$\overline{K}N$ multichannel

**Normalized residue in  $N\overline{K} \rightarrow \Lambda(1800) \rightarrow \Lambda\omega, S=3/2, D\text{-wave}$** 

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
<b>0.08±0.03</b>	<b>-90 ± 17</b>	SARANTSEV 19	DPWA	$\overline{K}N$ multichannel

**Normalized residue in  $N\overline{K} \rightarrow \Lambda(1800) \rightarrow \Sigma(1385)\pi$** 

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
<b>0.16±0.06</b>	<b>-140 ± 35</b>	SARANTSEV 19	DPWA	$\overline{K}N$ multichannel

**Normalized residue in  $N\bar{K} \rightarrow \Lambda(1800) \rightarrow N\bar{K}^*(892)$ ,  $S=1/2$ ,  $S$ -wave**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.18±0.06</b>	<b>65 ± 40</b>	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

**Normalized residue in  $N\bar{K} \rightarrow \Lambda(1800) \rightarrow N\bar{K}^*(892)$ ,  $S=3/2$ ,  $D$ -wave**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.09±0.07</b>		SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

 **$\Lambda(1800)$  MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1750 to 1850 (<math>\approx 1800</math>) OUR ESTIMATE</b>			
1811±10	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel
1783±19	ZHANG 13A	DPWA	$\bar{K}N$ multichannel
1841±10	GOPAL 80	DPWA	$\bar{K}N \rightarrow \bar{K}N$
1725±20	ALSTON-...	78	DPWA $\bar{K}N \rightarrow \bar{K}N$
1830±20	LANGBEIN 72	IPWA	$\bar{K}N$ multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1845±10	MANLEY 02	DPWA	$\bar{K}N$ multichannel
1825±20	GOPAL 77	DPWA	$\bar{K}N$ multichannel
1767 or 1842	<sup>1</sup> MARTIN 77	DPWA	$\bar{K}N$ multichannel
1780	KIM 71	DPWA	K-matrix analysis
1872±10	BRICMAN 70B	DPWA	$\bar{K}N \rightarrow \bar{K}N$

 **$\Lambda(1800)$  WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>150 to 250 (<math>\approx 200</math>) OUR ESTIMATE</b>			
209±18	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel
256±35	ZHANG 13A	DPWA	$\bar{K}N$ multichannel
228±20	GOPAL 80	DPWA	$\bar{K}N \rightarrow \bar{K}N$
185±20	ALSTON-...	78	DPWA $\bar{K}N \rightarrow \bar{K}N$
70±15	LANGBEIN 72	IPWA	$\bar{K}N$ multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
518±84	MANLEY 02	DPWA	$\bar{K}N$ multichannel
230±20	GOPAL 77	DPWA	$\bar{K}N$ multichannel
435 or 473	<sup>1</sup> MARTIN 77	DPWA	$\bar{K}N$ multichannel
40	KIM 71	DPWA	K-matrix analysis
100±20	BRICMAN 70B	DPWA	$\bar{K}N \rightarrow \bar{K}N$

 **$\Lambda(1800)$  DECAY MODES**

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $N\bar{K}$	25–40 %
$\Gamma_2$ $\Sigma\pi$	seen
$\Gamma_3$ $\Lambda\sigma$	(15 ± 4) %
$\Gamma_4$ $\Sigma(1385)\pi$	seen

$\Gamma_5$	$\Lambda\eta$	0.01 to 0.10
$\Gamma_6$	$N\bar{K}^*(892)$	seen
$\Gamma_7$	$N\bar{K}^*(892), S=1/2, S\text{-wave}$	
$\Gamma_8$	$N\bar{K}^*(892), S=3/2, D\text{-wave}$	

## $\Lambda(1800)$ BRANCHING RATIOS

See “Sign conventions for resonance couplings” in the Note on  $\Lambda$  and  $\Sigma$  Resonances.

### $\Gamma(N\bar{K})/\Gamma_{\text{total}}$ $\Gamma_1/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.25 to 0.40 OUR ESTIMATE</b>			
$0.35 \pm 0.07$	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel
$0.13 \pm 0.06$	ZHANG 13A	DPWA	$\bar{K}N$ multichannel
$0.36 \pm 0.04$	GOPAL 80	DPWA	$\bar{K}N \rightarrow \bar{K}N$
$0.28 \pm 0.05$	ALSTON-... 78	DPWA	$\bar{K}N \rightarrow \bar{K}N$
$0.35 \pm 0.15$	LANGBEIN 72	IPWA	$\bar{K}N$ multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$0.24 \pm 0.10$	MANLEY 02	DPWA	$\bar{K}N$ multichannel
$0.37 \pm 0.05$	GOPAL 77	DPWA	See GOPAL 80
1.21 or 0.70	<sup>1</sup> MARTIN 77	DPWA	$\bar{K}N$ multichannel
0.80	KIM 71	DPWA	K-matrix analysis
$0.18 \pm 0.02$	BRICMAN 70B	DPWA	$\bar{K}N \rightarrow \bar{K}N$

### $\Gamma(\Sigma\pi)/\Gamma_{\text{total}}$ $\Gamma_2/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.27 ± 0.06</b>	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

### $\Gamma(\Lambda\sigma)/\Gamma_{\text{total}}$ $\Gamma_3/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.15 ± 0.04</b>	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

### $\Gamma(\Sigma(1385)\pi)/\Gamma_{\text{total}}$ $\Gamma_4/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.09 ± 0.04</b>	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

### $\Gamma(\Lambda\eta)/\Gamma_{\text{total}}$ $\Gamma_5/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.01 to 0.10 OUR ESTIMATE</b>			
$0.010 \pm 0.005$	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel
$0.06 \pm 0.05$	ZHANG 13A	DPWA	Multichannel

### $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Lambda(1800) \rightarrow \Sigma\pi$ $(\Gamma_1\Gamma_2)^{1/2}/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$-0.07 \pm 0.02$	ZHANG 13A	DPWA	Multichannel
$-0.08 \pm 0.05$	GOPAL 77	DPWA	$\bar{K}N$ multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$-0.74$ or $-0.43$	<sup>1</sup> MARTIN 77	DPWA	$\bar{K}N$ multichannel
0.24	KIM 71	DPWA	K-matrix analysis

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Lambda(1800) \rightarrow \Sigma(1385)\pi$	$(\Gamma_1 \Gamma_4)^{1/2} / \Gamma$		
VALUE	DOCUMENT ID	TECN	COMMENT
-0.09 ± 0.05	ZHANG	13A	DPWA Multichannel
+0.056 ± 0.028	<sup>2</sup> CAMERON	78	DPWA $K^- p \rightarrow \Sigma(1385)\pi$

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Lambda(1800) \rightarrow N\bar{K}^*(892), S=1/2, S\text{-wave}$	$(\Gamma_1 \Gamma_7)^{1/2} / \Gamma$		
VALUE	DOCUMENT ID	TECN	COMMENT
-0.13 ± 0.02	ZHANG	13A	DPWA Multichannel
-0.17 ± 0.03	<sup>2</sup> CAMERON	78B	DPWA $K^- p \rightarrow N\bar{K}^*$

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Lambda(1800) \rightarrow N\bar{K}^*(892), S=3/2, D\text{-wave}$	$(\Gamma_1 \Gamma_8)^{1/2} / \Gamma$		
VALUE	DOCUMENT ID	TECN	COMMENT
-0.13 ± 0.04	CAMERON	78B	DPWA $K^- p \rightarrow N\bar{K}^*$

### $\Lambda(1800)$ FOOTNOTES

<sup>1</sup> The two MARTIN 77 values are from a T-matrix pole and from a Breit-Wigner fit.

<sup>2</sup> The published sign has been changed to be in accord with the baryon-first convention.

### $\Lambda(1800)$ REFERENCES

SARANTSEV	19	EPJ A55 180	A.V. Sarantsev <i>et al.</i>	(BONN, PNPI)
ZHANG	13A	PR C88 035205	H. Zhang <i>et al.</i>	(KSU)
MANLEY	02	PRL 88 012002	D.M. Manley <i>et al.</i>	(BNL Crystal Ball Collab.)
GOPAL	80	Toronto Conf. 159	G.P. Gopal	(RHEL) IJP
ALSTON-...	78	PR D18 182	M. Alston-Garnjost <i>et al.</i>	(LBL, MTHO+) IJP
Also		PRL 38 1007	M. Alston-Garnjost <i>et al.</i>	(LBL, MTHO+) IJP
CAMERON	78	NP B143 189	W. Cameron <i>et al.</i>	(RHEL, LOIC) IJP
CAMERON	78B	NP B146 327	W. Cameron <i>et al.</i>	(RHEL, LOIC) IJP
GOPAL	77	NP B119 362	G.P. Gopal <i>et al.</i>	(LOIC, RHEL) IJP
MARTIN	77	NP B127 349	B.R. Martin, M.K. Pidcock, R.G. Moorhouse	(LOUC+) IJP
Also		NP B126 266	B.R. Martin, M.K. Pidcock	(LOUC)
Also		NP B126 285	B.R. Martin, M.K. Pidcock	(LOUC) IJP
LANGBEIN	72	NP B47 477	W. Langbein, F. Wagner	(MPIM) IJP
KIM	71	PRL 27 356	J.K. Kim	(HARV) IJP
Also		Duke Conf. 161	J.K. Kim	(HARV) IJP
Hyperon Resonances,		1970		
BRICMAN	70B	PL 33B 511	C. Bricman, M. Ferro-Luzzi, J.P. Lagnaux	(CERN) IJP