

$N(1650) 1/2^-$ $I(J^P) = \frac{1}{2}(\frac{1}{2}^-)$ Status: ****Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014). **$N(1650)$ POLE POSITION****REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1640 to 1670 (≈ 1655) OUR ESTIMATE			
1664 \pm 4	AFZAL	20	DPWA Multichannel
1658 \pm 10	ANISOVICH	17A	DPWA Multichannel
1660 \pm 5	¹ ANISOVICH	17A	L+P $\gamma p, \pi^- p \rightarrow K \Lambda$
1660 \pm 3.5 \pm 1	² SVARC	14	L+P $\pi N \rightarrow \pi N$
1640 \pm 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1656	HUNT	19	DPWA Multichannel
1672	ROENCHEN	15A	DPWA Multichannel
1652 \pm 7	SOKHOYAN	15A	DPWA Multichannel
1650	SHKLYAR	13	DPWA Multichannel
1647 \pm 6	ANISOVICH	12A	DPWA Multichannel
1646 \pm 8	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1648	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1663	VRANA	00	DPWA Multichannel
1670	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$

¹ Statistical error only.² Fit to the amplitudes of HOEHLER 79.**–2×IMAGINARY PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
100 to 170 (≈ 135) OUR ESTIMATE			
98 \pm 6	AFZAL	20	DPWA Multichannel
102 \pm 8	ANISOVICH	17A	DPWA Multichannel
59 \pm 16	¹ ANISOVICH	17A	L+P $\gamma p, \pi^- p \rightarrow K \Lambda$
167 \pm 8 \pm 2	² SVARC	14	L+P $\pi N \rightarrow \pi N$
150 \pm 30	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
130	HUNT	19	DPWA Multichannel
137	ROENCHEN	15A	DPWA Multichannel
102 \pm 8	SOKHOYAN	15A	DPWA Multichannel
89	SHKLYAR	13	DPWA Multichannel
103 \pm 8	ANISOVICH	12A	DPWA Multichannel
204 \pm 17	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
80	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
240	VRANA	00	DPWA Multichannel
163	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$

¹ Statistical error only.² Fit to the amplitudes of HOEHLER 79.

$N(1650)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
25 to 55 (≈ 45) OUR ESTIMATE			
27 ± 6	SOKHOYAN	15A	DPWA Multichannel
$47 \pm 3 \pm 1$	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
60 ± 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
37	ROENCHEN	15A	DPWA Multichannel
19	SHKLYAR	13	DPWA Multichannel
24 ± 3	ANISOVICH	12A	DPWA Multichannel
100	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
14	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
39	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$

¹Fit to the amplitudes of HOEHLER 79.**PHASE θ**

<u>VALUE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-80 to -50 (≈ -70) OUR ESTIMATE			
-60 ± 20	SOKHOYAN	15A	DPWA Multichannel
$-47 \pm 3 \pm 1$	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
-75 ± 25	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-59	ROENCHEN	15A	DPWA Multichannel
-46	SHKLYAR	13	DPWA Multichannel
-75 ± 12	ANISOVICH	12A	DPWA Multichannel
-65	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
-69	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
-37	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$

¹Fit to the amplitudes of HOEHLER 79. **$N(1650)$ INELASTIC POLE RESIDUE**The "normalized residue" is the residue divided by $\Gamma_{pole}/2$.**Normalized residue in $N\pi \rightarrow N(1650) \rightarrow N\eta$**

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.29 ± 0.03	134 ± 10	ANISOVICH	12A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.21	48	ROENCHEN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1650) \rightarrow \Lambda K$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.26 ± 0.10	110 ± 20	ANISOVICH	17A	DPWA Multichannel
0.10 ± 0.10	95 ± 33	¹ ANISOVICH	17A	L+P $\gamma p, \pi^- p \rightarrow K\Lambda$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.20	-54	ROENCHEN	15A	DPWA Multichannel
0.23 ± 0.09	85 ± 9	ANISOVICH	12A	DPWA Multichannel

¹Statistical error only.

Normalized residue in $N\pi \rightarrow N(1650) \rightarrow \Sigma K$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.026	-74	ROENCHEN	15A DPWA	Multichannel

Normalized residue in $N\pi \rightarrow N(1650) \rightarrow \Delta\pi, D\text{-wave}$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.19±0.06	-30 ± 20	SOKHOYAN	15A DPWA	Multichannel
0.23±0.04	-30 ± 20	ANISOVICH	12A DPWA	Multichannel

Normalized residue in $N\pi \rightarrow N(1650) \rightarrow N\sigma$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.20±0.15	undefined	SOKHOYAN	15A DPWA	Multichannel

Normalized residue in $N\pi \rightarrow N(1650) \rightarrow N(1440)\pi$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.30±0.17	undefined	SOKHOYAN	15A DPWA	Multichannel

 $N(1650)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1635 to 1665 (≈ 1650) OUR ESTIMATE			
1657 ± 6	GOLOVATCH 19	DPWA	$\gamma p \rightarrow \pi^+ \pi^- p$
1666 ± 3	¹ HUNT 19	DPWA	Multichannel
1634 ± 5	KASHEVAROV 17	DPWA	$\gamma p \rightarrow \eta p, \eta' p$
1654 ± 6	SOKHOYAN 15A	DPWA	Multichannel
1665 ± 2	¹ SHKLYAR 13	DPWA	Multichannel
1634.7 ± 1.1	¹ ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
1650 ± 30	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
1670 ± 8	HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1651 ± 6	ANISOVICH 12A	DPWA	Multichannel
1664 ± 2	¹ SHRESTHA 12A	DPWA	Multichannel
1652 ± 9	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$
1665 ± 2	PENNER 02C	DPWA	Multichannel
1647 ± 20	BAI 01B	BES	$J/\psi \rightarrow p\bar{p}\eta$
1689 ± 12	VRANA 00	DPWA	Multichannel

¹Statistical error only. **$N(1650)$ BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
100 to 150 (≈ 125) OUR ESTIMATE			
154 ± 28	GOLOVATCH 19	DPWA	$\gamma p \rightarrow \pi^+ \pi^- p$
133 ± 7	¹ HUNT 19	DPWA	Multichannel
128 ± 16	KASHEVAROV 17	DPWA	$\gamma p \rightarrow \eta p, \eta' p$
102 ± 8	SOKHOYAN 15A	DPWA	Multichannel

147 ± 14	¹ SHKLYAR	13	DPWA	Multichannel
115.4 ± 2.8	¹ ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
150 ± 40	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
180 ± 20	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
104 ± 10	ANISOVICH	12A	DPWA	Multichannel
126 ± 3	¹ SHRESTHA	12A	DPWA	Multichannel
202 ± 16	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
138 ± 7	PENNER	02C	DPWA	Multichannel
145 ⁺⁸⁰ -45	BAI	01B	BES	$J/\psi \rightarrow p\bar{p}\eta$
202 ± 40	VRANA	00	DPWA	Multichannel

¹Statistical error only.

N(1650) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	50–70 %
Γ_2 $N\eta$	15–35 %
Γ_3 ΛK	5–15 %
Γ_4 $N\pi\pi$	20–58 %
Γ_5 $\Delta(1232)\pi, D\text{-wave}$	6–18 %
Γ_6 $N\rho$	12–22 %
Γ_7 $N\rho, S=1/2, S\text{-wave}$	<4 %
Γ_8 $N\rho, S=3/2, D\text{-wave}$	12–18 %
Γ_9 $N\sigma$	2–18 %
Γ_{10} $N(1440)\pi$	6–26 %
Γ_{11} $p\gamma, \text{helicity}=1/2$	0.04–0.20 %
Γ_{12} $n\gamma, \text{helicity}=1/2$	0.003–0.17 %

N(1650) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$					Γ_1/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
50 to 70 (≈ 60) OUR ESTIMATE					
64 ± 4	¹ HUNT	19	DPWA	Multichannel	
51 ± 4	SOKHOYAN	15A	DPWA	Multichannel	
74 ± 3	¹ SHKLYAR	13	DPWA	Multichannel	
65 ± 10	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$	
61 ± 4	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
51 ± 4	ANISOVICH	12A	DPWA	Multichannel	
57 ± 2	¹ SHRESTHA	12A	DPWA	Multichannel	
79 ± 6	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$	
100	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$	

65 ± 4 PENNER 02C DPWA Multichannel
 74 ± 2 VRANA 00 DPWA Multichannel

¹Statistical error only.

$\Gamma(N\eta)/\Gamma_{\text{total}}$ Γ_2/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
15 to 35 (≈ 25) OUR ESTIMATE			
33 ± 4	MUELLER	20	DPWA Multichannel
0.8 ± 0.6	¹ HUNT	19	DPWA Multichannel
28 ± 11	² KASHEVAROV	17	DPWA $\gamma p \rightarrow \eta p, \eta' p$
< 3	SHKLYAR	13	DPWA Multichannel
18 ± 4	ANISOVICH	12A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
21 ± 2	¹ SHRESTHA	12A	DPWA Multichannel
13 ± 5	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1.0 ± 0.6	PENNER	02C	DPWA Multichannel
6 ± 1	VRANA	00	DPWA Multichannel

¹Statistical error only.

²Assuming $A_{1/2} = 0.045 \text{ GeV}^{-1/2}$.

$\Gamma(\Lambda K)/\Gamma_{\text{total}}$ Γ_3/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
5 to 15 (≈ 10) OUR ESTIMATE			
3.5 ± 0.2	¹ HUNT	19	DPWA Multichannel
10 ± 5	ANISOVICH	12A	DPWA Multichannel
4 ± 1	¹ SHKLYAR	05	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
8 ± 1	¹ SHRESTHA	12A	DPWA Multichannel
2.7 ± 0.4	PENNER	02C	DPWA Multichannel

¹Statistical error only.

$\Gamma(N\pi\pi)/\Gamma_{\text{total}}$ Γ_4/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
0.12 ± 0.02	GOLOVATCH	19	DPWA $\gamma p \rightarrow \pi^+ \pi^- p$

$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$ Γ_5/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
< 0.2	¹ HUNT	19	DPWA Multichannel
12 ± 6	SOKHOYAN	15A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
19 ± 9	ANISOVICH	12A	DPWA Multichannel
7 ± 2	¹ SHRESTHA	12A	DPWA Multichannel
2 ± 1	VRANA	00	DPWA Multichannel

¹Statistical error only.

$\Gamma(N\rho, S=1/2, S\text{-wave})/\Gamma_{\text{total}}$ Γ_7/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
1.8 ± 1.7	¹ HUNT	19	DPWA Multichannel

¹Statistical error only.

$\Gamma(N\rho, S=3/2, D\text{-wave})/\Gamma_{\text{total}}$ Γ_8/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
15 ± 3	¹ HUNT 19	DPWA	Multichannel

¹Statistical error only. $\Gamma(N\sigma)/\Gamma_{\text{total}}$ Γ_9/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
12 ± 4	¹ HUNT 19	DPWA	Multichannel
10 ± 8	SOKHOYAN 15A	DPWA	Multichannel
< 1	¹ SHRESTHA 12A	DPWA	Multichannel
1 ± 1	VRANA 00	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

¹Statistical error only. $\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$ Γ_{10}/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
2 ± 1	¹ HUNT 19	DPWA	Multichannel
16 ± 10	SOKHOYAN 15A	DPWA	Multichannel
< 1	¹ SHRESTHA 12A	DPWA	Multichannel
3 ± 1	VRANA 00	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

¹Statistical error only. **$N(1650)$ PHOTON DECAY AMPLITUDES AT THE POLE** **$N(1650) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
0.032 ± 0.006	7 ± 7	ANISOVICH 17D	DPWA	Multichannel
$0.023^{+0.003}_{-0.008}$	6^{+28}_{-15}	ROENCHEN 14	DPWA	

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.032 ± 0.007	-2 ± 11	ANISOVICH 15A	DPWA	Multichannel
0.059	-14	ROENCHEN 15A	DPWA	Multichannel
0.032 ± 0.006	-2 ± 11	SOKHOYAN 15A	DPWA	Multichannel

 $N(1650) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
0.016 ± 0.004	-28 ± 10	ANISOVICH 17D	DPWA	Multichannel
0.019 ± 0.006	0 ± 15	ANISOVICH 15A	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

 $N(1650)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES **$N(1650) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.035 to 0.055 (≈ 0.045) OUR ESTIMATE			
0.0605 ± 0.0077	GOLOVATCH 19	DPWA	$\gamma p \rightarrow \pi^+ \pi^- p$
0.048 ± 0.003	¹ HUNT 19	DPWA	Multichannel
0.032 ± 0.006	SOKHOYAN 15A	DPWA	Multichannel

0.063 ± 0.006	¹ SHKLYAR	13	DPWA	Multichannel
0.055 ± 0.030	¹ WORKMAN	12A	DPWA	$\gamma N \rightarrow N\pi$
0.022 ± 0.007	¹ DUGGER	07	DPWA	$\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.033 ± 0.007	ANISOVICH	12A	DPWA	Multichannel
0.030 ± 0.003	¹ SHRESTHA	12A	DPWA	Multichannel
0.033	DRECHSEL	07	DPWA	$\gamma N \rightarrow \pi N$
0.049	PENNER	02D	DPWA	Multichannel

¹Statistical error only. **$N(1650) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$**

VALUE (GeV ^{-1/2})	DOCUMENT ID	TECN	COMMENT
−0.040 to 0.030 (≈ −0.010) OUR ESTIMATE			
0.001 ± 0.006	¹ HUNT	19	DPWA Multichannel
0.025 ± 0.020	ANISOVICH	13B	DPWA Multichannel
−0.040 ± 0.010	¹ CHEN	12A	DPWA $\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.011 ± 0.002	¹ SHRESTHA	12A	DPWA Multichannel
0.009	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
−0.011	PENNER	02D	DPWA Multichannel

¹Statistical error only. **$N(1650)$ REFERENCES**For early references, see Physics Letters **111B** 1 (1982).

AFZAL	20	PRL 125 152002	F. Afzal <i>et al.</i>	(CBELSA/TAPS Collab.)
MUELLER	20	PL B803 135323	J. Mueller <i>et al.</i>	(CBELSA/TAPS Collab.)
GOLOVATCH	19	PL B788 371	E. Golovatch <i>et al.</i>	(CLAS Collab.)
HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
ANISOVICH	17A	PRL 119 062004	A.V. Anisovich <i>et al.</i>	
ANISOVICH	17D	PR C95 035211	A.V. Anisovich <i>et al.</i>	
KASHEVAROV	17	PRL 118 212001	V.L. Kashevarov <i>et al.</i>	(A2/MAMI Collab.)
ANISOVICH	15A	EPJ A51 72	A.V. Anisovich <i>et al.</i>	
ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
ROENCHEN	14	EPJ A50 101	D. Roenchen <i>et al.</i>	
Also		EPJ A51 63 (errat.)	D. Roenchen <i>et al.</i>	
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
SHKLYAR	13	PR C87 015201	V. Shklyar, H. Lenske, U. Mosel	(GIES)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
CHEN	12A	PR C86 015206	W. Chen <i>et al.</i>	(DUKE, GWU, MSST, ITEP+)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger <i>et al.</i>	(JLab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
SHKLYAR	05	PR C72 015210	V. Shklyar, H. Lenske, U. Mosel	(GIES)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
BAI	01B	PL B510 75	J.Z. Bai <i>et al.</i>	(BES Collab.)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)

CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
