

$K_4(2500)$

$$I(J^P) = \tfrac{1}{2}(4^-)$$

OMITTED FROM SUMMARY TABLE
Needs confirmation.

$K_4(2500)$ MASS

<i>VALUE</i> (MeV)	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>CHG</i>	<i>COMMENT</i>
2490±20	¹ CLELAND	81	SPEC	± 50 $K^+ p \rightarrow \Lambda \bar{p}$
¹ $J^P = 4^-$ from moments analysis.				

$K_4(2500)$ WIDTH

<i>VALUE</i> (MeV)	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>CHG</i>	<i>COMMENT</i>
• • • We do not use the following data for averages, fits, limits, etc. • • •				
~ 250	² CLELAND	81	SPEC	± 50 $K^+ p \rightarrow \Lambda \bar{p}$
² $J^P = 4^-$ from moments analysis.				

$K_4(2500)$ DECAY MODES

Mode
$\Gamma_1 \quad p \bar{\Lambda}$

$K_4(2500)$ REFERENCES

CLELAND	81	NP B184 1	W.E. Cleland <i>et al.</i>	(PITT, GEVA, LAUS+)
---------	----	-----------	----------------------------	---------------------