



$\eta^G(J^{PC}) = 0^+(0^-+)$

We have omitted some results that have been superseded by later experiments. The omitted results may be found in our 1988 edition Physics Letters **B204** (1988).

η MASS

Recent measurements resolve the obvious inconsistency in previous η mass measurements in favor of the higher value first reported by NA48 (LAI 02). We use only precise measurements consistent with this higher mass value for our η mass average.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
547.862±0.017 OUR AVERAGE				
547.865±0.031±0.062		NIKOLAEV	14	CRYB $\gamma p \rightarrow p\eta$
547.873±0.005±0.027	1M	GOSLAWSKI	12	SPEC $d p \rightarrow {}^3\text{He} \eta$
547.874±0.007±0.029		AMBROSINO	07B	KLOE $e^+ e^- \rightarrow \phi \rightarrow \eta\gamma$
547.785±0.017±0.057	16k	MILLER	07	CLEO $\psi(2S) \rightarrow J/\psi\eta$
547.843±0.030±0.041	1134	LAI	02	NA48 $\eta \rightarrow 3\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
547.311±0.028±0.032		¹ ABDEL-BARY	05	SPEC $d p \rightarrow {}^3\text{He} \eta$
547.12 ± 0.06 ± 0.25		KRUSCHE	95D	SPEC $\gamma p \rightarrow \eta p$, threshold
547.30 ± 0.15		PLOUIN	92	SPEC $d p \rightarrow {}^3\text{He} \eta$
547.45 ± 0.25		DUANE	74	SPEC $\pi^- p \rightarrow n$ neutrals
548.2 ± 0.65		FOSTER	65C	HBC
549.0 ± 0.7	148	FOELSCHE	64	HBC
548.0 ± 1.0	91	ALFF-...	62	HBC
549.0 ± 1.2	53	BASTIEN	62	HBC

¹ ABDEL-BARY 05 disagrees significantly with recent measurements of similar or better precision. See comment in the header.

η WIDTH

This is the partial decay rate $\Gamma(\eta \rightarrow \gamma\gamma)$ divided by the fitted branching fraction for that mode. See the note at the start of the $\Gamma(2\gamma)$ data block, next below.

VALUE (keV)	DOCUMENT ID
1.31±0.05 OUR FIT	

η DECAY MODES

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
------	--------------------------------	-----------------------------------

Neutral modes

Γ_1	neutral modes	(71.95 ± 0.29) %	S=1.3
Γ_2	2γ	(39.36 ± 0.18) %	S=1.1
Γ_3	$3\pi^0$	(32.56 ± 0.21) %	S=1.2
Γ_4	$\pi^0 2\gamma$	(2.55 ± 0.22) $\times 10^{-4}$	
Γ_5	$2\pi^0 2\gamma$	< 1.2 $\times 10^{-3}$	CL=90%
Γ_6	4γ	< 2.8 $\times 10^{-4}$	CL=90%
Γ_7	invisible	< 1.0 $\times 10^{-4}$	CL=90%

Charged modes

Γ_8	charged modes	(28.05 ± 0.29) %	S=1.3
Γ_9	$\pi^+ \pi^- \pi^0$	(23.02 ± 0.25) %	S=1.2
Γ_{10}	$\pi^+ \pi^- \gamma$	(4.28 ± 0.07) %	S=1.1
Γ_{11}	$e^+ e^- \gamma$	(7.00 ± 0.22) $\times 10^{-3}$	S=1.1
Γ_{12}	$\mu^+ \mu^- \gamma$	(3.1 ± 0.4) $\times 10^{-4}$	
Γ_{13}	$e^+ e^-$	< 7 $\times 10^{-7}$	CL=90%
Γ_{14}	$\mu^+ \mu^-$	(5.8 ± 0.8) $\times 10^{-6}$	
Γ_{15}	$2e^+ 2e^-$	(2.40 ± 0.22) $\times 10^{-5}$	
Γ_{16}	$\pi^+ \pi^- e^+ e^- (\gamma)$	(2.68 ± 0.11) $\times 10^{-4}$	
Γ_{17}	$e^+ e^- \mu^+ \mu^-$	< 1.6 $\times 10^{-4}$	CL=90%
Γ_{18}	$2\mu^+ 2\mu^-$	(5.0 ± 1.3) $\times 10^{-9}$	
Γ_{19}	$\mu^+ \mu^- \pi^+ \pi^-$	< 3.6 $\times 10^{-4}$	CL=90%
Γ_{20}	$\pi^+ e^- \bar{\nu}_e + \text{c.c.}$	< 1.7 $\times 10^{-4}$	CL=90%
Γ_{21}	$\pi^+ \pi^- 2\gamma$	< 2.1 $\times 10^{-3}$	
Γ_{22}	$\pi^+ \pi^- \pi^0 \gamma$	< 6 $\times 10^{-4}$	CL=90%
Γ_{23}	$\pi^0 \mu^+ \mu^- \gamma$	< 3 $\times 10^{-6}$	CL=90%

**Charge conjugation (C), Parity (P),
Charge conjugation \times Parity (CP), or
Lepton Family number (LF) violating modes**

Γ_{24}	$\pi^0 \gamma$	C	[a] < 9	$\times 10^{-5}$	CL=90%
Γ_{25}	$\pi^+ \pi^-$	P, CP	< 4.4	$\times 10^{-6}$	CL=90%
Γ_{26}	$2\pi^0$	P, CP	< 3.5	$\times 10^{-4}$	CL=90%
Γ_{27}	$2\pi^0 \gamma$	C	< 5	$\times 10^{-4}$	CL=90%
Γ_{28}	$3\pi^0 \gamma$	C	< 6	$\times 10^{-5}$	CL=90%
Γ_{29}	3γ	C	< 1.6	$\times 10^{-5}$	CL=90%
Γ_{30}	$4\pi^0$	P, CP	< 6.9	$\times 10^{-7}$	CL=90%
Γ_{31}	$\pi^0 e^+ e^-$	C	[b] < 8	$\times 10^{-6}$	CL=90%
Γ_{32}	$\pi^0 \mu^+ \mu^-$	C	[b] < 5	$\times 10^{-6}$	CL=90%
Γ_{33}	$\mu^+ e^- + \mu^- e^+$	LF	< 6	$\times 10^{-6}$	CL=90%

[a] Forbidden by angular momentum conservation.

[b] C parity forbids this to occur as a single-photon process.

CONSTRAINED FIT INFORMATION

An overall fit to 2 decay rate and 22 branching ratios uses 55 measurements and one constraint to determine 9 parameters. The overall fit has a $\chi^2 = 46.4$ for 47 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_3	12						
x_4	4	0					
x_9	-69	-77	-3				
x_{10}	-48	-53	-2	53			
x_{11}	-4	-4	0	-2	-1		
x_{12}	-1	-1	0	0	0	0	
x_{16}	0	0	0	0	0	0	
Γ	-13	-1	-32	9	6	1	0
	x_2	x_3	x_4	x_9	x_{10}	x_{11}	x_{12}
							x_{16}

	Mode	Rate (keV)	Scale factor
Γ_2	2γ	0.515 ± 0.018	
Γ_3	$3\pi^0$	0.426 ± 0.015	
Γ_4	$\pi^0 2\gamma$	$(3.34 \pm 0.28) \times 10^{-4}$	
Γ_9	$\pi^+ \pi^- \pi^0$	0.301 ± 0.011	
Γ_{10}	$\pi^+ \pi^- \gamma$	0.0559 ± 0.0022	
Γ_{11}	$e^+ e^- \gamma$	0.0092 ± 0.0004	1.1
Γ_{12}	$\mu^+ \mu^- \gamma$	$(4.1 \pm 0.5) \times 10^{-4}$	
Γ_{16}	$\pi^+ \pi^- e^+ e^- (\gamma)$	$(3.51 \pm 0.19) \times 10^{-4}$	

η DECAY RATES

$\Gamma(2\gamma)$

Γ_2

See the table immediately above giving the fitted decay rates. Following the advice of NEFKENS 02, we have removed the Primakoff-effect measurement from the average. See also the “Note on the Decay Width $\Gamma(\eta \rightarrow \gamma\gamma)$,” in our 1994 edition, Phys. Rev. **D50**, 1 August 1994, Part I, p. 1451, for a discussion of the various measurements.

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
0.515 ± 0.018 OUR FIT				
0.516 ± 0.018 OUR AVERAGE				
$0.520 \pm 0.020 \pm 0.013$		BABUSCI	13A	KLOE $e^+ e^- \rightarrow e^+ e^- \eta$
$0.51 \pm 0.12 \pm 0.05$	36	BARU	90	MD1 $e^+ e^- \rightarrow e^+ e^- \eta$
$0.490 \pm 0.010 \pm 0.048$	2287	ROE	90	ASP $e^+ e^- \rightarrow e^+ e^- \eta$
$0.514 \pm 0.017 \pm 0.035$	1295	WILLIAMS	88	CBAL $e^+ e^- \rightarrow e^+ e^- \eta$
$0.53 \pm 0.04 \pm 0.04$		BARTEL	85E	JADE $e^+ e^- \rightarrow e^+ e^- \eta$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.476 ± 0.062	¹ RODRIGUES 08	CNTR	Reanalysis
$0.64 \pm 0.14 \pm 0.13$	AIHARA 86	TPC	$e^+ e^- \rightarrow e^+ e^- \eta$
0.56 ± 0.16	WEINSTEIN 56	CBAL	$e^+ e^- \rightarrow e^+ e^- \eta$
0.324 ± 0.046	BROWMAN 74B	CNTR	Primakoff effect
1.00 ± 0.22	² BEMPORAD 67	CNTR	Primakoff effect

¹ RODRIGUES 08 uses a more sophisticated calculation for the inelastic background due to incoherent photoproduction to reanalyze the η photoproduction data on Be and Cu at 9 GeV from BROWMAN 74B. This brings the value of $\Gamma(\eta \rightarrow 2\gamma)$ in line with direct measurements of the width. The error here is only statistical.

² BEMPORAD 67 gives $\Gamma(2\gamma) = 1.21 \pm 0.26$ keV assuming $\Gamma(2\gamma)/\Gamma(\text{total}) = 0.314$. Bemporad private communication gives $\Gamma(2\gamma)^2/\Gamma(\text{total}) = 0.380 \pm 0.083$. We evaluate this using $\Gamma(2\gamma)/\Gamma(\text{total}) = 0.38 \pm 0.01$. Not included in average because the uncertainty resulting from the separation of the coulomb and nuclear amplitudes has apparently been underestimated.

$\Gamma(\pi^0 2\gamma)$	Γ_4				
VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT	
0.334 ± 0.028 OUR FIT					
0.33 ± 0.03	1200	NEFKENS	14	CRYB	$\gamma p \rightarrow \eta p$

η BRANCHING RATIOS

Neutral modes

$\Gamma(\text{neutral modes})/\Gamma_{\text{total}}$	$\Gamma_1/\Gamma = (\Gamma_2 + \Gamma_3 + \Gamma_4)/\Gamma$				
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	
0.7195 ± 0.0029 OUR FIT		Error includes scale factor of 1.3.			
0.705 ± 0.008	16k	BASILE	71D	CNTR	MM spectrometer
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.79 ± 0.08		BUNIATOV	67	OSPK	

$\Gamma(2\gamma)/\Gamma_{\text{total}}$	Γ_2/Γ				
VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT	
39.36 ± 0.18 OUR FIT		Error includes scale factor of 1.1.			
39.53 ± 0.33 OUR AVERAGE					
$39.86 \pm 0.04 \pm 0.99$	2m	¹ ABLIKIM	21AM	BES3	$J/\psi \rightarrow \gamma\eta$
$39.49 \pm 0.17 \pm 0.30$	65k	ABEGG	96	SPEC	$p d \rightarrow {}^3\text{He} \eta$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$38.45 \pm 0.40 \pm 0.36$	14k	² LOPEZ	07	CLEO	$\psi(2S) \rightarrow J/\psi \eta$

¹ ABLIKIM 21AM normalize the branching ratio ($\eta \rightarrow \gamma\gamma$) to $B(J/\psi \rightarrow \gamma\eta)$, which they measured absolutely.

² Not independent of other results listed for LOPEZ 07. Assuming decays of $\eta \rightarrow \gamma\gamma$, $3\pi^0$, $\pi^+\pi^-\pi^0$, $\pi^+\pi^-\gamma$, and $e^+e^-\gamma$ account for all η decays within a contribution of 0.3% to the systematic error.

$\Gamma(2\gamma)/\Gamma(\text{neutral modes})$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.5471±0.0018 OUR FIT				
0.548 ±0.023 OUR AVERAGE				Error includes scale factor of 1.5.
0.535 ±0.018		BUTTRAM 70	OSPK	
0.59 ±0.033		BUNIATOV 67	OSPK	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.52 ±0.09	88	ABROSIMOV 80	HLBC	
0.60 ±0.14	113	KENDALL 74	OSPK	
0.57 ±0.09		STRUGALSKI 71	HLBC	
0.579 ±0.052		FELDMAN 67	OSPK	
0.416 ±0.044		DIGIUGNO 66	CNTR	Error doubled
0.44 ±0.07		GRUNHAUS 66	OSPK	
0.39 ±0.06	1 JONES	66	CNTR	

¹ This result from combining cross sections from two different experiments.

 $\Gamma(3\pi^0)/\Gamma_{\text{total}}$ Γ_3/Γ

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
32.56±0.21 OUR FIT				Error includes scale factor of 1.2.
31.96±0.07±0.84	280k	¹ ABLIKIM 21AM BES3	J/ψ → γη	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
34.03±0.56±0.49	1821	² LOPEZ 07	CLEO	$\psi(2S) \rightarrow J/\psi\eta$
¹ ABLIKIM 21AM normalize the branching ratio ($\eta \rightarrow 3\pi^0$) to $B(J/\psi \rightarrow \gamma\eta)$, which they measured absolutely.				
² Not independent of other results listed for LOPEZ 07. Assuming decays of $\eta \rightarrow \gamma\gamma$, $3\pi^0$, $\pi^+\pi^-\pi^0$, $\pi^+\pi^-\gamma$, and $e^+e^-\gamma$ account for all η decays within a contribution of 0.3% to the systematic error.				

 $\Gamma(3\pi^0)/\Gamma(\text{neutral modes})$ $\Gamma_3/\Gamma_1 = \Gamma_3/(\Gamma_2 + \Gamma_3 + \Gamma_4)$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.4526±0.0019 OUR FIT				
0.439 ±0.024		BUTTRAM 70	OSPK	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.44 ±0.08	75	ABROSIMOV 80	HLBC	
0.32 ±0.09		STRUGALSKI 71	HLBC	
0.41 ±0.033		BUNIATOV 67	OSPK	Not indep. of $\Gamma(2\gamma)/\Gamma(\text{neutral modes})$
0.177 ±0.035		FELDMAN 67	OSPK	
0.209 ±0.054		DIGIUGNO 66	CNTR	Error doubled
0.29 ±0.10		GRUNHAUS 66	OSPK	

 $\Gamma(3\pi^0)/\Gamma(2\gamma)$ Γ_3/Γ_2

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.827±0.006 OUR FIT				
0.829±0.007 OUR AVERAGE				
0.884±0.022±0.019	1821	LOPEZ 07	CLEO	$\psi(2S) \rightarrow J/\psi\eta$
0.817±0.012±0.032	17.4k	¹ AKHMETSHIN 05	CMD2	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
0.826±0.024		ACHASOV 00D	SND	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
0.832±0.005±0.012		KRUSCHE 95D	SPEC	$\gamma p \rightarrow \eta p$, threshold
0.841±0.034		AMSLER 93	CBAR	$\bar{p}p \rightarrow \pi^+\pi^-\eta$ at rest
0.822±0.009		ALDE 84	GAM2	

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.796 \pm 0.016 \pm 0.016$	ACHASOV	00	SND	See ACHASOV 00D
0.91 ± 0.14	COX	70B	HBC	
0.75 ± 0.09	DEVONS	70	OSPK	
0.88 ± 0.16	BALTAY	67D	DBC	
1.1 ± 0.2	CENCE	67	OSPK	
1.25 ± 0.39	BACCI	63	CNTR	Inverse BR reported

¹ Uses result from AKHMETSHIN 01B.

$\Gamma(\pi^0 2\gamma)/\Gamma_{\text{total}}$

Γ_4/Γ

Early results are summarized in the review by LANDSBERG 85.

VALUE (units 10^{-4})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	------	-------------	------	---------

2.55 ± 0.22 OUR FIT

$2.21 \pm 0.24 \pm 0.47$ ≈ 500 ¹ PRAKHOV 08 CRYB $\pi^- p \rightarrow \eta n \approx$ threshold

• • • We do not use the following data for averages, fits, limits, etc. • • •

$3.5 \pm 0.7 \pm 0.6$	1.6k	^{2,3} PRAKHOV	05	CRYB	See PRAKHOV 08
<8.4	90	7	ACHASOV	01D	SND $e^+ e^- \rightarrow \phi \rightarrow \eta \gamma$
<30	90	0	DAVYDOV	81	GAM2 $\pi^- p \rightarrow \eta n$

¹ PRAKHOV 08 is a reanalysis of the data of PRAKHOV 05, using for the first time the invariant-mass spectrum of the two photons.

² Normalized using $\Gamma(\eta \rightarrow 2\gamma)/\Gamma = 0.3943 \pm 0.0026$.

³ This measurement and the independent analysis of the same data by KNECHT 04 both imply a lower value of $\Gamma(\pi^0 2\gamma)$ than the one obtained by ALDE 84 from $\Gamma(\pi^0 2\gamma)/\Gamma(2\gamma)$.

$\Gamma(\pi^0 2\gamma)/\Gamma(2\gamma)$

Γ_4/Γ_2

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
--------------------------	------	-------------	------	-----	---------

0.65 ± 0.06 OUR FIT

1.8 ± 0.4 ALDE 84 GAM2 0

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.5 ± 0.6 70 BINON 82 GAM2 See ALDE 84

$\Gamma(\pi^0 2\gamma)/\Gamma(3\pi^0)$

Γ_4/Γ_3

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

7.8 ± 0.7 OUR FIT

• • • We do not use the following data for averages, fits, limits, etc. • • •

$8.3 \pm 2.8 \pm 1.4$ ¹ KNECHT 04 CRYB $\pi^- p \rightarrow n\eta$

¹ Independent analysis of same data as PRAKHOV 05.

$\Gamma(2\pi^0 2\gamma)/\Gamma_{\text{total}}$

Γ_5/Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

$<1.2 \times 10^{-3}$ 90 ¹ NEFKENS 05A CRYB $p(720 \text{ MeV}/c) \pi^- \rightarrow n\eta$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$<4.0 \times 10^{-3}$ 90 BLIK 07 GAM4 $\pi^- p \rightarrow \eta n$

¹ Measurement is done in limited $\gamma\gamma$ energy range.

$\Gamma(4\gamma)/\Gamma_{\text{total}}$

Γ_6/Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

$<2.8 \times 10^{-4}$ 90 BLIK 07 GAM4 $\pi^- p \rightarrow \eta n$

$\Gamma(\text{invisible})/\Gamma_{\text{total}}$	Γ_7/Γ
<u>VALUE</u>	<u>CL%</u>
$<1.1 \times 10^{-4}$	90
1 ANDREEV	24D
SPEC	$\pi^- + \text{Fe} \rightarrow \eta X$
1 ANDREEV 24D result is based on 2.9×10^9 pions on an active dump target.	

$\Gamma(\text{invisible})/\Gamma(2\gamma)$	Γ_7/Γ_2
<u>VALUE</u>	<u>CL%</u>
$<2.6 \times 10^{-4}$	90
1 ABLIKIM	13
BES3	$J/\psi \rightarrow \phi\eta$
$<1.65 \times 10^{-3}$	90
2 ABLIKIM	06Q
BES2	$J/\psi \rightarrow \phi\eta$
1 Based on 225M J/ψ decays.	
2 Based on 58M J/ψ decays.	

Charged modes

$\Gamma(\text{charged modes})/\Gamma_{\text{total}}$	$\Gamma_8/\Gamma = (\Gamma_9 + \Gamma_{10} + \Gamma_{11} + \Gamma_{12} + \Gamma_{16})/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u>
0.2805 ± 0.0029 OUR FIT	Error includes scale factor of 1.3.

$\Gamma(\pi^+ \pi^- \pi^0)/\Gamma_{\text{total}}$	Γ_9/Γ
<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>
23.02 ± 0.25 OUR FIT	Error includes scale factor of 1.2.
$23.04 \pm 0.03 \pm 0.54$	60k
1 ABLIKIM	21AM
BES3	$J/\psi \rightarrow \gamma\eta$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$	
$22.60 \pm 0.35 \pm 0.29$	3915
2 LOPEZ	07
CLEO	$\psi(2S) \rightarrow J/\psi\eta$
1 ABLIKIM 21AM normalize the branching ratio ($\eta \rightarrow \pi^+ \pi^- \pi^0$) to $B(J/\psi \rightarrow \gamma\eta)$, which they measured absolutely.	
2 Not independent of other results listed for LOPEZ 07. Assuming decays of $\eta \rightarrow \gamma\gamma$, $3\pi^0$, $\pi^+ \pi^- \pi^0$, $\pi^+ \pi^- \gamma$, and $e^+ e^- \gamma$ account for all η decays within a contribution of 0.3% to the systematic error.	

$\Gamma(\text{neutral modes})/\Gamma(\pi^+ \pi^- \pi^0)$	$\Gamma_1/\Gamma_9 = (\Gamma_2 + \Gamma_3 + \Gamma_4)/\Gamma_9$
<u>VALUE</u>	<u>EVTS</u>
3.13 ± 0.05 OUR FIT	Error includes scale factor of 1.3.
3.26 ± 0.30 OUR AVERAGE	
2.54 ± 1.89	74
KENDALL	74
3.4 ± 1.1	29
AGUILAR-...	72B
2.83 ± 0.80	70
1 BLOODWO...	72B
FLATTE	HBC
3.6 ± 0.6	244
ALFF-...	67B
2.89 ± 0.56	
KRAEMER	HBC
3.6 ± 0.8	50
PAULI	66
3.8 ± 1.1	
	DBC
	64
	DBC

1 Error increased from published value 0.5 by Bloodworth (private communication).

$\Gamma(2\gamma)/\Gamma(\pi^+\pi^-\pi^0)$ Γ_2/Γ_9

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
1.710±0.025 OUR FIT	Error includes scale factor of 1.2.			
1.70 ±0.04 OUR AVERAGE				
1.704±0.032±0.026	3915	¹ LOPEZ	07	CLEO $\psi(2S) \rightarrow J/\psi\eta$
1.61 ±0.14		ABLIKIM	06E	BES2 $e^+e^- \rightarrow J/\psi \rightarrow \eta\gamma$
1.78 ±0.10 ±0.13	1077	AMSLER	95	CBAR $\bar{p}p \rightarrow \pi^+\pi^-\eta$ at rest
1.72 ±0.25	401	BAGLIN	69	HLBC
1.61 ±0.39		FOSTER	65	HBC

¹ LOPEZ 07 reports $\Gamma(\eta \rightarrow \pi^+\pi^-\pi^0) / \Gamma(\eta \rightarrow 2\gamma) = \Gamma_9/\Gamma_2 = 0.587 \pm 0.011 \pm 0.009$.

 $\Gamma(3\pi^0)/\Gamma(\pi^+\pi^-\pi^0)$ Γ_3/Γ_9

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
1.415±0.023 OUR FIT	Error includes scale factor of 1.2.			
1.48 ±0.05 OUR AVERAGE				
1.46 ±0.03 ±0.09		ACHASOV	06A	SND $e^+e^- \rightarrow \eta\gamma$
1.52 ±0.04 ±0.08	23k	¹ AKHMETSHIN	01B	CMD2 $e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
1.44 ±0.09 ±0.10	1627	AMSLER	95	CBAR $\bar{p}p \rightarrow \pi^+\pi^-\eta$ at rest
1.50 ±0.15 -0.29	199	BAGLIN	69	HLBC
1.47 ±0.20 -0.17		BULLOCK	68	HLBC

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.3 ±0.4		BAGLIN	67B	HLBC
0.90 ±0.24		FOSTER	65	HBC
2.0 ±1.0		FOELSCHE	64	HBC
0.83 ±0.32		CRAWFORD	63	HBC

¹ AKHMETSHIN 01B uses results from AKHMETSHIN 99F.

 $\Gamma(\pi^+\pi^-\pi^0)/[\Gamma(2\gamma)+\Gamma(3\pi^0)]$ $\Gamma_9/(\Gamma_2+\Gamma_3)$

VALUE	DOCUMENT ID	TECN	COMMENT
0.320 ±0.005 OUR FIT	Error includes scale factor of 1.2.		
0.304 ±0.012			
ACHASOV	00D	SND	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
0.3141±0.0081±0.0058	ACHASOV	00B	SND See ACHASOV 00D

 $\Gamma(\pi^+\pi^-\gamma)/\Gamma_{\text{total}}$ Γ_{10}/Γ

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
4.28±0.07 OUR FIT	Error includes scale factor of 1.1.			
4.38±0.02±0.10				
ABLIKIM	21AM	BES3	$J/\psi \rightarrow \gamma\eta$	
3.96±0.14±0.14	859	² LOPEZ	07	CLEO $\psi(2S) \rightarrow J/\psi\eta$

¹ ABLIKIM 21AM normalize the branching ratio ($\eta \rightarrow \pi^+\pi^-\gamma$) to $B(J/\psi \rightarrow \gamma\eta)$, which they measured absolutely.

² Not independent of other results listed for LOPEZ 07. Assuming decays of $\eta \rightarrow \gamma\gamma$, $3\pi^0$, $\pi^+\pi^-\pi^0$, $\pi^+\pi^-\gamma$, and $e^+e^-\gamma$ account for all η decays within a contribution of 0.3% to the systematic error.

$\Gamma(\pi^+\pi^-\gamma)/\Gamma(\pi^+\pi^-\pi^0)$ Γ_{10}/Γ_9

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.1858±0.0025 OUR FIT				
0.1847±0.0030 OUR AVERAGE				Error includes scale factor of 1.1.
0.1856±0.0005±0.0028	200k	BABUSCI 13	KLOE	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
0.175 ± 0.007 ± 0.006	859	LOPEZ 07	CLEO	$\psi(2S) \rightarrow J/\psi\eta$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.209 ± 0.004	18k	THALER 73	ASPK	
0.201 ± 0.006	7250	GORMLEY 70	ASPK	
0.28 ± 0.04		BALTAY 67B	DBC	
0.25 ± 0.035		LITCHFIELD 67	DBC	
0.30 ± 0.06		CRAWFORD 66	HBC	
0.196 ± 0.041		FOSTER 65C	HBC	

 $\Gamma(e^+e^-\gamma)/\Gamma_{\text{total}}$ Γ_{11}/Γ

<u>VALUE (units 10⁻³)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
7.00±0.22 OUR FIT				Error includes scale factor of 1.1.
6.96±0.22 OUR AVERAGE				Error includes scale factor of 1.1.
7.07±0.05±0.23	23k	ABLIKIM 24M	BES3	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\eta/\eta'$
6.6 ± 0.4 ± 0.4	1345	BERGHAUSER 11	SPEC	$\gamma p \rightarrow p\eta$
7.8 ± 0.5 ± 0.8	435 ± 31	BERLOWSKI 08	WASA	$p d \rightarrow {}^3\text{He} \eta$
5.15±0.62±0.74	283	ACHASOV 01B	SND	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
7.10±0.64±0.46	323	AKHMETSHIN 01	CMD2	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
9.4 ± 0.7 ± 0.5	172	¹ LOPEZ 07	CLEO	$\psi(2S) \rightarrow J/\psi\eta$

¹ Not independent of other results listed for LOPEZ 07. Assuming decays of $\eta \rightarrow \gamma\gamma$, $3\pi^0$, $\pi^+\pi^-\pi^0$, $\pi^+\pi^-\gamma$, and $e^+e^-\gamma$ account for all η decays within a contribution of 0.3% to the systematic error.

 $\Gamma(e^+e^-\gamma)/\Gamma(\pi^+\pi^-\gamma)$ Γ_{11}/Γ_{10}

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.164±0.006 OUR FIT				Error includes scale factor of 1.1.
0.237±0.021±0.015	172	LOPEZ 07	CLEO	$\psi(2S) \rightarrow J/\psi\eta$

 $\Gamma(e^+e^-\gamma)/\Gamma(\pi^+\pi^-\pi^0)$ Γ_{11}/Γ_9

<u>VALUE (units 10⁻²)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3.04±0.10 OUR FIT				Error includes scale factor of 1.1.
2.1 ± 0.5	80	JANE 75B	OSPK	See the erratum

$$\Gamma(\text{neutral modes}) / [\Gamma(\pi^+\pi^-\pi^0) + \Gamma(\pi^+\pi^-\gamma) + \Gamma(e^+e^-\gamma)]$$

$$\Gamma_1 / (\Gamma_9 + \Gamma_{10} + \Gamma_{11}) = (\Gamma_2 + \Gamma_3 + \Gamma_4) / (\Gamma_9 + \Gamma_{10} + \Gamma_{11})$$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.57±0.04 OUR FIT				Error includes scale factor of 1.3.
2.64±0.23		BALTAY 67B	DBC	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
4.5 ± 1.0	280	¹ JAMES 66	HBC	
3.20±1.26	53	¹ BASTIEN 62	HBC	
2.5 ± 1.0	10	¹ PICKUP 62	HBC	

¹ These experiments are not used in the averages as they do not separate clearly $\eta \rightarrow \pi^+ \pi^- \pi^0$ and $\eta \rightarrow \pi^+ \pi^- \gamma$ from each other. The reported values thus probably contain some unknown fraction of $\eta \rightarrow \pi^+ \pi^- \gamma$.

$$\Gamma(2\gamma)/[\Gamma(\pi^+\pi^-\pi^0) + \Gamma(\pi^+\pi^-\gamma) + \Gamma(e^+e^-\gamma)] \quad \Gamma_2/(\Gamma_9+\Gamma_{10}+\Gamma_{11})$$

VALUE	EVTS	DOCUMENT ID	TECN
-------	------	-------------	------

1.406±0.020 OUR FIT Error includes scale factor of 1.2.

1.1 ±0.4 OUR AVERAGE

1.51 ± 0.93	75	KENDALL	74	OSPK
0.99 ± 0.48		CRAWFORD	63	HBC

$$\Gamma(\mu^+\mu^-\gamma)/\Gamma_{\text{total}}$$

$$\Gamma_{12}/\Gamma$$

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

3.1±0.4 OUR FIT

3.1±0.4 600 DZHELYADIN 80 SPEC $\pi^- p \rightarrow \eta n$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.5 ± 0.75 100 BUSHNIN 78 SPEC See DZHELYADIN 80

$$\Gamma(e^+e^-)/\Gamma_{\text{total}}$$

$$\Gamma_{13}/\Gamma$$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

<7 × 10⁻⁷ 90 ACHASOV 18B CNTR Inverse reaction
 $e^+ e^- \rightarrow \eta$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<2.3 × 10 ⁻⁶	90	AGAKISHIEV	14	$p p \rightarrow \eta + X$
<5.6 × 10 ⁻⁶	90	¹ AGAKISHIEV	12A	SPEC $p p \rightarrow \eta + X$
<2.7 × 10 ⁻⁵	90	BERLOWSKI	08	WASA $p d \rightarrow {}^3\text{He } \eta$
<0.77 × 10 ⁻⁴	90	BROWDER	97B	CLE2 $e^+ e^- \simeq 10.5 \text{ GeV}$
<2 × 10 ⁻⁴	90	WHITE	96	SPEC $p d \rightarrow \eta {}^3\text{He}$
<3 × 10 ⁻⁴	90	DAVIES	74	RVUE Uses ESTEN 67

¹ AGAKISHIEV 12A uses a data sample of 3.5 GeV proton beam collisions on liquid hydrogen target collected by the HADES detector.

$$\Gamma(\mu^+\mu^-)/\Gamma_{\text{total}}$$

$$\Gamma_{14}/\Gamma$$

VALUE (units 10^{-6})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	------	-------------	------	---------

5.8±0.8 OUR AVERAGE

5.7 ± 0.7 ± 0.5 114 ABEGG 94 SPEC $p d \rightarrow {}^3\text{He}$

6.5 ± 2.1 27 DZHELYADIN 80B SPEC $\pi^- p \rightarrow \eta n$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$5.6^{+0.6}_{-0.7} \pm 0.5$ 100 KESSLER 93 SPEC See ABEGG 94

< 20 95 0 WEHMANN 68 OSPK

$$\Gamma(\mu^+\mu^-)/\Gamma(2\gamma)$$

$$\Gamma_{14}/\Gamma_2$$

VALUE (units 10^{-5})	DOCUMENT ID	TECN
--------------------------	-------------	------

• • • We do not use the following data for averages, fits, limits, etc. • • •

5.9 ± 2.2 HYAMS 69 OSPK

$\Gamma(2e^+2e^-)/\Gamma_{\text{total}}$ Γ_{15}/Γ

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$2.4 \pm 0.2 \pm 0.1$		362	¹ AMBROSINO	11B	KLOE $e^+ e^- \rightarrow \phi \rightarrow \eta \gamma$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
<9.7	90		BERLOWSKI	08	WASA $p d \rightarrow {}^3\text{He } \eta$
<6.9	90		AKHMETSHIN	01	CMD2 $e^+ e^- \rightarrow \phi \rightarrow \eta \gamma$

¹ This measurement is fully inclusive (includes "2e⁺2e⁻γ" channel). $\Gamma(\pi^+ \pi^- e^+ e^-(\gamma))/\Gamma_{\text{total}}$ Γ_{16}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$2.68 \pm 0.11 \text{ OUR FIT}$				
$2.68 \pm 0.09 \pm 0.07$	1555 ± 52	¹ AMBROSINO	09B	KLOE $e^+ e^- \rightarrow \phi \rightarrow \eta \gamma$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
$4.3^{+2.0}_{-1.6} \pm 0.4$	16	BERLOWSKI	08	WASA $p d \rightarrow {}^3\text{He } \eta$
$4.3 \pm 1.3 \pm 0.4$	16	BARGHOLTZ	07	CNTR See BERLOWSKI 08
$3.7^{+2.5}_{-1.8} \pm 0.3$	4	AKHMETSHIN	01	CMD2 $e^+ e^- \rightarrow \phi \rightarrow \eta \gamma$

¹ This AMBROSINO 09B value includes radiative events. $\Gamma(e^+ e^- \mu^+ \mu^-)/\Gamma_{\text{total}}$ Γ_{17}/Γ

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$<1.6 \times 10^{-4}$	90	BERLOWSKI	08	WASA $p d \rightarrow {}^3\text{He } \eta$

 $\Gamma(2\mu^+ 2\mu^-)/\Gamma(\mu^+ \mu^-)$ Γ_{18}/Γ_{14}

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$8.6 \pm 1.4 \pm 1.2$	49.6	HAYRAPETY...23A	CMS	$p p$ at 13 TeV

 $\Gamma(\mu^+ \mu^- \pi^+ \pi^-)/\Gamma_{\text{total}}$ Γ_{19}/Γ

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$<3.6 \times 10^{-4}$	90	BERLOWSKI	08	WASA $p d \rightarrow {}^3\text{He } \eta$

 $\Gamma(\pi^+ e^- \bar{\nu}_e + \text{c.c.})/\Gamma(\pi^+ \pi^- \pi^0)$ Γ_{20}/Γ_9

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$<7.3 \times 10^{-4}$	90	ABLIKIM	13G	BES3 $J/\psi \rightarrow \phi \eta$

 $\Gamma(\pi^+ \pi^- 2\gamma)/\Gamma(\pi^+ \pi^- \pi^0)$ Γ_{21}/Γ_9

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
$< 9 \times 10^{-3}$		PRICE	67
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
$<16 \times 10^{-3}$	95	BALTAY	67B

 $\Gamma(\pi^+ \pi^- \pi^0 \gamma)/\Gamma(\pi^+ \pi^- \pi^0)$ Γ_{22}/Γ_9

<u>VALUE</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
$<0.24 \times 10^{-2}$	90	0	THALER	73
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
$<1.7 \times 10^{-2}$	90		ARNOLD	68
$<1.6 \times 10^{-2}$	95		BALTAY	67B
$<7.0 \times 10^{-2}$			FLATTE	67
$<0.9 \times 10^{-2}$			PRICE	67
HBC				
DBC				
HBC				
HBC				

$\Gamma(\pi^0\mu^+\mu^-\gamma)/\Gamma_{\text{total}}$	Γ_{23}/Γ			
VALUE	CL%	DOCUMENT ID	TECN	COMMENT
$< 3 \times 10^{-6}$	90	DZHELYADIN 81	SPEC	$\pi^- p \rightarrow \eta n$

————— Forbidden modes ————

$\Gamma(\pi^0\gamma)/\Gamma_{\text{total}}$	Γ_{24}/Γ			
VALUE	CL%	DOCUMENT ID	TECN	COMMENT
$< 9 \times 10^{-5}$	90	NEFKENS	05A	CRYB $p(720 \text{ MeV/c}) \pi^- \rightarrow n\eta$

$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$	Γ_{25}/Γ				
VALUE	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$< 4.4 \times 10^{-6}$	90	83M	¹ BABUSCI	20A	KLOE $e^+ e^- \rightarrow \phi \rightarrow \eta\gamma$
$< 5.3 \times 10^{-17}$			² ZHEVLAKOV	19	THEO from nEDM limits
$< 1.6 \times 10^{-5}$	90	25M	AAIJ	17D	LHCb in $D \rightarrow \pi\pi\pi$ decays
$< 3.9 \times 10^{-4}$	90	225M	ABLIKIM	11G	BES3 $e^+ e^- \rightarrow J/\psi \rightarrow \eta\gamma$
$< 1.3 \times 10^{-5}$	90	16M	AMBROSINO	05A	KLOE $e^+ e^- \rightarrow \phi \rightarrow \eta\gamma$
$< 3.3 \times 10^{-4}$	90		AKHMETSHIN	99B	CMD2 $e^+ e^- \rightarrow \phi \rightarrow \eta\gamma$
$< 9 \times 10^{-4}$	90		AKHMETSHIN	97C	CMD2 See AKHMETSHIN 99B
$< 15 \times 10^{-4}$	0		THALER	73	ASPK

¹BABUSCI 20A combines new data with the previous AMBROSINO 05A data, and thus supersedes AMBROSINO 05A.

²ZHEVLAKOV 19 derives the value from the experimental limits of nEDM by a calculation using an effective Lagrangian.

$\Gamma(2\pi^0)/\Gamma_{\text{total}}$	Γ_{26}/Γ				
VALUE	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$< 3.5 \times 10^{-4}$	90		BLIK	07	GAM4 $\pi^- p \rightarrow \eta n$
$< 2.7 \times 10^{-17}$			¹ ZHEVLAKOV	19	THEO from nEDM limits
$< 6.9 \times 10^{-4}$	90	225M	ABLIKIM	11G	BES3 $e^+ e^- \rightarrow J/\psi \rightarrow \eta\gamma$
$< 4.3 \times 10^{-4}$	90		AKHMETSHIN	99C	CMD2 $e^+ e^- \rightarrow \phi \rightarrow \eta\gamma$
$< 6 \times 10^{-4}$	90		² ACHASOV	98	SND $e^+ e^- \rightarrow \phi \rightarrow \eta\gamma$

¹ZHEVLAKOV 19 derives the value from the experimental limits of nEDM by a calculation using an effective Lagrangian.

²ACHASOV 98 observes one event in a $\pm 3\sigma$ region around the η mass, while a Monte Carlo calculation gives 10 ± 5 events. The limit here is the Poisson upper limit for one observed event and no background.

$\Gamma(2\pi^0\gamma)/\Gamma_{\text{total}}$	Γ_{27}/Γ				
VALUE	CL%	DOCUMENT ID	TECN	CHG	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$< 5 \times 10^{-4}$	90	NEFKENS	05	CRYB	$p(720 \text{ MeV/c}) \pi^- \rightarrow n\eta$
$< 17 \times 10^{-4}$	90	BLIK	07	GAM4	$\pi^- p \rightarrow \eta n$

$\Gamma(3\pi^0\gamma)/\Gamma_{\text{total}}$ Forbidden by C invariance. Γ_{28}/Γ

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
$< 6 \times 10^{-5}$	90	NEFKENS	05	CRYB	$p(720 \text{ MeV}/c) \pi^- \rightarrow n\eta$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
$< 24 \times 10^{-5}$	90	BLIK	07	GAM4	$\pi^- p \rightarrow \eta n$

 $\Gamma(3\gamma)/\Gamma_{\text{total}}$ Forbidden by C invariance. Γ_{29}/Γ

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
$< 16 \times 10^{-5}$	90	BLIK	07	GAM4 $\pi^- p \rightarrow \eta n$
$< 4 \times 10^{-5}$	90	NEFKENS	05A	CRYB $p(720 \text{ MeV}/c) \pi^- \rightarrow n\eta$

 $\Gamma(3\gamma)/\Gamma(2\gamma)$ Γ_{29}/Γ_2

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>
$< 1.2 \times 10^{-3}$	95	ALDE	84	GAM2 0

 $\Gamma(3\gamma)/\Gamma(3\pi^0)$ Γ_{29}/Γ_3

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$< 4.9 \times 10^{-5}$	90	ALOISIO	04	KLOE $\phi \rightarrow \eta\gamma$

 $\Gamma(4\pi^0)/\Gamma_{\text{total}}$ Forbidden by P and CP invariance. Γ_{30}/Γ

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$< 6.9 \times 10^{-7}$	90	PRAKHOV	00	CRYB $\pi^- p \rightarrow n\eta$, 720 MeV/c
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
$< 200 \times 10^{-7}$	90	BLIK	07	GAM4 $\pi^- p \rightarrow \eta n$

 $\Gamma(\pi^0 e^+ e^-)/\Gamma_{\text{total}}$ Γ_{31}/Γ C parity forbids this to occur as a single-photon process.

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
$< 7.5 \times 10^{-6}$	90	ADLARSON	18C	WASA $pd \rightarrow \eta {}^3\text{He}$
$< 1.6 \times 10^{-4}$	90	MARTYNOV	76	HLBC
$< 8.4 \times 10^{-4}$	90	BAZIN	68	DBC
$< 70 \times 10^{-4}$		RITTENBERG	65	HBC

 $\Gamma(\pi^0 e^+ e^-)/\Gamma(\pi^+ \pi^- \pi^0)$ Γ_{31}/Γ_9 C parity forbids this to occur as a single-photon process.

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$< 3.28 \times 10^{-5}$	90	ADLARSON	18C	WASA $pd \rightarrow \eta {}^3\text{He}$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
$< 1.9 \times 10^{-4}$	90	JANE	75	OSPK
$< 42 \times 10^{-4}$	90	BAGLIN	67	HLBC
$< 16 \times 10^{-4}$	90	BILLING	67	HLBC
$< 77 \times 10^{-4}$		FOSTER	65B	HBC
$< 110 \times 10^{-4}$		PRICE	65	HBC

$\Gamma(\pi^0 \mu^+ \mu^-)/\Gamma_{\text{total}}$

C parity forbids this to occur as a single-photon process.

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$< 5 \times 10^{-6}$	90	DZHELYADIN 81	SPEC	$\pi^- p \rightarrow \eta n$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
$< 500 \times 10^{-6}$		WEHMANN 68	OSPK	

 Γ_{32}/Γ $[\Gamma(\mu^+ e^-) + \Gamma(\mu^- e^+)/\Gamma_{\text{total}}$

Forbidden by lepton family number conservation.

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$< 6 \times 10^{-6}$	90	WHITE	96	SPEC $p d \rightarrow \eta {}^3\text{He}$

 Γ_{33}/Γ η C-NONCONSERVING DECAY PARAMETERS $\pi^+ \pi^- \pi^0$ LEFT-RIGHT ASYMMETRY PARAMETERMeasurements with an error $> 1.0 \times 10^{-2}$ have been omitted.

<u>VALUE</u> (units 10^{-2})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
---------------------------------	-------------	--------------------	-------------

0.09 $^{+0.11}_{-0.12}$ OUR AVERAGE

$+0.09 \pm 0.10 {}^{+0.09}_{-0.14}$	1.34M	AMBROSINO 08D	KLOE
0.28 ± 0.26	165k	JANE 74	OSPK
-0.05 ± 0.22	220k	LAYER 72	ASPK

 $\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$

1.5 ± 0.5	37k	¹ GORMLEY 68C	ASPK
---------------	-----	--------------------------	------

¹ The GORMLEY 68C asymmetry is probably due to unmeasured ($\mathbf{E} \times \mathbf{B}$) spark chamber effects. New experiments with ($\mathbf{E} \times \mathbf{B}$) controls don't observe an asymmetry.

 $\pi^+ \pi^- \pi^0$ SEXTANT ASYMMETRY PARAMETERMeasurements with an error $> 2.0 \times 10^{-2}$ have been omitted.

<u>VALUE</u> (units 10^{-2})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
---------------------------------	-------------	--------------------	-------------

0.12 $^{+0.10}_{-0.11}$ OUR AVERAGE

$+0.08 \pm 0.10 {}^{+0.08}_{-0.13}$	1.34M	AMBROSINO 08D	KLOE
0.20 ± 0.25	165k	JANE 74	OSPK
0.10 ± 0.22	220k	LAYER 72	ASPK
0.5 ± 0.5	37k	GORMLEY 68C	WIRE

 $\pi^+ \pi^- \pi^0$ QUADRANT ASYMMETRY PARAMETER

<u>VALUE</u> (units 10^{-2})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
---------------------------------	-------------	--------------------	-------------

-0.09 ± 0.09 OUR AVERAGE

$-0.05 \pm 0.10 {}^{+0.03}_{-0.05}$	1.34M	AMBROSINO 08D	KLOE
-0.30 ± 0.25	165k	JANE 74	OSPK
-0.07 ± 0.22	220k	LAYER 72	ASPK

$\pi^+ \pi^- \gamma$ LEFT-RIGHT ASYMMETRY PARAMETERMeasurements with an error $> 2.0 \times 10^{-2}$ have been omitted.

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN
0.9 ± 0.4 OUR AVERAGE			
1.2 ± 0.6	35k	JANE	74B OSPK
0.5 ± 0.6	36k	THALER	72 ASPK
1.22 ± 1.56	7257	GORMLEY	70 ASPK

 $\pi^+ \pi^- \gamma$ PARAMETER β (*D*-wave)Sensitive to a *D*-wave contribution: $dN/d\cos\theta = \sin^2\theta (1 + \beta \cos^2\theta)$.

VALUE	EVTS	DOCUMENT ID	TECN
-0.02 ± 0.07 OUR AVERAGE	Error includes scale factor of 1.3.		
0.11 ± 0.11	35k	JANE	74B OSPK
-0.060 ± 0.065	7250	GORMLEY	70 WIRE
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.12 ± 0.06	¹ THALER	72	ASPK

¹ The authors don't believe this indicates *D*-wave because the dependence of β on the γ energy is inconsistent with the theoretical prediction. A $\cos^2\theta$ dependence can also come from *P*- and *F*-wave interference.

 η CP-NONCONSERVING DECAY PARAMETER **$\pi^+ \pi^- e^+ e^-$ DECAY-PLANE ASYMMETRY PARAMETER A_ϕ**

In the η rest frame, the total momentum of the $e^+ e^-$ pair is equal and opposite to that of the $\pi^+ \pi^-$ pair. Let \hat{z} be the unit vector along the momentum of the $e^+ e^-$ pair; let \hat{n}_{ee} and $\hat{n}_{\pi\pi}$ be the unit vectors normal to the $e^+ e^-$ and $\pi^+ \pi^-$ planes; and let ϕ be the angle between the two normals. Then

$$\sin\phi \cos\phi = [(\hat{n}_{ee} \times \hat{n}_{\pi\pi}) \cdot \hat{z}] (\hat{n}_{ee} \cdot \hat{n}_{\pi\pi}),$$

and

$$A_\phi \equiv \frac{N_{\sin\phi \cos\phi > 0} - N_{\sin\phi \cos\phi < 0}}{N_{\sin\phi \cos\phi > 0} + N_{\sin\phi \cos\phi < 0}}.$$

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
-0.6 ± 2.5 ± 1.8	1555 ± 52	AMBROSINO	09B KLOE	$e^+ e^- \rightarrow \phi \rightarrow \eta \gamma$

ENERGY DEPENDENCE OF $\eta \rightarrow 3\pi$ DALITZ PLOTS**PARAMETERS FOR $\eta \rightarrow \pi^+ \pi^- \pi^0$**

See the "Note on η Decay Parameters," page 1454, in our 1994 edition (Physical Review **D50** 1173 (1994)). The following experiments fit to one or more of the coefficients a, b, c, d, e, f or g for $|\text{matrix element}|^2 = 1 + ay + by^2 + cx + dx^2 + exy + fy^3 + gx^2y$.

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				

631k	¹ ABLIKIM	23AN BES3	$J/\psi \rightarrow \gamma\eta$
4.7M	² ANASTASI	16A KLOE	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
79k	ABLIKIM	15G BES3	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\eta$
174k	ADLARSON	14A WASA	$p\bar{p} \rightarrow \eta^3\text{He}$
1.34M	AMBROSINO	08D KLOE	
3230	³ ABELE	98D CBAR	$\bar{p}p \rightarrow \pi^0\pi^0\eta$ at rest
1077	⁴ AMSLER	95 CBAR	$\bar{p}p \rightarrow \pi^+\pi^-\eta$ at rest
81k	LAYTER	73 ASPK	
220k	LAYTER	72 ASPK	
1138	CARPENTER	70 HBC	
349	DANBURG	70 DBC	
7250	GORMLEY	70 WIRE	
526	BAGLIN	69 HLBC	
7170	CNOPS	68 OSPK	
37k	GORMLEY	68C WIRE	
1300	CLPWY	66 HBC	
705	LARRIBE	66 HBC	

¹ ABLIKIM 23AN fit the Dalitz plot density distribution with two parameter sets (a, b, d, f), and (a, b, d, f, g).

² ANASTASI 16A measure the Dalitz parameters a, b, d, f , and g . This is the first measurement of g .

³ ABELE 98D obtains $a = -1.22 \pm 0.07$ and $b = 0.22 \pm 0.11$ when c (or d) is fixed at 0.06.

⁴ AMSLER 95 fits to $(1+ay+by^2)$ and obtains $a = -0.94 \pm 0.15$ and $b = 0.11 \pm 0.27$.

α PARAMETER FOR $\eta \rightarrow 3\pi^0$


See the “Note on η Decay Parameters” in our 1994 edition, Phys. Rev. **D50**, 1 August 1994, Part I, p. 1454. The value here is of α in $|\text{matrix element}|^2 = 1 + 2\alpha z$.

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-0.0296 ± 0.0016 OUR AVERAGE		Error includes scale factor of 1.7. See the ideogram below.		
$-0.0406 \pm 0.0035 \pm 0.0008$	272k	ABLIKIM	23ANBES3	$J/\psi \rightarrow \gamma\eta$
$-0.0265 \pm 0.0010 \pm 0.0009$	7M	PRAKHOB	18 CRYB	$\gamma p \rightarrow p\eta$
$-0.055 \pm 0.014 \pm 0.004$	33k	ABLIKIM	15G BES3	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\eta$
$-0.0301 \pm 0.0035^{+0.0022}_{-0.0035}$	512k	AMBROSINO	10A KLOE	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
$-0.027 \pm 0.008 \pm 0.005$	120k	¹ ADOLPH	09 WASA	$p\bar{p} \rightarrow p\bar{p}\eta$
$-0.0322 \pm 0.0012 \pm 0.0022$	3M	² PRAKHOB	09 CRYB	$\gamma p \rightarrow p\eta$
$-0.032 \pm 0.002 \pm 0.002$	1.8M	² UNVERZAGT	09 CRYB	$\gamma p \rightarrow p\eta$
$-0.026 \pm 0.010 \pm 0.010$	75k	BASHKANOV	07 WASA	$p\bar{p} \rightarrow p\bar{p}\eta$
$-0.010 \pm 0.021 \pm 0.010$	12k	ACHASOV	01C SND	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
-0.031 ± 0.004	1M	TIPPENS	01 CRYB	$\pi^- p \rightarrow n\eta$, 720 MeV
$-0.052 \pm 0.017 \pm 0.010$	98k	ABELE	98C CBAR	$\bar{p}p \rightarrow 5\pi^0$
-0.022 ± 0.023	50k	ALDE	84 GAM2	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$-0.038 \pm 0.003^{+0.012}_{-0.008}$	1.34M	³ AMBROSINO	08D KLOE	
-0.32 ± 0.37	192	BAGLIN	70 HLBC	

¹This ADOLPH 09 result is independent of the BASHKANOV 07 result.

²The PRAKHOV 09 and UNVERZAGT 09 results are independent.

³This AMBROSINO 08D value is an indirect result using $\eta \rightarrow \pi^+ \pi^0 \pi^-$ events and a rescattering matrix that mixes isospin decay amplitudes.



PARAMETER Λ IN $\eta \rightarrow \ell^+ \ell^- \gamma$ DECAY

In the pole approximation the electromagnetic transition form factor for a resonance of mass M is given by the expression:

$$|F|^2 = (1 - M_{\ell\ell}^2/\Lambda^2)^{-2},$$

where for the parameter Λ vector dominance predicts $\Lambda \approx 0.770$ GeV.

VALUE (GeV/c^2)	EVTS	DOCUMENT ID	TECN	COMMENT
0.721 ± 0.011 OUR AVERAGE				
0.749 ± 0.027 ± 0.008	23k	ABLIKIM	24M	BES3 $e^+ e^- \rightarrow J/\psi \rightarrow \gamma \eta/\eta'$
0.712 ± 0.020		1 ADLARSON	17B	A2MM $\gamma p \rightarrow \eta p$
0.7191 ± 0.0125 ± 0.0093		2 ARNALDI	16	NA60 400 GeV p -A collisions
0.716 ± 0.031 ± 0.009		3 ARNALDI	09	NA60 158A In-In collisions
0.72 ± 0.09	600	DZHELYADIN	80	SPEC $\pi^- p \rightarrow \eta n, \eta \rightarrow \gamma \mu^+ \mu^-$

¹ADLARSON 17B reports $\Lambda^{-2}(\eta \rightarrow \gamma e^+ e^-) = 1.97 \pm 0.11 (\text{GeV}/c^2)^{-2}$ which we converted to the quoted Λ value and uncertainty (total=statistical plus systematic).

²ARNALDI 16 reports $\Lambda^{-2}(\eta \rightarrow \gamma \mu^+ \mu^-) = 1.934 \pm 0.067 \pm 0.050 (\text{GeV}/c^2)^{-2}$ which we converted to the quoted Λ value.

³ARNALDI 09 reports $\Lambda^{-2}(\eta \rightarrow \gamma \mu^+ \mu^-) = 1.95 \pm 0.17 \pm 0.05 (\text{GeV}/c^2)^{-2}$ which we converted to the quoted Λ value.

η REFERENCES

ABLIKIM	24M	PR D109	072001	M. Ablikim <i>et al.</i>	(BESIII Collab.)
ANDREEV	24D	PRL	133	121803	Yu.M. Andreev <i>et al.</i> (NA64 Collab.)
ABLIKIM	23AN	PR D107	092007	M. Ablikim <i>et al.</i>	(BESIII Collab.)
HAYRAPETY...	23A	PRL	131	091903	A. Hayrapetyan <i>et al.</i> (CMS Collab.)
ABLIKIM	21AM	PR D104	092004	M. Ablikim <i>et al.</i>	(BESIII Collab.)
BABUSCI	20A	JHEP	2010	047	D. Babusci <i>et al.</i> (KLOE-2 Collab.)
ZHEVLAKOV	19	PR D99	031703	A.S. Zhevlovakov <i>et al.</i> (TMSK, MAINZ, TUBIN+)	
ACHASOV	18B	PR D98	052007	M.N. Achasov <i>et al.</i> (SND Collab.)	
ADLARSON	18C	PL	B784	378	P. Adlarson <i>et al.</i> (WASA-at-COSY Collab.)
PRAKHOV	18	PR C97	065203	S. Prakhov <i>et al.</i> (A2 Collab. at MAMI)	
AAIJ	17D	PL	B764	233	R. Aaij <i>et al.</i> (LHCb Collab.)
ADLARSON	17B	PR C95	035208	P. Adlarson <i>et al.</i> (A2 Collab. at MAMI)	
ANASTASI	16A	JHEP	1605	019	A. Anastasi <i>et al.</i> (KLOE-2 Collab.)
ARNALDI	16	PL	B757	437	R. Arnaldi <i>et al.</i> (NA60 Collab.)
ABLIKIM	15G	PR D92	012014	M. Ablikim <i>et al.</i> (BESIII Collab.)	
ADLARSON	14A	PR C90	045207	P. Adlarson <i>et al.</i> (WASA-at-COSY Collab.)	
AGAKISHIEV	14	PL	B731	265	G. Agakishiev <i>et al.</i> (HADES Collab.)
NEFKENS	14	PR C90	025206	B.M.K. Nefkens <i>et al.</i> (A2 Collab. at MAMI)	
NIKOLAEV	14	EPJ	A50	58	A. Nikolaev <i>et al.</i> (MAMI-B, MAINZ, BONN)
ABLIKIM	13	PR D87	012009	M. Ablikim <i>et al.</i> (BESIII Collab.)	
ABLIKIM	13G	PR D87	032006	M. Ablikim <i>et al.</i> (KLOE/KLOE-2 Collab.)	
BABUSCI	13	PL	B718	910	D. Babusci <i>et al.</i> (KLOE-2 Collab.)
BABUSCI	13A	JHEP	1301	119	D. Babusci <i>et al.</i> (HADES Collab.)
AGAKISHIEV	12A	EPJ	A48	64	G. Agakishiev <i>et al.</i> (COSY-ANKE Collab.)
GOSLAWSKI	12	PR D85	112011	P. Goslawski <i>et al.</i> (BESIII Collab.)	
ABLIKIM	11G	PR D84	032006	M. Ablikim <i>et al.</i> (KLOE Collab.)	
AMBROSINO	11B	PL	B702	324	F. Ambrosino <i>et al.</i> (GIES, UCLA, GUTE)
BERGHAUSER	11	PL	B701	562	H. Berghauer <i>et al.</i> (KLOE Collab.)
AMBROSINO	10A	PL	B694	16	F. Ambrosino <i>et al.</i> (WASA-at-COSY Collab.)
ADOLPH	09	PL	B677	24	C. Adolph <i>et al.</i> (KLOE Collab.)
AMBROSINO	09B	PL	B675	283	F. Ambrosino <i>et al.</i> (NA60 Collab.)
ARNALDI	09	PL	B677	260	R. Arnaldi <i>et al.</i> (MAMI-C Crystal Ball Collab.)
PRAKHOV	09	PR C79	035204	S. Prakhov <i>et al.</i> (MAMI-B Crystal Ball Collab.)	
UNVERZAGT	09	EPJ	A39	169	M. Unverzagt <i>et al.</i> (DAPHNE KLOE Collab.)
AMBROSINO	08D	JHEP	0805	006	F. Ambrosino <i>et al.</i> (CELSIUS/WASA Collab.)
BERLOWSKI	08	PR D77	032004	M. Berlowski <i>et al.</i> (BNL Crystal Ball Collab.)	
PRAKHOV	08	PR C78	015206	S. Prakhov <i>et al.</i> (USP, FESP, UNESP+)	
RODRIGUES	08	PRL	101	012301	F. Ambrosino <i>et al.</i> (KLOE Collab.)
AMBROSINO	07B	JHEP	0712	073	T.E. Rodrigues <i>et al.</i> (CELSIUS/WASA Collab.)
BARGHOLTZ	07	PL	B644	299	Chr. Bargholtz <i>et al.</i> (CELSIUS/WASA Collab.)
BASHKANOV	07	PR C76	048201	M. Bashkanov <i>et al.</i> (GAMS Collab.)	
BLIK	07	PAN	70	693	A.M. Blik <i>et al.</i>
		Translated from YAF	70	724.	
LOPEZ	07	PRL	99	122001	A. Lopez <i>et al.</i> (CLEO Collab.)
MILLER	07	PRL	99	122002	D.H. Miller <i>et al.</i> (CLEO Collab.)
ABLIKIM	06E	PR D73	052008	M. Ablikim <i>et al.</i> (BES Collab.)	
ABLIKIM	06Q	PRL	97	202002	M. Ablikim <i>et al.</i> (BES Collab.)
ACHASOV	06A	PR D74	014016	M.N. Achasov <i>et al.</i> (SND Collab.)	
ABDEL-BARY	05	PL	B619	281	M. Abdel-Bary <i>et al.</i> (GEM Collab.)
AKHMETSHIN	05	PL	B605	26	R.R. Akhmetshin <i>et al.</i> (Novosibirsk CMD-2 Collab.)
AMBROSINO	05A	PL	B606	276	F. Ambrosino <i>et al.</i> (KLOE Collab.)
NEFKENS	05	PRL	94	041601	B.M.K. Nefkens <i>et al.</i> (BNL Crystal Ball Collab.)
NEFKENS	05A	PR C72	035212	B.M.K. Nefkens <i>et al.</i> (BNL Crystal Ball Collab.)	
PRAKHOV	05	PR C72	025201	S. Prakhov <i>et al.</i> (BNL Crystal Ball Collab.)	
ALOISIO	04	PL	B591	49	A. Aloisio <i>et al.</i> (KLOE Collab.)
KNECHT	04	PL	B589	14	N. Knecht <i>et al.</i> (CERN NA48 Collab.)
LAI	02	PL	B533	196	A. Lai <i>et al.</i> (UCLA)
NEFKENS	02	PS	T99	114	B.M.K. Nefkens, J.W. Price (Novosibirsk SND Collab.)
ACHASOV	01B	PL	B504	275	M.N. Achasov <i>et al.</i> (Novosibirsk SND Collab.)
ACHASOV	01C	JETPL	73	451	M.N. Achasov <i>et al.</i> (Novosibirsk SND Collab.)
		Translated from ZETFP	73	511.	
ACHASOV	01D	NP	B600	3	M.N. Achasov <i>et al.</i> (Novosibirsk SND Collab.)
AKHMETSHIN	01	PL	B501	191	R.R. Akhmetshin <i>et al.</i> (Novosibirsk CMD-2 Collab.)
AKHMETSHIN	01B	PL	B509	217	R.R. Akhmetshin <i>et al.</i> (Novosibirsk CMD-2 Collab.)
TIPPENS	01	PRL	87	192001	W.B. Tippens <i>et al.</i> (BNL Crystal Ball Collab.)
ACHASOV	00	EPJ	C12	25	M.N. Achasov <i>et al.</i> (Novosibirsk SND Collab.)
ACHASOV	00B	JETP	90	17	M.N. Achasov <i>et al.</i> (Novosibirsk SND Collab.)
		Translated from ZETF	117	22.	

ACHASOV	00D	JETPL 72 282 Translated from ZETFP	M.N. Achasov <i>et al.</i> 72 411.	(Novosibirsk SND Collab.)
PRAKHOV	00	PRL 84 4802	S. Prakhov <i>et al.</i>	(BNL Crystal Ball Collab.)
AKHMETSHIN	99B	PL B462 371	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	99C	PL B462 380	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	99F	PL B460 242	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
ABELE	98C	PL B417 193	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	98D	PL B417 197	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ACHASOV	98	PL B425 388	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
AKHMETSHIN	97C	PL B415 452	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
BROWDER	97B	PR D56 5359	T.E. Browder <i>et al.</i>	(CLEO Collab.)
ABEGG	96	PR D53 11	R. Abegg <i>et al.</i>	(Saturne SPES2 Collab.)
WHITE	96	PR D53 6658	D.B. White <i>et al.</i>	(Saturne SPES2 Collab.)
AMSLER	95	PL B346 203	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
KRUSCHE	95D	ZPHY A351 237	B. Krusche <i>et al.</i>	(TAPS + A2 Collab.)
ABEGG	94	PR D50 92	R. Abegg <i>et al.</i>	(Saturne SPES2 Collab.)
PDG	94	PR D50 1173	L. Montanet <i>et al.</i>	(CERN, LBL, BOST+)
AMSLER	93	ZPHY C58 175	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
KESSLER	93	PRL 70 892	R.S. Kessler <i>et al.</i>	(Saturne SPES2 Collab.)
PLOUIN	92	PL B276 526	F. Plouin <i>et al.</i>	(Saturne SPES4 Collab.)
BARU	90	ZPHY C48 581	S.E. Baru <i>et al.</i>	(MD-1 Collab.)
ROE	90	PR D41 17	N.A. Roe <i>et al.</i>	(ASP Collab.)
WILLIAMS	88	PR D38 1365	D.A. Williams <i>et al.</i>	(Crystal Ball Collab.)
AIHARA	86	PR D33 844	H. Aihara <i>et al.</i>	(TPC-2 γ Collab.)
BARTEL	85E	PL 160B 421	W. Bartel <i>et al.</i>	(JADE Collab.)
LANDSBERG	85	PRPL 128 301	L.G. Landsberg	(SERP)
ALDE	84	ZPHY C25 225	D.M. Alde <i>et al.</i>	(SERP, BELG, LAPP)
Also		SJNP 40 918	D.M. Alde <i>et al.</i>	(SERP, BELG, LAPP)
WEINSTEIN	83	Translated from YAF 40 1447.		
BINON	82	PR D28 2896	A.J. Weinstein <i>et al.</i>	(Crystal Ball Collab.)
Also		SJNP 36 391	F.G. Binon <i>et al.</i>	(SERP, BELG, LAPP+)
DAVYDOV	81	Translated from YAF 36 670.		
Also		NC 71A 497	F.G. Binon <i>et al.</i>	(SERP, BELG, LAPP+)
ABROSIMOV	80	LNC 32 45	V.A. Davyдов <i>et al.</i>	(SERP, BELG, LAPP+)
Also		SJNP 33 825	V.A. Davyдов <i>et al.</i>	(SERP, BELG, LAPP+)
DZHELYADIN	81	Translated from YAF 33 1534.		
Also		PL 105B 239	R.I. Dzhelyadin <i>et al.</i>	(SERP)
Also		SJNP 33 822	R.I. Dzhelyadin <i>et al.</i>	(SERP)
ABROSIMOV	80	Translated from YAF 33 1529.		
Also		SJNP 31 195	A.T. Abrosimov <i>et al.</i>	(JINR)
DZHELYADIN	80	Translated from YAF 31 371.		
Also		PL 94B 548	R.I. Dzhelyadin <i>et al.</i>	(SERP)
Also		SJNP 32 516	R.I. Dzhelyadin <i>et al.</i>	(SERP)
DZHELYADIN	80B	Translated from YAF 32 998.		
Also		PL 97B 471	R.I. Dzhelyadin <i>et al.</i>	(SERP)
Also		SJNP 32 518	R.I. Dzhelyadin <i>et al.</i>	(SERP)
BUSHNIN	78	Translated from YAF 32 1002.		
Also		PL 79B 147	Y.B. Bushnin <i>et al.</i>	(SERP)
Also		SJNP 28 775	Y.B. Bushnin <i>et al.</i>	(SERP)
MARTYNOV	76	Translated from YAF 28 1507.		
JANE	75	SJNP 23 48	A.S. Martynov <i>et al.</i>	(JINR)
JANE	75B	Translated from YAF 23 93.		
Also		PL 59B 99	M.R. Jane <i>et al.</i>	(RHEL, LOWC)
Also		PL 59B 103	M.R. Jane <i>et al.</i>	(RHEL, LOWC)
Also		PL 73B 503	M.R. Jane	
BROWMAN	74B	Erratum in private communication.		
DAVIES	74	PRL 32 1067	A. Browman <i>et al.</i>	(CORN, BING)
DUANE	74	NC 24A 324	J.D. Davies, J.G. Guy, R.K.P. Zia	(BIRM, RHEL+)
JANE	74	PRL 32 425	A. Duane <i>et al.</i>	(LOIC, SHMP)
JANE	74	PL 48B 260	M.R. Jane <i>et al.</i>	(RHEL, LOWC, SUSS)
JANE	74B	PL 48B 265	M.R. Jane <i>et al.</i>	(RHEL, LOWC, SUSS)
KENDALL	74	NC 21A 387	B.N. Kendall <i>et al.</i>	(BROW, BARI, MIT)
LAYER	73	PR D7 2565	J.G. Layter <i>et al.</i>	(COLU)
THALER	73	PR D7 2569	J.J. Thaler <i>et al.</i>	(COLU)
AGUILAR-...	72B	PR D6 29	M. Aguilar-Benitez <i>et al.</i>	(BNL)
BLOODWO...	72B	NP B39 525	I.J. Bloodworth <i>et al.</i>	(TNTO)
LAYER	72	PRL 29 316	J.G. Layter <i>et al.</i>	(COLU)
THALER	72	PRL 29 313	J.J. Thaler <i>et al.</i>	(COLU)
BASILE	71D	NC 3A 796	M. Basile <i>et al.</i>	(CERN, BGNA, STRB)
STRUGALSKI	71	NP B27 429	Z.S. Strugalski <i>et al.</i>	(JINR)
BAGLIN	70	NP B22 66	C. Baglin <i>et al.</i>	(EPOL, MADR, STRB)
BUTTRAM	70	PRL 25 1358	M.T. Buttram, M.N. Kreisler, R.E. Mischke	(PRIN)
CARPENTER	70	PR D1 1303	D.W. Carpenter <i>et al.</i>	(DUKE)

COX	70B	PRL 24 534	B. Cox, L. Fortney, J.P. Golson	(DUKE)
DANBURG	70	PR D2 2564	J.S. Danburg <i>et al.</i>	(LRL)
DEVONS	70	PR D1 1936	S. Devons <i>et al.</i>	(COLU, SYRA)
GORMLEY	70	PR D2 501	M. Gormley <i>et al.</i>	(COLU, BNL)
Also		Thesis Nevis 181	M. Gormley	(COLU)
BAGLIN	69	PL 29B 445	C. Baglin <i>et al.</i>	(EPOL, UCB, MADR, STRB)
Also		NP B22 66	C. Baglin <i>et al.</i>	(EPOL, MADR, STRB)
HYAMS	69	PL 29B 128	B.D. Hyams <i>et al.</i>	(CERN, MPIM)
ARNOLD	68	PL 27B 466	R.G. Arnold <i>et al.</i>	(STRB, MADR, EPOL+)
BAZIN	68	PRL 20 895	M.J. Bzin <i>et al.</i>	(PRIN, QUKI)
BULLOCK	68	PL 27B 402	F.W. Bullock <i>et al.</i>	(LOUC)
CNOPS	68	PRL 21 1609	A.M. Cnops <i>et al.</i>	(BNL, ORNL, UCND+)
GORMLEY	68C	PRL 21 402	M. Gormley <i>et al.</i>	(COLU, BNL)
WEHMANN	68	PRL 20 748	A.W. Wehmann <i>et al.</i>	(HARV, CASE, SLAC+)
BAGLIN	67	PL 24B 637	C. Baglin <i>et al.</i>	(EPOL, UCB)
BAGLIN	67B	BAPS 12 567	C. Baglin <i>et al.</i>	(EPOL, UCB)
BALTAY	67B	PRL 19 1498	C. Baltay <i>et al.</i>	(COLU, STON)
BALTAY	67D	PRL 19 1495	C. Baltay <i>et al.</i>	(COLU, BRAN)
BEMPORAD	67	PL 25B 380	C. Bemporad <i>et al.</i>	(PISA, BONN)
Also		Private Comm.	I. Ion	
BILLING	67	PL 25B 435	K.D. Billing <i>et al.</i>	(LOUC, OXF)
BUNIATOV	67	PL 25B 560	S.A. Bunyatov <i>et al.</i>	(CERN, KARL)
CENCE	67	PRL 19 1393	R.J. Cence <i>et al.</i>	(HAWA, LRL)
ESTEN	67	PL 24B 115	M.J. Esten <i>et al.</i>	(LOUC, OXF)
FELDMAN	67	PRL 18 868	M. Feldman <i>et al.</i>	(PENN)
FLATTE	67	PRL 18 976	S.M. Flatte	(LRL)
FLATTE	67B	PR 163 1441	S.M. Flatte, C.G. Wohl	(LRL)
LITCHFIELD	67	PL 24B 486	P.J. Litchfield <i>et al.</i>	(RHEL, SACL)
PRICE	67	PRL 18 1207	L.R. Price, F.S. Crawford	(LRL)
ALFF-...	66	PR 145 1072	C. Alff-Steinberger <i>et al.</i>	(COLU, RUTG)
CLPWY	66	PR 149 1044	C. Baltay	(SCUC, LRL, PURD, WISC, YALE)
CRAWFORD	66	PRL 16 333	F.S. Crawford, L.R. Price	(LRL)
DIGUGNO	66	PRL 16 767	G. di Giugno <i>et al.</i>	(NAPL, TRST, FRAS)
GRUNHAUS	66	Thesis	J. Grunhaus	(COLU)
JAMES	66	PR 142 896	F.E. James, H.L. Kraybill	(YALE, BNL)
JONES	66	PL 23 597	W.G. Jones <i>et al.</i>	(LOIC, RHEL)
LARRIBE	66	PL 23 600	A. Larribe <i>et al.</i>	(SACL, RHEL)
FOSTER	65	PR 138 B652	M. Foster <i>et al.</i>	(WISC, PURD)
FOSTER	65B	Athens Conf.	M. Foster, M. Good, M. Meer	(WISC)
FOSTER	65C	Thesis	M. Foster	(WISC)
PRICE	65	PRL 15 123	L.R. Price, F.S. Crawford	(LRL)
RITTENBERG	65	PRL 15 556	A. Rittenberg, G.R. Kalbfleisch	(LRL, BNL)
FOELSCH	64	PR 134 B1138	H.W.J. Foelsche, H.L. Kraybill	(YALE)
KRAEMER	64	PR 136 B496	R.W. Kraemer <i>et al.</i>	(JHU, NWES, WOOD)
PAULI	64	PL 13 351	E. Pauli, A. Muller	(SACL)
BACCI	63	PRL 11 37	C. Bacci <i>et al.</i>	(ROMA, FRAS)
CRAWFORD	63	PRL 10 546	F.S.Jr. Crawford, L.J. Lloyd, E.C. Fowler	(LRL+)
Also		PRL 16 907	F.S. Crawford, L.J. Lloyd, E.C. Fowler	(LRL+)
ALFF-...	62	PRL 9 322	C. Alff-Steinberger <i>et al.</i>	(COLU, RUTG)
BASTIEN	62	PRL 8 114	P.L. Bastien <i>et al.</i>	(LRL)
PICKUP	62	PRL 8 329	E. Pickup, D.K. Robinson, E.O. Salant	(CNRC+)