


$f_2(1810)$

$$I^G(J^{PC}) = 0^+(2^{++})$$

OMITTED FROM SUMMARY TABLE
Needs confirmation.

f ₂ (1810) MASS									
VALUE (MeV)			EVTS	DOCUMENT ID	TECN	COMMENT			
1815	±12	OUR AVERAGE		Error includes scale factor of 1.4. See the ideogram below.					
1822	+29 −24	+ 66 − 57	5.5k	¹ ABLIKIM	13N	BES3	e ⁺ e [−] → J/ψ → γηη		
1737	± 9	+198 − 65		² UEHARA	10A	BELL	10.6 e ⁺ e [−] → e ⁺ e [−] ηη		
1800	±30		40	ALDE	88D	GAM4	300 π [−] p → π [−] p 4π ⁰		
1806	±10		1600	ALDE	87	GAM4	100 π [−] p → 4π ⁰ n		
1870	±40			³ ALDE	86D	GAM4	100 π [−] p → ηη n		
1857	+35 −24			⁴ COSTA	80	OMEG	10 π [−] p → K ⁺ K [−] n		
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●									
1845.0±	2.2 ⁺ −	1.6 7.2		⁵ ALBRECHT	20	RVUE	0.9 $\overline{p}p \rightarrow \pi^0\pi^0\eta,$ $\pi^0\eta\eta, \pi^0K^+K^-$		
1858	+18 −71			⁶ LONGACRE	86	RVUE	Compilation		
1799	±15			⁷ CASON	82	STRC	8 π ⁺ p → Δ ⁺⁺ π ⁰ π ⁰		
¹ From partial wave analysis including all possible combinations of 0 ⁺⁺ , 2 ⁺⁺ , and 4 ⁺⁺ resonances.									
² Breit-Wigner mass. Could also be the f ₂ (1910).									
³ Seen in only one solution.									
⁴ Error increased by spread of two solutions. Included in LONGACRE 86 global analysis.									
⁵ T-matrix pole, 4 poles, 4 channels, including scattering data from HYAMS 75 (ππ), LONGACRE 86 (K $\overline{K}$), BINON 83 (ηη).									
⁶ From a partial-wave analysis of data using a K-matrix formalism with 5 poles. Includes compilation of several other experiments.									
⁷ From an amplitude analysis of the reaction π ⁺ π [−] → 2π ⁰ . The resonance in the 2π ⁰ final state is not confirmed by PROKOSHKIN 97.									




$f_2(1810)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
197 ± 22 OUR AVERAGE		Error includes scale factor of 1.5. See the ideogram below.		
229 +52 -42 +88 -155	5.5k	¹ ABLIKIM	13N BES3	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\eta\eta$
228 +21 -20 +234 -153		² UEHARA	10A BELL	$10.6 e^+e^- \rightarrow e^+e^- \eta\eta$
160 ± 30	40	ALDE	88D GAM4	300 $\pi^- p \rightarrow \pi^- p 4\pi^0$
190 ± 20	1600	ALDE	87 GAM4	100 $\pi^- p \rightarrow 4\pi^0 n$
250 ± 30		³ ALDE	86D GAM4	100 $\pi^- p \rightarrow \eta\eta n$
185 +102 -139		⁴ COSTA	80 OMEG	10 $\pi^- p \rightarrow K^+ K^- n$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
260.9± 3.9 +199.9 -38.2		⁵ ALBRECHT	20 RVUE	0.9 $\bar{p}p \rightarrow \pi^0 \pi^0 \eta, \pi^0 \eta\eta, \pi^0 K^+ K^-$
388 +15 -21		⁶ LONGACRE	86 RVUE	Compilation
280 +42 -35		⁷ CASON	82 STRC	8 $\pi^+ p \rightarrow \Delta^{++} \pi^0 \pi^0$

¹ From partial wave analysis including all possible combinations of 0^{++} , 2^{++} , and 4^{++} resonances.
² Breit-Wigner width. Could also be the $f_2(1910)$.
³ Seen in only one solution.
⁴ Error increased by spread of two solutions. Included in LONGACRE 86 global analysis.
⁵ T-matrix pole, 4 poles, 4 channels, including scattering data from HYAMS 75 ($\pi\pi$), LONGACRE 86 ($K\bar{K}$), BINON 83 ($\eta\eta$).

⁶ From a partial-wave analysis of data using a K-matrix formalism with 5 poles. Includes compilation of several other experiments.
⁷ From an amplitude analysis of the reaction $\pi^+\pi^-\rightarrow 2\pi^0$. The resonance in the $2\pi^0$ final state is not confirmed by PROKOSHKIN 97.



$f_2(1810)$ DECAY MODES

Mode		Fraction (Γ_i/Γ)
Γ_1	$\pi\pi$	seen
Γ_2	$\eta\eta$	seen
Γ_3	$4\pi^0$	seen
Γ_4	K^+K^-	seen
Γ_5	$\gamma\gamma$	seen

$f_2(1810)$ $\Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(\eta\eta) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$	$\Gamma_2\Gamma_5/\Gamma$		
VALUE (eV)	DOCUMENT ID	TECN	COMMENT
$5.2^{+0.9+37.3}_{-0.8-4.5}$	¹ UEHARA	10A	BELL 10.6 $e^+e^- \rightarrow e^+e^-\eta\eta$

¹ Including interference with the $f_2'(1525)$ (parameters fixed to the values from the 2008 edition of this review, PDG 08) and $f_2(1270)$. May also be the $f_0(1500)$.

$f_2(1810)$ BRANCHING RATIOS **$\Gamma(\pi\pi)/\Gamma_{\text{total}}$** **$\Gamma_1/\Gamma$**

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
not seen	AMSLER	02	CBAR $0.9 \bar{p}p \rightarrow \pi^0 \eta \eta, \pi^0 \pi^0 \pi^0$
not seen	PROKOSHKIN	97	GAM2 $38 \pi^- p \rightarrow \pi^0 \pi^0 n$
$0.21^{+0.02}_{-0.03}$	¹ LONGACRE	86	RVUE Compilation
0.44 ± 0.03	² CASON	82	STRC $8 \pi^+ p \rightarrow \Delta^{++} \pi^0 \pi^0$

¹ From a partial-wave analysis of data using a K-matrix formalism with 5 poles. Includes compilation of several other experiments.

² Included in LONGACRE 86 global analysis.

 $\Gamma(\eta\eta)/\Gamma_{\text{total}}$ **Γ_2/Γ**

VALUE	DOCUMENT ID	TECN	COMMENT
seen	ABLIKIM	13N	BES3 PWA of $J/\psi \rightarrow \gamma \eta \eta$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$0.008^{+0.028}_{-0.003}$	¹ LONGACRE	86	RVUE Compilation

¹ From a partial-wave analysis of data using a K-matrix formalism with 5 poles. Includes compilation of several other experiments.

 $\Gamma(\pi\pi)/\Gamma(4\pi^0)$ **Γ_1/Γ_3**

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
<0.75	ALDE	87	GAM4 $100 \pi^- p \rightarrow 4\pi^0 n$

 $\Gamma(4\pi^0)/\Gamma(\eta\eta)$ **Γ_3/Γ_2**

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.8 ± 0.3	ALDE	87	GAM4 $100 \pi^- p \rightarrow 4\pi^0 n$

 $\Gamma(K^+K^-)/\Gamma_{\text{total}}$ **Γ_4/Γ**

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$0.003^{+0.019}_{-0.002}$	¹ LONGACRE	86	RVUE Compilation
seen	COSTA	80	OMEG $10 \pi^- p \rightarrow K^+ K^- n$

¹ From a partial-wave analysis of data using a K-matrix formalism with 5 poles. Includes compilation of several other experiments.

$f_2(1810)$ REFERENCES

ALBRECHT	20	EPJ C80 453	M. Albrecht <i>et al.</i>	(Crystal Barrel Collab.)
ABLIKIM	13N	PR D87 092009	M. Ablikim <i>et al.</i>	(BESIII Collab.)
UEHARA	10A	PR D82 114031	S. Uehara <i>et al.</i>	(BELLE Collab.)
PDG	08	PL B667 1	C. Amsler <i>et al.</i>	(PDG Collab.)
AMSLER	02	EPJ C23 29	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
PROKOSHKIN	97	PD 42 117	Y.D. Prokoshkin <i>et al.</i>	(SERP)
		Translated from DANS 353 323.		
ALDE	88D	SJNP 47 810	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP+)
		Translated from YAF 47 1273.		
ALDE	87	PL B198 286	D.M. Alde <i>et al.</i>	(LANL, BRUX, SERP, LAPP)
ALDE	86D	NP B269 485	D.M. Alde <i>et al.</i>	(BELG, LAPP, SERP, CERN+)
LONGACRE	86	PL B177 223	R.S. Longacre <i>et al.</i>	(BNL, BRAN, CUNY+)
BINON	83	NC 78A 313	F.G. Binon <i>et al.</i>	(BELG, LAPP, SERP+)
CASON	82	PRL 48 1316	N.M. Cason <i>et al.</i>	(NDAM, ANL)
COSTA	80	NP B175 402	G. Costa <i>et al.</i>	(BARI, BONN, CERN, GLAS+)
HYAMS	75	NP B100 205	B.D. Hyams <i>et al.</i>	(CERN, MPIM)
