

$\Delta(1950) 7/2^+$  $I(J^P) = \frac{3}{2}(\frac{7}{2}^+)$  Status: \*\*\*\*

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

 **$\Delta(1950)$  POLE POSITION****REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>1870 to 1890 (<math>\approx 1880</math>) OUR ESTIMATE</b>			
1892 $\pm$ 5	SARANTSEV 25	DPWA	Multichannel
1875 $\pm$ 1	ROENCHEN 22	DPWA	Multichannel
1877 $\pm$ 2 $\pm$ 1	<sup>1</sup> SVARC 14	L+P	$\pi N \rightarrow \pi N$
1890 $\pm$ 15	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1871	HUNT 19	DPWA	Multichannel
1874	ROENCHEN 15A	DPWA	Multichannel
1888 $\pm$ 4	SOKHOYAN 15A	DPWA	Multichannel
1888 $\pm$ 4	GUTZ 14	DPWA	Multichannel
1876	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
1910	VRANA 00	DPWA	Multichannel
1878	HOEHLER 93	ARGD	$\pi N \rightarrow \pi N$

<sup>1</sup>Fit to the amplitudes of HOEHLER 79.

**–2×IMAGINARY PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>220 to 260 (<math>\approx 240</math>) OUR ESTIMATE</b>			
250 $\pm$ 10	SARANTSEV 25	DPWA	Multichannel
166 $\pm$ 2	ROENCHEN 22	DPWA	Multichannel
223 $\pm$ 4 $\pm$ 1	<sup>1</sup> SVARC 14	L+P	$\pi N \rightarrow \pi N$
260 $\pm$ 40	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
206	HUNT 19	DPWA	Multichannel
239	ROENCHEN 15A	DPWA	Multichannel
245 $\pm$ 8	SOKHOYAN 15A	DPWA	Multichannel
245 $\pm$ 8	GUTZ 14	DPWA	Multichannel
227	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
230	VRANA 00	DPWA	Multichannel
230	HOEHLER 93	ARGD	$\pi N \rightarrow \pi N$

<sup>1</sup>Fit to the amplitudes of HOEHLER 79.

 **$\Delta(1950)$  ELASTIC POLE RESIDUE****MODULUS  $|r|$** 

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>44 to 60 (<math>\approx 52</math>) OUR ESTIMATE</b>			
27 $\pm$ 1	ROENCHEN 22	DPWA	Multichannel
58 $\pm$ 2	SOKHOYAN 15A	DPWA	Multichannel
44 $\pm$ 1	<sup>1</sup> SVARC 14	L+P	$\pi N \rightarrow \pi N$
50 $\pm$ 7	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

56	ROENCHEN	15A	DPWA	Multichannel
58 ± 2	GUTZ	14	DPWA	Multichannel
58 ± 2	ANISOVICH	12A	DPWA	Multichannel
53	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
47	HOEHLER	93	ARGD	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

### PHASE $\theta$

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>−40 to −24 (≈ −32) OUR ESTIMATE</b>			
1.1 ± 1.0	ROENCHEN	22	DPWA Multichannel
−24 ± 3	SOKHOYAN	15A	DPWA Multichannel
−39 ± 1 ± 1	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
−33 ± 8	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

−33	ROENCHEN	15A	DPWA	Multichannel
−24 ± 3	GUTZ	14	DPWA	Multichannel
−24 ± 3	ANISOVICH	12A	DPWA	Multichannel
−31	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
−32	HOEHLER	93	ARGD	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

## $\Delta(1950)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .

### Normalized residue in $N\pi \rightarrow \Delta(1950) \rightarrow \Sigma K$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.020 ± 0.002	−40 ± 4	ROENCHEN	22	DPWA Multichannel
0.05 ± 0.01	−65 ± 25	ANISOVICH	12A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.031	−87	ROENCHEN	15A	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow \Delta(1950) \rightarrow \Delta\pi, F\text{-wave}$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.30 ± 0.27	166 ± 1	ROENCHEN	22	DPWA Multichannel
0.12 ± 0.04	undefined	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.54	131	ROENCHEN	15A	DPWA Multichannel
0.12 ± 0.04	12 ± 10	ANISOVICH	12A	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow \Delta(1950) \rightarrow \Delta\pi, H\text{-wave}$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.051 ± 0.004	−11 ± 1	ROENCHEN	22	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.033	−97	ROENCHEN	15A	DPWA Multichannel

## Normalized residue in $N\pi \rightarrow \Delta(1950) \rightarrow \Delta(1232)\eta$

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.035±0.005	90 ± 25	GUTZ	14	DPWA Multichannel

### $\Delta(1950)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1915 to 1950 (<math>\approx</math> 1930) OUR ESTIMATE</b>			
1919 ± 5	SARANTSEV 25	DPWA	Multichannel
1943 ± 18	GOLOVATCH 19	DPWA	$\gamma p \rightarrow \pi^+ \pi^- p$
1913 ± 4	<sup>1</sup> HUNT 19	DPWA	Multichannel
1921.3± 0.2	<sup>1</sup> ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
1950 ± 15	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
1913 ± 8	HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1917 ± 4	SOKHOYAN 15A	DPWA	Multichannel
1917 ± 4	GUTZ 14	DPWA	Multichannel
1918 ± 1	<sup>1</sup> SHRESTHA 12A	DPWA	Multichannel
1936 ± 5	VRANA 00	DPWA	Multichannel

<sup>1</sup>Statistical error only.

### $\Delta(1950)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>235 to 335 (<math>\approx</math> 285) OUR ESTIMATE</b>			
258 ± 8	SARANTSEV 25	DPWA	Multichannel
230 ± 88	GOLOVATCH 19	DPWA	$\gamma p \rightarrow \pi^+ \pi^- p$
241 ± 10	<sup>1</sup> HUNT 19	DPWA	Multichannel
271.1± 1.1	<sup>1</sup> ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
340 ± 50	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
224 ± 10	HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
251 ± 8	SOKHOYAN 15A	DPWA	Multichannel
251 ± 8	GUTZ 14	DPWA	Multichannel
259 ± 4	<sup>1</sup> SHRESTHA 12A	DPWA	Multichannel
245 ± 12	VRANA 00	DPWA	Multichannel

<sup>1</sup>Statistical error only.

### $\Delta(1950)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $N\pi$	35–45 %
$\Gamma_2$ $\Sigma K$	0.3–0.5 %
$\Gamma_3$ $N\pi\pi$	37–77 %
$\Gamma_4$ $\Delta(1232)\pi$	( 4.0±3.0 ) %
$\Gamma_5$ $\Delta(1232)\pi, F$ -wave	1–9 %

$\Gamma_6$	$N\rho$	(10 $\pm$ 5 ) %
$\Gamma_7$	$N\rho, S=1/2$	(10 $\pm$ 5 ) %
$\Gamma_8$	$N(1680)\pi, P$ -wave	3–9 %
$\Gamma_9$	$\Delta(1232)\eta$	< 0.6 %
$\Gamma_{10}$	$N\gamma$	0.06–0.14 %
$\Gamma_{11}$	$N\gamma, \text{helicity}=1/2$	0.03–0.05 %
$\Gamma_{12}$	$N\gamma, \text{helicity}=3/2$	0.04–0.09 %

### $\Delta(1950)$ BRANCHING RATIOS

#### $\Gamma(N\pi)/\Gamma_{\text{total}}$ $\Gamma_1/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>35–45 % OUR ESTIMATE</b>			
46 $\pm$ 4	SEIFEN	25	DPWA Multichannel
38 $\pm$ 2	<sup>1</sup> HUNT	19	DPWA Multichannel
47.1 $\pm$ 0.1	<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
39 $\pm$ 4	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
38 $\pm$ 2	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.046 $\pm$ 0.002	SOKHOYAN	15A	DPWA Multichannel
46 $\pm$ 2	GUTZ	14	DPWA Multichannel
45.6 $\pm$ 0.4	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
44 $\pm$ 1	VRANA	00	DPWA Multichannel

<sup>1</sup>Statistical error only.

#### $\Gamma(N\pi\pi)/\Gamma_{\text{total}}$ $\Gamma_3/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
57 $\pm$ 20	GOLOVATCH	19	DPWA $\gamma p \rightarrow \pi^+ \pi^- p$

#### $\Gamma(\Sigma K)/\Gamma_{\text{total}}$ $\Gamma_2/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.6 $\pm$ 0.2	ANISOVICH	17	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.4 $\pm$ 0.1	ANISOVICH	12A	DPWA Multichannel

#### $\Gamma(\Delta(1232)\pi)/\Gamma_{\text{total}}$ $\Gamma_4/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>4 <math>\pm</math> 3</b>	SARANTSEV	25	DPWA Multichannel

#### $\Gamma(\Delta(1232)\pi, F\text{-wave})/\Gamma_{\text{total}}$ $\Gamma_5/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4 $\pm$ 3	SARANTSEV	25	DPWA Multichannel
5 $\pm$ 4	SEIFEN	25	DPWA Multichannel
8 $\pm$ 1	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
5 $\pm$ 4	SOKHOYAN	15A	DPWA Multichannel
36 $\pm$ 1	VRANA	00	DPWA Multichannel

<sup>1</sup>Statistical error only.

$\Gamma(N\rho)/\Gamma_{\text{total}}$					$\Gamma_6/\Gamma$
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
<b>10±5</b>	SARANTSEV 25	DPWA	Multichannel		
<b><math>\Gamma(N\rho, S=1/2)/\Gamma_{\text{total}}</math></b>					
VALUE (%)	DOCUMENT ID	TECN	COMMENT		$\Gamma_7/\Gamma$
<b>10±5</b>	SARANTSEV 25	DPWA	Multichannel		
<b><math>\Gamma(N(1680)\pi, P\text{-wave})/\Gamma_{\text{total}}</math></b>					
VALUE (%)	DOCUMENT ID	TECN	COMMENT		$\Gamma_8/\Gamma$
3±2	SEIFEN 25	DPWA	Multichannel		
• • • We do not use the following data for averages, fits, limits, etc. • • •					
6±3	SOKHOYAN 15A	DPWA	Multichannel		
<b><math>\Gamma(\Delta(1232)\eta)/\Gamma_{\text{total}}</math></b>					
VALUE (%)	DOCUMENT ID	TECN	COMMENT		$\Gamma_9/\Gamma$
0.3±0.3	ANISOVICH 17	DPWA	Multichannel		
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<1	GUTZ 14	DPWA	Multichannel		

### $\Delta(1950)$ PHOTON DECAY AMPLITUDES AT THE POLE

#### $\Delta(1950) \rightarrow N\gamma$ , helicity-1/2 amplitude $A_{1/2}$

MODULUS ( $\text{GeV}^{-1/2}$ )	PHASE ( $^\circ$ )	DOCUMENT ID	TECN	COMMENT
-0.076±0.006	-10 ± 5	SARANTSEV 25	DPWA	Multichannel
-0.031±0.002	-81 ± 4	ROENCHEN 22	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
-0.068	-19	ROENCHEN 15A	DPWA	Multichannel
-0.067±0.004	-10 ± 5	SOKHOYAN 15A	DPWA	Multichannel

#### $\Delta(1950) \rightarrow N\gamma$ , helicity-3/2 amplitude $A_{3/2}$

MODULUS ( $\text{GeV}^{-1/2}$ )	PHASE ( $^\circ$ )	DOCUMENT ID	TECN	COMMENT
-0.092±0.004	-10 ± 5	SARANTSEV 25	DPWA	Multichannel
-0.045±0.002	-89 ± 2	ROENCHEN 22	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
-0.084	-19	ROENCHEN 15A	DPWA	Multichannel
-0.095±0.004	-10 ± 5	SOKHOYAN 15A	DPWA	Multichannel

### $\Delta(1950)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

#### $\Delta(1950) \rightarrow N\gamma$ , helicity-1/2 amplitude $A_{1/2}$

VALUE ( $\text{GeV}^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
<b>-0.075 to -0.065 (<math>\approx</math> -0.070) OUR ESTIMATE</b>			
-0.077 ± 0.006	SARANTSEV 25	DPWA	Multichannel
-0.0698±0.0141	GOLOVATCH 19	DPWA	$\gamma p \rightarrow \pi^+ \pi^- p$
-0.047 ± 0.002	<sup>1</sup> HUNT 19	DPWA	Multichannel
-0.083 ± 0.004	WORKMAN 12A	DPWA	$\gamma N \rightarrow N\pi$

• • • We do not use the following data for averages, fits, limits, etc. • • •

-0.067 ±0.005	SOKHOYAN	15A	DPWA	Multichannel
-0.067 ±0.005	GUTZ	14	DPWA	Multichannel
-0.065 ±0.001	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel
-0.094	DRECHSEL	07	DPWA	$\gamma N \rightarrow \pi N$

<sup>1</sup>Statistical error only.

### $\Delta(1950) \rightarrow N\gamma$ , helicity-3/2 amplitude $A_{3/2}$

<u>VALUE (GeV<sup>-1/2</sup>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-----------------------------------	--------------------	-------------	----------------

**-0.100 to -0.080 (≈ -0.090) OUR ESTIMATE**

-0.094 ±0.004	SARANTSEV	25	DPWA	Multichannel
-0.1181 ±0.0193	GOLOVATCH	19	DPWA	$\gamma p \rightarrow \pi^+ \pi^- p$
-0.074 ±0.002	<sup>1</sup> HUNT	19	DPWA	Multichannel
-0.096 ±0.004	WORKMAN	12A	DPWA	$\gamma N \rightarrow N\pi$

• • • We do not use the following data for averages, fits, limits, etc. • • •

-0.094 ±0.004	SOKHOYAN	15A	DPWA	Multichannel
-0.094 ±0.004	GUTZ	14	DPWA	Multichannel
-0.083 ±0.001	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel
-0.121	DRECHSEL	07	DPWA	$\gamma N \rightarrow \pi N$

<sup>1</sup>Statistical error only.

### $\Delta(1950)$ REFERENCES

SARANTSEV	25	PR C112 015202	A.V. Sarantsev <i>et al.</i>	(Bonn-Gatchina Collab.)
SEIFEN	25	EPJ A61 173	T. Seifen <i>et al.</i>	(CBELSA/TAPS Collab.)
ROENCHEN	22	EPJ A58 229	D. Roenchen <i>et al.</i>	(JULI, GWU, BONN+)
GOLOVATCH	19	PL B788 371	E. Golovatch <i>et al.</i>	(CLAS Collab.)
HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
ANISOVICH	17	PL B766 357	A.V. Anisovich <i>et al.</i>	
ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	$\pi N$ Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP