

$N(1675) 5/2^-$ $I(J^P) = \frac{1}{2}(\frac{5}{2}^-)$ Status: ****Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014). **$N(1675)$ POLE POSITION****REAL PART**

<i>VALUE (MeV)</i>	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
1650 to 1660 (\approx 1655) OUR ESTIMATE			
1662 ± 5	SARANTSEV	25	DPWA Multichannel
1652 ± 2	ROENCHEN	22	DPWA Multichannel
1654 ± 2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
1660 ± 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1646	HUNT	19	DPWA Multichannel
1646	ROENCHEN	15A	DPWA Multichannel
1655 ± 4	SOKHOYAN	15A	DPWA Multichannel
1640	SHKLYAR	13	DPWA Multichannel
1658 ± 9	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1657	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1674	VRANA	00	DPWA Multichannel
1656	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.**-2×IMAGINARY PART**

<i>VALUE (MeV)</i>	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
120 to 150 (\approx 135) OUR ESTIMATE			
130 ± 8	SARANTSEV	25	DPWA Multichannel
119 ± 1	ROENCHEN	22	DPWA Multichannel
$125 \pm 3 \pm 1$	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
140 ± 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
146	HUNT	19	DPWA Multichannel
125	ROENCHEN	15A	DPWA Multichannel
147 ± 5	SOKHOYAN	15A	DPWA Multichannel
108	SHKLYAR	13	DPWA Multichannel
137 ± 7	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
139	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
120	VRANA	00	DPWA Multichannel
126	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

$N(1675)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
22 to 32 (≈ 26) OUR ESTIMATE			
22 ± 1	ROENCHEN	22	DPWA Multichannel
28 ± 1	SOKHOYAN	15A	DPWA Multichannel
23 ± 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
31 ± 5	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
24	ROENCHEN	15A	DPWA Multichannel
20	SHKLYAR	13	DPWA Multichannel
28 ± 1	ANISOVICH	12A	DPWA Multichannel
25	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
27	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
23	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.**PHASE θ**

<u>VALUE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-27 to -17 (≈ -22) OUR ESTIMATE			
-17 ± 1	ROENCHEN	22	DPWA Multichannel
-24 ± 4	SOKHOYAN	15A	DPWA Multichannel
-25 ± 2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
-30 ± 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-22	ROENCHEN	15A	DPWA Multichannel
-49	SHKLYAR	13	DPWA Multichannel
-26 ± 4	ANISOVICH	12A	DPWA Multichannel
-16	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
-21	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
-22	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79. **$N(1675)$ INELASTIC POLE RESIDUE**The "normalized residue" is the residue divided by $\Gamma_{pole}/2$.**Normalized residue in $N\pi \rightarrow N(1675) \rightarrow \Delta\pi, D$ -wave**

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.33 ± 0.04	90 ± 15	SOKHOYAN	15A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.33 ± 0.05	82 ± 10	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1675) \rightarrow N\eta$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.063 ± 0.005	-39 ± 1	ROENCHEN	22	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.044	-43	ROENCHEN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1675) \rightarrow \Lambda K$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.001 ± 0.001	174 ± 80	ROENCHEN	22	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.001	100	ROENCHEN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1675) \rightarrow \Sigma K$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.024 ± 0.001	-166 ± 3	ROENCHEN	22	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.031	-175	ROENCHEN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1675) \rightarrow N\sigma$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.13 ± 0.03	125 ± 20	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.15 ± 0.04	132 ± 18	ANISOVICH	12A	DPWA Multichannel

 $N(1675)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1665 to 1680 (≈ 1675) OUR ESTIMATE			
1668 ± 4	SARANTSEV	25	DPWA Multichannel
1669 ± 2	¹ HUNT	19	DPWA Multichannel
1666 ± 2	¹ SHKLYAR	13	DPWA Multichannel
1674.1 ± 0.2	¹ ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1675 ± 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1679 ± 8	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1663 ± 4	SOKHOYAN	15A	DPWA Multichannel
1679 ± 1	¹ SHRESTHA	12A	DPWA Multichannel
1679 ± 9	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1685 ± 4	VRANA	00	DPWA Multichannel

¹Statistical error only. **$N(1675)$ BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
130 to 160 (≈ 145) OUR ESTIMATE			
130 ± 8	SARANTSEV	25	DPWA Multichannel
161 ± 8	¹ HUNT	19	DPWA Multichannel
148 ± 1	¹ SHKLYAR	13	DPWA Multichannel
146.5 ± 1.0	¹ ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
160 ± 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
120 ± 15	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
146 ± 6	SOKHOYAN	15A	DPWA Multichannel
145 ± 4	¹ SHRESTHA	12A	DPWA Multichannel

152 ± 8 BATINIC 10 DPWA $\pi N \rightarrow N\pi, N\eta$
 131 ± 10 VRANA 00 DPWA Multichannel

¹Statistical error only.

N(1675) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	38–42 %
Γ_2 $N\eta$	< 1 %
Γ_3 ΛK	<0.04 %
Γ_4 $N\pi\pi$	25–45 %
Γ_5 $\Delta(1232)\pi$	(19±4) %
Γ_6 $\Delta(1232)\pi, D\text{-wave}$	23–37 %
Γ_7 $N\rho$	0.1–0.9 %
Γ_8 $N\rho, S=1/2$	<0.2 %
Γ_9 $N\rho, S=3/2, D\text{-wave}$	0.1–0.7 %
Γ_{10} $N\sigma$	3–7 %
Γ_{11} $p\gamma$	0–0.02 %
Γ_{12} $p\gamma, \text{helicity}=1/2$	0–0.01 %
Γ_{13} $p\gamma, \text{helicity}=3/2$	0–0.01 %
Γ_{14} $n\gamma$	0–0.15 %
Γ_{15} $n\gamma, \text{helicity}=1/2$	0–0.05 %
Γ_{16} $n\gamma, \text{helicity}=3/2$	0–0.10 %

N(1675) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$				Γ_1/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT	
38 to 42 (≈ 40) OUR ESTIMATE				
40 ± 1	SEIFEN	25	DPWA Multichannel	
33 ± 1	¹ HUNT	19	DPWA Multichannel	
41 ± 1	¹ SHKLYAR	13	DPWA Multichannel	
39.3±0.1	¹ ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$	
38 ± 5	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$	
38 ± 3	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
41 ± 2	SOKHOYAN	15A	DPWA Multichannel	
38.6±0.6	¹ SHRESTHA	12A	DPWA Multichannel	
35 ± 4	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$	
35 ± 1	VRANA	00	DPWA Multichannel	

¹Statistical error only.

$\Gamma(N\eta)/\Gamma_{\text{total}}$ Γ_2/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.5±0.5	MUELLER	20	DPWA Multichannel
2.0±0.3	¹ HUNT	19	DPWA Multichannel
<1	SHKLYAR	13	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
<1	¹ SHRESTHA	12A	DPWA Multichannel
0.1±0.1	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
3 ±3	THOMA	08	DPWA Multichannel
0 ±1	VRANA	00	DPWA Multichannel
¹ Statistical error only.			

$\Gamma(\Lambda K)/\Gamma_{\text{total}}$ Γ_3/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.04 % OUR ESTIMATE			
<0.04	¹ HUNT	19	DPWA Multichannel
¹ Statistical error only.			

$\Gamma(\Delta(1232)\pi)/\Gamma_{\text{total}}$ Γ_5/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
19±4	SARANTSEV	25	DPWA Multichannel

$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$ Γ_6/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
19 ±4	SARANTSEV	25	DPWA Multichannel
19 ±3	SEIFEN	25	DPWA Multichannel
58.3±0.2	¹ HUNT	19	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
30 ±7	SOKHOYAN	15A	DPWA Multichannel
46 ±1	¹ SHRESTHA	12A	DPWA Multichannel
63 ±2	VRANA	00	DPWA Multichannel
¹ Statistical error only.			

$\Gamma(N\rho)/\Gamma_{\text{total}}$ Γ_7/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
30±9	SARANTSEV	25	DPWA Multichannel

$\Gamma(N\rho, S=1/2)/\Gamma_{\text{total}}$ Γ_8/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.2 % OUR ESTIMATE			
20 ±7	SARANTSEV	25	DPWA Multichannel
< 0.2	¹ HUNT	19	DPWA Multichannel
¹ Statistical error only.			

$\Gamma(N\rho, S=3/2, D\text{-wave})/\Gamma_{\text{total}}$ Γ_9/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.1–0.7 % OUR ESTIMATE			
10 ±5	SARANTSEV	25	DPWA Multichannel
0.4±0.3	¹ HUNT	19	DPWA Multichannel
¹ Statistical error only.			

$\Gamma(N\sigma)/\Gamma_{\text{total}}$					Γ_{10}/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
5±3	SARANTSEV 25	DPWA	Multichannel		
1±1	SEIFEN 25	DPWA	Multichannel		
• • • We do not use the following data for averages, fits, limits, etc. • • •					
5±2	SOKHOYAN 15A	DPWA	Multichannel		

$N(1675)$ PHOTON DECAY AMPLITUDES AT THE POLE

$N(1675) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
0.021±0.004	30 ± 15	SARANTSEV 25	DPWA	Multichannel
0.025±0.002	-1.2 ± 3.9	ROENCHEN 22	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.032	36	ROENCHEN 15A	DPWA	Multichannel
0.022±0.003	-12 ± 7	SOKHOYAN 15A	DPWA	Multichannel

$N(1675) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
0.030±0.004	-25 ± 10	SARANTSEV 25	DPWA	Multichannel
0.051±0.002	-1.0 ± 1.9	ROENCHEN 22	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.051	-9.3	ROENCHEN 15A	DPWA	Multichannel
0.028±0.006	-17 ± 6	SOKHOYAN 15A	DPWA	Multichannel

$N(1675) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
-0.053±0.004	-3 ± 5	ANISOVICH 17E	DPWA	Multichannel

$N(1675) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
-0.073±0.005	-12 ± 5	ANISOVICH 17E	DPWA	Multichannel

$N(1675)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

$N(1675) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.010 to 0.025 (≈ 0.018) OUR ESTIMATE			
0.022±0.004	SARANTSEV 25	DPWA	Multichannel
0.026±0.002	¹ HUNT 19	DPWA	Multichannel
0.009±0.001	¹ SHKLYAR 13	DPWA	Multichannel
0.013±0.001	¹ WORKMAN 12A	DPWA	$\gamma N \rightarrow N\pi$
0.018±0.002	¹ DUGGER 07	DPWA	$\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.022±0.003	SOKHOYAN 15A	DPWA	Multichannel
0.011±0.001	¹ SHRESTHA 12A	DPWA	Multichannel
0.015	DRECHSEL 07	DPWA	$\gamma N \rightarrow \pi N$

¹Statistical error only.

$N(1675) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.015 to 0.030 (≈ 0.022) OUR ESTIMATE			
0.030 ± 0.005	SARANTSEV 25	DPWA	Multichannel
0.005 ± 0.002	¹ HUNT 19	DPWA	Multichannel
0.021 ± 0.001	¹ SHKLYAR 13	DPWA	Multichannel
0.016 ± 0.001	¹ WORKMAN 12A	DPWA	$\gamma N \rightarrow N\pi$
0.021 ± 0.001	¹ DUGGER 07	DPWA	$\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.027 ± 0.006	SOKHOYAN 15A	DPWA	Multichannel
0.020 ± 0.001	¹ SHRESTHA 12A	DPWA	Multichannel
0.022	DRECHSEL 07	DPWA	$\gamma N \rightarrow \pi N$

¹Statistical error only. **$N(1675) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$**

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.065 to -0.055 (≈ -0.060) OUR ESTIMATE			
-0.069 ± 0.005	¹ HUNT 19	DPWA	Multichannel
-0.053 ± 0.004	ANISOVICH 17E	DPWA	Multichannel
-0.058 ± 0.002	¹ CHEN 12A	DPWA	$\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.060 ± 0.007	ANISOVICH 13B	DPWA	Multichannel
-0.040 ± 0.004	¹ SHRESTHA 12A	DPWA	Multichannel
-0.062	DRECHSEL 07	DPWA	$\gamma N \rightarrow \pi N$

¹Statistical error only. **$N(1675) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$**

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.095 to -0.075 (≈ -0.085) OUR ESTIMATE			
-0.031 ± 0.005	¹ HUNT 19	DPWA	Multichannel
-0.072 ± 0.005	ANISOVICH 17E	DPWA	Multichannel
-0.080 ± 0.005	¹ CHEN 12A	DPWA	$\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.088 ± 0.010	ANISOVICH 13B	DPWA	Multichannel
-0.068 ± 0.004	¹ SHRESTHA 12A	DPWA	Multichannel
-0.084	DRECHSEL 07	DPWA	$\gamma N \rightarrow \pi N$

¹Statistical error only. **$N(1675)$ REFERENCES**For early references, see Physics Letters **111B** 1 (1982).

SARANTSEV 25	PR C112 015202	A.V. Sarantsev <i>et al.</i>	(Bonn-Gatchina Collab.)
SEIFEN 25	EPJ A61 173	T. Seifen <i>et al.</i>	(CBELSA/TAPS Collab.)
ROENCHEN 22	EPJ A58 229	D. Roenchen <i>et al.</i>	(JULI, GWU, BONN+)
MUELLER 20	PL B803 135323	J. Mueller <i>et al.</i>	(CBELSA/TAPS Collab.)
HUNT 19	PR C99 055205	B.C. Hunt, D.M. Manley	
ANISOVICH 17E	PR C96 055202	A.V. Anisovich <i>et al.</i>	(BONN, PNPI, JLAB+)
ROENCHEN 15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
SOKHOYAN 15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG 14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)

SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
SHKLYAR	13	PR C87 015201	V. Shklyar, H. Lenske, U. Mosel	(GIES)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
CHEN	12A	PR C86 015206	W. Chen <i>et al.</i>	(DUKE, GWU, MSST, ITEP+)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
THOMA	08	PL B659 87	U. Thoma <i>et al.</i>	(CB-ELSA Collab.)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger <i>et al.</i>	(JLab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
