

$N(1700) \ 3/2^-$ $I(J^P) = \frac{1}{2}(3/2^-)$ Status: ***

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

 $N(1700)$ POLE POSITION**REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1650 to 1750 (≈ 1700) OUR ESTIMATE			
1745 \pm 40	SARANTSEV 25	DPWA	Multichannel
1757 \pm 4 \pm 1	¹ SVARC 14	L+P	$\pi N \rightarrow \pi N$
1660 \pm 30	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1647	HUNT 19	DPWA	Multichannel
1780 \pm 35	SOKHOYAN 15A	DPWA	Multichannel
1806 \pm 23	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$
1704	VRANA 00	DPWA	Multichannel
1700	HOEHLER 93	SPED	$\pi N \rightarrow \pi N$

¹Fit to the amplitudes of HOEHLER 79.

-2xIMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
100 to 300 (≈ 200) OUR ESTIMATE			
420 \pm 50	SARANTSEV 25	DPWA	Multichannel
136 \pm 7 \pm 4	¹ SVARC 14	L+P	$\pi N \rightarrow \pi N$
90 \pm 40	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
79	HUNT 19	DPWA	Multichannel
420 \pm 140	SOKHOYAN 15A	DPWA	Multichannel
129 \pm 33	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$
156	VRANA 00	DPWA	Multichannel
120	HOEHLER 93	SPED	$\pi N \rightarrow \pi N$

¹Fit to the amplitudes of HOEHLER 79.

 $N(1700)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
5 to 50 (≈ 10) OUR ESTIMATE			
60 \pm 30	SOKHOYAN 15A	DPWA	Multichannel
7 \pm 1 \pm 1	¹ SVARC 14	L+P	$\pi N \rightarrow \pi N$
6 \pm 3	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
50 \pm 40	ANISOVICH 12A	DPWA	Multichannel
7	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$
5	HOEHLER 93	SPED	$\pi N \rightarrow \pi N$

¹Fit to the amplitudes of HOEHLER 79.

PHASE θ

<u>VALUE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
– 120 to 0 (\approx – 90) OUR ESTIMATE			
– 115 \pm 30	SOKHOYAN	15A	DPWA Multichannel
– 113 \pm 4 \pm 2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
0 \pm 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
– 100 \pm 40	ANISOVICH	12A	DPWA Multichannel
– 34	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
¹ Fit to the amplitudes of HOEHLER 79.			

 $N(1700)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(1700) \rightarrow \Delta\pi$, S-wave

<u>MODULUS</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.33 \pm 0.10	– 70 \pm 25	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.34 \pm 0.21	– 60 \pm 40	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1700) \rightarrow \Delta\pi$, D-wave

<u>MODULUS</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.10 \pm 0.06	75 \pm 30	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.08 \pm 0.06	90 \pm 35	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1700) \rightarrow N\sigma$

<u>MODULUS</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.13 \pm 0.08	– 100 \pm 35	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1700) \rightarrow N(1440)\pi$

<u>MODULUS</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.13 \pm 0.05	40 \pm 35	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1700) \rightarrow N(1520)\pi$, P-wave

<u>MODULUS</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.07 \pm 0.03	160 \pm 45	SOKHOYAN	15A	DPWA Multichannel

 $N(1700)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1650 to 1800 (\approx 1720) OUR ESTIMATE			
1770 \pm 30	SARANTSEV	25	DPWA Multichannel
1653 \pm 5	¹ HUNT	19	DPWA Multichannel
1675 \pm 25	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1731 \pm 15	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1800 \pm 35	SOKHOYAN	15A	DPWA Multichannel

1665 ± 3	¹ SHRESTHA	12A	DPWA	Multichannel
1817 ± 22	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
1736 ± 33	VRANA	00	DPWA	Multichannel

¹Statistical error only.

N(1700) BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
100 to 300 (≈ 200) OUR ESTIMATE			
400 ± 50	SARANTSEV	25	DPWA Multichannel
81 ± 13	¹ HUNT	19	DPWA Multichannel
90 ± 40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
110 ± 30	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
400 ± 100	SOKHOYAN	15A	DPWA Multichannel
56 ± 8	¹ SHRESTHA	12A	DPWA Multichannel
134 ± 37	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
175 ± 133	VRANA	00	DPWA Multichannel

¹Statistical error only.

N(1700) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	7–17 %
Γ_2 $N\eta$	1–2 %
Γ_3 $N\omega$	10–34 %
Γ_4 ΛK	1–2 %
Γ_5 $N\pi\pi$	>89 %
Γ_6 $\Delta(1232)\pi$	55–85 %
Γ_7 $\Delta(1232)\pi$, <i>S</i> -wave	50–80 %
Γ_8 $\Delta(1232)\pi$, <i>D</i> -wave	4–14 %
Γ_9 $N\rho$	(21 ± 9) %
Γ_{10} $N\rho$, <i>S</i> =1/2	(5.0 ± 3.0) %
Γ_{11} $N\rho$, <i>S</i> =3/2, <i>S</i> -wave	32–44 %
Γ_{12} $N\rho$, <i>S</i> =3/2, <i>D</i> -wave	(16 ± 8) %
Γ_{13} $N\sigma$	2–14 %
Γ_{14} $N(1440)\pi$	3–11 %
Γ_{15} $N(1520)\pi$	<4 %
Γ_{16} $N(1535)\pi$	< 1 %
Γ_{17} $p\gamma$	0.01–0.05 %
Γ_{18} $p\gamma$, helicity=1/2	0.0–0.024 %
Γ_{19} $p\gamma$, helicity=3/2	0.002–0.026 %

Γ_{20}	$n\gamma$	0.01–0.13 %
Γ_{21}	$n\gamma$, helicity=1/2	0.0–0.09 %
Γ_{22}	$n\gamma$, helicity=3/2	0.01–0.05 %

$N(1700)$ BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$ Γ_1/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
7 to 17 (≈ 12) OUR ESTIMATE			
20 ± 8	SEIFEN	25	DPWA Multichannel
3.7 \pm 0.1	¹ HUNT	19	DPWA Multichannel
11 ± 5	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
8 ± 3	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
15 ± 6	SOKHOYAN	15A	DPWA Multichannel
2.8 \pm 0.5	¹ SHRESTHA	12A	DPWA Multichannel
9 ± 6	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
4 ± 2	VRANA	00	DPWA Multichannel

¹Statistical error only.

$\Gamma(N\eta)/\Gamma_{\text{total}}$ Γ_2/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1–2 % OUR ESTIMATE			
1 ± 1	MUELLER	20	DPWA Multichannel
1.1 \pm 0.6	¹ HUNT	19	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
14 ± 5	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
10 ± 5	THOMA	08	DPWA Multichannel
0 ± 1	VRANA	00	DPWA Multichannel

¹Statistical error only.

$\Gamma(N\omega)/\Gamma_{\text{total}}$ Γ_3/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
22 \pm 12	DENISENKO	16	DPWA Multichannel

$\Gamma(\Lambda K)/\Gamma_{\text{total}}$ Γ_4/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1–2 % OUR ESTIMATE			
1.3 \pm 0.7	¹ HUNT	19	DPWA Multichannel

¹Statistical error only.

$\Gamma(\Delta(1232)\pi)/\Gamma_{\text{total}}$ Γ_6/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
58\pm8	SARANTSEV	25	DPWA Multichannel

$\Gamma(\Delta(1232)\pi, S\text{-wave})/\Gamma_{\text{total}}$ Γ_7/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
54 ± 8	SARANTSEV	25	DPWA Multichannel
66 ± 17	SEIFEN	25	DPWA Multichannel
11 ± 8	¹ HUNT	19	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

65 ± 15	SOKHOYAN	15A	DPWA	Multichannel
31 ± 9	¹ SHRESTHA	12A	DPWA	Multichannel
11 ± 1	VRANA	00	DPWA	Multichannel

¹Statistical error only.

$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$

Γ_8/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4 ± 2	SARANTSEV	25	DPWA Multichannel
7 ± 4	SEIFEN	25	DPWA Multichannel
13 ± 5	¹ HUNT	19	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

9 ± 5	SOKHOYAN	15A	DPWA	Multichannel
3 ± 2	¹ SHRESTHA	12A	DPWA	Multichannel
79 ± 56	VRANA	00	DPWA	Multichannel

¹Statistical error only.

$\Gamma(N\rho)/\Gamma_{\text{total}}$

Γ_9/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
21 ± 9	SARANTSEV	25	DPWA Multichannel

$\Gamma(N\rho, S=1/2)/\Gamma_{\text{total}}$

Γ_{10}/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
5 ± 3	SARANTSEV	25	DPWA Multichannel

$\Gamma(N\rho, S=3/2, S\text{-wave})/\Gamma_{\text{total}}$

Γ_{11}/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
7.5 ± 3.6	¹ HUNT	19	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

38 ± 6	¹ SHRESTHA	12A	DPWA	Multichannel
7 ± 1	VRANA	00	DPWA	Multichannel

¹Statistical error only.

$\Gamma(N\rho, S=3/2, D\text{-wave})/\Gamma_{\text{total}}$

Γ_{12}/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
16 ± 8	SARANTSEV	25	DPWA Multichannel

$\Gamma(N\sigma)/\Gamma_{\text{total}}$

Γ_{13}/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2 ± 2	SARANTSEV	25	DPWA Multichannel
6 ± 4	SEIFEN	25	DPWA Multichannel
62 ± 9	¹ HUNT	19	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

8 ± 6	SOKHOYAN	15A	DPWA	Multichannel
24 ± 6	¹ SHRESTHA	12A	DPWA	Multichannel
18 ± 12	THOMA	08	DPWA	Multichannel
0 ± 1	VRANA	00	DPWA	Multichannel

¹Statistical error only.

$\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$ Γ_{14}/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
9±5	SEIFEN	25	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
7±4	SOKHOYAN	15A	DPWA Multichannel

 $\Gamma(N(1520)\pi)/\Gamma_{\text{total}}$ Γ_{15}/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
<2	SEIFEN	25	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
<4	SOKHOYAN	15A	DPWA Multichannel

 $\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$ Γ_{16}/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
<1	SEIFEN	25	DPWA Multichannel

 $N(1700)$ PHOTON DECAY AMPLITUDES AT THE POLE **$N(1700) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
0.035±0.014	-20 ± 35	SARANTSEV	25	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.047±0.016	75 ± 30	SOKHOYAN	15A	DPWA Multichannel

 $N(1700) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
-0.100±0.030	5 ± 20	SARANTSEV	25	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
-0.041±0.014	0 ± 20	SOKHOYAN	15A	DPWA Multichannel

 $N(1700)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES **$N(1700) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.032±0.013	SARANTSEV	25	DPWA Multichannel
0.032±0.005	¹ HUNT	19	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.041±0.017	ANISOVICH	12A	DPWA Multichannel
0.021±0.005	¹ SHRESTHA	12A	DPWA Multichannel

¹Statistical error only. **$N(1700) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$**

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.090±0.025	SARANTSEV	25	DPWA Multichannel
0.034±0.006	¹ HUNT	19	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-0.037±0.014	SOKHOYAN	15A	DPWA Multichannel
0.050±0.009	¹ SHRESTHA	12A	DPWA Multichannel

¹Statistical error only.

$N(1700) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.005 ± 0.011	¹ HUNT	19	DPWA Multichannel
0.025 ± 0.010	ANISOVICH	13B	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-0.049 ± 0.008	¹ SHRESTHA	12A	DPWA Multichannel
¹ Statistical error only.			

 $N(1700) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.094 ± 0.017	¹ HUNT	19	DPWA Multichannel
-0.032 ± 0.018	ANISOVICH	13B	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-0.092 ± 0.014	¹ SHRESTHA	12A	DPWA Multichannel
¹ Statistical error only.			

 $N(1700)$ REFERENCESFor early references, see *Physics Letters* **111B** 1 (1982).

SARANTSEV	25	PR C112 015202	A.V. Sarantsev <i>et al.</i>	(Bonn-Gatchina Collab.)
SEIFEN	25	EPJ A61 173	T. Seifen <i>et al.</i>	(CBELSA/TAPS Collab.)
MUELLER	20	PL B803 135323	J. Mueller <i>et al.</i>	(CBELSA/TAPS Collab.)
HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
DENISENKO	16	PL B755 97	I. Denisenko <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
THOMA	08	PL B659 87	U. Thoma <i>et al.</i>	(CB-ELSA Collab.)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP