

$N(1895) 1/2^-$ $I(J^P) = \frac{1}{2}(\frac{1}{2}^-)$ Status: ****was $N(2090)$

Before our 2012 *Review*, this state appeared in our Listings as the $N(2090)$. Any structure in the S_{11} wave above 1800 MeV is listed here. A few early results that are now obsolete have been omitted.

 $N(1895)$ POLE POSITION**REAL PART**

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|------------------------|-------------|---|
| 1890 to 1930 (≈ 1910) OUR ESTIMATE | | | |
| 1905 \pm 15 | SARANTSEV | 25 | DPWA Multichannel |
| 1907 \pm 10 | AFZAL | 20 | DPWA Multichannel |
| 1906 \pm 17 | ¹ ANISOVICH | 17A | L+P $\gamma p, \pi^- p \rightarrow K \Lambda$ |
| 1917 \pm 19 \pm 1 | ² SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 1956 | HUNT | 19 | DPWA Multichannel |
| 1907 \pm 10 | SOKHOYAN | 15A | DPWA Multichannel |
| 1797 \pm 26 | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| 1795 | VRANA | 00 | DPWA Multichannel |
| 2150 \pm 70 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |

¹Statistical error only.²Fit to the amplitudes of HOEHLER 79.**-2xIMAGINARY PART**

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|------------------------|-------------|---|
| 80 to 140 (≈ 110) OUR ESTIMATE | | | |
| 185 \pm 25 | SARANTSEV | 25 | DPWA Multichannel |
| 100 ⁺ ₋ 40 10 | AFZAL | 20 | DPWA Multichannel |
| 100 \pm 10 | ¹ ANISOVICH | 17A | L+P $\gamma p, \pi^- p \rightarrow K \Lambda$ |
| 101 \pm 36 \pm 1 | ^{1,2} SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 449 | HUNT | 19 | DPWA Multichannel |
| 100 ⁺ ₋ 40 15 | SOKHOYAN | 15A | DPWA Multichannel |
| 420 \pm 45 | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| 220 | VRANA | 00 | DPWA Multichannel |
| 350 \pm 100 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |

¹Statistical error only.²Fit to the amplitudes of HOEHLER 79.

$N(1895)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|--------------------------------------|
| 1 to 5 (≈ 3) OUR ESTIMATE | | | |
| 3 ± 2 | SOKHOYAN | 15A | DPWA Multichannel |
| 3.1 ± 1.4 | ¹ SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 1 ± 1 | ANISOVICH | 12A | DPWA Multichannel |
| 60 | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| 40 ± 20 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |

¹Fit to the amplitudes of HOEHLER 79.**PHASE θ**

| <u>VALUE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|--------------------------------------|
| 125 ± 45 | SOKHOYAN | 15A | DPWA Multichannel |
| $-107 \pm 23 \pm 2$ | ¹ SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| 0 ± 90 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| -164 | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |

¹Fit to the amplitudes of HOEHLER 79. **$N(1895)$ INELASTIC POLE RESIDUE**The "normalized residue" is the residue divided by $\Gamma_{pole}/2$.**Normalized residue in $N\pi \rightarrow N(1895) \rightarrow \Lambda K$**

| <u>MODULUS</u> | <u>PHASE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|------------------------------------|------------------------|-------------|--|
| 0.09 ± 0.03 | 8 ± 30 | ANISOVICH | 17A | DPWA Multichannel |
| 0.06 ± 0.02 | 87 ± 27 | ¹ ANISOVICH | 17A | L+P $\gamma p, \pi^- p \rightarrow K\Lambda$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.05 ± 0.02 | -90 ± 30 | ANISOVICH | 12A | DPWA Multichannel |

¹Statistical error only.**Normalized residue in $N\pi \rightarrow N(1895) \rightarrow \Sigma K$**

| <u>MODULUS</u> | <u>PHASE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-----------------|------------------------------------|--------------------|-------------|-------------------|
| 0.06 ± 0.02 | 40 ± 30 | ANISOVICH | 12A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1895) \rightarrow \Delta(1232)\pi$

| <u>MODULUS</u> | <u>PHASE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|------------------|------------------------------------|--------------------|-------------|-------------------|
| 0.05 ± 0.025 | -100 ± 45 | SOKHOYAN | 15A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1895) \rightarrow N(1440)\pi$

| <u>MODULUS</u> | <u>PHASE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|------------------|------------------------------------|--------------------|-------------|-------------------|
| 0.05 ± 0.025 | -100 ± 45 | SOKHOYAN | 15A | DPWA Multichannel |

$N(1895)$ BREIT-WIGNER MASS

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|---|---------------------------|------|--|
| 1870 to 1920 (≈ 1895) OUR ESTIMATE | | | |
| 1907 ± 15 | SARANTSEV 25 | DPWA | Multichannel |
| 2000 ± 29 | ¹ HUNT 19 | DPWA | Multichannel |
| 1890^{+9}_{-23} | KASHEVAROV 17 | DPWA | $\gamma p \rightarrow \eta p, \eta' p$ |
| 1880 ± 20 | HOEHLER 79 | IPWA | $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 1905 ± 12 | SOKHOYAN 15A | DPWA | Multichannel |
| 1910 ± 15 | ¹ SHRESTHA 12A | DPWA | Multichannel |
| 1812 ± 25 | BATINIC 10 | DPWA | $\pi N \rightarrow N\pi, N\eta$ |
| 1822 ± 43 | VRANA 00 | DPWA | Multichannel |
| 2180 ± 80 | CUTKOSKY 80 | IPWA | $\pi N \rightarrow \pi N$ |
| ¹ Statistical error only. | | | |

 $N(1895)$ BREIT-WIGNER WIDTH

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|---|---------------------------|------|--|
| 80 to 200 (≈ 120) OUR ESTIMATE | | | |
| 195 ± 20 | SARANTSEV 25 | DPWA | Multichannel |
| 466 ± 72 | ¹ HUNT 19 | DPWA | Multichannel |
| 150 ± 57 | KASHEVAROV 17 | DPWA | $\gamma p \rightarrow \eta p, \eta' p$ |
| 95 ± 30 | HOEHLER 79 | IPWA | $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 100^{+30}_{-10} | SOKHOYAN 15A | DPWA | Multichannel |
| 502 ± 47 | ¹ SHRESTHA 12A | DPWA | Multichannel |
| 405 ± 40 | BATINIC 10 | DPWA | $\pi N \rightarrow N\pi, N\eta$ |
| 248 ± 185 | VRANA 00 | DPWA | Multichannel |
| 350 ± 100 | CUTKOSKY 80 | IPWA | $\pi N \rightarrow \pi N$ |
| ¹ Statistical error only. | | | |

 $N(1895)$ DECAY MODES

| Mode | Fraction (Γ_i/Γ) |
|------------------------------|--------------------------------|
| Γ_1 $N\pi$ | 2–18 % |
| Γ_2 $N\eta$ | 15–45 % |
| Γ_3 $N\eta'$ | 10–40 % |
| Γ_4 $N\omega$ | 16–40 % |
| Γ_5 ΛK | 3–23 % |
| Γ_6 ΣK | 6–20 % |
| Γ_7 $N\pi\pi$ | 17–74 % |
| Γ_8 $\Delta(1232)\pi$ | 3–11 % |
| Γ_9 $N\rho$ | 14–50 % |
| Γ_{10} $N\rho, S=1/2$ | <18 % |
| Γ_{11} $N\rho, S=3/2$ | 14–32 % |

| | | |
|---------------|--------------------------|--------------|
| Γ_{12} | $N\sigma$ | <13 % |
| Γ_{13} | $N(1440)\pi$ | 2–12 % |
| Γ_{14} | $\Lambda K^*(892)$ | 4–9 % |
| Γ_{15} | $p\gamma$, helicity=1/2 | 0.01–0.06 % |
| Γ_{16} | $n\gamma$, helicity=1/2 | 0.003–0.05 % |

$N(1895)$ BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$ Γ_1/Γ

| VALUE (%) | DOCUMENT ID | TECN | COMMENT |
|---|-----------------------|------|--------------------------------------|
| 2–18 % OUR ESTIMATE | | | |
| 6 ± 4 | SEIFEN | 25 | DPWA Multichannel |
| 8 ± 4 | ¹ HUNT | 19 | DPWA Multichannel |
| 9 ± 5 | HOEHLER | 79 | IPWA $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 2.5 ± 1.5 | SOKHOYAN | 15A | DPWA Multichannel |
| 17 ± 2 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| 32 ± 6 | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| 17 ± 3 | VRANA | 00 | DPWA Multichannel |
| 18 ± 8 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |

¹Statistical error only.

$\Gamma(N\eta)/\Gamma_{\text{total}}$ Γ_2/Γ

| VALUE (%) | DOCUMENT ID | TECN | COMMENT |
|---|-------------------------|------|---|
| 15–45 % OUR ESTIMATE | | | |
| 10 ± 5 | MUELLER | 20 | DPWA Multichannel |
| 37 ± 9 | ¹ HUNT | 19 | DPWA Multichannel |
| 10 ± 5 | ANISOVICH | 17C | DPWA Multichannel |
| 20 ± 6 | ² KASHEVAROV | 17 | DPWA $\gamma p \rightarrow \eta p, \eta' p$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 21 ± 6 | ANISOVICH | 12A | DPWA Multichannel |
| 40 ± 4 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| 22 ± 10 | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| 41 ± 4 | VRANA | 00 | DPWA Multichannel |

¹Statistical error only.

²Assuming $A_{1/2} = -0.030 \text{ GeV}^{-1/2}$.

$\Gamma(N\eta')/\Gamma_{\text{total}}$ Γ_3/Γ

| VALUE (%) | DOCUMENT ID | TECN | COMMENT |
|-----------------------------|-------------------------|------|---|
| 10–40 % OUR ESTIMATE | | | |
| 13 ± 5 | ANISOVICH | 17C | DPWA Multichannel |
| 38 ± 20 | ¹ KASHEVAROV | 17 | DPWA $\gamma p \rightarrow \eta p, \eta' p$ |

¹Assuming $A_{1/2} = -0.030 \text{ GeV}^{-1/2}$.

$\Gamma(N\omega)/\Gamma_{\text{total}}$ Γ_4/Γ

| VALUE (%) | DOCUMENT ID | TECN | COMMENT |
|-----------------------------|-------------|------|-------------------|
| 16–40 % OUR ESTIMATE | | | |
| 28 ± 12 | DENISENKO | 16 | DPWA Multichannel |

$\Gamma(\Lambda K)/\Gamma_{\text{total}}$ Γ_5/Γ

| VALUE (%) | DOCUMENT ID | TECN | COMMENT |
|---|-----------------------|------|-------------------|
| 3-23 % OUR ESTIMATE | | | |
| 7 ±4 | ¹ HUNT | 19 | DPWA Multichannel |
| 18 ±5 | ANISOVICH | 12A | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 1.8±0.8 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| ¹ Statistical error only. | | | |

$\Gamma(\Sigma K)/\Gamma_{\text{total}}$ Γ_6/Γ

| VALUE (%) | DOCUMENT ID | TECN | COMMENT |
|----------------------------|-------------|------|-------------------|
| 6-20 % OUR ESTIMATE | | | |
| 13±7 | ANISOVICH | 12A | DPWA Multichannel |

$\Gamma(\Delta(1232)\pi)/\Gamma_{\text{total}}$ Γ_8/Γ

| VALUE (%) | DOCUMENT ID | TECN | COMMENT |
|---|-----------------------|------|-------------------|
| 3-11 % OUR ESTIMATE | | | |
| 8±3 | SARANTSEV | 25 | DPWA Multichannel |
| 5±3 | SEIFEN | 25 | DPWA Multichannel |
| <10 | ¹ HUNT | 19 | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 7±4 | SOKHOYAN | 15A | DPWA Multichannel |
| 7±3 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| 1±1 | VRANA | 00 | DPWA Multichannel |
| ¹ Statistical error only. | | | |

$\Gamma(N\rho)/\Gamma_{\text{total}}$ Γ_9/Γ

| VALUE (%) | DOCUMENT ID | TECN | COMMENT |
|--------------|-------------|------|-------------------|
| 43±15 | | | |
| | SARANTSEV | 25 | DPWA Multichannel |

$\Gamma(N\rho, S=1/2)/\Gamma_{\text{total}}$ Γ_{10}/Γ

| VALUE (%) | DOCUMENT ID | TECN | COMMENT |
|---|-----------------------|------|-------------------|
| <18 % OUR ESTIMATE | | | |
| 18±5 | SARANTSEV | 25 | DPWA Multichannel |
| <18 | ¹ HUNT | 19 | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| < 2 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| 36±1 | VRANA | 00 | DPWA Multichannel |
| ¹ Statistical error only. | | | |

$\Gamma(N\rho, S=3/2)/\Gamma_{\text{total}}$ Γ_{11}/Γ

| VALUE (%) | DOCUMENT ID | TECN | COMMENT |
|---|-----------------------|------|-------------------|
| 14-32 % OUR ESTIMATE | | | |
| 25±14 | SARANTSEV | 25 | DPWA Multichannel |
| 23± 9 | ¹ HUNT | 19 | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 9± 3 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| 1± 1 | VRANA | 00 | DPWA Multichannel |
| ¹ Statistical error only. | | | |

| $\Gamma(N\sigma)/\Gamma_{\text{total}}$ | | | | | Γ_{12}/Γ |
|---|-----------------------|-------------|----------------|--------------|----------------------|
| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | | |
| <13 % OUR ESTIMATE | | | | | |
| 18±6 | SARANTSEV | 25 | DPWA | Multichannel | |
| 11±7 | SEIFEN | 25 | DPWA | Multichannel | |
| <13 | ¹ HUNT | 19 | DPWA | Multichannel | |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | | |
| < 2 | ¹ SHRESTHA | 12A | DPWA | Multichannel | |
| 2±1 | VRANA | 00 | DPWA | Multichannel | |
| ¹ Statistical error only. | | | | | |

| $\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$ | | | | | Γ_{13}/Γ |
|---|-----------------------|-------------|----------------|--------------|----------------------|
| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | | |
| 2-12 % OUR ESTIMATE | | | | | |
| 2 ±2 | SEIFEN | 25 | DPWA | Multichannel | |
| 7 ±5 | ¹ HUNT | 19 | DPWA | Multichannel | |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | | |
| 2.5±1.5 | SOKHOYAN | 15A | DPWA | Multichannel | |
| 24 ±4 | ¹ SHRESTHA | 12A | DPWA | Multichannel | |
| 2 ±1 | VRANA | 00 | DPWA | Multichannel | |
| ¹ Statistical error only. | | | | | |

| $\Gamma(\Lambda K^*(892))/\Gamma_{\text{total}}$ | | | | | Γ_{14}/Γ |
|--|--------------------|-------------|----------------|--------------|----------------------|
| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | | |
| 4-9 % OUR ESTIMATE | | | | | |
| 6.3±2.5 | ANISOVICH | 17B | DPWA | Multichannel | |

$N(1895)$ PHOTON DECAY AMPLITUDES AT THE POLE

$N(1895) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

| <u>MODULUS ($\text{GeV}^{-1/2}$)</u> | <u>PHASE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
|---|------------------------------------|--------------------|-------------|----------------|--------------|
| 0.021±0.006 | 150 ± 30 | SARANTSEV | 25 | DPWA | Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | | |
| 0.015±0.006 | 145 ± 35 | SOKHOYAN | 15A | DPWA | Multichannel |

$N(1895) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

| <u>MODULUS ($\text{GeV}^{-1/2}$)</u> | <u>PHASE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
|---|------------------------------------|--------------------|-------------|----------------|--------------|
| -0.015±0.010 | 60 ± 25 | ANISOVICH | 17E | DPWA | Multichannel |

$N(1895)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

$N(1895) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

| <u>VALUE ($\text{GeV}^{-1/2}$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
|---|-----------------------|-------------|----------------|--------------|
| -0.021±0.008 | SARANTSEV | 25 | DPWA | Multichannel |
| 0.017±0.005 | ¹ HUNT | 19 | DPWA | Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| -0.016±0.006 | SOKHOYAN | 15A | DPWA | Multichannel |
| 0.012±0.006 | ¹ SHRESTHA | 12A | DPWA | Multichannel |
| ¹ Statistical error only. | | | | |

$N(1895) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

| <u>VALUE (GeV^{-1/2})</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|-----------------------|-------------|-------------------|
| 0.002 ± 0.013 | ¹ HUNT | 19 | DPWA Multichannel |
| -0.014 ± 0.010 | ANISOVICH | 17E | DPWA Multichannel |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 0.013 ± 0.006 | ANISOVICH | 13B | DPWA Multichannel |
| 0.003 ± 0.007 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| ¹ Statistical error only. | | | |

 $N(1895)$ REFERENCES

| | | | | |
|------------|-----|------------------|--------------------------------------|-------------------------|
| SARANTSEV | 25 | PR C112 015202 | A.V. Sarantsev <i>et al.</i> | (Bonn-Gatchina Collab.) |
| SEIFEN | 25 | EPJ A61 173 | T. Seifen <i>et al.</i> | (CBELSA/TAPS Collab.) |
| AFZAL | 20 | PRL 125 152002 | F. Afzal <i>et al.</i> | (CBELSA/TAPS Collab.) |
| MUELLER | 20 | PL B803 135323 | J. Mueller <i>et al.</i> | (CBELSA/TAPS Collab.) |
| HUNT | 19 | PR C99 055205 | B.C. Hunt, D.M. Manley | |
| ANISOVICH | 17A | PRL 119 062004 | A.V. Anisovich <i>et al.</i> | |
| ANISOVICH | 17B | PL B771 142 | A.V. Anisovich <i>et al.</i> | |
| ANISOVICH | 17C | PL B772 247 | A.V. Anisovich <i>et al.</i> | |
| ANISOVICH | 17E | PR C96 055202 | A.V. Anisovich <i>et al.</i> | (BONN, PNPI, JLAB+) |
| KASHEVAROV | 17 | PRL 118 212001 | V.L. Kashevarov <i>et al.</i> | (A2/MAMI Collab.) |
| DENISENKO | 16 | PL B755 97 | I. Denisenko <i>et al.</i> | |
| SOKHOYAN | 15A | EPJ A51 95 | V. Sokhoyan <i>et al.</i> | (CBELSA/TAPS Collab.) |
| SVARC | 14 | PR C89 045205 | A. Svarc <i>et al.</i> | (RBI Zagreb, UNI Tuzla) |
| ANISOVICH | 13B | EPJ A49 67 | A.V. Anisovich <i>et al.</i> | |
| ANISOVICH | 12A | EPJ A48 15 | A.V. Anisovich <i>et al.</i> | (BONN, PNPI) |
| SHRESTHA | 12A | PR C86 055203 | M. Shrestha, D.M. Manley | (KSU) |
| BATINIC | 10 | PR C82 038203 | M. Batinic <i>et al.</i> | (ZAGR) |
| VRANA | 00 | PRPL 328 181 | T.P. Vrana, S.A. Dytman, T.-S.H. Lee | (PITT, ANL) |
| CUTKOSKY | 80 | Toronto Conf. 19 | R.E. Cutkosky <i>et al.</i> | (CMU, LBL) IJP |
| Also | | PR D20 2839 | R.E. Cutkosky <i>et al.</i> | (CMU, LBL) |
| HOEHLER | 79 | PDAT 12-1 | G. Hohler <i>et al.</i> | (KARLT) IJP |
| Also | | Toronto Conf. 3 | R. Koch | (KARLT) IJP |