

**$N(2000) 5/2^+$**  $I(J^P) = \frac{1}{2}(5/2^+)$  Status: \*\*

OMITTED FROM SUMMARY TABLE  
was  $N(1900)$

Before the 2012 *Review*, all the evidence for a  $J^P = 5/2^+$  state with a mass above 1800 MeV was filed under a two-star  $N(2000)$ . There is now some evidence from ANISOVICH 12A for two  $5/2^+$  states in this region, so we have split the older data (according to mass) between two two-star  $5/2^+$  states, an  $N(1860)$  and an  $N(2000)$ .

---

### $N(2000)$ POLE POSITION

#### REAL PART

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$1990 \pm 40$	SARANTSEV	25	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$2030 \pm 40$	SOKHOYAN	15A	DPWA Multichannel
1900	SHKLYAR	13	DPWA Multichannel

#### –2×IMAGINARY PART

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$480 \pm 60$	SARANTSEV	25	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$380 \pm 60$	SOKHOYAN	15A	DPWA Multichannel
123	SHKLYAR	13	DPWA Multichannel

---

### $N(2000)$ ELASTIC POLE RESIDUE

#### MODULUS $|r|$

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$18 \pm 8$	SOKHOYAN	15A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
11	SHKLYAR	13	DPWA Multichannel
$35^{+80}_{-15}$	ANISOVICH	12A	DPWA Multichannel

#### PHASE $\theta$

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$-150 \pm 40$	SOKHOYAN	15A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
– 6	SHKLYAR	13	DPWA Multichannel
$-100 \pm 40$	ANISOVICH	12A	DPWA Multichannel

---

**$N(2000)$  INELASTIC POLE RESIDUE**

The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .

**Normalized residue in  $N\pi \rightarrow N(2000) \rightarrow \Delta(1232)\pi$ ,  $P$ -wave**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.16 \pm 0.06$	$100 \pm 50$	SOKHOYAN	15A DPWA	Multichannel

**Normalized residue in  $N\pi \rightarrow N(2000) \rightarrow \Delta(1232)\pi$ ,  $F$ -wave**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.20 \pm 0.10$	$-20 \pm 45$	SOKHOYAN	15A DPWA	Multichannel

**Normalized residue in  $N\pi \rightarrow N(2000) \rightarrow N\sigma$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.12 \pm 0.06$	$80 \pm 40$	SOKHOYAN	15A DPWA	Multichannel

**Normalized residue in  $N\pi \rightarrow N(2000) \rightarrow N(1520)\pi$ ,  $D$ -wave**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.17 \pm 0.09$	$-60 \pm 35$	SOKHOYAN	15A DPWA	Multichannel

 **$N(2000)$  BREIT-WIGNER MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$2050 \pm 40$	SARANTSEV 25	DPWA	Multichannel
$1946 \pm 4$	<sup>1</sup> SHKLYAR 13	DPWA	Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$2060 \pm 30$	SOKHOYAN 15A	DPWA	Multichannel

<sup>1</sup>Statistical error only.

 **$N(2000)$  BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$500 \pm 60$	SARANTSEV 25	DPWA	Multichannel
$198 \pm 2$	<sup>2</sup> SHKLYAR 13	DPWA	Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$390 \pm 55$	SOKHOYAN 15A	DPWA	Multichannel

<sup>2</sup>Statistical error only.

 **$N(2000)$  DECAY MODES**

	<u>Mode</u>	<u>Fraction (<math>\Gamma_i/\Gamma</math>)</u>
$\Gamma_1$	$N\pi$	6–10 %
$\Gamma_2$	$N\eta$	<4 %
$\Gamma_3$	$N\omega$	<2 %
$\Gamma_4$	$N\pi\pi$	35–90 %
$\Gamma_5$	$\Delta(1232)\pi$	30–80 %
$\Gamma_6$	$\Delta(1232)\pi$ , $P$ -wave	12–32 %
$\Gamma_7$	$\Delta(1232)\pi$ , $F$ -wave	19–49 %

$\Gamma_8$	$N\rho$	(15 ± 4 ) %
$\Gamma_9$	$N\rho, S=1/2$	( 8.0±3.0) %
$\Gamma_{10}$	$N\rho, S=3/2, P\text{-wave}$	( 7.0±3.0) %
$\Gamma_{11}$	$N\sigma$	5–15 %
$\Gamma_{12}$	$N(1520)\pi, D\text{-wave}$	11–31 %
$\Gamma_{13}$	$N(1680)\pi, P\text{-wave}$	17–25 %
$\Gamma_{14}$	$\Lambda K^*(892)$	1–3 %
$\Gamma_{15}$	$p\gamma$	0.01–0.08 %
$\Gamma_{16}$	$p\gamma, \text{helicity}=1/2$	0.003–0.031 %
$\Gamma_{17}$	$p\gamma, \text{helicity}=3/2$	0.008–0.048 %
$\Gamma_{18}$	$n\gamma$	0.002–0.07 %
$\Gamma_{19}$	$n\gamma, \text{helicity}=1/2$	<0.017 %
$\Gamma_{20}$	$n\gamma, \text{helicity}=3/2$	0.001–0.056 %

### N(2000) BRANCHING RATIOS

#### $\Gamma(N\pi)/\Gamma_{\text{total}}$ $\Gamma_1/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>6 to 10 (≈ 8) OUR ESTIMATE</b>			
11±5	SEIFEN	25	DPWA Multichannel
10±1	<sup>3</sup> SHKLYAR	13	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
8±4	SOKHOYAN	15A	DPWA Multichannel
<sup>3</sup> Statistical error only.			

#### $\Gamma(N\eta)/\Gamma_{\text{total}}$ $\Gamma_2/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2±2	MUELLER	20	DPWA Multichannel
2±2	<sup>4</sup> SHKLYAR	13	DPWA Multichannel
<sup>4</sup> Statistical error only.			

#### $\Gamma(N\omega)/\Gamma_{\text{total}}$ $\Gamma_3/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
18±8	DENISENKO	16	DPWA Multichannel
1±1	<sup>5</sup> SHKLYAR	13	DPWA Multichannel
<sup>5</sup> Statistical error only.			

#### $\Gamma(\Delta(1232)\pi)/\Gamma_{\text{total}}$ $\Gamma_5/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>25±6</b>	SARANTSEV	25	DPWA Multichannel

#### $\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}}$ $\Gamma_6/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
8 ± 4	SARANTSEV	25	DPWA Multichannel
9 ± 4	SEIFEN	25	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
22±10	SOKHOYAN	15A	DPWA Multichannel

**$\Gamma(\Delta(1232)\pi, F\text{-wave})/\Gamma_{\text{total}}$   $\Gamma_7/\Gamma$**

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
17 ± 4	SARANTSEV 25	DPWA	Multichannel
16 ± 4	SEIFEN 25	DPWA	Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
34 ± 15	SOKHOYAN 15A	DPWA	Multichannel

**$\Gamma(N\rho)/\Gamma_{\text{total}}$   $\Gamma_8/\Gamma$**

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>15 ± 4</b>	SARANTSEV 25	DPWA	Multichannel

**$\Gamma(N\rho, S=1/2)/\Gamma_{\text{total}}$   $\Gamma_9/\Gamma$**

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>8 ± 3</b>	SARANTSEV 25	DPWA	Multichannel

**$\Gamma(N\rho, S=3/2, P\text{-wave})/\Gamma_{\text{total}}$   $\Gamma_{10}/\Gamma$**

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>7 ± 3</b>	SARANTSEV 25	DPWA	Multichannel

**$\Gamma(N\sigma)/\Gamma_{\text{total}}$   $\Gamma_{11}/\Gamma$**

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
28 ± 10	SARANTSEV 25	DPWA	Multichannel
28 ± 15	SEIFEN 25	DPWA	Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
10 ± 5	SOKHOYAN 15A	DPWA	Multichannel

**$\Gamma(N(1520)\pi, D\text{-wave})/\Gamma_{\text{total}}$   $\Gamma_{12}/\Gamma$**

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2 ± 2	SEIFEN 25	DPWA	Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
21 ± 10	SOKHOYAN 15A	DPWA	Multichannel

**$\Gamma(N(1680)\pi, P\text{-wave})/\Gamma_{\text{total}}$   $\Gamma_{13}/\Gamma$**

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
28 ± 9	SEIFEN 25	DPWA	Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
16 ± 9	SOKHOYAN 15A	DPWA	Multichannel

**$\Gamma(\Lambda K^*(892))/\Gamma_{\text{total}}$   $\Gamma_{14}/\Gamma$**

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1-3 % OUR EVALUATION</b>			
2.2 ± 1.0	ANISOVICH 17B	DPWA	Multichannel

**$N(2000)$  PHOTON DECAY AMPLITUDES AT THE POLE** **$N(2000) \rightarrow p\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

<u>MODULUS (<math>\text{GeV}^{-1/2}</math>)</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.033 \pm 0.006$	$35 \pm 25$	SARANTSEV	25	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
$0.033 \pm 0.010$	$15 \pm 25$	SOKHOYAN	15A	DPWA Multichannel

 **$N(2000) \rightarrow p\gamma$ , helicity-3/2 amplitude  $A_{3/2}$** 

<u>MODULUS (<math>\text{GeV}^{-1/2}</math>)</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.043 \pm 0.012$	$-100 \pm 30$	SARANTSEV	25	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
$0.045 \pm 0.008$	$-140 \pm 25$	SOKHOYAN	15A	DPWA Multichannel

 **$N(2000) \rightarrow n\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

<u>MODULUS (<math>\text{GeV}^{-1/2}</math>)</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.019 \pm 0.010$	$-80 \pm 40$	ANISOVICH	17E	DPWA Multichannel

 **$N(2000) \rightarrow n\gamma$ , helicity-3/2 amplitude  $A_{3/2}$** 

<u>MODULUS (<math>\text{GeV}^{-1/2}</math>)</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.011 \pm 0.005$	$82 \pm 30$	ANISOVICH	17E	DPWA Multichannel

 **$N(2000)$  BREIT-WIGNER PHOTON DECAY AMPLITUDES** **$N(2000) \rightarrow p\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

<u>VALUE (<math>\text{GeV}^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.033 \pm 0.006$	SARANTSEV	25	DPWA Multichannel
$0.011 \pm 0.001$	<sup>6</sup> SHKLYAR	13	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$0.031 \pm 0.010$	SOKHOYAN	15A	DPWA Multichannel

<sup>6</sup>Statistical error only. **$N(2000) \rightarrow p\gamma$ , helicity-3/2 amplitude  $A_{3/2}$** 

<u>VALUE (<math>\text{GeV}^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$-0.044 \pm 0.012$	SARANTSEV	25	DPWA Multichannel
$0.025 \pm 0.001$	<sup>7</sup> SHKLYAR	13	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$-0.043 \pm 0.008$	SOKHOYAN	15A	DPWA Multichannel

<sup>7</sup>Statistical error only. **$N(2000) \rightarrow n\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

<u>VALUE (<math>\text{GeV}^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$-0.018 \pm 0.012$	ANISOVICH	13B	DPWA Multichannel

 **$N(2000) \rightarrow n\gamma$ , helicity-3/2 amplitude  $A_{3/2}$** 

<u>VALUE (<math>\text{GeV}^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$-0.035 \pm 0.020$	ANISOVICH	13B	DPWA Multichannel

## ***N*(2000) REFERENCES**

SARANTSEV	25	PR C112 015202	A.V. Sarantsev <i>et al.</i>	(Bonn-Gatchina Collab.)
SEIFEN	25	EPJ A61 173	T. Seifen <i>et al.</i>	(CBELSA/TAPS Collab.)
MUELLER	20	PL B803 135323	J. Mueller <i>et al.</i>	(CBELSA/TAPS Collab.)
ANISOVICH	17B	PL B771 142	A.V. Anisovich <i>et al.</i>	
ANISOVICH	17E	PR C96 055202	A.V. Anisovich <i>et al.</i>	(BONN, PNPI, JLAB+)
DENISENKO	16	PL B755 97	I. Denisenko <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
SHKLYAR	13	PR C87 015201	V. Shklyar, H. Lenske, U. Mosel	(GIES)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)

---