



$$I^G(J^{PC}) = 0^+(0^{-+})$$

We have omitted some results that have been superseded by later experiments. The omitted results may be found in our 1988 edition Physics Letters **B204** (1988).

η MASS

Recent measurements resolve the obvious inconsistency in previous η mass measurements in favor of the higher value first reported by NA48 (LAI 02). We use only precise measurements consistent with this higher mass value for our η mass average.

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
547.862±0.017 OUR AVERAGE				
547.865±0.031±0.062		NIKOLAEV	14	CRYB $\gamma p \rightarrow p\eta$
547.873±0.005±0.027	1M	GOSLAWSKI	12	SPEC $d p \rightarrow {}^3\text{He}\eta$
547.874±0.007±0.029		AMBROSINO	07B	KLOE $e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
547.785±0.017±0.057	16k	MILLER	07	CLEO $\psi(2S) \rightarrow J/\psi\eta$
547.843±0.030±0.041	1134	LAI	02	NA48 $\eta \rightarrow 3\pi^0$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
547.311±0.028±0.032		¹ ABDEL-BARY	05	SPEC $d p \rightarrow {}^3\text{He}\eta$
547.12 ±0.06 ±0.25		KRUSCHE	95D	SPEC $\gamma p \rightarrow \eta p$, threshold
547.30 ±0.15		PLOUIN	92	SPEC $d p \rightarrow {}^3\text{He}\eta$
547.45 ±0.25		DUANE	74	SPEC $\pi^- p \rightarrow n$ neutrals
548.2 ±0.65		FOSTER	65C	HBC
549.0 ±0.7	148	FOELSCH	64	HBC
548.0 ±1.0	91	ALFF-...	62	HBC
549.0 ±1.2	53	BASTIEN	62	HBC

¹ ABDEL-BARY 05 disagrees significantly with recent measurements of similar or better precision. See comment in the header.

η WIDTH

This is the partial decay rate $\Gamma(\eta \rightarrow \gamma\gamma)$ divided by the fitted branching fraction for that mode. See the note at the start of the $\Gamma(2\gamma)$ data block, next below.

<u>VALUE (keV)</u>	<u>DOCUMENT ID</u>
1.31±0.05 OUR FIT	

η DECAY MODES

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Neutral modes		
Γ_1 neutral modes	(71.95±0.29) %	S=1.3
Γ_2 2γ	(39.36±0.18) %	S=1.1
Γ_3 $3\pi^0$	(32.56±0.21) %	S=1.2

Γ_4	$\pi^0 2\gamma$	$(2.55 \pm 0.22) \times 10^{-4}$	
Γ_5	$2\pi^0 2\gamma$	$< 1.2 \times 10^{-3}$	CL=90%
Γ_6	4γ	$< 2.8 \times 10^{-4}$	CL=90%
Γ_7	invisible	$< 2.4 \times 10^{-5}$	CL=90%

Charged modes

Γ_8	charged modes	$(28.05 \pm 0.29) \%$	S=1.3
Γ_9	$\pi^+ \pi^- \pi^0$	$(23.02 \pm 0.25) \%$	S=1.2
Γ_{10}	$\pi^+ \pi^- \gamma$	$(4.28 \pm 0.07) \%$	S=1.1
Γ_{11}	$e^+ e^- \gamma$	$(6.96 \pm 0.18) \times 10^{-3}$	
Γ_{12}	$\mu^+ \mu^- \gamma$	$(2.98 \pm 0.13) \times 10^{-4}$	
Γ_{13}	$e^+ e^-$	$< 7 \times 10^{-7}$	CL=90%
Γ_{14}	$\mu^+ \mu^-$	$(5.8 \pm 0.8) \times 10^{-6}$	
Γ_{15}	$2e^+ 2e^-$	$(2.40 \pm 0.22) \times 10^{-5}$	
Γ_{16}	$\pi^+ \pi^- e^+ e^- (\gamma)$	$(2.76 \pm 0.16) \times 10^{-4}$	S=1.5
Γ_{17}	$e^+ e^- \mu^+ \mu^-$	$< 6.88 \times 10^{-6}$	CL=90%
Γ_{18}	$2\mu^+ 2\mu^-$	$(5.0 \pm 1.3) \times 10^{-9}$	
Γ_{19}	$\mu^+ \mu^- \pi^+ \pi^-$	$< 4.0 \times 10^{-7}$	CL=90%
Γ_{20}	$\pi^+ e^- \bar{\nu}_e + \text{c.c.}$	$< 1.7 \times 10^{-4}$	CL=90%
Γ_{21}	$\pi^+ \pi^- 2\gamma$	$< 2.1 \times 10^{-3}$	
Γ_{22}	$\pi^+ \pi^- \pi^0 \gamma$	$< 6 \times 10^{-4}$	CL=90%
Γ_{23}	$\pi^0 \mu^+ \mu^- \gamma$	$< 3 \times 10^{-6}$	CL=90%

**Charge conjugation (C), Parity (P),
Charge conjugation \times Parity (CP), or
Lepton Family number (LF) violating modes**

Γ_{24}	$\pi^0 \gamma$	C	[a] $< 9 \times 10^{-5}$	CL=90%
Γ_{25}	$\pi^+ \pi^-$	P, CP	$< 4.4 \times 10^{-6}$	CL=90%
Γ_{26}	$2\pi^0$	P, CP	$< 3.5 \times 10^{-4}$	CL=90%
Γ_{27}	$2\pi^0 \gamma$	C	$< 5 \times 10^{-4}$	CL=90%
Γ_{28}	$3\pi^0 \gamma$	C	$< 6 \times 10^{-5}$	CL=90%
Γ_{29}	3γ	C	$< 1.6 \times 10^{-5}$	CL=90%
Γ_{30}	$4\pi^0$	P, CP	$< 6.9 \times 10^{-7}$	CL=90%
Γ_{31}	$\pi^0 e^+ e^-$	C	[b] $< 8 \times 10^{-6}$	CL=90%
Γ_{32}	$\pi^0 \mu^+ \mu^-$	C	[b] $< 5 \times 10^{-6}$	CL=90%
Γ_{33}	$\mu^+ e^- + \mu^- e^+$	LF	$< 6 \times 10^{-6}$	CL=90%
Γ_{34}	$\pi^+ \pi^+ e^- e^- + \text{c.c.}$	LF	$< 4.6 \times 10^{-6}$	CL=90%

[a] Forbidden by angular momentum conservation.

[b] C parity forbids this to occur as a single-photon process.

CONSTRAINED FIT INFORMATION

An overall fit to 2 decay rate and 22 branching ratios uses 58 measurements and one constraint to determine 9 parameters. The overall fit has a $\chi^2 = 49.2$ for 50 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_3	12							
x_4	4	0						
x_9	-69	-77	-3					
x_{10}	-48	-53	-2	53				
x_{11}	-3	-3	0	-2	-1			
x_{12}	0	0	0	0	0	0		
x_{16}	0	0	0	0	0	0	0	
Γ	-13	-1	-32	9	6	0	0	0
	x_2	x_3	x_4	x_9	x_{10}	x_{11}	x_{12}	x_{16}

Mode	Rate (keV)	Scale factor
Γ_2 2γ	0.515 ± 0.018	
Γ_3 $3\pi^0$	0.426 ± 0.015	
Γ_4 $\pi^0 2\gamma$	$(3.34 \pm 0.28) \times 10^{-4}$	
Γ_9 $\pi^+ \pi^- \pi^0$	0.301 ± 0.011	
Γ_{10} $\pi^+ \pi^- \gamma$	0.0559 ± 0.0022	
Γ_{11} $e^+ e^- \gamma$	0.0091 ± 0.0004	
Γ_{12} $\mu^+ \mu^- \gamma$	$(3.90 \pm 0.22) \times 10^{-4}$	
Γ_{16} $\pi^+ \pi^- e^+ e^- (\gamma)$	$(3.61 \pm 0.24) \times 10^{-4}$	1.3

η DECAY RATES

$\Gamma(2\gamma)$

Γ_2

See the table immediately above giving the fitted decay rates. Following the advice of NEFKENS 02, we have removed the Primakoff-effect measurement from the average. See also the "Note on the Decay Width $\Gamma(\eta \rightarrow \gamma\gamma)$," in our 1994 edition, *Phys. Rev. D* **50**, 1 August 1994, Part I, p. 1451, for a discussion of the various measurements.

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
0.515 ± 0.018 OUR FIT				
0.516 ± 0.018 OUR AVERAGE				
$0.520 \pm 0.020 \pm 0.013$		BABUSCI	13A	KLOE $e^+ e^- \rightarrow e^+ e^- \eta$
$0.51 \pm 0.12 \pm 0.05$	36	BARU	90	MD1 $e^+ e^- \rightarrow e^+ e^- \eta$
$0.490 \pm 0.010 \pm 0.048$	2287	ROE	90	ASP $e^+ e^- \rightarrow e^+ e^- \eta$
$0.514 \pm 0.017 \pm 0.035$	1295	WILLIAMS	88	CBAL $e^+ e^- \rightarrow e^+ e^- \eta$
$0.53 \pm 0.04 \pm 0.04$		BARTEL	85E	JADE $e^+ e^- \rightarrow e^+ e^- \eta$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.476 ± 0.062		¹ RODRIGUES	08	CNTR	Reanalysis
0.64 ± 0.14 ± 0.13		AIHARA	86	TPC	$e^+e^- \rightarrow e^+e^-\eta$
0.56 ± 0.16	56	WEINSTEIN	83	CBAL	$e^+e^- \rightarrow e^+e^-\eta$
0.324 ± 0.046		BROWMAN	74B	CNTR	Primakoff effect
1.00 ± 0.22		² BEMPORAD	67	CNTR	Primakoff effect

¹ RODRIGUES 08 uses a more sophisticated calculation for the inelastic background due to incoherent photoproduction to reanalyze the η photoproduction data on Be and Cu at 9 GeV from BROWMAN 74B. This brings the value of $\Gamma(\eta \rightarrow 2\gamma)$ in line with direct measurements of the width. The error here is only statistical.

² BEMPORAD 67 gives $\Gamma(2\gamma) = 1.21 \pm 0.26$ keV assuming $\Gamma(2\gamma)/\Gamma(\text{total}) = 0.314$. Bemporad private communication gives $\Gamma(2\gamma)^2/\Gamma(\text{total}) = 0.380 \pm 0.083$. We evaluate this using $\Gamma(2\gamma)/\Gamma(\text{total}) = 0.38 \pm 0.01$. Not included in average because the uncertainty resulting from the separation of the coulomb and nuclear amplitudes has apparently been underestimated.

$\Gamma(\pi^0 2\gamma)$					Γ_4
VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT	
0.334 ± 0.028 OUR FIT					
0.33 ± 0.03	1200	NEFKENS	14	CRYB	$\gamma p \rightarrow \eta p$

η BRANCHING RATIOS

Neutral modes

$\Gamma(\text{neutral modes})/\Gamma_{\text{total}}$		$\Gamma_1/\Gamma = (\Gamma_2 + \Gamma_3 + \Gamma_4)/\Gamma$			
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	
0.7195 ± 0.0029 OUR FIT		Error includes scale factor of 1.3.			
0.705 ± 0.008	16k	BASILE	71D	CNTR	MM spectrometer

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.79 ± 0.08		BUNIATOV	67	OSPK	
-------------	--	----------	----	------	--

$\Gamma(2\gamma)/\Gamma_{\text{total}}$		Γ_2/Γ			
VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT	
39.36 ± 0.18 OUR FIT		Error includes scale factor of 1.1.			
39.53 ± 0.33 OUR AVERAGE					

39.86 ± 0.04 ± 0.99	2m	¹ ABLIKIM	21AMBES3	$J/\psi \rightarrow \gamma\eta$	
39.49 ± 0.17 ± 0.30	65k	ABEGG	96	SPEC	$pd \rightarrow {}^3\text{He}\eta$

• • • We do not use the following data for averages, fits, limits, etc. • • •

38.45 ± 0.40 ± 0.36	14k	² LOPEZ	07	CLEO	$\psi(2S) \rightarrow J/\psi\eta$
---------------------	-----	--------------------	----	------	-----------------------------------

¹ ABLIKIM 21AM normalize the branching ratio ($\eta \rightarrow \gamma\gamma$) to $B(J/\psi \rightarrow \gamma\eta)$, which they measured absolutely.

² Not independent of other results listed for LOPEZ 07. Assuming decays of $\eta \rightarrow \gamma\gamma$, $3\pi^0$, $\pi^+\pi^-\pi^0$, $\pi^+\pi^-\gamma$, and $e^+e^-\gamma$ account for all η decays within a contribution of 0.3% to the systematic error.

$\Gamma(2\gamma)/\Gamma(\text{neutral modes})$		$\Gamma_2/\Gamma_1 = \Gamma_2/(\Gamma_2 + \Gamma_3 + \Gamma_4)$			
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	
0.5471 ± 0.0018 OUR FIT					
0.548 ± 0.023 OUR AVERAGE		Error includes scale factor of 1.5.			
0.535 ± 0.018		BUTTRAM	70	OSPK	
0.59 ± 0.033		BUNIATOV	67	OSPK	

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.52 ±0.09	88	ABROSIMOV	80	HLBC	
0.60 ±0.14	113	KENDALL	74	OSPK	
0.57 ±0.09		STRUGALSKI	71	HLBC	
0.579 ±0.052		FELDMAN	67	OSPK	
0.416 ±0.044		DIGIUGNO	66	CNTR	Error doubled
0.44 ±0.07		GRUNHAUS	66	OSPK	
0.39 ±0.06	¹	JONES	66	CNTR	

¹ This result from combining cross sections from two different experiments.

$\Gamma(3\pi^0)/\Gamma_{\text{total}}$

Γ_3/Γ

<u>VALUE (units 10⁻²)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
32.56±0.21 OUR FIT	Error includes scale factor of 1.2.			
31.96±0.07±0.84	280k	¹ ABLIKIM	21AMBES3	$J/\psi \rightarrow \gamma\eta$

• • • We do not use the following data for averages, fits, limits, etc. • • •

34.03±0.56±0.49	1821	² LOPEZ	07	CLEO	$\psi(2S) \rightarrow J/\psi\eta$
-----------------	------	--------------------	----	------	-----------------------------------

¹ ABLIKIM 21AM normalize the branching ratio ($\eta \rightarrow 3\pi^0$) to $B(J/\psi \rightarrow \gamma\eta)$, which they measured absolutely.

² Not independent of other results listed for LOPEZ 07. Assuming decays of $\eta \rightarrow \gamma\gamma$, $3\pi^0$, $\pi^+\pi^-\pi^0$, $\pi^+\pi^-\gamma$, and $e^+e^-\gamma$ account for all η decays within a contribution of 0.3% to the systematic error.

$\Gamma(3\pi^0)/\Gamma(\text{neutral modes})$

$\Gamma_3/\Gamma_1 = \Gamma_3/(\Gamma_2+\Gamma_3+\Gamma_4)$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.4526±0.0019 OUR FIT					
0.439 ±0.024		BUTTRAM	70	OSPK	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.44 ±0.08	75	ABROSIMOV	80	HLBC	
0.32 ±0.09		STRUGALSKI	71	HLBC	
0.41 ±0.033		BUNIATOV	67	OSPK	Not indep. of $\Gamma(2\gamma)/\Gamma(\text{neutral modes})$
0.177 ±0.035		FELDMAN	67	OSPK	
0.209 ±0.054		DIGIUGNO	66	CNTR	Error doubled
0.29 ±0.10		GRUNHAUS	66	OSPK	

$\Gamma(3\pi^0)/\Gamma(2\gamma)$

Γ_3/Γ_2

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.827±0.006 OUR FIT				
0.829±0.007 OUR AVERAGE				
0.884±0.022±0.019	1821	LOPEZ	07	CLEO $\psi(2S) \rightarrow J/\psi\eta$
0.817±0.012±0.032	17.4k	¹ AKHMETSHIN	05	CMD2 $e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
0.826±0.024		ACHASOV	00D	SND $e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
0.832±0.005±0.012		KRUSCHE	95D	SPEC $\gamma p \rightarrow \eta p$, threshold
0.841±0.034		AMSLER	93	CBAR $\bar{p}p \rightarrow \pi^+\pi^-\eta$ at rest
0.822±0.009		ALDE	84	GAM2

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.796±0.016±0.016		ACHASOV	00	SND	See ACHASOV 00D
0.91 ±0.14		COX	70B	HBC	
0.75 ±0.09		DEVONS	70	OSPK	

0.88 ±0.16	BALTAY	67D	DBC
1.1 ±0.2	CENCE	67	OSPK
1.25 ±0.39	BACCI	63	CNTR Inverse BR reported

¹ Uses result from AKHMETSHIN 01B.

$\Gamma(\pi^0 2\gamma)/\Gamma_{\text{total}}$ Γ_4/Γ

Early results are summarized in the review by LANDSBERG 85.

VALUE (units 10^{-4})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
2.55±0.22 OUR FIT					
2.21±0.24±0.47		≈ 500	¹ PRAKHOV	08	CRYB $\pi^- p \rightarrow \eta n \approx$ threshold
• • • We do not use the following data for averages, fits, limits, etc. • • •					
3.5 ±0.7 ±0.6		1.6k	^{2,3} PRAKHOV	05	CRYB See PRAKHOV 08
<8.4	90	7	ACHASOV	01D	SND $e^+ e^- \rightarrow \phi \rightarrow \eta \gamma$
<30	90	0	DAVYDOV	81	GAM2 $\pi^- p \rightarrow \eta n$

¹ PRAKHOV 08 is a reanalysis of the data of PRAKHOV 05, using for the first time the invariant-mass spectrum of the two photons.

² Normalized using $\Gamma(\eta \rightarrow 2\gamma)/\Gamma = 0.3943 \pm 0.0026$.

³ This measurement and the independent analysis of the same data by KNECHT 04 both imply a lower value of $\Gamma(\pi^0 2\gamma)$ than the one obtained by ALDE 84 from $\Gamma(\pi^0 2\gamma)/\Gamma(2\gamma)$.

$\Gamma(\pi^0 2\gamma)/\Gamma(2\gamma)$ Γ_4/Γ_2

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
0.65±0.06 OUR FIT					
1.8 ±0.4		ALDE	84	GAM2	0
• • • We do not use the following data for averages, fits, limits, etc. • • •					
2.5 ±0.6	70	BINON	82	GAM2	See ALDE 84

$\Gamma(\pi^0 2\gamma)/\Gamma(3\pi^0)$ Γ_4/Γ_3

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
7.8±0.7 OUR FIT			
• • • We do not use the following data for averages, fits, limits, etc. • • •			
8.3±2.8±1.4	¹ KNECHT	04	CRYB $\pi^- p \rightarrow n \eta$

¹ Independent analysis of same data as PRAKHOV 05.

$\Gamma(2\pi^0 2\gamma)/\Gamma_{\text{total}}$ Γ_5/Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<1.2 × 10⁻³	90	¹ NEFKENS	05A	CRYB $p(720 \text{ MeV}/c) \pi^- \rightarrow n \eta$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<4.0 × 10 ⁻³	90	BLIK	07	GAM4 $\pi^- p \rightarrow \eta n$

¹ Measurement is done in limited $\gamma\gamma$ energy range.

$\Gamma(4\gamma)/\Gamma_{\text{total}}$ Γ_6/Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<2.8 × 10⁻⁴	90	BLIK	07	GAM4 $\pi^- p \rightarrow \eta n$

$\Gamma(\text{invisible})/\Gamma_{\text{total}}$ Γ_7/Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<2.4 × 10⁻⁵	90	¹ ABLIKIM	25BS	BES3 $e^+ e^- \rightarrow J/\psi \rightarrow \phi \eta$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$<1.1 \times 10^{-4}$ 90 ² ANDREEV 24D SPEC $\pi^- + \text{Fe} \rightarrow \eta X$
¹ ABLIKIM 25BS result is based on a total of $(8774.0 \pm 39.4) \times 10^6$ J/ψ decays.
² ANDREEV 24D result is based on 2.9×10^9 pions on an active dump target.

$\Gamma(\text{invisible})/\Gamma(2\gamma)$

Γ_7/Γ_2

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
$<2.6 \times 10^{-4}$	90	¹ ABLIKIM	13	BES3 $J/\psi \rightarrow \phi\eta$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$<1.65 \times 10^{-3}$ 90 ² ABLIKIM 06Q BES2 $J/\psi \rightarrow \phi\eta$
¹ Based on 225M J/ψ decays.
² Based on 58M J/ψ decays.

————— Charged modes —————

$\Gamma(\text{charged modes})/\Gamma_{\text{total}}$

$\Gamma_8/\Gamma = (\Gamma_9 + \Gamma_{10} + \Gamma_{11} + \Gamma_{12} + \Gamma_{16})/\Gamma$

VALUE	DOCUMENT ID
0.2805 ± 0.0029 OUR FIT	Error includes scale factor of 1.3.

$\Gamma(\pi^+ \pi^- \pi^0)/\Gamma_{\text{total}}$

Γ_9/Γ

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
23.02 ± 0.25 OUR FIT	Error includes scale factor of 1.2.			

$23.04 \pm 0.03 \pm 0.54$	60k	¹ ABLIKIM	21AMBES3	$J/\psi \rightarrow \gamma\eta$
---	-----	----------------------	----------	---------------------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

$22.60 \pm 0.35 \pm 0.29$	3915	² LOPEZ	07	CLEO $\psi(2S) \rightarrow J/\psi\eta$
---------------------------	------	--------------------	----	--

¹ ABLIKIM 21AM normalize the branching ratio ($\eta \rightarrow \pi^+ \pi^- \pi^0$) to $B(J/\psi \rightarrow \gamma\eta)$, which they measured absolutely.

² Not independent of other results listed for LOPEZ 07. Assuming decays of $\eta \rightarrow \gamma\gamma$, $3\pi^0$, $\pi^+ \pi^- \pi^0$, $\pi^+ \pi^- \gamma$, and $e^+ e^- \gamma$ account for all η decays within a contribution of 0.3% to the systematic error.

$\Gamma(\text{neutral modes})/\Gamma(\pi^+ \pi^- \pi^0)$

$\Gamma_1/\Gamma_9 = (\Gamma_2 + \Gamma_3 + \Gamma_4)/\Gamma_9$

VALUE	EVTS	DOCUMENT ID	TECN
3.13 ± 0.05 OUR FIT	Error includes scale factor of 1.3.		

3.26 ± 0.30 OUR AVERAGE

2.54 ± 1.89	74	KENDALL	74	OSPK
3.4 ± 1.1	29	AGUILAR-...	72B	HBC
2.83 ± 0.80	70	¹ BLOODWO...	72B	HBC
3.6 ± 0.6	244	FLATTE	67B	HBC
2.89 ± 0.56		ALFF-...	66	HBC
3.6 ± 0.8	50	KRAEMER	64	DBC
3.8 ± 1.1		PAULI	64	DBC

¹ Error increased from published value 0.5 by Bloodworth (private communication).

$\Gamma(2\gamma)/\Gamma(\pi^+ \pi^- \pi^0)$

Γ_2/Γ_9

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
1.710 ± 0.025 OUR FIT	Error includes scale factor of 1.2.			

1.70 ± 0.04 OUR AVERAGE

$1.704 \pm 0.032 \pm 0.026$	3915	¹ LOPEZ	07	CLEO $\psi(2S) \rightarrow J/\psi\eta$
-----------------------------	------	--------------------	----	--

1.61 ±0.14		ABLIKIM	06E	BES2	$e^+e^- \rightarrow J/\psi \rightarrow \eta\gamma$
1.78 ±0.10 ±0.13	1077	AMSLER	95	CBAR	$\bar{p}p \rightarrow \pi^+\pi^-\eta$ at rest
1.72 ±0.25	401	BAGLIN	69	HLBC	
1.61 ±0.39		FOSTER	65	HBC	

¹ LOPEZ 07 reports $\Gamma(\eta \rightarrow \pi^+\pi^-\pi^0) / \Gamma(\eta \rightarrow 2\gamma) = \Gamma_9/\Gamma_2 = 0.587 \pm 0.011 \pm 0.009$.

$\Gamma(3\pi^0)/\Gamma(\pi^+\pi^-\pi^0)$ Γ_3/Γ_9

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
1.415±0.023 OUR FIT	Error includes scale factor of 1.2.			
1.48 ±0.05 OUR AVERAGE				

1.46 ±0.03 ±0.09		ACHASOV	06A	SND	$e^+e^- \rightarrow \eta\gamma$
1.52 ±0.04 ±0.08	23k	¹ AKHMETSHIN	01B	CMD2	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
1.44 ±0.09 ±0.10	1627	AMSLER	95	CBAR	$\bar{p}p \rightarrow \pi^+\pi^-\eta$ at rest
1.50 ^{+0.15} _{-0.29}	199	BAGLIN	69	HLBC	
1.47 ^{+0.20} _{-0.17}		BULLOCK	68	HLBC	

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.3 ±0.4		BAGLIN	67B	HLBC	
0.90 ±0.24		FOSTER	65	HBC	
2.0 ±1.0		FOELSCHE	64	HBC	
0.83 ±0.32		CRAWFORD	63	HBC	

¹ AKHMETSHIN 01B uses results from AKHMETSHIN 99F.

$\Gamma(\pi^+\pi^-\pi^0)/[\Gamma(2\gamma) + \Gamma(3\pi^0)]$ $\Gamma_9/(\Gamma_2+\Gamma_3)$

VALUE	DOCUMENT ID	TECN	COMMENT
0.320 ±0.005 OUR FIT	Error includes scale factor of 1.2.		
0.304 ±0.012	ACHASOV	00D	SND $e^+e^- \rightarrow \phi \rightarrow \eta\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.3141±0.0081±0.0058	ACHASOV	00B	SND	See ACHASOV 00D
----------------------	---------	-----	-----	-----------------

$\Gamma(\pi^+\pi^-\gamma)/\Gamma_{\text{total}}$ Γ_{10}/Γ

VALUE (units 10 ⁻²)	EVTS	DOCUMENT ID	TECN	COMMENT
4.28±0.07 OUR FIT	Error includes scale factor of 1.1.			
4.38±0.02±0.10	200k	¹ ABLIKIM	21A	BES3 $J/\psi \rightarrow \gamma\eta$

• • • We do not use the following data for averages, fits, limits, etc. • • •

3.96±0.14±0.14	859	² LOPEZ	07	CLEO $\psi(2S) \rightarrow J/\psi\eta$
----------------	-----	--------------------	----	--

¹ ABLIKIM 21A normalize the branching ratio ($\eta \rightarrow \pi^+\pi^-\gamma$) to $B(J/\psi \rightarrow \gamma\eta)$, which they measured absolutely.

² Not independent of other results listed for LOPEZ 07. Assuming decays of $\eta \rightarrow \gamma\gamma$, $3\pi^0$, $\pi^+\pi^-\pi^0$, $\pi^+\pi^-\gamma$, and $e^+e^-\gamma$ account for all η decays within a contribution of 0.3% to the systematic error.

$\Gamma(\pi^+\pi^-\gamma)/\Gamma(\pi^+\pi^-\pi^0)$ Γ_{10}/Γ_9

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.1858±0.0025 OUR FIT				
0.1847±0.0030 OUR AVERAGE	Error includes scale factor of 1.1.			

0.1856±0.0005±0.0028	200k	BABUSCI	13	KLOE $e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
0.175 ±0.007 ±0.006	859	LOPEZ	07	CLEO $\psi(2S) \rightarrow J/\psi\eta$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.209 ±0.004	18k	THALER	73	ASPK
0.201 ±0.006	7250	GORMLEY	70	ASPK
0.28 ±0.04		BALTAY	67B	DBC
0.25 ±0.035		LITCHFIELD	67	DBC
0.30 ±0.06		CRAWFORD	66	HBC
0.196 ±0.041		FOSTER	65C	HBC

$\Gamma(e^+ e^- \gamma) / \Gamma_{\text{total}}$ Γ_{11} / Γ

VALUE (units 10⁻³) EVTS DOCUMENT ID TECN COMMENT

6.96 ± 0.18 OUR FIT

6.92 ± 0.18 OUR AVERAGE

6.79 ± 0.05 ± 0.36	21774	ABLIKIM	25CL	BES3	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma \eta' \rightarrow \gamma \eta \pi^+ \pi^-$
7.07 ± 0.05 ± 0.23	23k	ABLIKIM	24M	BES3	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma \eta / \eta'$
6.6 ± 0.4 ± 0.4	1345	BERGHAUSER	11	SPEC	$\gamma p \rightarrow p \eta$
7.8 ± 0.5 ± 0.8	435 ± 31	BERLOWSKI	08	WASA	$pd \rightarrow {}^3\text{He} \eta$
5.15 ± 0.62 ± 0.74	283	ACHASOV	01B	SND	$e^+ e^- \rightarrow \phi \rightarrow \eta \gamma$
7.10 ± 0.64 ± 0.46	323	AKHMETSHIN	01	CMD2	$e^+ e^- \rightarrow \phi \rightarrow \eta \gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

9.4 ± 0.7 ± 0.5	172	¹ LOPEZ	07	CLEO	$\psi(2S) \rightarrow J/\psi \eta$
-----------------	-----	--------------------	----	------	------------------------------------

¹ Not independent of other results listed for LOPEZ 07. Assuming decays of $\eta \rightarrow \gamma \gamma$, $3\pi^0$, $\pi^+ \pi^- \pi^0$, $\pi^+ \pi^- \gamma$, and $e^+ e^- \gamma$ account for all η decays within a contribution of 0.3% to the systematic error.

$\Gamma(e^+ e^- \gamma) / \Gamma(\pi^+ \pi^- \gamma)$ $\Gamma_{11} / \Gamma_{10}$

VALUE EVTS DOCUMENT ID TECN COMMENT

0.163 ± 0.005 OUR FIT Error includes scale factor of 1.1.

0.237 ± 0.021 ± 0.015	172	LOPEZ	07	CLEO	$\psi(2S) \rightarrow J/\psi \eta$
------------------------------	-----	-------	----	------	------------------------------------

$\Gamma(e^+ e^- \gamma) / \Gamma(\pi^+ \pi^- \pi^0)$ Γ_{11} / Γ_9

VALUE (units 10⁻²) EVTS DOCUMENT ID TECN COMMENT

3.02 ± 0.08 OUR FIT Error includes scale factor of 1.1.

2.1 ± 0.5	80	JANE	75B	OSPK	See the erratum
------------------	----	------	-----	------	-----------------

$\Gamma(\text{neutral modes}) / [\Gamma(\pi^+ \pi^- \pi^0) + \Gamma(\pi^+ \pi^- \gamma) + \Gamma(e^+ e^- \gamma)]$
 $\Gamma_1 / (\Gamma_9 + \Gamma_{10} + \Gamma_{11}) = (\Gamma_2 + \Gamma_3 + \Gamma_4) / (\Gamma_9 + \Gamma_{10} + \Gamma_{11})$

VALUE EVTS DOCUMENT ID TECN

2.57 ± 0.04 OUR FIT Error includes scale factor of 1.3.

2.64 ± 0.23		BALTAY	67B	DBC
--------------------	--	--------	-----	-----

• • • We do not use the following data for averages, fits, limits, etc. • • •

4.5 ± 1.0	280	¹ JAMES	66	HBC
3.20 ± 1.26	53	¹ BASTIEN	62	HBC
2.5 ± 1.0	10	¹ PICKUP	62	HBC

¹ These experiments are not used in the averages as they do not separate clearly $\eta \rightarrow \pi^+ \pi^- \pi^0$ and $\eta \rightarrow \pi^+ \pi^- \gamma$ from each other. The reported values thus probably contain some unknown fraction of $\eta \rightarrow \pi^+ \pi^- \gamma$.

$\Gamma(2\gamma)/[\Gamma(\pi^+\pi^-\pi^0) + \Gamma(\pi^+\pi^-\gamma) + \Gamma(e^+e^-\gamma)]$ $\Gamma_2/(\Gamma_9+\Gamma_{10}+\Gamma_{11})$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
1.406±0.020 OUR FIT			Error includes scale factor of 1.2.
1.1 ±0.4 OUR AVERAGE			
1.51 ±0.93	75	KENDALL	74 OSPK
0.99 ±0.48		CRAWFORD	63 HBC

$\Gamma(\mu^+\mu^-\gamma)/\Gamma_{\text{total}}$ Γ_{12}/Γ

<u>VALUE (units 10⁻⁴)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.98±0.13 OUR FIT				
2.98±0.13 OUR AVERAGE				
2.97±0.12±0.07	648	ABLIKIM	25CL BES3	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\eta' \rightarrow \gamma\eta\pi^+\pi^-$
3.1 ±0.4	600	DZHELYADIN	80 SPEC	$\pi^-p \rightarrow \eta n$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
1.5 ±0.75	100	BUSHNIN	78 SPEC	See DZHELYADIN 80

$\Gamma(e^+e^-)/\Gamma_{\text{total}}$ Γ_{13}/Γ

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<7 × 10⁻⁷	90	ACHASOV	18B CNTR	Inverse reaction $e^+e^- \rightarrow \eta$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
<2.3 × 10 ⁻⁶	90	AGAKISHIEV	14	$pp \rightarrow \eta + X$
<5.6 × 10 ⁻⁶	90	¹ AGAKISHIEV	12A SPEC	$pp \rightarrow \eta + X$
<2.7 × 10 ⁻⁵	90	BERLOWSKI	08 WASA	$pd \rightarrow {}^3\text{He} \eta$
<0.77 × 10 ⁻⁴	90	BROWDER	97B CLE2	$e^+e^- \simeq 10.5 \text{ GeV}$
<2 × 10 ⁻⁴	90	WHITE	96 SPEC	$pd \rightarrow \eta {}^3\text{He}$
<3 × 10 ⁻⁴	90	DAVIES	74 RVUE	Uses ESTEN 67

¹AGAKISHIEV 12A uses a data sample of 3.5 GeV proton beam collisions on liquid hydrogen target collected by the HADES detector.

$\Gamma(\mu^+\mu^-)/\Gamma_{\text{total}}$ Γ_{14}/Γ

<u>VALUE (units 10⁻⁶)</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
5.8±0.8 OUR AVERAGE					
5.7±0.7±0.5	114	ABEGG	94 SPEC	$pd \rightarrow \eta {}^3\text{He}$	
6.5±2.1	27	DZHELYADIN	80B SPEC	$\pi^-p \rightarrow \eta n$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
5.6 ^{+0.6} _{-0.7} ±0.5	100	KESSLER	93 SPEC	See ABEGG 94	
< 20	95	0	WEHMANN	68 OSPK	

$\Gamma(\mu^+\mu^-)/\Gamma(2\gamma)$ Γ_{14}/Γ_2

<u>VALUE (units 10⁻⁵)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●		
5.9±2.2	HYAMS	69 OSPK

$\Gamma(2e^+2e^-)/\Gamma_{\text{total}}$ Γ_{15}/Γ

<u>VALUE (units 10⁻⁵)</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.4±0.2±0.1	362	¹	AMBROSINO	11B KLOE	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<9.7	90	BERLOWSKI 08	WASA	$pd \rightarrow {}^3\text{He} \eta$
<6.9	90	AKHMETSHIN 01	CMD2	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$

¹This measurement is fully inclusive (includes " $2e^+2e^-\gamma$ " channel).

$\Gamma(\pi^+\pi^-e^+e^-(\gamma))/\Gamma_{\text{total}}$ Γ_{16}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

2.76±0.16 OUR FIT Error includes scale factor of 1.5.

2.76±0.16 OUR AVERAGE Error includes scale factor of 1.5.

3.07±0.12±0.19	680	ABLIKIM 25AV	BES3 10B	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\eta$
----------------	-----	--------------	----------	--

2.68±0.09±0.07	1.5k	¹ AMBROSINO 09B	KLOE	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
----------------	------	----------------------------	------	--

• • • We do not use the following data for averages, fits, limits, etc. • • •

4.3 $\begin{smallmatrix} +2.0 \\ -1.6 \end{smallmatrix}$ ±0.4	16	BERLOWSKI 08	WASA	$pd \rightarrow {}^3\text{He} \eta$
---	----	--------------	------	-------------------------------------

4.3 ±1.3 ±0.4	16	BARGHOLTZ 07	CNTR	See BERLOWSKI 08
---------------	----	--------------	------	------------------

3.7 $\begin{smallmatrix} +2.5 \\ -1.8 \end{smallmatrix}$ ±0.3	4	AKHMETSHIN 01	CMD2	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
---	---	---------------	------	--

¹This AMBROSINO 09B value includes radiative events.

$\Gamma(e^+e^-\mu^+\mu^-)/\Gamma_{\text{total}}$ Γ_{17}/Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

<6.88 × 10⁻⁶	90	ABLIKIM 25N	BES3 10B	$J/\psi \rightarrow \gamma\eta$
-----------------------------------	----	-------------	----------	---------------------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<1.6 × 10 ⁻⁴	90	BERLOWSKI 08	WASA	$pd \rightarrow {}^3\text{He} \eta$
-------------------------	----	--------------	------	-------------------------------------

$\Gamma(2\mu^+2\mu^-)/\Gamma(\mu^+\mu^-)$ Γ_{18}/Γ_{14}

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

8.6±1.4±1.2	49.6	HAYRAPETY...23A	CMS	pp at 13 TeV
--------------------	------	-----------------	-----	----------------

$\Gamma(\mu^+\mu^-\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{19}/Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

<4.0 × 10⁻⁷	90	ABLIKIM 25AV	BES3 10B	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\eta$
----------------------------------	----	--------------	----------	--

• • • We do not use the following data for averages, fits, limits, etc. • • •

<3.6 × 10 ⁻⁴	90	BERLOWSKI 08	WASA	$pd \rightarrow {}^3\text{He} \eta$
-------------------------	----	--------------	------	-------------------------------------

$\Gamma(\pi^+e^-\bar{\nu}_e + \text{c.c.})/\Gamma(\pi^+\pi^-\pi^0)$ Γ_{20}/Γ_9

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

<7.3 × 10⁻⁴	90	ABLIKIM 13G	BES3	$J/\psi \rightarrow \phi\eta$
----------------------------------	----	-------------	------	-------------------------------

$\Gamma(\pi^+\pi^-2\gamma)/\Gamma(\pi^+\pi^-\pi^0)$ Γ_{21}/Γ_9

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

< 9 × 10⁻³		PRICE 67	HBC	
---------------------------------	--	----------	-----	--

• • • We do not use the following data for averages, fits, limits, etc. • • •

<16 × 10 ⁻³	95	BALTAY 67B	DBC	
------------------------	----	------------	-----	--

$\Gamma(\pi^+\pi^-\pi^0\gamma)/\Gamma(\pi^+\pi^-\pi^0)$ Γ_{22}/Γ_9

VALUE	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
-------	-----	------	-------------	------	---------

<0.24 × 10⁻²	90	0	THALER 73	ASPK	
-----------------------------------	----	---	-----------	------	--

• • • We do not use the following data for averages, fits, limits, etc. • • •

$<1.7 \times 10^{-2}$	90	ARNOLD	68	HLBC
$<1.6 \times 10^{-2}$	95	BALTAY	67B	DBC
$<7.0 \times 10^{-2}$		FLATTE	67	HBC
$<0.9 \times 10^{-2}$		PRICE	67	HBC

$\Gamma(\pi^0 \mu^+ \mu^- \gamma)/\Gamma_{\text{total}}$ Γ_{23}/Γ

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$<3 \times 10^{-6}$	90	DZHELYADIN 81	SPEC	$\pi^- p \rightarrow \eta n$

————— Forbidden modes —————

$\Gamma(\pi^0 \gamma)/\Gamma_{\text{total}}$ Γ_{24}/Γ

Forbidden by angular momentum conservation.

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$<9 \times 10^{-5}$	90	NEFKENS 05A	CRYB	$p(720 \text{ MeV}/c) \pi^- \rightarrow n\eta$

$\Gamma(\pi^+ \pi^-)/\Gamma_{\text{total}}$ Γ_{25}/Γ

Forbidden by P and CP invariance.

<u>VALUE</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$<4.4 \times 10^{-6}$	90	83M	¹ BABUSCI	20A	KLOE $e^+ e^- \rightarrow \phi \rightarrow \eta\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$<5.3 \times 10^{-17}$			² ZHEVLAKOV	19	THEO	from nEDM limits
$<1.6 \times 10^{-5}$	90	25M	AAIJ	17D	LHCB	in $D \rightarrow \pi\pi\pi$ decays
$<3.9 \times 10^{-4}$	90	225M	ABLIKIM	11G	BES3	$e^+ e^- \rightarrow J/\psi \rightarrow \eta\gamma$
$<1.3 \times 10^{-5}$	90	16M	AMBROSINO	05A	KLOE	$e^+ e^- \rightarrow \phi \rightarrow \eta\gamma$
$<3.3 \times 10^{-4}$	90		AKHMETSHIN	99B	CMD2	$e^+ e^- \rightarrow \phi \rightarrow \eta\gamma$
$<9 \times 10^{-4}$	90		AKHMETSHIN	97C	CMD2	See AKHMETSHIN 99B
$<15 \times 10^{-4}$		0	THALER	73	ASPK	

¹ BABUSCI 20A combines new data with the previous AMBROSINO 05A data, and thus supersedes AMBROSINO 05A.

² ZHEVLAKOV 19 derives the value from the experimental limits of nEDM by a calculation using an effective Lagrangian.

$\Gamma(2\pi^0)/\Gamma_{\text{total}}$ Γ_{26}/Γ

Forbidden by P and CP invariance.

<u>VALUE</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$<3.5 \times 10^{-4}$	90		BLIK	07	GAM4 $\pi^- p \rightarrow \eta n$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$<2.7 \times 10^{-17}$			¹ ZHEVLAKOV	19	THEO	from nEDM limits
$<6.9 \times 10^{-4}$	90	225M	ABLIKIM	11G	BES3	$e^+ e^- \rightarrow J/\psi \rightarrow \eta\gamma$
$<4.3 \times 10^{-4}$	90		AKHMETSHIN	99C	CMD2	$e^+ e^- \rightarrow \phi \rightarrow \eta\gamma$
$<6 \times 10^{-4}$	90		² ACHASOV	98	SND	$e^+ e^- \rightarrow \phi \rightarrow \eta\gamma$

¹ ZHEVLAKOV 19 derives the value from the experimental limits of nEDM by a calculation using an effective Lagrangian.

² ACHASOV 98 observes one event in a $\pm 3\sigma$ region around the η mass, while a Monte Carlo calculation gives 10 ± 5 events. The limit here is the Poisson upper limit for one observed event and no background.

$\Gamma(2\pi^0\gamma)/\Gamma_{\text{total}}$ Γ_{27}/Γ

Forbidden by C invariance.

VALUE	CL%	DOCUMENT ID	TECN	CHG	COMMENT
$< 5 \times 10^{-4}$	90	NEFKENS	05	CRYB	0 p(720 MeV/c) $\pi^- \rightarrow n\eta$
••• We do not use the following data for averages, fits, limits, etc. •••					
$< 17 \times 10^{-4}$	90	BLIK	07	GAM4	$\pi^- p \rightarrow \eta n$

$\Gamma(3\pi^0\gamma)/\Gamma_{\text{total}}$ Γ_{28}/Γ

Forbidden by C invariance.

VALUE	CL%	DOCUMENT ID	TECN	CHG	COMMENT
$< 6 \times 10^{-5}$	90	NEFKENS	05	CRYB	0 p(720 MeV/c) $\pi^- \rightarrow n\eta$
••• We do not use the following data for averages, fits, limits, etc. •••					
$< 24 \times 10^{-5}$	90	BLIK	07	GAM4	$\pi^- p \rightarrow \eta n$

$\Gamma(3\gamma)/\Gamma_{\text{total}}$ Γ_{29}/Γ

Forbidden by C invariance.

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
••• We do not use the following data for averages, fits, limits, etc. •••				
$< 16 \times 10^{-5}$	90	BLIK	07	GAM4 $\pi^- p \rightarrow \eta n$
$< 4 \times 10^{-5}$	90	NEFKENS	05A	CRYB p(720 MeV/c) $\pi^- \rightarrow n\eta$

$\Gamma(3\gamma)/\Gamma(2\gamma)$ Γ_{29}/Γ_2

VALUE	CL%	DOCUMENT ID	TECN	CHG
$< 1.2 \times 10^{-3}$	95	ALDE	84	GAM2 0

$\Gamma(3\gamma)/\Gamma(3\pi^0)$ Γ_{29}/Γ_3

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
$< 4.9 \times 10^{-5}$	90	ALOISIO	04	KLOE $\phi \rightarrow \eta\gamma$

$\Gamma(4\pi^0)/\Gamma_{\text{total}}$ Γ_{30}/Γ

Forbidden by P and CP invariance.

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
$< 6.9 \times 10^{-7}$	90	PRAKHOV	00	CRYB $\pi^- p \rightarrow n\eta$, 720 MeV/c
••• We do not use the following data for averages, fits, limits, etc. •••				
$< 200 \times 10^{-7}$	90	BLIK	07	GAM4 $\pi^- p \rightarrow \eta n$

$\Gamma(\pi^0 e^+ e^-)/\Gamma_{\text{total}}$ Γ_{31}/Γ

C parity forbids this to occur as a single-photon process.

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
••• We do not use the following data for averages, fits, limits, etc. •••				
$< 7.5 \times 10^{-6}$	90	ADLARSON	18C	WASA $pd \rightarrow \eta \text{}^3\text{He}$
$< 1.6 \times 10^{-4}$	90	MARTYNOV	76	HLBC
$< 8.4 \times 10^{-4}$	90	BAZIN	68	DBC
$< 70 \times 10^{-4}$		RITTENBERG	65	HBC

$\Gamma(\pi^0 e^+ e^-)/\Gamma(\pi^+ \pi^- \pi^0)$ Γ_{31}/Γ_9

C parity forbids this to occur as a single-photon process.

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
$< 3.28 \times 10^{-5}$	90	ADLARSON	18C	WASA $pd \rightarrow \eta \text{}^3\text{He}$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$< 1.9 \times 10^{-4}$	90	JANE	75	OSPK
$< 42 \times 10^{-4}$	90	BAGLIN	67	HLBC
$< 16 \times 10^{-4}$	90	BILLING	67	HLBC
$< 77 \times 10^{-4}$		FOSTER	65B	HBC
$< 110 \times 10^{-4}$		PRICE	65	HBC

$\Gamma(\pi^0 \mu^+ \mu^-) / \Gamma_{\text{total}}$ Γ_{32} / Γ
 C parity forbids this to occur as a single-photon process.

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
$< 5 \times 10^{-6}$	90	DZHELYADIN 81	SPEC	$\pi^- p \rightarrow \eta n$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$< 500 \times 10^{-6}$		WEHMANN 68	OSPK	
------------------------	--	------------	------	--

$[\Gamma(\mu^+ e^-) + \Gamma(\mu^- e^+)] / \Gamma_{\text{total}}$ Γ_{33} / Γ
 Forbidden by lepton family number conservation.

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
$< 6 \times 10^{-6}$	90	WHITE 96	SPEC	$p d \rightarrow \eta \text{}^3\text{He}$

$\Gamma(\pi^+ \pi^+ e^- e^- + \text{c.c.}) / \Gamma_{\text{total}}$ Γ_{34} / Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
$< 4.6 \times 10^{-6}$	90	¹ ABLIKIM 25CA	BES3	$J/\psi \rightarrow \phi \eta$

¹ ABLIKIM 25CA determine the upper limit from 0 observed events relative to the $B(\eta \rightarrow \gamma \gamma) = (39.36 \pm 0.18)\%$ branching fraction, as this ratio has the smallest uncertainty.

η C-NONCONSERVING DECAY PARAMETERS

$\pi^+ \pi^- \pi^0$ LEFT-RIGHT ASYMMETRY PARAMETER

Measurements with an error $> 1.0 \times 10^{-2}$ have been omitted.

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN
--------------------------	------	-------------	------

$0.09^{+0.11}_{-0.12}$ OUR AVERAGE

$+0.09 \pm 0.10^{+0.09}_{-0.14}$	1.34M	AMBROSINO 08D	KLOE
0.28 ± 0.26	165k	JANE 74	OSPK
-0.05 ± 0.22	220k	LAYTER 72	ASPK

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.5 ± 0.5	37k	¹ GORMLEY 68C	ASPK
---------------	-----	--------------------------	------

¹ The GORMLEY 68C asymmetry is probably due to unmeasured ($\mathbf{E} \times \mathbf{B}$) spark chamber effects. New experiments with ($\mathbf{E} \times \mathbf{B}$) controls don't observe an asymmetry.

$\pi^+ \pi^- \pi^0$ SEXTANT ASYMMETRY PARAMETER

Measurements with an error $> 2.0 \times 10^{-2}$ have been omitted.

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN
--------------------------	------	-------------	------

$0.12^{+0.10}_{-0.11}$ OUR AVERAGE

$+0.08 \pm 0.10^{+0.08}_{-0.13}$	1.34M	AMBROSINO 08D	KLOE
0.20 ± 0.25	165k	JANE 74	OSPK
0.10 ± 0.22	220k	LAYTER 72	ASPK
0.5 ± 0.5	37k	GORMLEY 68C	WIRE

$\pi^+\pi^-\pi^0$ QUADRANT ASYMMETRY PARAMETER

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
-0.09 ± 0.09 OUR AVERAGE			
$-0.05 \pm 0.10^{+0.03}_{-0.05}$	1.34M	AMBROSINO 08D	KLOE
-0.30 ± 0.25	165k	JANE 74	OSPK
-0.07 ± 0.22	220k	LAYTER 72	ASPK

$\pi^+\pi^-\gamma$ LEFT-RIGHT ASYMMETRY PARAMETER

Measurements with an error $> 2.0 \times 10^{-2}$ have been omitted.

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
0.9 ± 0.4 OUR AVERAGE			
1.2 ± 0.6	35k	JANE 74B	OSPK
0.5 ± 0.6	36k	THALER 72	ASPK
1.22 ± 1.56	7257	GORMLEY 70	ASPK

$\pi^+\pi^-\gamma$ PARAMETER β (*D*-wave)

Sensitive to a *D*-wave contribution: $dN/d\cos\theta = \sin^2\theta (1 + \beta \cos^2\theta)$.

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
-0.02 ± 0.07 OUR AVERAGE		Error includes scale factor of 1.3.	
0.11 ± 0.11	35k	JANE 74B	OSPK
-0.060 ± 0.065	7250	GORMLEY 70	WIRE
0.12 ± 0.06	¹	THALER 72	ASPK

• • • We do not use the following data for averages, fits, limits, etc. • • •

¹The authors don't believe this indicates *D*-wave because the dependence of β on the γ energy is inconsistent with the theoretical prediction. A $\cos^2\theta$ dependence can also come from *P*- and *F*-wave interference.

η CP-NONCONSERVING DECAY PARAMETER

$\pi^+\pi^-e^+e^-$ DECAY-PLANE ASYMMETRY PARAMETER A_ϕ

In the η rest frame, the total momentum of the e^+e^- pair is equal and opposite to that of the $\pi^+\pi^-$ pair. Let \hat{z} be the unit vector along the momentum of the e^+e^- pair; let \hat{n}_{ee} and $\hat{n}_{\pi\pi}$ be the unit vectors normal to the e^+e^- and $\pi^+\pi^-$ planes; and let ϕ be the angle between the two normals. Then

$$\sin\phi \cos\phi = [(\hat{n}_{ee} \times \hat{n}_{\pi\pi}) \cdot \hat{z}] (\hat{n}_{ee} \cdot \hat{n}_{\pi\pi}),$$

and

$$A_\phi \equiv \frac{N_{\sin\phi \cos\phi > 0} - N_{\sin\phi \cos\phi < 0}}{N_{\sin\phi \cos\phi > 0} + N_{\sin\phi \cos\phi < 0}}.$$

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-1.6 ± 2.6 OUR AVERAGE				
$-4.04 \pm 4.69 \pm 0.14$	680	ABLIKIM 25AV	BES3 10B	$e^+e^- \rightarrow J/\psi \rightarrow \eta\gamma$
$-0.6 \pm 2.5 \pm 1.8$	1.5k	AMBROSINO 09B	KLOE	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$

ENERGY DEPENDENCE OF $\eta \rightarrow 3\pi$ DALITZ PLOTS

PARAMETERS FOR $\eta \rightarrow \pi^+\pi^-\pi^0$

See the "Note on η Decay Parameters," page 1454, in our 1994 edition (*Physical Review D* **50** 1173 (1994)). The following experiments fit to one or more of the coefficients a, b, c, d, e, f or g for $|\text{matrix element}|^2 = 1 + ay + by^2 + cx + dx^2 + exy + fy^3 + gx^2y$.

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
631k		¹ ABLIKIM	23AN BES3	$J/\psi \rightarrow \gamma\eta$
4.7M		² ANASTASI	16A KLOE	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
79k		ABLIKIM	15G BES3	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\eta$
174k		ADLARSON	14A WASA	$pd \rightarrow \eta\ ^3\text{He}$
1.34M		AMBROSINO	08D KLOE	
3230		³ ABELE	98D CBAR	$\bar{p}p \rightarrow \pi^0\pi^0\eta$ at rest
1077		⁴ AMSLER	95 CBAR	$\bar{p}p \rightarrow \pi^+\pi^-\eta$ at rest
81k		LAYTER	73 ASPK	
220k		LAYTER	72 ASPK	
1138		CARPENTER	70 HBC	
349		DANBURG	70 DBC	
7250		GORMLEY	70 WIRE	
526		BAGLIN	69 HLBC	
7170		CNOPS	68 OSPK	
37k		GORMLEY	68C WIRE	
1300		CLPWY	66 HBC	
705		LARRIBE	66 HBC	

¹ ABLIKIM 23AN fit the Dalitz plot density distribution with two parameter sets (a, b, d, f), and (a, b, d, f, g).

² ANASTASI 16A measure the Dalitz parameters a, b, d, f , and g . This is the first measurement of g .

³ ABELE 98D obtains $a = -1.22 \pm 0.07$ and $b = 0.22 \pm 0.11$ when c (or d) is fixed at 0.06.

⁴ AMSLER 95 fits to $(1+ay+by^2)$ and obtains $a = -0.94 \pm 0.15$ and $b = 0.11 \pm 0.27$.

α PARAMETER FOR $\eta \rightarrow 3\pi^0$

See the "Note on η Decay Parameters" in our 1994 edition, *Phys. Rev. D* **50**, 1 August 1994, Part I, p. 1454. The value here is of α in $|\text{matrix element}|^2 = 1 + 2\alpha z$.

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.0296 ± 0.0016				OUR AVERAGE Error includes scale factor of 1.7. See the ideogram below.
$-0.0406 \pm 0.0035 \pm 0.0008$	272k	ABLIKIM	23ANBES3	$J/\psi \rightarrow \gamma\eta$
$-0.0265 \pm 0.0010 \pm 0.0009$	7M	PRAKHOV	18 CRYB	$\gamma p \rightarrow p\eta$
$-0.055 \pm 0.014 \pm 0.004$	33k	ABLIKIM	15G BES3	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\eta$
$-0.0301 \pm 0.0035 \pm_{-0.0035}^{+0.0022}$	512k	AMBROSINO	10A KLOE	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
$-0.027 \pm 0.008 \pm 0.005$	120k	¹ ADOLPH	09 WASA	$pp \rightarrow pp\eta$
$-0.0322 \pm 0.0012 \pm 0.0022$	3M	² PRAKHOV	09 CRYB	$\gamma p \rightarrow p\eta$
$-0.032 \pm 0.002 \pm 0.002$	1.8M	² UNVERZAGT	09 CRYB	$\gamma p \rightarrow p\eta$
$-0.026 \pm 0.010 \pm 0.010$	75k	BASHKANOV	07 WASA	$pp \rightarrow pp\eta$
$-0.010 \pm 0.021 \pm 0.010$	12k	ACHASOV	01c SND	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
-0.031 ± 0.004	1M	TIPPENS	01 CRYB	$\pi^- p \rightarrow n\eta, 720 \text{ MeV}$


- 0.052 ±0.017 ±0.010 98k ABELE 98C CBAR $\bar{p}p \rightarrow 5\pi^0$
- 0.022 ±0.023 50k ALDE 84 GAM2
- • • We do not use the following data for averages, fits, limits, etc. • • •

- 0.038 ±0.003 $\begin{matrix} +0.012 \\ -0.008 \end{matrix}$ 1.34M ³ AMBROSINO 08D KLOE
- 0.32 ±0.37 192 BAGLIN 70 HLBC

¹This ADOLPH 09 result is independent of the BASHKANOV 07 result.

²The PRAKHOV 09 and UNVERZAGT 09 results are independent.

³This AMBROSINO 08D value is an indirect result using $\eta \rightarrow \pi^+\pi^0\pi^-$ events and a rescattering matrix that mixes isospin decay amplitudes.



PARAMETER Λ IN $\eta \rightarrow \ell^+\ell^-\gamma$ DECAY

In the pole approximation the electromagnetic transition form factor for a resonance of mass M is given by the expression:

$$|F|^2 = (1 - M_{\ell\ell}^2/\Lambda^2)^{-2},$$

where for the parameter Λ vector dominance predicts $\Lambda \approx 0.770$ GeV.


VALUE (GeV/c ²)	EVTS	DOCUMENT ID	TECN	COMMENT
0.731 ±0.013 OUR AVERAGE		Error includes scale factor of 1.3. See the ideogram below.		
0.765 ±0.018	45k	¹ ABLIKIM	25CL BES3	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\eta/\eta'$ and $e^+e^- \rightarrow J/\psi \rightarrow \gamma\eta' \rightarrow \gamma\eta\pi^+\pi^-$

0.780 ±0.081	22k	² ABLIKIM	25CL BES3	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\eta' \rightarrow \gamma\eta\pi^+\pi^-$
0.712 ±0.020		³ ADLARSON	17B A2MM	$\gamma p \rightarrow \eta p$
0.7191 ±0.0125 ±0.0093		⁴ ARNALDI	16 NA60	400 GeV p - A collisions
0.716 ±0.031 ±0.009		⁵ ARNALDI	09 NA60	158A In-In collisions
0.72 ±0.09	600	DZHELYADIN	80 SPEC	$\pi^- p \rightarrow \eta n, \eta \rightarrow \gamma\mu^+\mu^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.774 ±0.022	22k	⁶ ABLIKIM	25CL BES3	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\eta' \rightarrow \gamma\eta\pi^+\pi^-$
0.749 ±0.027 ±0.008	23k	ABLIKIM	24M BES3	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\eta/\eta'$

- ¹ ABLIKIM 25CL reports $\Lambda^{-2}(\eta \rightarrow \gamma e^+e^-) = 1.707 \pm 0.081 \text{ (GeV}/c^2\text{)}^{-2}$ for the combined sample of ABLIKIM 25CL and ABLIKIM 24M, which we converted to the quoted Λ value and uncertainty (total=statistical plus systematic).
- ² ABLIKIM 25CL reports $\Lambda^{-2}(\eta \rightarrow \gamma\mu^+\mu^-) = 1.645 \pm 0.343 \pm 0.017 \text{ (GeV}/c^2\text{)}^{-2}$ which we converted to the quoted Λ value and uncertainty (total=statistical plus systematic).
- ³ ADLARSON 17B reports $\Lambda^{-2}(\eta \rightarrow \gamma e^+e^-) = 1.97 \pm 0.11 \text{ (GeV}/c^2\text{)}^{-2}$ which we converted to the quoted Λ value and uncertainty (total=statistical plus systematic).
- ⁴ ARNALDI 16 reports $\Lambda^{-2}(\eta \rightarrow \gamma\mu^+\mu^-) = 1.934 \pm 0.067 \pm 0.050 \text{ (GeV}/c^2\text{)}^{-2}$ which we converted to the quoted Λ value.
- ⁵ ARNALDI 09 reports $\Lambda^{-2}(\eta \rightarrow \gamma\mu^+\mu^-) = 1.95 \pm 0.17 \pm 0.05 \text{ (GeV}/c^2\text{)}^{-2}$ which we converted to the quoted Λ value.
- ⁶ ABLIKIM 25CL reports $\Lambda^{-2}(\eta \rightarrow \gamma e^+e^-) = 1.668 \pm 0.096 \text{ (GeV}/c^2\text{)}^{-2}$ which we converted to the quoted Λ value and uncertainty (total=statistical plus systematic).



η REFERENCES

- | | | | | |
|------------------|----------------|------------------------------|-------------------------------|-------------------------------|
| ABLIKIM | 25AV | PR D111 072008 | M. Ablikim <i>et al.</i> | (BESIII Collab.) |
| ABLIKIM | 25BS | PRL 135 151804 | M. Ablikim <i>et al.</i> | (BESIII Collab.) |
| ABLIKIM | 25CA | PR D112 112021 | M. Ablikim <i>et al.</i> | (BESIII Collab.) |
| ABLIKIM | 25CL | PR D112 052007 | M. Ablikim <i>et al.</i> | (BESIII Collab.) |
| ABLIKIM | 25N | PR D111 052002 | M. Ablikim <i>et al.</i> | (BESIII Collab.) |
| ABLIKIM | 24M | PR D109 072001 | M. Ablikim <i>et al.</i> | (BESIII Collab.) |
| ANDREEV | 24D | PRL 133 121803 | Yu.M. Andreev <i>et al.</i> | (NA64 Collab.) |
| ABLIKIM | 23AN | PR D107 092007 | M. Ablikim <i>et al.</i> | (BESIII Collab.) |
| HAYRAPETY... 23A | PRL 131 091903 | A. Hayrapetyan <i>et al.</i> | (CMS Collab.) | |
| ABLIKIM | 21AM | PR D104 092004 | M. Ablikim <i>et al.</i> | (BESIII Collab.) |
| BABUSCI | 20A | JHEP 2010 047 | D. Babusci <i>et al.</i> | (KLOE-2 Collab.) |
| ZHEVLAKOV | 19 | PR D99 031703 | A.S. Zhevlakov <i>et al.</i> | (TMSK, MAINZ, TUBIN+) |
| ACHASOV | 18B | PR D98 052007 | M.N. Achasov <i>et al.</i> | (SND Collab.) |
| ADLARSON | 18C | PL B784 378 | P. Adlarson <i>et al.</i> | (WASA-at-COSY Collab.) |
| PRAKHOV | 18 | PR C97 065203 | S. Prakhov <i>et al.</i> | (A2 Collab. at MAMI) |
| AAIJ | 17D | PL B764 233 | R. Aaij <i>et al.</i> | (LHCb Collab.) |
| ADLARSON | 17B | PR C95 035208 | P. Adlarson <i>et al.</i> | (A2 Collab. at MAMI) |
| ANASTASI | 16A | JHEP 1605 019 | A. Anastasi <i>et al.</i> | (KLOE-2 Collab.) |
| ARNALDI | 16 | PL B757 437 | R. Arnaldi <i>et al.</i> | (NA60 Collab.) |
| ABLIKIM | 15G | PR D92 012014 | M. Ablikim <i>et al.</i> | (BESIII Collab.) |
| ADLARSON | 14A | PR C90 045207 | P. Adlarson <i>et al.</i> | (WASA-at-COSY Collab.) |
| AGAKISHIEV | 14 | PL B731 265 | G. Agakishiev <i>et al.</i> | (HADES Collab.) |
| NEFKENS | 14 | PR C90 025206 | B.M.K. Nefkens <i>et al.</i> | (A2 Collab. at MAMI) |
| NIKOLAEV | 14 | EPJ A50 58 | A. Nikolaev <i>et al.</i> | (MAMI-B, MAINZ, BONN) |
| ABLIKIM | 13 | PR D87 012009 | M. Ablikim <i>et al.</i> | (BESIII Collab.) |
| ABLIKIM | 13G | PR D87 032006 | M. Ablikim <i>et al.</i> | (BESIII Collab.) |
| BABUSCI | 13 | PL B718 910 | D. Babusci <i>et al.</i> | (KLOE/KLOE-2 Collab.) |
| BABUSCI | 13A | JHEP 1301 119 | D. Babusci <i>et al.</i> | (KLOE-2 Collab.) |
| AGAKISHIEV | 12A | EPJ A48 64 | G. Agakishiev <i>et al.</i> | (HADES Collab.) |
| GOSLAWSKI | 12 | PR D85 112011 | P. Goslawski <i>et al.</i> | (COSY-ANKE Collab.) |
| ABLIKIM | 11G | PR D84 032006 | M. Ablikim <i>et al.</i> | (BESIII Collab.) |
| AMBROSINO | 11B | PL B702 324 | F. Ambrosino <i>et al.</i> | (KLOE Collab.) |
| BERGHAUSER | 11 | PL B701 562 | H. Berghauser <i>et al.</i> | (GIES, UCLA, GUTE) |
| AMBROSINO | 10A | PL B694 16 | F. Ambrosino <i>et al.</i> | (KLOE Collab.) |
| ADOLPH | 09 | PL B677 24 | C. Adolph <i>et al.</i> | (WASA-at-COSY Collab.) |
| AMBROSINO | 09B | PL B675 283 | F. Ambrosino <i>et al.</i> | (KLOE Collab.) |
| ARNALDI | 09 | PL B677 260 | R. Arnaldi <i>et al.</i> | (NA60 Collab.) |
| PRAKHOV | 09 | PR C79 035204 | S. Prakhov <i>et al.</i> | (MAMI-C Crystal Ball Collab.) |
| UNVERZAGT | 09 | EPJ A39 169 | M. Unverzagt <i>et al.</i> | (MAMI-B Crystal Ball Collab.) |
| AMBROSINO | 08D | JHEP 0805 006 | F. Ambrosino <i>et al.</i> | (DAPHNE KLOE Collab.) |
| BERLOWSKI | 08 | PR D77 032004 | M. Berlowski <i>et al.</i> | (CELSIUS/WASA Collab.) |
| PRAKHOV | 08 | PR C78 015206 | S. Prakhov <i>et al.</i> | (BNL Crystal Ball Collab.) |
| RODRIGUES | 08 | PRL 101 012301 | T.E. Rodrigues <i>et al.</i> | (USP, FESP, UNESP+) |
| AMBROSINO | 07B | JHEP 0712 073 | F. Ambrosino <i>et al.</i> | (KLOE Collab.) |
| BARGHOLTZ | 07 | PL B644 299 | Chr. Bargholtz <i>et al.</i> | (CELSIUS/WASA Collab.) |
| BASHKANOV | 07 | PR C76 048201 | M. Bashkanov <i>et al.</i> | (CELSIUS/WASA Collab.) |
| BLIK | 07 | PAN 70 693 | A.M. Blik <i>et al.</i> | (GAMS Collab.) |
| LOPEZ | 07 | PRL 99 122001 | A. Lopez <i>et al.</i> | (CLEO Collab.) |
| MILLER | 07 | PRL 99 122002 | D.H. Miller <i>et al.</i> | (CLEO Collab.) |
| ABLIKIM | 06E | PR D73 052008 | M. Ablikim <i>et al.</i> | (BES Collab.) |
| ABLIKIM | 06Q | PRL 97 202002 | M. Ablikim <i>et al.</i> | (BES Collab.) |
| ACHASOV | 06A | PR D74 014016 | M.N. Achasov <i>et al.</i> | (SND Collab.) |
| ABDEL-BARY | 05 | PL B619 281 | M. Abdel-Bary <i>et al.</i> | (GEM Collab.) |
| AKHMETSHIN | 05 | PL B605 26 | R.R. Akhmetshin <i>et al.</i> | (Novosibirsk CMD-2 Collab.) |
| AMBROSINO | 05A | PL B606 276 | F. Ambrosino <i>et al.</i> | (KLOE Collab.) |
| NEFKENS | 05 | PRL 94 041601 | B.M.K. Nefkens <i>et al.</i> | (BNL Crystal Ball Collab.) |
| NEFKENS | 05A | PR C72 035212 | B.M.K. Nefkens <i>et al.</i> | (BNL Crystal Ball Collab.) |
| PRAKHOV | 05 | PR C72 025201 | S. Prakhov <i>et al.</i> | (BNL Crystal Ball Collab.) |
| ALOISIO | 04 | PL B591 49 | A. Aloisio <i>et al.</i> | (KLOE Collab.) |
| KNECHT | 04 | PL B589 14 | N. Knecht <i>et al.</i> | |
| LAI | 02 | PL B533 196 | A. Lai <i>et al.</i> | (CERN NA48 Collab.) |
| NEFKENS | 02 | PS T99 114 | B.M.K. Nefkens, J.W. Price | (UCLA) |
| ACHASOV | 01B | PL B504 275 | M.N. Achasov <i>et al.</i> | (Novosibirsk SND Collab.) |
| ACHASOV | 01C | JETPL 73 451 | M.N. Achasov <i>et al.</i> | (Novosibirsk SND Collab.) |
| ACHASOV | 01D | NP B600 3 | M.N. Achasov <i>et al.</i> | (Novosibirsk SND Collab.) |
| AKHMETSHIN | 01 | PL B501 191 | R.R. Akhmetshin <i>et al.</i> | (Novosibirsk CMD-2 Collab.) |
| AKHMETSHIN | 01B | PL B509 217 | R.R. Akhmetshin <i>et al.</i> | (Novosibirsk CMD-2 Collab.) |

TIPPENS	01	PRL 87 192001	W.B. Tippens <i>et al.</i>	(BNL Crystal Ball Collab.)
ACHASOV	00	EPJ C12 25	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	00B	JETP 90 17	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
		Translated from ZETF 117 22.		
ACHASOV	00D	JETPL 72 282	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
		Translated from ZETFP 72 411.		
PRAKHOV	00	PRL 84 4802	S. Prakhov <i>et al.</i>	(BNL Crystal Ball Collab.)
AKHMETSHIN	99B	PL B462 371	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	99C	PL B462 380	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	99F	PL B460 242	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
ABELE	98C	PL B417 193	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	98D	PL B417 197	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ACHASOV	98	PL B425 388	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
AKHMETSHIN	97C	PL B415 452	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
BROWDER	97B	PR D56 5359	T.E. Browder <i>et al.</i>	(CLEO Collab.)
ABEGG	96	PR D53 11	R. Abegg <i>et al.</i>	(Saturne SPES2 Collab.)
WHITE	96	PR D53 6658	D.B. White <i>et al.</i>	(Saturne SPES2 Collab.)
AMSLER	95	PL B346 203	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
KRUSCHE	95D	ZPHY A351 237	B. Krusche <i>et al.</i>	(TAPS + A2 Collab.)
ABEGG	94	PR D50 92	R. Abegg <i>et al.</i>	(Saturne SPES2 Collab.)
PDG	94	PR D50 1173	L. Montanet <i>et al.</i>	(CERN, LBL, BOST+)
AMSLER	93	ZPHY C58 175	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
KESSLER	93	PRL 70 892	R.S. Kessler <i>et al.</i>	(Saturne SPES2 Collab.)
PLOUIN	92	PL B276 526	F. Plouin <i>et al.</i>	(Saturne SPES4 Collab.)
BARU	90	ZPHY C48 581	S.E. Baru <i>et al.</i>	(MD-1 Collab.)
ROE	90	PR D41 17	N.A. Roe <i>et al.</i>	(ASP Collab.)
WILLIAMS	88	PR D38 1365	D.A. Williams <i>et al.</i>	(Crystal Ball Collab.)
AIHARA	86	PR D33 844	H. Aihara <i>et al.</i>	(TPC-2 γ Collab.)
BARTEL	85E	PL 160B 421	W. Bartel <i>et al.</i>	(JADE Collab.)
LANDSBERG	85	PRPL 128 301	L.G. Landsberg	(SERP)
ALDE	84	ZPHY C25 225	D.M. Alde <i>et al.</i>	(SERP, BELG, LAPP)
Also		SJNP 40 918	D.M. Alde <i>et al.</i>	(SERP, BELG, LAPP)
		Translated from YAF 40 1447.		
WEINSTEIN	83	PR D28 2896	A.J. Weinstein <i>et al.</i>	(Crystal Ball Collab.)
BINON	82	SJNP 36 391	F.G. Binon <i>et al.</i>	(SERP, BELG, LAPP+)
		Translated from YAF 36 670.		
Also		NC 71A 497	F.G. Binon <i>et al.</i>	(SERP, BELG, LAPP+)
DAVYDOV	81	LNC 32 45	V.A. Davydov <i>et al.</i>	(SERP, BELG, LAPP+)
Also		SJNP 33 825	V.A. Davydov <i>et al.</i>	(SERP, BELG, LAPP+)
		Translated from YAF 33 1534.		
DZHEL'YADIN	81	PL 105B 239	R.I. Dzhelelyadin <i>et al.</i>	(SERP)
Also		SJNP 33 822	R.I. Dzhelelyadin <i>et al.</i>	(SERP)
		Translated from YAF 33 1529.		
ABROSIMOV	80	SJNP 31 195	A.T. Abrosimov <i>et al.</i>	(JINR)
		Translated from YAF 31 371.		
DZHEL'YADIN	80	PL 94B 548	R.I. Dzhelelyadin <i>et al.</i>	(SERP)
Also		SJNP 32 516	R.I. Dzhelelyadin <i>et al.</i>	(SERP)
		Translated from YAF 32 998.		
DZHEL'YADIN	80B	PL 97B 471	R.I. Dzhelelyadin <i>et al.</i>	(SERP)
Also		SJNP 32 518	R.I. Dzhelelyadin <i>et al.</i>	(SERP)
		Translated from YAF 32 1002.		
BUSHNIN	78	PL 79B 147	Y.B. Bushnin <i>et al.</i>	(SERP)
Also		SJNP 28 775	Y.B. Bushnin <i>et al.</i>	(SERP)
		Translated from YAF 28 1507.		
MARTYNOV	76	SJNP 23 48	A.S. Martynov <i>et al.</i>	(JINR)
		Translated from YAF 23 93.		
JANE	75	PL 59B 99	M.R. Jane <i>et al.</i>	(RHEL, LOWC)
JANE	75B	PL 59B 103	M.R. Jane <i>et al.</i>	(RHEL, LOWC)
Also		PL 73B 503	M.R. Jane	
		Erratum in private communication.		
BROWMAN	74B	PRL 32 1067	A. Browman <i>et al.</i>	(CORN, BING)
DAVIES	74	NC 24A 324	J.D. Davies, J.G. Guy, R.K.P. Zia	(BIRM, RHEL+)
DUANE	74	PRL 32 425	A. Duane <i>et al.</i>	(LOIC, SHMP)
JANE	74	PL 48B 260	M.R. Jane <i>et al.</i>	(RHEL, LOWC, SUSS)
JANE	74B	PL 48B 265	M.R. Jane <i>et al.</i>	(RHEL, LOWC, SUSS)
KENDALL	74	NC 21A 387	B.N. Kendall <i>et al.</i>	(BROW, BARI, MIT)
LAYTER	73	PR D7 2565	J.G. Layter <i>et al.</i>	(COLU)
THALER	73	PR D7 2569	J.J. Thaler <i>et al.</i>	(COLU)
AGUILAR-...	72B	PR D6 29	M. Aguilar-Benitez <i>et al.</i>	(BNL)
BLOODWORTH...	72B	NP B39 525	I.J. Bloodworth <i>et al.</i>	(TNTO)
LAYTER	72	PRL 29 316	J.G. Layter <i>et al.</i>	(COLU)
THALER	72	PRL 29 313	J.J. Thaler <i>et al.</i>	(COLU)
BASILE	71D	NC 3A 796	M. Basile <i>et al.</i>	(CERN, BGNA, STRB)

STRUGALSKI	71	NP B27 429	Z.S. Strugalski <i>et al.</i>	(JINR)
BAGLIN	70	NP B22 66	C. Baglin <i>et al.</i>	(EPOL, MADR, STRB)
BUTTRAM	70	PRL 25 1358	M.T. Buttram, M.N. Kreisler, R.E. Mischke	(PRIN)
CARPENTER	70	PR D1 1303	D.W. Carpenter <i>et al.</i>	(DUKE)
COX	70B	PRL 24 534	B. Cox, L. Fortney, J.P. Golson	(DUKE)
DANBURG	70	PR D2 2564	J.S. Danburg <i>et al.</i>	(LRL)
DEVONS	70	PR D1 1936	S. Devons <i>et al.</i>	(COLU, SYRA)
GORMLEY	70	PR D2 501	M. Gormley <i>et al.</i>	(COLU, BNL)
Also		Thesis Nevis 181	M. Gormley	(COLU)
BAGLIN	69	PL 29B 445	C. Baglin <i>et al.</i>	(EPOL, UCB, MADR, STRB)
Also		NP B22 66	C. Baglin <i>et al.</i>	(EPOL, MADR, STRB)
HYAMS	69	PL 29B 128	B.D. Hyams <i>et al.</i>	(CERN, MPIM)
ARNOLD	68	PL 27B 466	R.G. Arnold <i>et al.</i>	(STRB, MADR, EPOL+)
BAZIN	68	PRL 20 895	M.J. Bazin <i>et al.</i>	(PRIN, QUKI)
BULLOCK	68	PL 27B 402	F.W. Bullock <i>et al.</i>	(LOUC)
CNOPS	68	PRL 21 1609	A.M. Cnops <i>et al.</i>	(BNL, ORNL, UCND+)
GORMLEY	68C	PRL 21 402	M. Gormley <i>et al.</i>	(COLU, BNL)
WEHMANN	68	PRL 20 748	A.W. Wehmann <i>et al.</i>	(HARV, CASE, SLAC+)
BAGLIN	67	PL 24B 637	C. Baglin <i>et al.</i>	(EPOL, UCB)
BAGLIN	67B	BAPS 12 567	C. Baglin <i>et al.</i>	(EPOL, UCB)
BALTAY	67B	PRL 19 1498	C. Baltay <i>et al.</i>	(COLU, STON)
BALTAY	67D	PRL 19 1495	C. Baltay <i>et al.</i>	(COLU, BRAN)
BEMPORAD	67	PL 25B 380	C. Bemporad <i>et al.</i>	(PISA, BONN)
Also		Private Comm.	I. Ion	
BILLING	67	PL 25B 435	K.D. Billing <i>et al.</i>	(LOUC, OXF)
BUNIATOV	67	PL 25B 560	S.A. Bunyatov <i>et al.</i>	(CERN, KARL)
CENCE	67	PRL 19 1393	R.J. Cence <i>et al.</i>	(HAWA, LRL)
ESTEN	67	PL 24B 115	M.J. Esten <i>et al.</i>	(LOUC, OXF)
FELDMAN	67	PRL 18 868	M. Feldman <i>et al.</i>	(PENN)
FLATTE	67	PRL 18 976	S.M. Flatte	(LRL)
FLATTE	67B	PR 163 1441	S.M. Flatte, C.G. Wohl	(LRL)
LITCHFIELD	67	PL 24B 486	P.J. Litchfield <i>et al.</i>	(RHEL, SACL)
PRICE	67	PRL 18 1207	L.R. Price, F.S. Crawford	(LRL)
ALFF-...	66	PR 145 1072	C. Alff-Steinberger <i>et al.</i>	(COLU, RUTG)
CLPWY	66	PR 149 1044	C. Baltay	(SCUC, LRL, PURD, WISC, YALE)
CRAWFORD	66	PRL 16 333	F.S. Crawford, L.R. Price	(LRL)
DIGIUGNO	66	PRL 16 767	G. di Giugno <i>et al.</i>	(NAPL, TRST, FRAS)
GRUNHAUS	66	Thesis	J. Grunhaus	(COLU)
JAMES	66	PR 142 896	F.E. James, H.L. Kraybill	(YALE, BNL)
JONES	66	PL 23 597	W.G. Jones <i>et al.</i>	(LOIC, RHEL)
LARRIBE	66	PL 23 600	A. Larribe <i>et al.</i>	(SACL, RHEL)
FOSTER	65	PR 138 B652	M. Foster <i>et al.</i>	(WISC, PURD)
FOSTER	65B	Athens Conf.	M. Foster, M. Good, M. Meer	(WISC)
FOSTER	65C	Thesis	M. Foster	(WISC)
PRICE	65	PRL 15 123	L.R. Price, F.S. Crawford	(LRL)
RITTENBERG	65	PRL 15 556	A. Rittenberg, G.R. Kalbfleisch	(LRL, BNL)
FOELSCH	64	PR 134 B1138	H.W.J. Foelsche, H.L. Kraybill	(YALE)
KRAEMER	64	PR 136 B496	R.W. Kraemer <i>et al.</i>	(JHU, NWES, WOOD)
PAULI	64	PL 13 351	E. Pauli, A. Muller	(SACL)
BACCI	63	PRL 11 37	C. Bacci <i>et al.</i>	(ROMA, FRAS)
CRAWFORD	63	PRL 10 546	F.S.Jr. Crawford, L.J. Lloyd, E.C. Fowler	(LRL+)
Also		PRL 16 907	F.S. Crawford, L.J. Lloyd, E.C. Fowler	(LRL+)
ALFF-...	62	PRL 9 322	C. Alff-Steinberger <i>et al.</i>	(COLU, RUTG)
BASTIEN	62	PRL 8 114	P.L. Bastien <i>et al.</i>	(LRL)
PICKUP	62	PRL 8 329	E. Pickup, D.K. Robinson, E.O. Salant	(CNRC+)