

$\Lambda(2100) \ 7/2^-$

 $I(J^P) = 0(\frac{7}{2}^-)$ Status: * * * *

NODE=B041

Most of the results published before 1973 are now obsolete and have been omitted. They may be found in our 1982 edition Physics Letters **111B** 1 (1982).

NODE=B041

This entry only includes results from partial-wave analyses. Parameters of peaks seen in cross sections and in invariant-mass distributions around 2100 MeV used to be listed in a separate entry immediately following. It may be found in our 1986 edition Physics Letters **170B** 1 (1986).

$\Lambda(2100)$ POLE POSITION

NODE=B041225

REAL PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2040 ± 14	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2023	ZHANG 13A	DPWA	Multichannel

 NODE=B041RE
 NODE=B041RE

−2×IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
215 ± 29	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
239	ZHANG 13A	DPWA	Multichannel

 NODE=B041IM
 NODE=B041IM

$\Lambda(2100)$ POLE RESIDUE

NODE=B041250

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

NODE=B041250

Normalized residue in $N\bar{K} \rightarrow \Lambda(2100) \rightarrow N\bar{K}$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.28 ± 0.06	−40 ± 10	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

 NODE=B041A00
 NODE=B041A00

Normalized residue in $N\bar{K} \rightarrow \Lambda(2100) \rightarrow \Sigma\pi$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.09 ± 0.02	−35 ± 15	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

 NODE=B041A01
 NODE=B041A01

Normalized residue in $N\bar{K} \rightarrow \Lambda(2100) \rightarrow \Sigma(1385)\pi$, *D-wave*

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.04 ± 0.03		SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

 NODE=B041A02
 NODE=B041A02

Normalized residue in $N\bar{K} \rightarrow \Lambda(2100) \rightarrow \Sigma(1385)\pi$, *G-wave*

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.06 ± 0.03	−45 ± 15	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

 NODE=B041A03
 NODE=B041A03

Normalized residue in $N\bar{K} \rightarrow \Lambda(2100) \rightarrow N\bar{K}^*(892)$, *S=3/2, D-wave*

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.11 ± 0.06	−30 ± 30	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

 NODE=B041A04
 NODE=B041A04

$\Lambda(2100)$ MASS

NODE=B041M

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2090 to 2110 (≈ 2100) OUR ESTIMATE			
2090 ± 15	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel
2086 ± 6	ZHANG 13A	DPWA	Multichannel
2104 ± 10	GOPAL 80	DPWA	$\bar{K}N \rightarrow \bar{K}N$
2106 ± 30	DEBELLEFON 78	DPWA	$\bar{K}N \rightarrow \bar{K}N$
2110 ± 10	GOPAL 77	DPWA	$\bar{K}N$ multichannel
2105 ± 10	HEMINGWAY 75	DPWA	$K^- p \rightarrow \bar{K}N$
2115 ± 10	KANE 74	DPWA	$K^- p \rightarrow \Sigma\pi$

NODE=B041M

→ UNCHECKED ←

• • • We do not use the following data for averages, fits, limits, etc. • • •

2094	BACCARI	77	DPWA	$K^- p \rightarrow \Lambda \omega$
2094	DECLAIS	77	DPWA	$\bar{K} N \rightarrow \bar{K} N$
2110 or 2089	¹ NAKKASYAN	75	DPWA	$K^- p \rightarrow \Lambda \omega$

$\Lambda(2100)$ WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
100 to 250 (≈ 200) OUR ESTIMATE			
290 ± 30	SARANTSEV	19	DPWA $\bar{K} N$ multichannel
305 ± 16	ZHANG	13A	DPWA Multichannel
157 ± 40	DEBELLEFON	78	DPWA $\bar{K} N \rightarrow \bar{K} N$
250 ± 30	GOPAL	77	DPWA $\bar{K} N$ multichannel
241 ± 30	HEMINGWAY	75	DPWA $K^- p \rightarrow \bar{K} N$
152 ± 15	KANE	74	DPWA $K^- p \rightarrow \Sigma \pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
98	BACCARI	77	DPWA $K^- p \rightarrow \Lambda \omega$
250	DECLAIS	77	DPWA $\bar{K} N \rightarrow \bar{K} N$
244 or 302	¹ NAKKASYAN	75	DPWA $K^- p \rightarrow \Lambda \omega$

NODE=B041W

NODE=B041W

→ UNCHECKED ←

$\Lambda(2100)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\bar{K}$	25–35 %
Γ_2 $\Sigma \pi$	~ 5 %
Γ_3 $\Lambda \eta$	< 3 %
Γ_4 ΞK	< 3 %
Γ_5 $\Lambda \omega$	< 8 %
Γ_6 $\Sigma(1385)\pi$, D -wave	
Γ_7 $\Sigma(1385)\pi$, G -wave	(1.0 ± 1.0) %
Γ_8 $N\bar{K}^*(892)$	10–20 %
Γ_9 $N\bar{K}^*(892)$, $S=3/2$, D -wave	(4.0 ± 2.0) %
Γ_{10} $N\bar{K}^*(892)$, $S=1/2$, G -wave	
Γ_{11} $N\bar{K}^*(892)$, $S=3/2$, G -wave	

NODE=B041215;NODE=B041

DESIG=1;OUR EST

DESIG=2;OUR EST

DESIG=5;OUR EST

DESIG=3;OUR EST

DESIG=4;OUR EST

DESIG=10

DESIG=11

DESIG=8;OUR EST

DESIG=6

DESIG=7

DESIG=9

$\Lambda(2100)$ BRANCHING RATIOS

See “Sign conventions for resonance couplings” in the Note on Λ and Σ Resonances.

NODE=B041220

NODE=B041220

$\Gamma(N\bar{K})/\Gamma_{\text{total}}$ Γ_1/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
0.25 to 0.35 (≈ 0.30) OUR ESTIMATE			
0.24 ± 0.05	SARANTSEV	19	DPWA $\bar{K} N$ multichannel
0.23 ± 0.01	ZHANG	13A	DPWA Multichannel
0.34 ± 0.03	GOPAL	80	DPWA $\bar{K} N \rightarrow \bar{K} N$
0.24 ± 0.06	DEBELLEFON	78	DPWA $\bar{K} N \rightarrow \bar{K} N$
0.31 ± 0.03	HEMINGWAY	75	DPWA $K^- p \rightarrow \bar{K} N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.29	DECLAIS	77	DPWA $\bar{K} N \rightarrow \bar{K} N$
0.30 ± 0.03	GOPAL	77	DPWA See GOPAL 80

NODE=B041R1

NODE=B041R1

→ UNCHECKED ←

$\Gamma(\Sigma \pi)/\Gamma_{\text{total}}$ Γ_2/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
0.030 $\pm$ 0.015	SARANTSEV	19	DPWA $\bar{K} N$ multichannel

NODE=B041R00

NODE=B041R00

$\Gamma(\Sigma(1385)\pi, D\text{-wave})/\Gamma_{\text{total}}$ Γ_6/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
< 0.01	SARANTSEV	19	DPWA $\bar{K} N$ multichannel

NODE=B041R02

NODE=B041R02

$\Gamma(\Sigma(1385)\pi, G\text{-wave})/\Gamma_{\text{total}}$ Γ_7/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
0.01 $\pm$ 0.01	SARANTSEV	19	DPWA $\bar{K} N$ multichannel

NODE=B041R03

NODE=B041R03

$\Gamma(N\bar{K}^*(892), S=3/2, D\text{-wave})/\Gamma_{\text{total}} \quad \Gamma_9/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT
0.04±0.02	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

NODE=B041R04
NODE=B041R04

 $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}} \text{ in } N\bar{K} \rightarrow \Lambda(2100) \rightarrow \Sigma\pi \quad (\Gamma_1\Gamma_2)^{1/2}/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT
+0.03±0.01	ZHANG 13A	DPWA	Multichannel
+0.12±0.04	GOPAL 77	DPWA	$\bar{K}N$ multichannel
+0.11±0.01	KANE 74	DPWA	$K^-p \rightarrow \Sigma\pi$

NODE=B041R2
NODE=B041R2

 $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}} \text{ in } N\bar{K} \rightarrow \Lambda(2100) \rightarrow \Lambda\eta \quad (\Gamma_1\Gamma_3)^{1/2}/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT
-0.050±0.020	RADER 73	MPWA	$K^-p \rightarrow \Lambda\eta$

NODE=B041R5
NODE=B041R5

 $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}} \text{ in } N\bar{K} \rightarrow \Lambda(2100) \rightarrow \Xi K \quad (\Gamma_1\Gamma_4)^{1/2}/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT
0.035±0.018	LITCHFIELD 71	DPWA	$K^-p \rightarrow \Xi K$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.003	MULLER 69B	DPWA	$K^-p \rightarrow \Xi K$
0.05	TRIPP 67	RVUE	$K^-p \rightarrow \Xi K$

NODE=B041R3
NODE=B041R3

 $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}} \text{ in } N\bar{K} \rightarrow \Lambda(2100) \rightarrow \Lambda\omega \quad (\Gamma_1\Gamma_5)^{1/2}/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT
-0.070	² BACCARI 77	DPWA	GD_{37} wave
+0.011	² BACCARI 77	DPWA	GG_{17} wave
+0.008	² BACCARI 77	DPWA	GG_{37} wave
0.122 or 0.154	¹ NAKKASYAN 75	DPWA	$K^-p \rightarrow \Lambda\omega$

NODE=B041R4
NODE=B041R4

OCCUR=2
OCCUR=3

 $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}} \text{ in } N\bar{K} \rightarrow \Lambda(2100) \rightarrow N\bar{K}^*(892), S=3/2, D\text{-wave} \quad (\Gamma_1\Gamma_9)^{1/2}/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT
+0.16±0.02	ZHANG 13A	DPWA	Multichannel
+0.21±0.04	CAMERON 78B	DPWA	$K^-p \rightarrow N\bar{K}^*$

NODE=B041R6
NODE=B041R6

 $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}} \text{ in } N\bar{K} \rightarrow \Lambda(2100) \rightarrow N\bar{K}^*(892), S=1/2, G\text{-wave} \quad (\Gamma_1\Gamma_{10})^{1/2}/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT
-0.03±0.02	ZHANG 13A	DPWA	Multichannel
-0.04±0.03	³ CAMERON 78B	DPWA	$K^-p \rightarrow N\bar{K}^*$

NODE=B041R7
NODE=B041R7

 $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}} \text{ in } N\bar{K} \rightarrow \Lambda(2100) \rightarrow N\bar{K}^*(892), S=3/2, G\text{-wave} \quad (\Gamma_1\Gamma_{11})^{1/2}/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT
+0.08±0.02	ZHANG 13A	DPWA	Multichannel

NODE=B041R01
NODE=B041R01

$\Lambda(2100)$ FOOTNOTES

- ¹ The NAKKASYAN 75 values are from the two best solutions found. Each has the $\Lambda(2100)$ and one additional resonance (P_3 or F_5).
- ² Note that the three for BACCARI 77 entries are for three different waves.
- ³ The published sign has been changed to be in accord with the baryon-first convention. The upper limit on the G_3 wave is 0.03.

NODE=B041
NODE=B041;LINKAGE=A

NODE=B041;LINKAGE=D
NODE=B041;LINKAGE=E

$\Lambda(2100)$ REFERENCES

SARANTSEV 19	EPJ A55 180	A.V. Sarantsev <i>et al.</i>	(BONN, PNPI)
ZHANG 13A	PR C88 035205	H. Zhang <i>et al.</i>	(KSU)
PDG 86	PL 170B 1	M. Aguilar-Benitez <i>et al.</i>	(CERN, CIT+)
PDG 82	PL 111B 1	M. Roos <i>et al.</i>	(HELS, CIT, CERN)
GOPAL 80	Toronto Conf. 159	G.P. Gopal	(RHEL) IJP
CAMERON 78B	NP B146 327	W. Cameron <i>et al.</i>	(RHEL, LOIC) IJP
DEBELLEFON 78	NC 42A 403	A. de Bellefon <i>et al.</i>	(CDEF, SACL) IJP
BACCARI 77	NC 41A 96	B. Baccari <i>et al.</i>	(SACL, CDEF) IJP
DECLAIS 77	CERN 77-16	Y. Declais <i>et al.</i>	(CAEN, CERN) IJP
GOPAL 77	NP B119 362	G.P. Gopal <i>et al.</i>	(LOIC, RHEL) IJP
HEMINGWAY 75	NP B91 12	R.J. Hemingway <i>et al.</i>	(CERN, HEIDH, MPIM) IJP
NAKKASYAN 75	NP B93 85	A. Nakkasyan	(CERN) IJP
KANE 74	LBL-2452	D.F. Kane	(LBL) IJP
RADER 73	NC 16A 178	R.K. Rader <i>et al.</i>	(SACL, HEID, CERN+)
LITCHFIELD 71	NP B30 125	P.J. Litchfield <i>et al.</i>	(RHEL, CDEF, SACL) IJP
MULLER 69B	Thesis UCRL 19372	R.A. Muller	(LRL)
TRIPP 67	NP B3 10	R.D. Tripp <i>et al.</i>	(LRL, SLAC, CERN+)

NODE=B041

REFID=59986
REFID=55441
REFID=40122
REFID=41167
REFID=31755
REFID=31838
REFID=31968
REFID=31932
REFID=31885
REFID=31750
REFID=31930
REFID=31931
REFID=31759
REFID=31882
REFID=31947
REFID=31955
REFID=30418