

$f_1(1285)$ 

$$I^G(J^{PC}) = 0^+(1^{++})$$

NODE=M008

 $f_1(1285)$  MASS

NODE=M008M

NODE=M008M

VALUE (MeV)	EVTs	DOCUMENT ID	TECN	COMMENT
<b>1281.8 ± 0.5</b>	<b>OUR AVERAGE</b>	Error includes scale factor of 1.7. See the ideogram below.		
1280.2 ± 0.6 <sup>+1.2</sup> <sub>-1.5</sub>	126K	ABLIKIM	23M BES3	$J/\psi \rightarrow \gamma K_S^0 K_S^0 \pi^0$
1281.0 ± 0.8		DICKSON	16 CLAS	$2.55 \gamma p \rightarrow \eta \pi^+ \pi^- p$
1287.4 ± 3.0	87	ABLIKIM	15P BES3	$J/\psi \rightarrow K^+ K^- 3\pi$
1281.16 ± 0.39 ± 0.45		<sup>1</sup> LEES	12X BABR	$\tau^- \rightarrow \pi^- f_1(1285) \nu_\tau$
1285.1 ± 1.0 <sup>+1.6</sup> <sub>-0.3</sub>		<sup>2</sup> ABLIKIM	11J BES3	$J/\psi \rightarrow \omega(\eta \pi^+ \pi^-)$
1281 ± 2 ± 1		AUBERT	07AU BABR	$10.6 e^+ e^- \rightarrow f_1(1285) \pi^+ \pi^- \gamma$
1276.1 ± 8.1 ± 8.0	203	BAI	04J BES2	$J/\psi \rightarrow \gamma \gamma \pi^+ \pi^-$
1274 ± 6	237	ABDALLAH	03H DLPH	$91.2 e^+ e^- \rightarrow K_S^0 K^\pm \pi^\mp + X$
1280 ± 4		ACCIARRI	01G L3	
1288 ± 4 ± 5	20k	ADAMS	01B B852	$18 \text{ GeV } \pi^- p \rightarrow K^+ K^- \pi^0 n$
1284 ± 6	1400	ALDE	97B GAM4	$100 \pi^- p \rightarrow \eta \pi^0 \pi^0 n$
1281 ± 1		BARBERIS	97B OMEG	$450 pp \rightarrow pp2(\pi^+ \pi^-)$
1281 ± 1		BARBERIS	97C OMEG	$450 pp \rightarrow pp K_S^0 K^\pm \pi^\mp$
1280 ± 2		<sup>3</sup> ANTINORI	95 OMEG	$300,450 pp \rightarrow pp2(\pi^+ \pi^-)$
1282.2 ± 1.5		LEE	94 MPS2	$18 \pi^- p \rightarrow K^+ \bar{K}^0 2\pi^- p$
1279 ± 5		FUKUI	91C SPEC	$8.95 \pi^- p \rightarrow \eta \pi^+ \pi^- n$
1278 ± 2	140	ARMSTRONG	89 OMEG	$300 pp \rightarrow K \bar{K} \pi pp$
1278 ± 2		ARMSTRONG	89G OMEG	$85 \pi^+ p \rightarrow 4\pi \pi p,$ $pp \rightarrow 4\pi pp$
1280.1 ± 2.1	60	RATH	89 MPS	$21.4 \pi^- p \rightarrow K_S^0 K_S^0 \pi^0 n$
1285 ± 1	4750	<sup>4</sup> BIRMAN	88 MPS	$8 \pi^- p \rightarrow K^+ \bar{K}^0 \pi^- n$
1280 ± 1	504	BITYUKOV	88 SPEC	$32.5 \pi^- p \rightarrow K^+ K^- \pi^0 n$
1280 ± 4		ANDO	86 SPEC	$8 \pi^- p \rightarrow \eta \pi^+ \pi^- n$
1277 ± 2	420	REEVES	86 SPEC	$6.6 p\bar{p} \rightarrow K K \pi X$
1285 ± 2		CHUNG	85 SPEC	$8 \pi^- p \rightarrow N K \bar{K} \pi$
1279 ± 2	604	ARMSTRONG	84 OMEG	$85 \pi^+ p \rightarrow K \bar{K} \pi \pi p,$ $pp \rightarrow K \bar{K} \pi pp$
1286 ± 1		CHAUVAT	84 SPEC	ISR 31.5 $pp$
1278 ± 4		EVANGELIS...	81 OMEG	$12 \pi^- p \rightarrow \eta \pi^+ \pi^- \pi^- p$
1283 ± 3	103	DIONISI	80 HBC	$4 \pi^- p \rightarrow K \bar{K} \pi n$
1282 ± 2	320	NACASCH	78 HBC	$0.7, 0.76 p\bar{p} \rightarrow K \bar{K} 3\pi$
1279 ± 5	210	GRASSLER	77 HBC	$16 \pi^\mp p$
1286 ± 3	180	DUBOC	72 HBC	$1.2 p\bar{p} \rightarrow 2K 4\pi$
1283 ± 5		DAHL	67 HBC	$1.6-4.2 \pi^- p$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
1289.3 ± 2.8	234	ABLIKIM	19BA BES3	$e^+ e^- \rightarrow \psi(2S)$
1284.2 ± 2.2		<sup>5</sup> AAIJ	14Y LHCB	$\bar{B}_s^0 \rightarrow J/\psi 2(\pi^+ \pi^-)$
1281.9 ± 0.5		<sup>5</sup> SOSA	99 SPEC	$pp \rightarrow p_{\text{slow}} (K_S^0 K^+ \pi^-) p_{\text{fast}}$
1282.8 ± 0.6		<sup>5</sup> SOSA	99 SPEC	$pp \rightarrow p_{\text{slow}} (K_S^0 K^- \pi^+) p_{\text{fast}}$
1270 ± 10		AMELIN	95 VES	$37 \pi^- N \rightarrow \pi^- \pi^+ \pi^- \gamma N$
1280 ± 2		ABATZIS	94 OMEG	$450 pp \rightarrow pp2(\pi^+ \pi^-)$
1282 ± 4		ARMSTRONG	93C E760	$p\bar{p} \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$
1270 ± 6 ± 10		ARMSTRONG	92C OMEG	$300 pp \rightarrow pp \pi^+ \pi^- \gamma$
1281 ± 1		ARMSTRONG	89E OMEG	$300 pp \rightarrow pp2(\pi^+ \pi^-)$
1279 ± 6 ± 10	16	BECKER	87 MRK3	$e^+ e^- \rightarrow \phi K \bar{K} \pi$

OCCUR=2

1286 ± 9		GIDAL	87	MRK2	$e^+e^- \rightarrow e^+e^-\eta\pi^+\pi^-$
1287 ± 5	353	BITYUKOV	84B	SPEC	$32 \pi^- p \rightarrow K^+K^-\pi^0 n$
~ 1279		<sup>6</sup> TORNQVIST	82B	RVUE	
1275 ± 6	31	BROMBERG	80	SPEC	$100 \pi^- p \rightarrow K\bar{K}\pi X$
1288 ± 9	200	GURTU	79	HBC	$4.2 K^- p \rightarrow n\eta 2\pi$
~ 1275.0	46	<sup>7</sup> STANTON	79	CNTR	$8.5 \pi^- p \rightarrow n2\gamma 2\pi$
1271 ± 10	34	CORDEN	78	OMEG	$12-15 \pi^- p \rightarrow K^+K^-\pi n$
1295 ± 12	85	CORDEN	78	OMEG	$12-15 \pi^- p \rightarrow n5\pi$
1292 ± 10	150	DEFOIX	72	HBC	$0.7 \bar{p} p \rightarrow 7\pi$
1280 ± 3	500	<sup>8</sup> THUN	72	MMS	$13.4 \pi^- p$
1303 ± 8		BARDADIN-...	71	HBC	$8 \pi^+ p \rightarrow p6\pi$
1283 ± 6		BOESEBECK	71	HBC	$16.0 \pi p \rightarrow p5\pi$
1270 ± 10		CAMPBELL	69	DBC	$2.7 \pi^+ d$
1285 ± 7		LORSTAD	69	HBC	$0.7 \bar{p} p, 4,5\text{-body}$
1290 ± 7		D'ANDLAU	68	HBC	$1.2 \bar{p} p, 5-6 \text{ body}$

OCCUR=2

<sup>1</sup> Using the  $2\pi^+2\pi^-$  and  $\pi^+\pi^-\eta$  modes of  $f_1(1285)$  decay.

<sup>2</sup> The selected process is  $J/\psi \rightarrow \omega a_0(980)\pi$ .

<sup>3</sup> Supersedes ABATZIS 94, ARMSTRONG 89E.

<sup>4</sup> From partial wave analysis of  $K^+\bar{K}^0\pi^-$  system.


<sup>5</sup> No systematic error given.

<sup>6</sup> From a unitarized quark-model calculation.

<sup>7</sup> From phase shift analysis of  $\eta\pi^+\pi^-$  system.

<sup>8</sup> Seen in the missing mass spectrum.

NODE=M008M;LINKAGE=LE  
 NODE=M008M;LINKAGE=BL  
 NODE=M008M;LINKAGE=B  
 NODE=M008M;LINKAGE=A  
 NODE=M008M;LINKAGE=N1  
 NODE=M008M;LINKAGE=T  
 NODE=M008M;LINKAGE=P  
 NODE=M008M;LINKAGE=S



**f<sub>1</sub>(1285) WIDTH**

NODE=M008W

Only experiments giving width error less than 20 MeV are kept for averaging.

NODE=M008W

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>23.0± 1.1 OUR AVERAGE</b>		Error includes scale factor of 1.6. See the ideogram below.		
28.2± 1.1 <sup>+</sup> <sub>-2.9</sub> <sup>5.5</sup>	126K	ABLIKIM	23M BES3	$J/\psi \rightarrow \gamma K_S^0 K_S^0 \pi^0$
18.4± 1.4		DICKSON	16 CLAS	2.55 $\gamma p \rightarrow \eta \pi^+ \pi^- p$
18.3± 6.3	87	ABLIKIM	15P BES3	$J/\psi \rightarrow K^+ K^- 3\pi$
22.0± 3.1 <sup>+</sup> <sub>-1.5</sub> <sup>2.0</sup>		<sup>1</sup> ABLIKIM	11J BES3	$J/\psi \rightarrow \omega(\eta \pi^+ \pi^-)$
35 ± 6 ± 4		AUBERT	07AU BABR	10.6 $e^+ e^- \rightarrow f_1(1285) \pi^+ \pi^- \gamma$
40.0± 8.6± 9.3	203	BAI	04J BES2	$J/\psi \rightarrow \gamma \gamma \pi^+ \pi^-$
29 ± 12	237	ABDALLAH	03H DLPH	91.2 $e^+ e^- \rightarrow K_S^0 K^\pm \pi^\mp + X$
45 ± 9 ± 7	20k	ADAMS	01B B852	18 GeV $\pi^- p \rightarrow K^+ K^- \pi^0 n$
55 ± 18	1400	ALDE	97B GAM4	100 $\pi^- p \rightarrow \eta \pi^0 \pi^0 n$
24 ± 3		BARBERIS	97B OMEG	450 $pp \rightarrow pp2(\pi^+ \pi^-)$
20 ± 2		BARBERIS	97C OMEG	450 $pp \rightarrow pp K_S^0 K^\pm \pi^\mp$
36 ± 5		<sup>2</sup> ANTINORI	95 OMEG	300,450 $pp \rightarrow pp2(\pi^+ \pi^-)$
29.0± 4.1		LEE	94 MPS2	18 $\pi^- p \rightarrow K^+ \bar{K}^0 2\pi^- p$
25 ± 4	140	ARMSTRONG	89 OMEG	300 $pp \rightarrow K \bar{K} \pi p p$
22 ± 2	4750	<sup>3</sup> BIRMAN	88 MPS	8 $\pi^- p \rightarrow K^+ \bar{K}^0 \pi^- n$
25 ± 4	504	BITYUKOV	88 SPEC	32.5 $\pi^- p \rightarrow K^+ K^- \pi^0 n$
19 ± 5		ANDO	86 SPEC	8 $\pi^- p \rightarrow \eta \pi^+ \pi^- n$
32 ± 8	420	REEVES	86 SPEC	6.6 $p\bar{p} \rightarrow KK\pi X$
22 ± 2		CHUNG	85 SPEC	8 $\pi^- p \rightarrow NK\bar{K}\pi$
32 ± 3	604	ARMSTRONG	84 OMEG	85 $\pi^+ p \rightarrow K\bar{K}\pi p p,$ $pp \rightarrow K\bar{K}\pi p p$
24 ± 3		CHAUVAT	84 SPEC	ISR 31.5 $pp$
29 ± 10	103	DIONISI	80 HBC	4 $\pi^- p \rightarrow K\bar{K}\pi n$
28.3± 6.7	320	NACASCH	78 HBC	0.7,0.76 $p\bar{p} \rightarrow K\bar{K}3\pi$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
17.1± 3.4	234	ABLIKIM	19BA BES3	$e^+ e^- \rightarrow \psi(2S)$
32.4± 5.8		<sup>4</sup> AAIJ	14Y LHCb	$\bar{B}_{(s)}^0 \rightarrow J/\psi 2(\pi^+ \pi^-)$
18.2± 1.2		<sup>4</sup> SOSA	99 SPEC	$pp \rightarrow p_{\text{slow}} (K_S^0 K^+ \pi^-)$
19.4± 1.5		<sup>4</sup> SOSA	99 SPEC	$pp \rightarrow p_{\text{slow}}^{P_{\text{fast}}} (K_S^0 K^- \pi^+)$
40 ± 5		ABATZIS	94 OMEG	450 $pp \rightarrow pp2(\pi^+ \pi^-)$
31 ± 5		ARMSTRONG	89E OMEG	300 $pp \rightarrow pp2(\pi^+ \pi^-)$
41 ± 12		ARMSTRONG	89G OMEG	85 $\pi^+ p \rightarrow 4\pi p p, pp \rightarrow 4\pi p p$
17.9± 10.9	60	RATH	89 MPS	21.4 $\pi^- p \rightarrow K_S^0 K_S^0 \pi^0 n$
14 <sup>+20</sup> <sub>-14</sub> ± 10	16	BECKER	87 MRK3	$e^+ e^- \rightarrow \phi K \bar{K} \pi$
26 ± 12		EVANGELIS...	81 OMEG	12 $\pi^- p \rightarrow \eta \pi^+ \pi^- \pi^- p$
25 ± 15	200	GURTU	79 HBC	4.2 $K^- p \rightarrow n \eta 2\pi$
~ 10		<sup>5</sup> STANTON	79 CNTR	8.5 $\pi^- p \rightarrow n 2\gamma 2\pi$
24 ± 18	210	GRASSLER	77 HBC	16 $\pi^\mp p$
28 ± 5	150	<sup>6</sup> DEFOIX	72 HBC	0.7 $p\bar{p} \rightarrow 7\pi$
46 ± 9	180	<sup>6</sup> DUBOC	72 HBC	1.2 $p\bar{p} \rightarrow 2K 4\pi$
37 ± 5	500	<sup>7</sup> THUN	72 MMS	13.4 $\pi^- p$
10 ± 10		BOESEBECK	71 HBC	16.0 $\pi p \rightarrow p 5\pi$
30 ± 15		CAMPBELL	69 DBC	2.7 $\pi^+ d$
60 ± 15		<sup>6</sup> LORSTAD	69 HBC	0.7 $p\bar{p}, 4,5\text{-body}$
35 ± 10		<sup>6</sup> DAHL	67 HBC	1.6-4.2 $\pi^- p$

NODE=M008W

OCCUR=2

<sup>1</sup> The selected process is  $J/\psi \rightarrow \omega a_0(980)\pi$ .

<sup>2</sup> Supersedes ABATZIS 94, ARMSTRONG 89E.

<sup>3</sup> From partial wave analysis of  $K^+ \bar{K}^0 \pi^-$  system.

<sup>4</sup> No systematic error given.


<sup>5</sup> From phase shift analysis of  $\eta \pi^+ \pi^-$  system.

<sup>6</sup> Resolution is not unfolded.

<sup>7</sup> Seen in the missing mass spectrum.

NODE=M008W;LINKAGE=BL  
 NODE=M008W;LINKAGE=B  
 NODE=M008W;LINKAGE=A  
 NODE=M008W;LINKAGE=N1  
 NODE=M008W;LINKAGE=P  
 NODE=M008W;LINKAGE=R  
 NODE=M008W;LINKAGE=S

WEIGHTED AVERAGE  
23.0±1.1 (Error scaled by 1.6)



$f_1(1285)$  width (MeV)

### $f_1(1285)$ DECAY MODES

NODE=M008215;NODE=M008

Mode	Fraction ( $\Gamma_i/\Gamma$ )	Scale factor/ Confidence level	
$\Gamma_1$ $4\pi$	$(32.7 \pm 1.8) \%$	S=1.2	DESIG=21
$\Gamma_2$ $\pi^0 \pi^0 \pi^+ \pi^-$	$(21.8 \pm 1.2) \%$	S=1.2	DESIG=22
$\Gamma_3$ $2\pi^+ 2\pi^-$	$(10.9 \pm 0.6) \%$	S=1.2	DESIG=20
$\Gamma_4$ $\rho^0 \pi^+ \pi^-$	$(10.9 \pm 0.6) \%$	S=1.2	DESIG=191
$\Gamma_5$ $\rho^0 \rho^0$	seen		DESIG=23
$\Gamma_6$ $4\pi^0$	$< 7 \times 10^{-4}$	CL=90%	DESIG=7
$\Gamma_7$ $\eta \pi^+ \pi^-$	$(35 \pm 15) \%$		DESIG=198
$\Gamma_8$ $\eta \pi \pi$	$(52.2 \pm 1.9) \%$	S=1.2	DESIG=3
$\Gamma_9$ $a_0(980) \pi$ [ignoring $a_0(980) \rightarrow K \bar{K}$ ]	$(38 \pm 4) \%$		DESIG=4
$\Gamma_{10}$ $\eta \pi \pi$ [excluding $a_0(980) \pi$ ]	$(14 \pm 4) \%$		DESIG=5
$\Gamma_{11}$ $K \bar{K} \pi$	$(9.0 \pm 0.4) \%$	S=1.1	DESIG=1
$\Gamma_{12}$ $K \bar{K}^*(892)$	not seen		DESIG=6
$\Gamma_{13}$ $\pi^+ \pi^- \pi^0$	$(3.0 \pm 0.9) \times 10^{-3}$		DESIG=197
$\Gamma_{14}$ $\rho^\pm \pi^\mp$	$< 3.1 \times 10^{-3}$	CL=95%	DESIG=199
$\Gamma_{15}$ $\gamma \rho^0$	$(6.1 \pm 1.0) \%$	S=1.7	DESIG=13
$\Gamma_{16}$ $\phi \gamma$	$(7.4 \pm 2.6) \times 10^{-4}$		DESIG=10
$\Gamma_{17}$ $e^+ e^-$	$< 9.4 \times 10^{-9}$	CL=90%	DESIG=200
$\Gamma_{18}$ $\gamma \gamma^*$			DESIG=9
$\Gamma_{19}$ $\gamma \gamma$			DESIG=8

## CONSTRAINED FIT INFORMATION

An overall fit to 6 branching ratios uses 18 measurements and one constraint to determine 5 parameters. The overall fit has a  $\chi^2 = 24.0$  for 14 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients  $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$ , in percent, from the fit to the branching fractions,  $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$ . The fit constrains the  $x_i$  whose labels appear in this array to sum to one.

$x_9$	-29			
$x_{10}$	-12	-89		
$x_{11}$	22	-9	-4	
$x_{15}$	-24	-8	-3	-27
	$x_1$	$x_9$	$x_{10}$	$x_{11}$

### $f_1(1285) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

NODE=M008217

$$\Gamma(\eta\pi\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$$

$$\Gamma_8\Gamma_{19}/\Gamma = (\Gamma_9+\Gamma_{10})\Gamma_{19}/\Gamma$$
NODE=M008G2  
NODE=M008G2

VALUE (keV)	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.62</b>	95	GIDAL	87	MRK2 $e^+e^- \rightarrow e^+e^-\eta\pi^+\pi^-$

$$\Gamma(\eta\pi\pi) \times \Gamma(\gamma\gamma^*)/\Gamma_{\text{total}}$$

$$\Gamma_8\Gamma_{18}/\Gamma = (\Gamma_9+\Gamma_{10})\Gamma_{18}/\Gamma$$
NODE=M008G3  
NODE=M008G3

VALUE (keV)	EVTs	DOCUMENT ID	TECN	COMMENT
<b>1.4 ± 0.4 OUR AVERAGE</b>				Error includes scale factor of 1.4.
1.18 ± 0.25 ± 0.20	26	<sup>1,2</sup> AIHARA	88B	TPC $e^+e^- \rightarrow e^+e^-\eta\pi^+\pi^-$
2.30 ± 0.61 ± 0.42		<sup>1,3</sup> GIDAL	87	MRK2 $e^+e^- \rightarrow e^+e^-\eta\pi^+\pi^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.8 ± 0.3 ± 0.3	420	<sup>4</sup> ACHARD	02B	L3 183-209 $e^+e^- \rightarrow e^+e^-\eta\pi^+\pi^-$
-----------------	-----	---------------------	-----	--

<sup>1</sup> Assuming a  $\rho$ -pole form factor.

<sup>2</sup> Published value multiplied by  $\eta\pi\pi$  branching ratio 0.49.

<sup>3</sup> Published value divided by 2 and multiplied by the  $\eta\pi\pi$  branching ratio 0.49.

<sup>4</sup> Published value multiplied by the  $\eta\pi\pi$  branching ratio 0.52.

NODE=M008G3;LINKAGE=A  
NODE=M008G3;LINKAGE=F  
NODE=M008G3;LINKAGE=B  
NODE=M008G3;LINKAGE=AC

### $f_1(1285) \text{ BRANCHING RATIOS}$

NODE=M008220

$$\Gamma(K\bar{K}\pi)/\Gamma(4\pi)$$

$$\Gamma_{11}/\Gamma_1$$
NODE=M008R1  
NODE=M008R1

VALUE	DOCUMENT ID	TECN	COMMENT
<b>0.274 ± 0.017 OUR FIT</b>			Error includes scale factor of 1.4.
<b>0.271 ± 0.016 OUR AVERAGE</b>			Error includes scale factor of 1.2.
0.265 ± 0.014	<sup>1</sup> BARBERIS	97C	OMEG 450 $pp \rightarrow ppK_S^0 K^\pm \pi^\mp$
0.28 ± 0.05	<sup>2</sup> ARMSTRONG	89E	OMEG 300 $pp \rightarrow pp f_1(1285)$
0.37 ± 0.03 ± 0.05	<sup>3</sup> ARMSTRONG	89G	OMEG 85 $\pi p \rightarrow 4\pi X$

<sup>1</sup> Using  $2(\pi^+\pi^-)$  data from BARBERIS 97B.

<sup>2</sup> Assuming  $\rho\pi\pi$  and  $a_0(980)\pi$  intermediate states.

<sup>3</sup>  $4\pi$  consistent with being entirely  $\rho\pi\pi$ .

NODE=M008R1;LINKAGE=B  
NODE=M008R1;LINKAGE=M  
NODE=M008R1;LINKAGE=A
$$\Gamma(\pi^0\pi^0\pi^+\pi^-)/\Gamma_{\text{total}}$$

$$\Gamma_2/\Gamma = \frac{2}{3}\Gamma_1/\Gamma$$
NODE=M008R18  
NODE=M008R18

VALUE	DOCUMENT ID
<b>0.218 ± 0.012 OUR FIT</b>	Error includes scale factor of 1.2.

$$\Gamma(2\pi^+2\pi^-)/\Gamma_{\text{total}}$$

$$\Gamma_3/\Gamma = \frac{1}{3}\Gamma_1/\Gamma$$
NODE=M008R17  
NODE=M008R17

VALUE	DOCUMENT ID
<b>0.109 ± 0.006 OUR FIT</b>	Error includes scale factor of 1.2.

$$\Gamma(\rho^0\pi^+\pi^-)/\Gamma_{\text{total}}$$

$$\Gamma_4/\Gamma = \frac{1}{3}\Gamma_1/\Gamma$$
NODE=M008R19  
NODE=M008R19

VALUE	DOCUMENT ID
<b>0.109 ± 0.006 OUR FIT</b>	Error includes scale factor of 1.2.

$$\Gamma(\rho^0\pi^+\pi^-)/\Gamma(2\pi^+2\pi^-)$$

$$\Gamma_4/\Gamma_3$$
NODE=M008R6  
NODE=M008R6

VALUE	DOCUMENT ID	TECN	COMMENT
<b>1.0 ± 0.4</b>	GRASSLER	77	HBC 16 GeV $\pi^\pm p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$\Gamma(\rho^0 \rho^0)/\Gamma_{\text{total}}$  $\Gamma_5/\Gamma$ 

VALUE

DOCUMENT ID

COMMENT

NODE=M008R21  
NODE=M008R21

seen

BARBERIS 00C 450  $p\bar{p} \rightarrow p_f 4\pi p_S$  $\Gamma(4\pi^0)/\Gamma_{\text{total}}$  $\Gamma_6/\Gamma$ VALUE (units  $10^{-4}$ )

CL%

DOCUMENT ID

TECN

COMMENT

NODE=M008R8  
NODE=M008R8

&lt;7

90

ALDE

87

GAM4 100  $\pi^- p \rightarrow 4\pi^0 n$  $\Gamma(\pi^+ \pi^- \pi^0)/\Gamma(\eta \pi^+ \pi^-)$  $\Gamma_{13}/\Gamma_7$ 

VALUE (%)

EVTS

DOCUMENT ID

TECN

COMMENT

NODE=M008R02  
NODE=M008R02**0.86 ± 0.16 ± 0.20**

2.3k

<sup>1</sup> DOROFEEV 11 VES  $\pi^- N \rightarrow \pi^- f_1(1285) N$ <sup>1</sup> Value obtained selecting the region corresponding to  $f_0(980)$  in the  $\pi^+ \pi^-$  mass spectrum.

NODE=M008R02;LINKAGE=DO

 $\Gamma(\eta \pi \pi)/\Gamma_{\text{total}}$  $\Gamma_8/\Gamma = (\Gamma_9 + \Gamma_{10})/\Gamma$ 

VALUE

DOCUMENT ID

NODE=M008R22  
NODE=M008R22**0.522 ± 0.019 OUR FIT** Error includes scale factor of 1.2. $\Gamma(4\pi)/\Gamma(\eta \pi \pi)$  $\Gamma_1/\Gamma_8 = \Gamma_1/(\Gamma_9 + \Gamma_{10})$ 

VALUE

DOCUMENT ID

TECN

COMMENT

NODE=M008R4  
NODE=M008R4**0.63 ± 0.06 OUR FIT** Error includes scale factor of 1.2.**0.41 ± 0.14 OUR AVERAGE**

0.37 ± 0.11 ± 0.11

BOLTON

92

MRK3  $J/\psi \rightarrow \gamma f_1(1285)$ 

0.64 ± 0.40

GURTU

79

HBC 4.2  $K^- p$ 

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.93 ± 0.30

<sup>1</sup> GRASSLER 77 HBC 16  $\pi^\mp p$ <sup>1</sup> Assuming  $\rho\pi\pi$  and  $a_0(980)\pi$  intermediate states.

NODE=M008R4;LINKAGE=M

 $\Gamma(2\pi^+ 2\pi^-)/\Gamma(\eta \pi \pi)$  $\Gamma_3/\Gamma_8$ 

VALUE

DOCUMENT ID

TECN

COMMENT

NODE=M008R04  
NODE=M008R04**0.28 ± 0.02 ± 0.02**<sup>1</sup> LEES 12X BABR  $\tau^- \rightarrow \pi^- f_1(1285) \nu_\tau$ <sup>1</sup> Assuming  $B(f_1(1285) \rightarrow \pi\pi\eta) = 3/2 B(f_1(1285) \rightarrow \pi^+ \pi^- \eta)$ .

NODE=M008R04;LINKAGE=LE

 $\Gamma(a_0(980)\pi [\text{ignoring } a_0(980) \rightarrow K\bar{K}])/ \Gamma(\eta \pi \pi)$  $\Gamma_9/\Gamma_8 = \Gamma_9/(\Gamma_9 + \Gamma_{10})$ 

VALUE

CL%

DOCUMENT ID

TECN

COMMENT

NODE=M008R3  
NODE=M008R3**0.72 ± 0.08 OUR FIT****0.72 ± 0.07 OUR AVERAGE**

0.74 ± 0.02 ± 0.09

DICKSON

16

CLAS  $\gamma p \rightarrow f_1(1285) p$ 

0.72 ± 0.15

GURTU

79

HBC 4.2  $K^- p$ 0.6 <sup>+0.3</sup><sub>-0.2</sub>

CORDEN

78

OMEG 12-15  $\pi^- p$ 

• • • We do not use the following data for averages, fits, limits, etc. • • •

&gt;0.69

95

ACHARD

02B

L3 183-209  $e^+ e^- \rightarrow e^+ e^- \eta \pi^+ \pi^-$ 

0.28 ± 0.07

ALDE

97B

GAM4 100  $\pi^- p \rightarrow \eta \pi^0 \pi^0 n$ 

1.0 ± 0.3

GRASSLER

77

HBC 16  $\pi^\mp p$  $\Gamma(K\bar{K}\pi)/\Gamma(\eta \pi \pi)$  $\Gamma_{11}/\Gamma_8 = \Gamma_{11}/(\Gamma_9 + \Gamma_{10})$ 

VALUE

DOCUMENT ID

TECN

COMMENT

NODE=M008R2  
NODE=M008R2**0.172 ± 0.011 OUR FIT****0.176 ± 0.012 OUR AVERAGE**

0.216 ± 0.010 ± 0.031

DICKSON

16

CLAS  $\gamma p \rightarrow f_1(1285) p$ 

OCCUR=2

0.166 ± 0.01 ± 0.008

BARBERIS

98C

OMEG 450  $p\bar{p} \rightarrow p_f f_1(1285) p_S$ 

0.42 ± 0.15

GURTU

79

HBC 4.2  $K^- p$ 

0.5 ± 0.2

<sup>1</sup> CORDEN

78

OMEG 12-15  $\pi^- p$ 

0.20 ± 0.08

<sup>2</sup> DEFOIX

72

HBC 0.7  $\bar{p} p \rightarrow 7\pi$ 

0.16 ± 0.08

CAMPBELL

69

DBC 2.7  $\pi^+ d$ <sup>1</sup> CORDEN 78 assumes low-mass  $\eta\pi\pi$  region is dominantly  $1^{++}$ . See BARBERIS 98C and MANAK 00A for discussion.

NODE=M008R2;LINKAGE=CD

<sup>2</sup>  $K\bar{K}$  system characterized by the  $I = 1$  threshold enhancement. (See under  $a_0(980)$ ).

NODE=M008R2;LINKAGE=K

 $\Gamma(K\bar{K}^*(892))/\Gamma_{\text{total}}$  $\Gamma_{12}/\Gamma$ 

VALUE

DOCUMENT ID

TECN

COMMENT

NODE=M008R5  
NODE=M008R5

not seen

NACASCH

78

HBC

0.7, 0.76  $\bar{p} p \rightarrow K\bar{K} 3\pi$ 

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen

<sup>1</sup> ACHARD

07

L3

183-209  $e^+ e^- \rightarrow e^+ e^- K_S^0 K^\pm \pi^\mp$ <sup>1</sup> A clear signal of  $19.8 \pm 4.4$  events observed at high  $Q^2$ .

NODE=M008R5;LINKAGE=CH

$$\Gamma(\pi^+\pi^-\pi^0)/\Gamma_{\text{total}} \quad \Gamma_{13}/\Gamma$$

VALUE (%)	EVTs	DOCUMENT ID	TECN	COMMENT
<b>0.30±0.055±0.074</b>	2.3k	<sup>1</sup> DOROFEEV 11	VES	$\pi^- N \rightarrow \pi^- f_1(1285) N$

NODE=M008R01  
NODE=M008R01

<sup>1</sup> Value obtained selecting the region corresponding to  $f_0(980)$  in the  $\pi^+\pi^-$  mass spectrum. The systematic error includes the uncertainty on the partial width  $f_1 \rightarrow \eta\pi\pi$  obtained from PDG 10 data.

NODE=M008R01;LINKAGE=DO

$$\Gamma(\rho^\pm\pi^\mp)/\Gamma_{\text{total}} \quad \Gamma_{14}/\Gamma$$

VALUE (%)	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.31</b>	95	DOROFEEV 11	VES	$\pi^- N \rightarrow \pi^- f_1(1285) N$

NODE=M008R03  
NODE=M008R03

$$\Gamma(\gamma\rho^0)/\Gamma_{\text{total}} \quad \Gamma_{15}/\Gamma$$

VALUE (units 10 <sup>-2</sup> )	CL%	DOCUMENT ID	TECN	COMMENT
<b>6.1±1.0 OUR FIT</b>				Error includes scale factor of 1.7.

NODE=M008R15  
NODE=M008R15

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.8±0.7±0.6		<sup>1</sup> AMELIN 95	VES	37 $\pi^- N \rightarrow \pi^- \pi^+ \pi^- \gamma N$
<5	95	BITYUKOV 91B	SPEC	32 $\pi^- \rho \rightarrow \pi^+ \pi^- \gamma n$

<sup>1</sup> Not an independent measurement.

NODE=M008R15;LINKAGE=A

$$\Gamma(\gamma\rho^0)/\Gamma(2\pi^+2\pi^-) \quad \Gamma_{15}/\Gamma_3 = \Gamma_{15}/\frac{1}{3}\Gamma_1$$

VALUE	DOCUMENT ID	TECN	COMMENT
<b>0.55±0.10 OUR FIT</b>			Error includes scale factor of 1.5.
<b>0.45±0.18</b>	<sup>1</sup> COFFMAN 90	MRK3	$J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$

NODE=M008R13  
NODE=M008R13

<sup>1</sup> Using  $B(J/\psi \rightarrow \gamma f_1(1285) \rightarrow \gamma\gamma\rho^0) = 0.25 \times 10^{-4}$  and  $B(J/\psi \rightarrow \gamma f_1(1285) \rightarrow \gamma 2\pi^+ 2\pi^-) = 0.55 \times 10^{-4}$  given by MIR 88.

NODE=M008R13;LINKAGE=E

$$\Gamma(\eta\pi\pi)/\Gamma(\gamma\rho^0) \quad \Gamma_8/\Gamma_{15} = (\Gamma_9 + \Gamma_{10})/\Gamma_{15}$$

VALUE	DOCUMENT ID	TECN	COMMENT
<b>8.6±1.6 OUR FIT</b>			Error includes scale factor of 1.9.
<b>8.5±2.0 OUR AVERAGE</b>			Error includes scale factor of 2.2. See the ideogram below.


NODE=M008R16  
NODE=M008R16

21.3±4.4	DICKSON 16	CLAS	$\gamma\rho \rightarrow f_1(1285)\rho$
10.0±1.0±2.0	BARBERIS 98C	OMEG 450	$\rho\rho \rightarrow \rho_f f_1(1285)\rho_S$
7.5±1.0	<sup>1</sup> ARMSTRONG 92C	OMEG 300	$\rho\rho \rightarrow \rho\rho\pi^+\pi^-\gamma, \rho\rho\eta\pi^+\pi^-$

<sup>1</sup> Published value multiplied by 1.5.

NODE=M008R16;LINKAGE=B

WEIGHTED AVERAGE  
8.5±2.0 (Error scaled by 2.2)



Values above of weighted average, error, and scale factor are based upon the data in this ideogram only. They are not necessarily the same as our 'best' values, obtained from a least-squares constrained fit utilizing measurements of other (related) quantities as additional information.

$$\Gamma(\gamma\rho^0)/\Gamma(K\bar{K}\pi) \quad \Gamma_{15}/\Gamma_{11}$$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
>0.035	90	<sup>1</sup> COFFMAN 90	MRK3	$J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$

NODE=M008R12  
NODE=M008R12

• • • We do not use the following data for averages, fits, limits, etc. • • •

<sup>1</sup> Using  $B(J/\psi \rightarrow \gamma f_1(1285) \rightarrow \gamma\gamma\rho^0) = 0.25 \times 10^{-4}$  and  $B(J/\psi \rightarrow \gamma f_1(1285) \rightarrow \gamma K\bar{K}\pi) < 0.72 \times 10^{-3}$ .

NODE=M008R12;LINKAGE=F

$\Gamma(\phi\gamma)/\Gamma(K\bar{K}\pi)$  $\Gamma_{16}/\Gamma_{11}$ 

VALUE (units $10^{-2}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>0.82 \pm 0.21 \pm 0.20</math></b>		19	BITYUKOV	88	SPEC $32.5 \pi^- p \rightarrow K^+ K^- \pi^0 n$
$<0.50$	95		BARBERIS	98C	OMEG 450 $pp \rightarrow p_f f_1(1285) p_S$
$<0.93$	95		AMELIN	95	VES $37 \pi^- N \rightarrow \pi^- \pi^+ \pi^- \gamma N$

 $\Gamma(e^+e^-)/\Gamma_{total}$  $\Gamma_{17}/\Gamma$ 

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<b><math>&lt;9.4 \times 10^{-9}</math></b>	90	1 ACHASOV	20	SND $e^+e^- \rightarrow \eta\pi^0\pi^0$

<sup>1</sup>ACHASOV 20 reports two candidate events corresponding to a significance of  $2.5 \sigma$  and the branching fraction of  $(5.1^{+3.7}_{-2.7}) \times 10^{-9}$ .

NODE=M008R9  
 NODE=M008R9

NODE=M008R00  
 NODE=M008R00

OCCUR=2

NODE=M008R00;LINKAGE=B

 $f_1(1285)$  REFERENCES

NODE=M008

ABLIKIM	23M	JHEP 2303 121	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=62055
ACHASOV	20	PL B800 135074	M.N. Achasov <i>et al.</i>	(SND Collab.)	REFID=60144
ABLIKIM	19BA	PR D100 092003	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=60024
DICKSON	16	PR C93 065202	R. Dickson <i>et al.</i>	(JLab CLAS Collab.)	REFID=57487
ABLIKIM	15P	PR D92 012007	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=56781
AAIJ	14Y	PRL 112 091802	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=55837
LEES	12X	PR D86 092010	J.P. Lees <i>et al.</i>	(BABAR Collab.)	REFID=54714
ABLIKIM	11J	PRL 107 182001	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=53931
DOROFEEV	11	EPJ A47 68	V. Dorofeev <i>et al.</i>	(SERP, MIPT)	REFID=16755
PDG	10	JP G37 075021	K. Nakamura <i>et al.</i>	(PDG Collab.)	REFID=53229
ACHARD	07	JHEP 0703 018	P. Achard <i>et al.</i>	(L3 Collab.)	REFID=51698
AUBERT	07AU	PR D76 092005	B. Aubert <i>et al.</i>	(BABAR Collab.)	REFID=52049
BAI	04J	PL B594 47	J.Z. Bai <i>et al.</i>	(BES Collab.)	REFID=50167
ABDALLAH	03H	PL B569 129	J. Abdallah <i>et al.</i>	(DELPHI Collab.)	REFID=49548
ACHARD	02B	PL B526 269	P. Achard <i>et al.</i>	(L3 Collab.)	REFID=48574
ACCIARRI	01G	PL B501 1	M. Acciarri <i>et al.</i>	(L3 Collab.)	REFID=48319
ADAMS	01B	PL B516 264	G.S. Adams <i>et al.</i>	(BNL E852 Collab.)	REFID=49649
BARBERIS	00C	PL B471 440	D. Barberis <i>et al.</i>	(WA 102 Collab.)	REFID=47959
MANAK	00A	PR D62 012003	J.J. Manak <i>et al.</i>	(BNL E852 Collab.)	REFID=47989
SOSA	99	PRL 83 913	M. Sosa <i>et al.</i>		REFID=46937
BARBERIS	98C	PL B440 225	D. Barberis <i>et al.</i>	(WA 102 Collab.)	REFID=46346
ALDE	97B	PAN 60 386	D. Alde <i>et al.</i>	(GAMS Collab.)	REFID=45396
BARBERIS	97B	Translated from YAF 60 458	D. Barberis <i>et al.</i>	(WA 102 Collab.)	REFID=45758
BARBERIS	97C	PL B413 217	D. Barberis <i>et al.</i>	(WA 102 Collab.)	REFID=45759
AMELIN	95	ZPHY C66 71	D.V. Amelin <i>et al.</i>	(VES Collab.)	REFID=44376
ANTINORI	95	PL B353 589	F. Antinori <i>et al.</i>	(ATHU, BARI, BIRM+)	REFID=44437
ABATZIS	94	PL B324 509	S. Abatzis <i>et al.</i>	(ATHU, BARI, BIRM+)	REFID=44090
LEE	94	PL B323 227	J.H. Lee <i>et al.</i>	(BNL, IND, KYUN, MASD+)	REFID=44092
ARMSTRONG	93C	PL B307 394	T.A. Armstrong <i>et al.</i>	(FNAL, FERR, GENO+)	REFID=43587
ARMSTRONG	92C	ZPHY C54 371	T.A. Armstrong <i>et al.</i>	(ATHU, BARI, BIRM+)	REFID=42097
BOLTON	92	PL B278 495	T. Bolton <i>et al.</i>	(Mark III Collab.)	REFID=42175
BITYUKOV	91B	SJNP 54 318	S.I. Bityukov <i>et al.</i>	(SERP)	REFID=41864
FUKUI	91C	PL B267 293	S. Fukui <i>et al.</i>	(SUGI, NAGO, KEK, KYOT+)	REFID=41748
COFFMAN	90	PR D41 1410	D.M. Coffman <i>et al.</i>	(Mark III Collab.)	REFID=41350
ARMSTRONG	89	PL B221 216	T.A. Armstrong <i>et al.</i>	(CERN, CDEF, BIRM+)	REFID=40729
ARMSTRONG	89E	PL B228 536	T.A. Armstrong, M. Benayoun	(ATHU, BARI, BIRM+)	REFID=41011
ARMSTRONG	89G	ZPHY C43 55	T.A. Armstrong <i>et al.</i>	(CERN, BIRM, BARI+)	REFID=40930
RATH	89	PR D40 693	M.G. Rath <i>et al.</i>	(NDAM, BRAN, BNL, CUNY+)	REFID=40924
AIHARA	88B	PL B209 107	H. Aihara <i>et al.</i>	(TPC-2 $\gamma$ Collab.)	REFID=40572
BIRMAN	88	PRL 61 1557	A. Birman <i>et al.</i>	(BNL, FSU, IND, MASD) JP	REFID=40568
BITYUKOV	88	PL B203 327	S.I. Bityukov <i>et al.</i>	(SERP)	REFID=40569
MIR	88	Photon-Photon 88, 126	R. Mir	(Mark III Collab.)	REFID=41574
ALDE	87	PL B198 286	D.M. Alde <i>et al.</i>	(LANL, BRUX, SERP, LAPP)	REFID=40221
BECKER	87	PRL 59 186	J.J. Becker <i>et al.</i>	(Mark III Collab.)	REFID=40015
GIDAL	87	PRL 59 2012	G. Gidal <i>et al.</i>	(LBL, SLAC, HARV)	REFID=40223
ANDO	86	PRL 57 1296	A. Ando <i>et al.</i>	(KEK, KYOT, NIRS, SAGA+) IJP	REFID=20891
REEVES	86	PR D34 1960	D.F. Reeves <i>et al.</i>	(FLOR, BNL, IND+) JP	REFID=20936
CHUNG	85	PRL 55 779	S.U. Chung <i>et al.</i>	(BNL, FLOR, IND+) JP	REFID=20934
ARMSTRONG	84	PL 146B 273	T.A. Armstrong <i>et al.</i>	(ATHU, BARI, BIRM+) JP	REFID=20929
BITYUKOV	84B	PL 144B 133	S.I. Bityukov <i>et al.</i>	(SERP)	REFID=20468
CHAUVAT	84	PL 148B 382	P. Chauvat <i>et al.</i>	(CERN, CLER, UCLA+)	REFID=20932
TORNQVIST	82B	NP B203 268	N.A. Tornqvist	(HEL5)	REFID=20573
EVANGELIS...	81	NP B178 197	C. Evangelista <i>et al.</i>	(BARI, BONN, CERN+)	REFID=20462
BROMBERG	80	PR D22 1513	C.M. Bromberg <i>et al.</i>	(CIT, FNAL, ILLC+)	REFID=20922
DIONISI	80	NP B169 1	C. Dionisi <i>et al.</i>	(CERN, MADR, CDEF+)	REFID=20924
GURTU	79	NP B151 181	A. Gurtu <i>et al.</i>	(CERN, ZEEM, NIJM, OXF)	REFID=20456
STANTON	79	PRL 42 346	N.R. Stanton <i>et al.</i>	(OSU, CARL, MCGI+) JP	REFID=20887
CORDEN	78	NP B144 253	M.J. Corden <i>et al.</i>	(BIRM, RHEL, TELA+) JP	REFID=20452
NACASCH	78	NP B135 203	R. Nacasch <i>et al.</i>	(PARIS, MADR, CERN)	REFID=20919
GRASSLER	77	NP B121 189	H. Grassler <i>et al.</i>	(AACH3, BERL, BONN+)	REFID=20447
DEFOIX	72	NP B44 125	C. Defoix <i>et al.</i>	(CDEF, CERN)	REFID=20435
DUBOC	72	NP B46 429	J. Duboc <i>et al.</i>	(PARIS, LIVP)	REFID=20339
THUN	72	PRL 28 1733	R. Thun <i>et al.</i>	(STON, NEAS)	REFID=20911
BARDADIN...	71	PR D4 2711	M. Bardadin-Otwinowska <i>et al.</i>	(WARS)	REFID=20196
BOESEBECK	71	PL 34B 659	K. Boesebeck	(AACH, BERL, BONN, CERN, CRAC+)	REFID=20905
CAMPBELL	69	PRL 22 1204	J.H. Campbell <i>et al.</i>	(PURD)	REFID=20419
LORSTAD	69	NP B14 63	B. Lorstad <i>et al.</i>	(CDEF, CERN) JP	REFID=20901
D'ANDLAU	68	NP B5 693	C. d'Andlau <i>et al.</i>	(CDEF, CERN, IRAD+) IJP	REFID=20897
DAHL	67	PR 163 1377	O.I. Dahl <i>et al.</i>	(LRL) IJP	REFID=20321