

$\rho_3(1690)$

$$I^G(J^{PC}) = 1^+(3^{--})$$

NODE=M015

 $\rho_3(1690)$ MASS

NODE=M015205

VALUE (MeV)

DOCUMENT ID

1688.8±2.1 OUR AVERAGE Includes data from the 5 datablocks that follow this one.

NODE=M015M

2 π MODE

VALUE (MeV) EVTS DOCUMENT ID TECN CHG COMMENT

The data in this block is included in the average printed for a previous datablock.

NODE=M015M1

NODE=M015M1

1686± 4 OUR AVERAGE

1677±14		EVANGELIS...	81	OMEG	-	12 $\pi^- p \rightarrow 2\pi p$
1679±11	476	BALTAY	78B	HBC	0	15 $\pi^+ p \rightarrow \pi^+ \pi^- n$
1678±12	175	¹ ANTIPOV	77	CIBS	0	25 $\pi^- p \rightarrow p3\pi$
1690± 7	600	¹ ENGLER	74	DBC	0	6 $\pi^+ n \rightarrow \pi^+ \pi^- p$
1693± 8		² GRAYER	74	ASPK	0	17 $\pi^- p \rightarrow \pi^+ \pi^- n$
1678±12		MATTHEWS	71C	DBC	0	7 $\pi^+ N$
1734±10		³ CORDEN	79	OMEG		12-15 $\pi^- p \rightarrow n2\pi$
1692±12		^{2,4} ESTABROOKS	75	RVUE		17 $\pi^- p \rightarrow \pi^+ \pi^- n$
1737±23		ARMENISE	70	DBC	0	9 $\pi^+ N$
1650±35	122	BARTSCH	70B	HBC	+	8 $\pi^+ p \rightarrow N2\pi$
1687±21		STUNTEBECK	70	HDBC	0	8 $\pi^- p, 5.4 \pi^+ d$
1683±13		ARMENISE	68	DBC	0	5.1 $\pi^+ d$
1670±30		GOLDBERG	65	HBC	0	6 $\pi^+ d, 8 \pi^- p$

¹ Mass errors enlarged by us to Γ/\sqrt{N} ; see the note with the $K^*(892)$ mass.² Uses same data as HYAMS 75.³ From a phase shift solution containing a $f'_2(1525)$ width two times larger than the $K\bar{K}$ result.⁴ From phase-shift analysis. Error takes account of spread of different phase-shift solutions.

NODE=M015M1;LINKAGE=E

NODE=M015M1;LINKAGE=G

NODE=M015M1;LINKAGE=M

NODE=M015M1;LINKAGE=I

 $K\bar{K}$ AND $K\bar{K}\pi$ MODES

VALUE (MeV) EVTS DOCUMENT ID TECN CHG COMMENT

The data in this block is included in the average printed for a previous datablock.

NODE=M015M2

NODE=M015M2

1696± 4 OUR AVERAGE

1699± 5		ALPER	80	CNTR	0	62 $\pi^- p \rightarrow K^+ K^- n$
1698±12	6k	^{5,6} MARTIN	78D	SPEC		10 $\pi p \rightarrow K_S^0 K^- p$
1692± 6		BLUM	75	ASPK	0	18.4 $\pi^- p \rightarrow nK^+ K^-$
1690±16		ADERHOLZ	69	HBC	+	8 $\pi^+ p \rightarrow K\bar{K}\pi$

••• We do not use the following data for averages, fits, limits, etc. •••

1694± 8 ⁷ COSTA 80 OMEG 10 $\pi^- p \rightarrow K^+ K^- n$ ⁵ From a fit to $J^P = 3^-$ partial wave.⁶ Systematic error on mass scale subtracted.⁷ They cannot distinguish between $\rho_3(1690)$ and $\omega_3(1670)$.

NODE=M015M2;LINKAGE=P

NODE=M015M2;LINKAGE=S

NODE=M015M2;LINKAGE=L

(4 π) \pm MODE

VALUE (MeV) EVTS DOCUMENT ID TECN CHG COMMENT

The data in this block is included in the average printed for a previous datablock.

NODE=M015M3

NODE=M015M3

1686± 5 OUR AVERAGE Error includes scale factor of 1.1.

1694± 6		⁸ EVANGELIS...	81	OMEG	-	12 $\pi^- p \rightarrow p4\pi$
1665±15	177	BALTAY	78B	HBC	+	15 $\pi^+ p \rightarrow p4\pi$
1670±10		THOMPSON	74	HBC	+	13 $\pi^+ p$
1687±20		CASON	73	HBC	-	8,18.5 $\pi^- p$
1685±14		⁹ CASON	73	HBC	-	8,18.5 $\pi^- p$
1680±40	144	BARTSCH	70B	HBC	+	8 $\pi^+ p \rightarrow N4\pi$
1689±20	102	⁹ BARTSCH	70B	HBC	+	8 $\pi^+ p \rightarrow N2\rho$
1705±21		CASO	70	HBC	-	11.2 $\pi^- p \rightarrow n\rho2\pi$

••• We do not use the following data for averages, fits, limits, etc. •••

1718±10 ¹⁰ EVANGELIS... 81 OMEG - 12 $\pi^- p \rightarrow p4\pi$

OCCUR=2

1673± 9 ¹¹ EVANGELIS... 81 OMEG - 12 $\pi^- p \rightarrow p4\pi$

OCCUR=3

1733± 9 66 ⁹ KLIGER 74 HBC - 4.5 $\pi^- p \rightarrow p4\pi$ 1630±15 HOLMES 72 HBC + 10-12 $K^+ p$ 1720±15 BALTAY 68 HBC + 7, 8.5 $\pi^+ p$

OCCUR=2

OCCUR=3

- ⁸ From $\rho^- \rho^0$ mode, not independent of the other two EVANGELISTA 81 entries.
- ⁹ From $\rho^\pm \rho^0$ mode.
- ¹⁰ From $a_2(1320)^- \pi^0$ mode, not independent of the other two EVANGELISTA 81 entries.
- ¹¹ From $a_2(1320)^0 \pi^-$ mode, not independent of the other two EVANGELISTA 81 entries.

NODE=M015M3;LINKAGE=A
 NODE=M015M3;LINKAGE=F
 NODE=M015M3;LINKAGE=B
 NODE=M015M3;LINKAGE=C

$\omega\pi$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	CHG	COMMENT
-------------	-------------	------	-----	---------

The data in this block is included in the average printed for a previous datablock.

1681± 7 OUR AVERAGE

1670±25	¹² ALDE	95	GAM2	38 $\pi^- p \rightarrow \omega\pi^0 n$
1690±15	EVANGELIS...	81	OMEG -	12 $\pi^- p \rightarrow \omega\pi p$
1666±14	GESSAROLI	77	HBC	11 $\pi^- p \rightarrow \omega\pi p$
1686± 9	THOMPSON	74	HBC +	13 $\pi^+ p$
1654±24	BARNHAM	70	HBC +	10 $K^+ p \rightarrow \omega\pi X$

• • • We do not use the following data for averages, fits, limits, etc. • • •

¹² Supersedes ALDE 92C.

NODE=M015M5
 NODE=M015M5

NODE=M015M5;LINKAGE=A

$\eta\pi^+ \pi^-$ MODE

(For difficulties with MMS experiments, see the $a_2(1320)$ mini-review in the 1973 edition.)

VALUE (MeV)	DOCUMENT ID	TECN	CHG	COMMENT
-------------	-------------	------	-----	---------

The data in this block is included in the average printed for a previous datablock.

1682±12 OUR AVERAGE

1685±10±20	AMELIN	00	VES	37 $\pi^- p \rightarrow \eta\pi^+ \pi^- n$
1680±15	FUKUI	88	SPEC 0	8.95 $\pi^- p \rightarrow \eta\pi^+ \pi^- n$
1700±47	¹³ ANDERSON	69	MMS -	16 $\pi^- p$ backward
1632±15	^{13,14} FOCACCI	66	MMS -	7-12 $\pi^- p \rightarrow pMM$
1700±15	^{13,14} FOCACCI	66	MMS -	7-12 $\pi^- p \rightarrow pMM$
1748±15	^{13,14} FOCACCI	66	MMS -	7-12 $\pi^- p \rightarrow pMM$

¹³ Seen in 2.5-3 GeV/c $\bar{p}p$. $2\pi^+ 2\pi^-$, with 0, 1, 2 $\pi^+ \pi^-$ pairs in ρ band not seen by OREN 74 (2.3 GeV/c $\bar{p}p$) with more statistics. (Jan. 1976)

¹⁴ Not seen by BOWEN 72.

NODE=M015M6
 NODE=M015M6
 NODE=M015M6

OCCUR=2
 OCCUR=3

NODE=M015M6;LINKAGE=R

NODE=M015M6;LINKAGE=N

$\rho_3(1690)$ WIDTH


2 π , $K\bar{K}$, AND $K\bar{K}\pi$ MODES

VALUE (MeV)	DOCUMENT ID
-------------	-------------

161±10 OUR AVERAGE Includes data from the 5 datablocks that follow this one. Error includes scale factor of 1.5. See the ideogram below.

NODE=M015W
 NODE=M015W

NODE=M015210



$\rho_3(1690)$ width, 2 π , $K\bar{K}$, and $K\bar{K}\pi$ modes (MeV)

2 π MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

The data in this block is included in the average printed for a previous datablock.

186 \pm 14 OUR AVERAGE Error includes scale factor of 1.3. See the ideogram below.

220 \pm 29		DENNEY	83	LASS	10 $\pi^+ N$
246 \pm 37		EVANGELIS...	81	OMEG	12 $\pi^- p \rightarrow 2\pi p$
116 \pm 30	476	BALTAY	78B	HBC	0 15 $\pi^+ p \rightarrow \pi^+ \pi^- n$
162 \pm 50	175	¹⁵ ANTIPOV	77	CIBS	0 25 $\pi^- p \rightarrow p3\pi$
167 \pm 40	600	ENGLER	74	DBC	0 6 $\pi^+ n \rightarrow \pi^+ \pi^- p$
200 \pm 18		¹⁶ GRAYER	74	ASPK	0 17 $\pi^- p \rightarrow \pi^+ \pi^- n$
156 \pm 36		MATTHEWS	71C	DBC	0 7 $\pi^+ N$
171 \pm 65		ARMENISE	70	DBC	0 9 $\pi^+ d$

• • • We do not use the following data for averages, fits, limits, etc. • • •

322 \pm 35		¹⁷ CORDEN	79	OMEG	12-15 $\pi^- p \rightarrow n2\pi$
240 \pm 30		^{16,18} ESTABROOKS	75	RVUE	17 $\pi^- p \rightarrow \pi^+ \pi^- n$
180 \pm 30	122	BARTSCH	70B	HBC	+ 8 $\pi^+ p \rightarrow N2\pi$
267 \pm 72 -46		STUNTEBECK	70	HDBC	0 8 $\pi^- p, 5.4 \pi^+ d$
188 \pm 49		ARMENISE	68	DBC	0 5.1 $\pi^+ d$
180 \pm 40		GOLDBERG	65	HBC	0 6 $\pi^+ d, 8 \pi^- p$

¹⁵ Width errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.

¹⁶ Uses same data as HYAMS 75 and BECKER 79.


¹⁷ From a phase shift solution containing a $f_2'(1525)$ width two times larger than the $K\bar{K}$ result.

¹⁸ From phase-shift analysis. Error takes account of spread of different phase-shift solutions.

NODE=M015W1
NODE=M015W1

NODE=M015W1;LINKAGE=T
NODE=M015W1;LINKAGE=G
NODE=M015W1;LINKAGE=M

NODE=M015W1;LINKAGE=L

 **$K\bar{K}$ AND $K\bar{K}\pi$ MODES**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

The data in this block is included in the average printed for a previous datablock.

204 \pm 18 OUR AVERAGE

199 \pm 40	6000	¹⁹ MARTIN	78D	SPEC	10 $\pi p \rightarrow K_S^0 K^- p$
205 \pm 20		BLUM	75	ASPK	0 18.4 $\pi^- p \rightarrow nK^+ K^-$
219 \pm 4		ALPER	80	CNTR	0 62 $\pi^- p \rightarrow K^+ K^- n$
186 \pm 11		²⁰ COSTA	80	OMEG	10 $\pi^- p \rightarrow K^+ K^- n$
112 \pm 60		ADERHOLZ	69	HBC	+ 8 $\pi^+ p \rightarrow K\bar{K}\pi$

¹⁹ From a fit to $J^P = 3^-$ partial wave.

²⁰ They cannot distinguish between $\rho_3(1690)$ and $\omega_3(1670)$.

NODE=M015W2
NODE=M015W2

NODE=M015W2;LINKAGE=P
NODE=M015W2;LINKAGE=L

(4 π) $^\pm$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

The data in this block is included in the average printed for a previous datablock.

NODE=M015W3
NODE=M015W3

129 \pm 10 OUR AVERAGE

123 \pm 13		21 EVANGELIS...	81	OMEG	-	12 $\pi^- p \rightarrow p4\pi$
105 \pm 30	177	BALTAY	78B	HBC	+	15 $\pi^+ p \rightarrow p4\pi$
169 $^{+70}_{-48}$		CASON	73	HBC	-	8,18.5 $\pi^- p$
135 \pm 30	144	BARTSCH	70B	HBC	+	8 $\pi^+ p \rightarrow N4\pi$
160 \pm 30	102	BARTSCH	70B	HBC	+	8 $\pi^+ p \rightarrow N2\rho$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●						
230 \pm 28		22 EVANGELIS...	81	OMEG	-	12 $\pi^- p \rightarrow p4\pi$
184 \pm 33		23 EVANGELIS...	81	OMEG	-	12 $\pi^- p \rightarrow p4\pi$
150	66	24 KLIGER	74	HBC	-	4.5 $\pi^- p \rightarrow p4\pi$
106 \pm 25		THOMPSON	74	HBC	+	13 $\pi^+ p$
125 $^{+83}_{-35}$		24 CASON	73	HBC	-	8,18.5 $\pi^- p$
130 \pm 30		HOLMES	72	HBC	+	10-12 $K^+ p$
180 \pm 30	90	24 BARTSCH	70B	HBC	+	8 $\pi^+ p \rightarrow Na_2\pi$
100 \pm 35		BALTAY	68	HBC	+	7, 8.5 $\pi^+ p$

OCCUR=3

OCCUR=2

OCCUR=3

OCCUR=2

OCCUR=2

21 From $\rho^- \rho^0$ mode, not independent of the other two EVANGELISTA 81 entries.

22 From $a_2(1320)^- \pi^0$ mode, not independent of the other two EVANGELISTA 81 entries.

23 From $a_2(1320)^0 \pi^-$ mode, not independent of the other two EVANGELISTA 81 entries.

24 From $\rho^\pm \rho^0$ mode.

NODE=M015W3;LINKAGE=A

NODE=M015W3;LINKAGE=B

NODE=M015W3;LINKAGE=C

NODE=M015W3;LINKAGE=F

 $\omega\pi$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	CHG	COMMENT
-------------	-------------	------	-----	---------

The data in this block is included in the average printed for a previous datablock.

NODE=M015W5

NODE=M015W5

190 \pm 40 OUR AVERAGE

230 \pm 65		25 ALDE	95	GAM2		38 $\pi^- p \rightarrow \omega\pi^0 n$
190 \pm 65		EVANGELIS...	81	OMEG	-	12 $\pi^- p \rightarrow \omega\pi p$
160 \pm 56		GESSAROLI	77	HBC		11 $\pi^- p \rightarrow \omega\pi p$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●						
89 \pm 25		THOMPSON	74	HBC	+	13 $\pi^+ p$
130 $^{+73}_{-43}$		BARNHAM	70	HBC	+	10 $K^+ p \rightarrow \omega\pi X$

25 Supersedes ALDE 92C.

NODE=M015W5;LINKAGE=A

 $\eta\pi^+\pi^-$ MODE

(For difficulties with MMS experiments, see the $a_2(1320)$ mini-review in the 1973 edition.)

VALUE (MeV)	DOCUMENT ID	TECN	CHG	COMMENT
-------------	-------------	------	-----	---------

The data in this block is included in the average printed for a previous datablock.

NODE=M015W6

NODE=M015W6

NODE=M015W6

130 \pm 40 OUR AVERAGE Error includes scale factor of 1.8.

220 \pm 30 \pm 50	AMELIN	00	VES			37 $\pi^- p \rightarrow \eta\pi^+\pi^- n$
106 \pm 27	FUKUI	88	SPEC	0		8.95 $\pi^- p \rightarrow \eta\pi^+\pi^- n$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●						
195	26 ANDERSON	69	MMS	-		16 $\pi^- p$ backward
< 21	26,27 FOCACCI	66	MMS	-		7-12 $\pi^- p \rightarrow pMM$
< 30	26,27 FOCACCI	66	MMS	-		7-12 $\pi^- p \rightarrow pMM$
< 38	26,27 FOCACCI	66	MMS	-		7-12 $\pi^- p \rightarrow pMM$

OCCUR=2

OCCUR=3

26 Seen in 2.5-3 GeV/c $\bar{p}p$. $2\pi^+2\pi^-$, with 0, 1, 2 $\pi^+\pi^-$ pairs in ρ^0 band not seen by OREN 74 (2.3 GeV/c $\bar{p}p$) with more statistics. (Jan. 1979)

NODE=M015W6;LINKAGE=R

27 Not seen by BOWEN 72.

NODE=M015W6;LINKAGE=N

$\rho_3(1690)$ DECAY MODES

NODE=M015215;NODE=M015

Mode	Fraction (Γ_i/Γ)	Scale factor
Γ_1 4π	(71.1 \pm 1.9) %	
Γ_2 $\pi^\pm \pi^+ \pi^- \pi^0$	(67 \pm 22) %	
Γ_3 $\omega \pi$	(16 \pm 6) %	
Γ_4 $\pi \pi$	(23.6 \pm 1.3) %	
Γ_5 $K \bar{K} \pi$	(3.8 \pm 1.2) %	
Γ_6 $K \bar{K}$	(1.58 \pm 0.26) %	1.2
Γ_7 $\eta \pi^+ \pi^-$	seen	
Γ_8 $\rho(770) \eta$	seen	
Γ_9 $\pi \pi \rho$	seen	
Γ_{10} $a_2(1320) \pi$	seen	
Γ_{11} $\rho \rho$	seen	
Γ_{12} $\phi \pi$		
Γ_{13} $\eta \pi$		
Γ_{14} $\pi^\pm 2\pi^+ 2\pi^- \pi^0$		

DESIG=2
DESIG=11
DESIG=7
DESIG=1
DESIG=3
DESIG=4
DESIG=13
DESIG=14;OUR EST;→ UNCHECKED ←
DESIG=5;OUR EST;→ UNCHECKED ←
DESIG=6;OUR EST;→ UNCHECKED ←
DESIG=8;OUR EST;→ UNCHECKED ←
DESIG=9
DESIG=10
DESIG=12

CONSTRAINED FIT INFORMATION

An overall fit to 5 branching ratios uses 10 measurements and one constraint to determine 4 parameters. The overall fit has a $\chi^2 = 14.7$ for 7 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_4	-77			
x_5	-74	17		
x_6	-15	2	0	
	x_1	x_4	x_5	

 $\rho_3(1690)$ BRANCHING RATIOS

NODE=M015220

$\Gamma(\pi\pi)/\Gamma_{\text{total}}$	DOCUMENT ID	TECN	CHG	COMMENT	Γ_4/Γ
0.236\pm0.013 OUR FIT					NODE=M015R1
0.243\pm0.013 OUR AVERAGE					NODE=M015R1
0.259 $^{+0.018}_{-0.019}$	BECKER 79	ASPK	0	17 $\pi^- p$ polarized	
0.23 \pm 0.02	CORDEN 79	OMEG		12-15 $\pi^- p \rightarrow n 2\pi$	
0.22 \pm 0.04	²⁸ MATTHEWS 71c	HDBC	0	7 $\pi^+ n \rightarrow \pi^- p$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
0.245 \pm 0.006	²⁹ ESTABROOKS 75	RVUE		17 $\pi^- p \rightarrow \pi^+ \pi^- n$	
²⁸ One-pion-exchange model used in this estimation.					
²⁹ From phase-shift analysis of HYAMS 75 data.					

NODE=M015R1;LINKAGE=P
NODE=M015R1;LINKAGE=G

$\Gamma(\pi\pi)/\Gamma(\pi^\pm \pi^+ \pi^- \pi^0)$	DOCUMENT ID	TECN	CHG	COMMENT	Γ_4/Γ_2
0.35\pm0.11	CASON 73	HBC	-	8,18.5 $\pi^- p$	NODE=M015R2
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
<0.2	HOLMES 72	HBC	+	10-12 $K^+ p$	NODE=M015R2
<0.12	BALLAM 71B	HBC	-	16 $\pi^- p$	NODE=M015R2

$\Gamma(\pi\pi)/\Gamma(4\pi)$	DOCUMENT ID	TECN	CHG	COMMENT	Γ_4/Γ_1	
0.332\pm0.026 OUR FIT	Error includes scale factor of 1.1.					NODE=M015R3
0.30 \pm 0.10	BALTAY 78B	HBC	0	15 $\pi^+ p \rightarrow p 4\pi$	NODE=M015R3	

$\Gamma(K\bar{K})/\Gamma(\pi\pi)$

Γ_6/Γ_4

VALUE DOCUMENT ID TECN CHG COMMENT


NODE=M015R4
NODE=M015R4

0.067±0.011 OUR FIT Error includes scale factor of 1.2.

0.118^{+0.040}_{-0.032} OUR AVERAGE Error includes scale factor of 1.7. See the ideogram below.

0.191 ^{+0.040} _{-0.037}	GORLICH	80	ASPK	0	17,18 $\pi^- p$ polarized
0.08 ±0.03	BARTSCH	70B	HBC	+	8 $\pi^+ p$
0.08 ^{+0.08} _{-0.03}	CRENNELL	68B	HBC		6.0 $\pi^- p$

WEIGHTED AVERAGE
0.118+0.040-0.032 (Error scaled by 1.7)



$\Gamma(K\bar{K}\pi)/\Gamma(\pi\pi)$

Γ_5/Γ_4

VALUE DOCUMENT ID TECN CHG COMMENT

NODE=M015R5
NODE=M015R5

0.16±0.05 OUR FIT

0.16±0.05 ³⁰ BARTSCH 70B HBC + 8 $\pi^+ p$

³⁰ Increased by us to correspond to $B(\rho_3(1690) \rightarrow \pi\pi) = 0.24$.

NODE=M015R5;LINKAGE=A

$[\Gamma(\pi\pi\rho) + \Gamma(a_2(1320)\pi) + \Gamma(\rho\rho)]/\Gamma(\pi^\pm\pi^+\pi^-\pi^0)$ $(\Gamma_9+\Gamma_{10}+\Gamma_{11})/\Gamma_2$

VALUE DOCUMENT ID TECN CHG COMMENT

NODE=M015R6
NODE=M015R6

0.94±0.09 OUR AVERAGE

0.96±0.21	BALTAY	78B	HBC	+	15 $\pi^+ p \rightarrow p4\pi$
0.88±0.15	BALLAM	71B	HBC	-	16 $\pi^- p$
1 ±0.15	BARTSCH	70B	HBC	+	8 $\pi^+ p$
consistent with 1	CASO	68	HBC	-	11 $\pi^- p$

$\Gamma(\rho\rho)/\Gamma(\pi^\pm\pi^+\pi^-\pi^0)$

Γ_{11}/Γ_2

VALUE EVTS DOCUMENT ID TECN CHG COMMENT

NODE=M015R7
NODE=M015R7

••• We do not use the following data for averages, fits, limits, etc. •••

0.12±0.11		BALTAY	78B	HBC	+	15 $\pi^+ p \rightarrow p4\pi$
0.56	66	KLIGER	74	HBC	-	4.5 $\pi^- p \rightarrow p4\pi$
0.13±0.09		³¹ THOMPSON	74	HBC	+	13 $\pi^+ p$
0.7 ±0.15		BARTSCH	70B	HBC	+	8 $\pi^+ p$

³¹ $\rho\rho$ and $a_2(1320)\pi$ modes are indistinguishable.

NODE=M015R7;LINKAGE=T

$\Gamma(\rho\rho)/[\Gamma(\pi\pi\rho) + \Gamma(a_2(1320)\pi) + \Gamma(\rho\rho)]$ $\Gamma_{11}/(\Gamma_9+\Gamma_{10}+\Gamma_{11})$

VALUE DOCUMENT ID TECN CHG COMMENT

NODE=M015R8
NODE=M015R8

••• We do not use the following data for averages, fits, limits, etc. •••

0.48±0.16		CASO	68	HBC	-	11 $\pi^- p$
-----------	--	------	----	-----	---	--------------

$\Gamma(a_2(1320)\pi)/\Gamma(\pi^\pm\pi^+\pi^-\pi^0)$ Γ_{10}/Γ_2

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
0.66±0.08	BALTAY	78B	HBC	+ 15 $\pi^+ p \rightarrow p4\pi$
0.36±0.14	³² THOMPSON	74	HBC	+ 13 $\pi^+ p$
not seen	CASON	73	HBC	- 8,18.5 $\pi^- p$
0.6 ±0.15	BARTSCH	70B	HBC	+ 8 $\pi^+ p$
0.6	BALTAY	68	HBC	+ 7,8.5 $\pi^+ p$

NODE=M015R9
 NODE=M015R9

³² $\rho\rho$ and $a_2(1320)\pi$ modes are indistinguishable.

NODE=M015R9;LINKAGE=T

 $\Gamma(\omega\pi)/\Gamma(\pi^\pm\pi^+\pi^-\pi^0)$ Γ_3/Γ_2

VALUE	CL%	DOCUMENT ID	TECN	CHG	COMMENT
0.23±0.05 OUR AVERAGE		Error includes scale factor of 1.2.			
0.33±0.07		THOMPSON	74	HBC	+ 13 $\pi^+ p$
0.12±0.07		BALLAM	71B	HBC	- 16 $\pi^- p$
0.25±0.10		BALTAY	68	HBC	+ 7,8.5 $\pi^+ p$
0.25±0.10		JOHNSTON	68	HBC	- 7.0 $\pi^- p$

NODE=M015R10
 NODE=M015R10

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.11	95	BALTAY	78B	HBC	+ 15 $\pi^+ p \rightarrow p4\pi$
<0.09		KLIGER	74	HBC	- 4.5 $\pi^- p \rightarrow p4\pi$

 $\Gamma(\phi\pi)/\Gamma(\pi^\pm\pi^+\pi^-\pi^0)$ Γ_{12}/Γ_2

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
<0.11	BALTAY	68	HBC	+ 7,8.5 $\pi^+ p$

NODE=M015R11
 NODE=M015R11

 $\Gamma(\pi^\pm 2\pi^+ 2\pi^- \pi^0)/\Gamma(\pi^\pm\pi^+\pi^-\pi^0)$ Γ_{14}/Γ_2

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
<0.15	BALTAY	68	HBC	+ 7,8.5 $\pi^+ p$

NODE=M015R12
 NODE=M015R12

 $\Gamma(\eta\pi)/\Gamma(\pi^\pm\pi^+\pi^-\pi^0)$ Γ_{13}/Γ_2

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
<0.02	THOMPSON	74	HBC	+ 13 $\pi^+ p$

NODE=M015R13
 NODE=M015R13

 $\Gamma(K\bar{K})/\Gamma_{total}$ Γ_6/Γ

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
0.0158±0.0026 OUR FIT	Error includes scale factor of 1.2.			
0.0130±0.0024 OUR AVERAGE				

NODE=M015R14
 NODE=M015R14

0.013 ±0.003	COSTA	80	OMEG 0	10 $\pi^- p \rightarrow K^+ K^- n$
0.013 ±0.004	³³ MARTIN	78B	SPEC	- 10 $\pi p \rightarrow K_S^0 K^- p$

³³ From $(\Gamma_4\Gamma_6)^{1/2} = 0.056 \pm 0.034$ assuming $B(\rho_3(1690) \rightarrow \pi\pi) = 0.24$.

NODE=M015R14;LINKAGE=B

 $\Gamma(\omega\pi)/[\Gamma(\omega\pi) + \Gamma(\rho\rho)]$ $\Gamma_3/(\Gamma_3+\Gamma_{11})$

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
0.22±0.08	CASON	73	HBC	- 8,18.5 $\pi^- p$

NODE=M015R16
 NODE=M015R16

 $\Gamma(\eta\pi^+\pi^-)/\Gamma_{total}$ Γ_7/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
seen	FUKUI	88	SPEC 8.95 $\pi^- p \rightarrow \eta\pi^+\pi^- n$

NODE=M015R17
 NODE=M015R17

 $\Gamma(a_2(1320)\pi)/\Gamma(\rho(770)\eta)$ Γ_{10}/Γ_8

VALUE	DOCUMENT ID	TECN	COMMENT
5.5±2.0	AMELIN	00	VES 37 $\pi^- p \rightarrow \eta\pi^+\pi^- n$

NODE=M015R18
 NODE=M015R18

$\rho_3(1690)$ REFERENCES

NODE=M015

AMELIN	00	NP A668 83	D. Amelin <i>et al.</i>	(VES Collab.)	REFID=47432
ALDE	95	ZPHY C66 379	D.M. Alde <i>et al.</i>	(GAMS Collab.) JP	REFID=44371
ALDE	92C	ZPHY C54 553	D.M. Alde <i>et al.</i>	(BELG, SERP, KEK, LANL+)	REFID=41859
FUKUI	88	PL B202 441	S. Fukui <i>et al.</i>	(SUGI, NAGO, KEK, KYOT+)	REFID=40273
DENNEY	83	PR D28 2726	D.L. Denney <i>et al.</i>	(IOWA, MICH)	REFID=20754
EVANGELIS...	81	NP B178 197	C. Evangelista <i>et al.</i>	(BARI, BONN, CERN+)	REFID=20462
ALPER	80	PL 94B 422	B. Alper <i>et al.</i>	(AMST, CERN, CRAC, MPIM+)	REFID=21665
COSTA	80	NP B175 402	G. Costa <i>et al.</i>	(BARI, BONN, CERN, GLAS+)	REFID=20737
GORLICH	80	NP B174 16	L. Gorlich <i>et al.</i>	(CRAC, MPIM, CERN+)	REFID=20738
BECKER	79	NP B151 46	H. Becker <i>et al.</i>	(MPIM, CERN, ZEEM, CRAC)	REFID=21084
CORDEN	79	NP B157 250	M.J. Corden <i>et al.</i>	(BIRM, RHEL, TELA+) JP	REFID=20374
BALTAY	78B	PR D17 62	C. Baltay <i>et al.</i>	(COLU, BING)	REFID=21265
MARTIN	78B	NP B140 158	A.D. Martin <i>et al.</i>	(DURH, GEVA)	REFID=21273
MARTIN	78D	PL 74B 417	A.D. Martin <i>et al.</i>	(DURH, GEVA)	REFID=21272
ANTIPOV	77	NP B119 45	Y.M. Antipov <i>et al.</i>	(SERP, GEVA)	REFID=20728
GESSAROLI	77	NP B126 382	R. Gessaroli <i>et al.</i>	(BGNA, FIRZ, GENO+)	REFID=20230
BLUM	75	PL 57B 403	W. Blum <i>et al.</i>	(CERN, MPIM) JP	REFID=21651
ESTABROOKS	75	NP B95 322	P.G. Estabrooks, A.D. Martin	(DURH)	REFID=20642
HYAMS	75	NP B100 205	B.D. Hyams <i>et al.</i>	(CERN, MPIM)	REFID=20355
ENGLER	74	PR D10 2070	A. Engler <i>et al.</i>	(CMU, CASE)	REFID=20110
GRAYER	74	NP B75 189	G. Grayer <i>et al.</i>	(CERN, MPIM)	REFID=20113
KLIGER	74	SJNP 19 428	G.K. Kliger <i>et al.</i>	(ITEP)	REFID=21648
		Translated from YAF 19 839.			
OREN	74	NP B71 189	Y. Oren <i>et al.</i>	(ANL, OXF)	REFID=20221
THOMPSON	74	NP B69 220	G. Thompson <i>et al.</i>	(PURD)	REFID=21650
CASON	73	PR D7 1971	N.M. Cason <i>et al.</i>	(NDAM)	REFID=20606
BOWEN	72	PRL 29 890	D.R. Bowen <i>et al.</i>	(NEAS, STON)	REFID=21711
HOLMES	72	PR D6 3336	R. Holmes <i>et al.</i>	(ROCH)	REFID=21639
BALLAM	71B	PR D3 2606	J. Ballam <i>et al.</i>	(SLAC)	REFID=21630
MATTHEWS	71C	NP B33 1	J.A.J. Matthews <i>et al.</i>	(TNTO, WISC) JP	REFID=21633
ARMENISE	70	LNC 4 199	N. Armenise <i>et al.</i>	(BARI, BGNA, FIRZ)	REFID=20693
BARNHAM	70	PRL 24 1083	K.W.J. Barnham <i>et al.</i>	(BIRM)	REFID=21624
BARTSCH	70B	NP B22 109	J. Bartsch <i>et al.</i>	(AACH, BERL, CERN)	REFID=21625
CASO	70	LNC 3 707	C. Caso <i>et al.</i>	(GENO, HAMB, MILA, SAFL)	REFID=20590
STUNTEBECK	70	PL 32B 391	P.H. Stuntebeck <i>et al.</i>	(NDAM)	REFID=20696
ADERHOLZ	69	NP B11 259	M. Aderholz <i>et al.</i>	(AACH3, BERL, CERN+)	REFID=20687
ANDERSON	69	PRL 22 1390	E.W. Anderson <i>et al.</i>	(BNL, CMU)	REFID=20795
ARMENISE	68	NC 54A 999	N. Armenise <i>et al.</i>	(BARI, BGNA, FIRZ+) I	REFID=20054
BALTAY	68	PRL 20 887	C. Baltay <i>et al.</i>	(COLU, ROCH, RUTG, YALE) I	REFID=21531
CASO	68	NC 54A 983	C. Caso <i>et al.</i>	(GENO, HAMB, MILA, SAFL)	REFID=20586
CRENNELL	68B	PL 28B 136	D.J. Crennell <i>et al.</i>	(BNL)	REFID=21616
JOHNSTON	68	PRL 20 1414	T.F. Johnston <i>et al.</i>	(TNTO, WISC) IJP	REFID=21617
FOCACCI	66	PRL 17 890	M.N. Focacci <i>et al.</i>	(CERN)	REFID=20402
GOLDBERG	65	PL 17 354	M. Goldberg <i>et al.</i>	(CERN, EPOL, ORSAY+)	REFID=21601