

$K_2(1770)$

$$I(J^P) = \frac{1}{2}(2^-)$$

See our mini-review in the 2004 edition of this *Review*, PDG 04.

$K_2(1770)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
1773± 8 OUR AVERAGE					
$1777 \pm 35^{+122}_{-77}$	4289	¹ AAIJ	17C	LHCB	$B^+ \rightarrow J/\psi \phi K^+$
1773 ± 8		² ASTON	93	LASS	$11 K^- p \rightarrow K^- \omega p$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1743 ± 15		TIKHOMIROV 03	SPEC		$40.0 \pi^- C \rightarrow K_S^0 K_S^0 K_L^0 X$
1810 ± 20		FRAME 86	OMEG +		$13 K^+ p \rightarrow \phi K^+ p$
~ 1730		ARMSTRONG 83	OMEG -		$18.5 K^- p \rightarrow 3 K p$
~ 1780		³ DAUM 81C	CNTR -		$63 K^- p \rightarrow K^- 2\pi p$
1710 ± 15	60	CHUNG 74	HBC -		$7.3 K^- p \rightarrow K^- \omega p$
1767 ± 6		BLIEDEN 72	MMS -		$11-16 K^- p$
1730 ± 20	306	⁴ FIRESTONE 72B	DBC +		$12 K^+ d$
1765 ± 40		⁵ COLLEY 71	HBC +		$10 K^+ p \rightarrow K 2\pi N$
1740		DENEGRI 71	DBC -		$12.6 K^- d \rightarrow \bar{K} 2\pi d$
1745 ± 20		AGUILAR-...	70C HBC -		$4.6 K^- p$
1780 ± 15		BARTSCH 70C	HBC -		$10.1 K^- p$
1760 ± 15		LUDLAM 70	HBC -		$12.6 K^- p$

¹ From an amplitude analysis of the decay $B^+ \rightarrow J/\psi \phi K^+$ with a significance of 5.0 σ .

² From a partial wave analysis of the $K^- \omega$ system.

³ From a partial wave analysis of the $K^- 2\pi$ system.

⁴ Produced in conjunction with excited deuteron.

⁵ Systematic errors added correspond to spread of different fits.

NODE=M023

NODE=M023

NODE=M023M

NODE=M023M

NODE=M023M;LINKAGE=C
 NODE=M023M;LINKAGE=A
 NODE=M023M;LINKAGE=B
 NODE=M023M;LINKAGE=P
 NODE=M023M;LINKAGE=X

$K_2(1770)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
186± 14 OUR AVERAGE					
$217 \pm 116^{+221}_{-154}$	4289	⁶ AAIJ	17C	LHCB	$B^+ \rightarrow J/\psi \phi K^+$
186 ± 14		⁷ ASTON	93	LASS	$11 K^- p \rightarrow K^- \omega p$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
147 ± 70		TIKHOMIROV 03	SPEC		$40.0 \pi^- C \rightarrow K_S^0 K_S^0 K_L^0 X$
140 ± 40		FRAME 86	OMEG +		$13 K^+ p \rightarrow \phi K^+ p$
~ 220		ARMSTRONG 83	OMEG -		$18.5 K^- p \rightarrow 3 K p$
~ 210		⁸ DAUM 81C	CNTR -		$63 K^- p \rightarrow K^- 2\pi p$
110 ± 50	60	CHUNG 74	HBC -		$7.3 K^- p \rightarrow K^- \omega p$
100 ± 26		BLIEDEN 72	MMS -		$11-16 K^- p$
210 ± 30	306	⁹ FIRESTONE 72B	DBC +		$12 K^+ d$
90 ± 70		¹⁰ COLLEY 71	HBC +		$10 K^+ p \rightarrow K 2\pi N$
130		DENEGRI 71	DBC -		$12.6 K^- d \rightarrow \bar{K} 2\pi d$
100 ± 50		AGUILAR-...	70C HBC -		$4.6 K^- p$
138 ± 40		BARTSCH 70C	HBC -		$10.1 K^- p$
50^{+40}_{-20}		LUDLAM 70	HBC -		$12.6 K^- p$

⁶ From an amplitude analysis of the decay $B^+ \rightarrow J/\psi \phi K^+$ with a significance of 5.0 σ .

⁷ From a partial wave analysis of the $K^- \omega$ system.

⁸ From a partial wave analysis of the $K^- 2\pi$ system.

⁹ Produced in conjunction with excited deuteron.

¹⁰ Systematic errors added correspond to spread of different fits.

NODE=M023W

NODE=M023W

NODE=M023W;LINKAGE=A
 NODE=M023W;LINKAGE=B
 NODE=M023W;LINKAGE=C
 NODE=M023W;LINKAGE=P
 NODE=M023W;LINKAGE=X

$K_2(1770)$ DECAY MODES

NODE=M023215;NODE=M023

Mode	Fraction (Γ_i/Γ)
Γ_1 $K\pi\pi$	
Γ_2 $K_2^*(1430)\pi$	seen
Γ_3 $K^*(892)\pi$	seen
Γ_4 $K f_2(1270)$	seen
Γ_5 $K f_0(980)$	possibly seen
Γ_6 $K\phi$	seen
Γ_7 $K\omega$	seen

DESIG=1;OUR EST;→ UNCHECKED ←
 DESIG=2;OUR EST;→ UNCHECKED ←
 DESIG=4;OUR EST;→ UNCHECKED ←
 DESIG=9;OUR EST;→ UNCHECKED ←
 DESIG=11;OUR EVAL;→ UNCHECKED ←
 DESIG=10
 DESIG=8

 $K_2(1770)$ BRANCHING RATIOS

NODE=M023220

$\Gamma(K_2^*(1430)\pi)/\Gamma(K\pi\pi)$ **Γ_2/Γ_1**
 $(K_2^*(1430) \rightarrow K\pi)$

NODE=M023R1

NODE=M023R1
 NODE=M023R1

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
-------	-------------	------	-----	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

~ 0.03	DAUM	81C	CNTR	$63 K^- p \rightarrow K^- 2\pi p$
~ 1.0	¹¹ FIRESTONE	72B	DBC	$+ 12 K^+ d$
< 1.0	COLLEY	71	HBC	$10 K^+ p$
0.2 ± 0.2	AGUILAR-...	70C	HBC	$- 4.6 K^- p$
< 1.0	BARTSCH	70C	HBC	$- 10.1 K^- p$
1.0	BARBARO-...	69	HBC	$+ 12.0 K^+ p$

¹¹ Produced in conjunction with excited deuteron.

NODE=M023R1;LINKAGE=P

$\Gamma(K^*(892)\pi)/\Gamma(K\pi\pi)$ **Γ_3/Γ_1**

NODE=M023R3
 NODE=M023R3

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

~ 0.23	DAUM	81C	CNTR	$63 K^- p \rightarrow K^- 2\pi p$
-------------	------	-----	------	-----------------------------------

$\Gamma(K f_2(1270))/\Gamma(K\pi\pi)$ **Γ_4/Γ_1**
 $(f_2(1270) \rightarrow \pi\pi)$

NODE=M023R4

NODE=M023R4
 NODE=M023R4

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

~ 0.74	DAUM	81C	CNTR	$63 K^- p \rightarrow K^- 2\pi p$
-------------	------	-----	------	-----------------------------------

$\Gamma(K f_0(980))/\Gamma_{\text{total}}$ **Γ_5/Γ**

NODE=M023R6
 NODE=M023R6

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

possibly seen TIKHOMIROV 03 SPEC $40.0 \frac{\pi^- C}{K_S^0 K_S^0 K_L^0} \rightarrow$

$\Gamma(K\phi)/\Gamma_{\text{total}}$ **Γ_6/Γ**

NODE=M023R5
 NODE=M023R5

VALUE	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------	------	-------------	------	-----	---------

seen	24k	¹² AAIJ	21E	LHCB	$B^+ \rightarrow J/\psi \phi K^+$
seen		ARMSTRONG	83	OMEG	$- 18.5 K^- p \rightarrow K^- \phi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen	4289	^{13,14} AAIJ	17C	LHCB	$B^+ \rightarrow J/\psi \phi K^+$
------	------	-----------------------	-----	------	-----------------------------------

¹² From an amplitude analysis of the decay $B^+ \rightarrow J/\psi \phi K^+$ with a significance of 7.9σ .

¹³ From an amplitude analysis of the decay $B^+ \rightarrow J/\psi \phi K^+$ with a significance of 5.0σ .

¹⁴ Superseded by AAIJ 21E.

NODE=M023R5;LINKAGE=C
 NODE=M023R5;LINKAGE=A
 NODE=M023R5;LINKAGE=B

$\Gamma(K\omega)/\Gamma_{\text{total}}$ **Γ_7/Γ**

NODE=M023R2
 NODE=M023R2

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
-------	-------------	------	-----	---------

seen	OTTER	81	HBC	$\pm 8.25, 10, 16 K^\pm p$
seen	CHUNG	74	HBC	$- 7.3 K^- p \rightarrow K^- \omega p$

$K_2(1770)$ REFERENCES

NODE=M023

AAIJ	21E	PRL 127 082001	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=61150
AAIJ	17C	PRL 118 022003	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=57657
Also		PR D95 012002	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=57636
PDG	04	PL B592 1	S. Eidelman <i>et al.</i>	(PDG Collab.)	REFID=49653
TIKHOMIROV	03	PAN 66 828	G.D. Tikhomirov <i>et al.</i>		REFID=49423
		Translated from YAF 66 860.			
ASTON	93	PL B308 186	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS)	REFID=43597
FRAME	86	NP B276 667	D. Frame <i>et al.</i>	(GLAS)	REFID=20569
ARMSTRONG	83	NP B221 1	T.A. Armstrong <i>et al.</i>	(BARI, BIRM, CERN+)	REFID=22801
DAUM	81C	NP B187 1	C. Daum <i>et al.</i>	(AMST, CERN, CRAC, MPIM+)	REFID=22548
OTTER	81	NP B181 1	G. Otter	(AACH3, BERL, LOIC, VIEN, BIRM+)	REFID=22549
CHUNG	74	PL 51B 413	S.U. Chung <i>et al.</i>	(BNL)	REFID=22735
BLIEDEN	72	PL 39B 668	H.R. Blieden <i>et al.</i>	(STON, NEAS)	REFID=22788
FIRESTONE	72B	PR D5 505	A. Firestone <i>et al.</i>	(LBL)	REFID=22506
COLLEY	71	NP B26 71	D.C. Colley <i>et al.</i>	(BIRM, GLAS)	REFID=22785
DENEGRI	71	NP B28 13	D. Denegri <i>et al.</i>	(JHU) JP	REFID=22497
AGUILAR-...	70C	PRL 25 54	M. Aguilar-Benitez <i>et al.</i>	(BNL)	REFID=22782
BARTSCH	70C	PL 33B 186	J. Bartsch <i>et al.</i>	(AACH, BERL, CERN+)	REFID=22783
LUDLAM	70	PR D2 1234	T. Ludlam, J. Sandweiss, A.J. Slaughter	(YALE)	REFID=22784
BARBARO-...	69	PRL 22 1207	A. Barbaro-Galtieri <i>et al.</i>	(LRL)	REFID=22483
