

$$J^G(J^{PC}) = 0^-(1^{--})$$

See the Review on “Branching Ratios of $\psi(2S)$, $\chi_{c0,1,2}$ and $\eta_c(1S)$ ” before the $\chi_{c0}(1P)$ Listings.

NODE=M071

NODE=M071

$\psi(2S)$ MASS

NODE=M071M

OUR FIT includes measurements of $m_{\psi(2S)}$, $m_{\psi(3770)}$, and $m_{\psi(3770)} - m_{\psi(2S)}$.

NODE=M071M

NODE=M071M

VALUE (MeV)	EVTs	DOCUMENT ID	TECN	COMMENT
3686.097±0.011 OUR FIT	Error includes scale factor of 1.1.			
3686.097±0.010 OUR AVERAGE				
3686.099±0.004±0.009		¹ ANASHIN	15 KEDR	$e^+e^- \rightarrow \text{hadrons}$
3686.12 ±0.06 ±0.10	4k	AAIJ	12H LHCb	$pp \rightarrow J/\psi \pi^+ \pi^- X$
3685.95 ±0.10	413	² ARTAMONOV	00 OLYA	$e^+e^- \rightarrow \text{hadrons}$
3685.98 ±0.09 ±0.04		³ ARMSTRONG	93B E760	$p\bar{p} \rightarrow e^+e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
3686.08 ±0.07	1301	⁴ AAIJ	23AP LHCb	$B_S^0 \rightarrow J/\psi 2(\pi^+ \pi^-)$
3686.114±0.007 ^{+0.011} _{-0.016}		⁵ ANASHIN	12 KEDR	$e^+e^- \rightarrow \text{hadrons}$
3686.111±0.025±0.009		AULCHENKO	03 KEDR	$e^+e^- \rightarrow \text{hadrons}$
3686.00 ±0.10	413	⁶ ZHOLENTZ	80 OLYA	e^+e^-

¹ Supersedes AULCHENKO 03 and ANASHIN 12.

² Reanalysis of ZHOLENTZ 80 using new electron mass (COHEN 87) and radiative corrections (KURAEV 85).

³ Mass central value and systematic error recalculated by us according to Eq.(16) in ARMSTRONG 93B, using the value for the $J/\psi(1S)$ mass from AULCHENKO 03.

⁴ From a fit of a relativistic S -wave Breit-Wigner convolved with the detector resolution. The width of $\psi(2S)$ is constrained to the PDG 22 value. Systematic errors not evaluated.

⁵ From the scans in 2004 and 2006. ANASHIN 12 reports the value $3686.114 \pm 0.007 \pm 0.011^{+0.002}_{-0.012}$ MeV, where the third uncertainty is due to assumptions on the interference between the resonance and hadronic continuum. We combined the two systematic uncertainties.

⁶ Superseded by ARTAMONOV 00.

NODE=M071M;LINKAGE=A
NODE=M071M;LINKAGE=AR

NODE=M071M;LINKAGE=NW

NODE=M071M;LINKAGE=B

NODE=M071M;LINKAGE=AN

NODE=M071M;LINKAGE=RZ

$m_{\psi(2S)} - m_{J/\psi(1S)}$

NODE=M071DM

NODE=M071DM

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
589.188±0.028 OUR AVERAGE			
589.194±0.027±0.011	¹ AULCHENKO	03 KEDR	$e^+e^- \rightarrow \text{hadrons}$
589.7 ±1.2	LEMOIGNE	82 GOLI	$185 \pi^- \text{Be} \rightarrow \gamma \mu^+ \mu^- A$
589.07 ±0.13	¹ ZHOLENTZ	80 OLYA	e^+e^-
588.7 ±0.8	LUTH	75 MRK1	
• • • We do not use the following data for averages, fits, limits, etc. • • •			
588 ±1	² BAI	98E BES	e^+e^-

¹ Redundant with data in mass above.

² Systematic errors not evaluated.

NODE=M071DM;LINKAGE=R
NODE=M071DM;LINKAGE=BD

$\psi(2S)$ WIDTH

NODE=M071W

NODE=M071W

VALUE (keV)	EVTs	DOCUMENT ID	TECN	COMMENT
293± 9 OUR FIT	Error includes scale factor of 1.2.			
286±16 OUR AVERAGE				
358±88± 4		ABLIKIM	08B BES2	$e^+e^- \rightarrow \text{hadrons}$
290±25± 4	2.7k	ANDREOTTI	07 E835	$p\bar{p} \rightarrow e^+e^-, J/\psi X$
331±58± 2		ABLIKIM	06L BES2	$e^+e^- \rightarrow \text{hadrons}$
264±27		¹ BAI	02B BES2	e^+e^-
287±37±16		² ARMSTRONG	93B E760	$p\bar{p} \rightarrow e^+e^-$

¹ From a simultaneous fit to the hadronic and $\mu^+ \mu^-$ cross section, assuming $\Gamma = \Gamma_h + \Gamma_e + \Gamma_\mu + \Gamma_\tau$ and lepton universality. Does not include vacuum polarization correction.

² The initial-state radiation correction reevaluated by ANDREOTTI 07 in its Ref. [4].

NODE=M071W;LINKAGE=BC

NODE=M071W;LINKAGE=AN

$\psi(2S)$ DECAY MODES

NODE=M071220;NODE=M071

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1 hadrons	(97.85 $\pm$ 0.13) %	
Γ_2 virtual $\gamma \rightarrow$ hadrons	(1.79 $\pm$ 0.04) %	
Γ_3 $g g g$	(10.6 $\pm$ 1.6) %	
Γ_4 $\gamma g g$	(1.03 $\pm$ 0.29) %	
Γ_5 light hadrons	(15.4 $\pm$ 1.5) %	
Γ_6 K_S^0 anything	(16.0 $\pm$ 1.1) %	
Γ_7 $e^+ e^-$	(7.94 $\pm$ 0.22) $\times 10^{-3}$	S=1.3
Γ_8 $\mu^+ \mu^-$	(8.0 $\pm$ 0.6) $\times 10^{-3}$	
Γ_9 $\tau^+ \tau^-$	(3.1 $\pm$ 0.4) $\times 10^{-3}$	

DESIG=3
DESIG=4
DESIG=255
DESIG=256
DESIG=226
DESIG=325
DESIG=1
DESIG=2
DESIG=68

Decays into $J/\psi(1S)$ and anything

Γ_{10} $J/\psi(1S)$ anything	(61.5 $\pm$ 0.7) %	S=1.3
Γ_{11} $J/\psi(1S)$ neutrals	(25.4 $\pm$ 0.5) %	S=1.6
Γ_{12} $J/\psi(1S) \pi^+ \pi^-$	(34.69 $\pm$ 0.34) %	S=1.1
Γ_{13} $J/\psi(1S) \pi^0 \pi^0$	(18.2 $\pm$ 0.5) %	S=1.6
Γ_{14} $J/\psi(1S) \eta$	(3.37 $\pm$ 0.06) %	S=1.2
Γ_{15} $J/\psi(1S) \pi^0$	(1.268 $\pm$ 0.032) $\times 10^{-3}$	

NODE=M071;CLUMP=A
DESIG=11
DESIG=12
DESIG=13
DESIG=14
DESIG=15
DESIG=18

Hadronic decays

Γ_{16} $\pi^+ \pi^-$	(7.8 $\pm$ 2.6) $\times 10^{-6}$	
Γ_{17} $\pi^+ \pi^- \pi^0$	(2.01 $\pm$ 0.17) $\times 10^{-4}$	S=1.7
Γ_{18} $\rho(770) \pi \rightarrow \pi^+ \pi^- \pi^0$	(3.2 $\pm$ 1.2) $\times 10^{-5}$	S=1.8
Γ_{19} $\rho(2150) \pi \rightarrow \pi^+ \pi^- \pi^0$	(1.9 $\pm$ 1.2) $\times 10^{-4}$	
Γ_{20} $2(\pi^+ \pi^-)$	(2.4 $\pm$ 0.6) $\times 10^{-4}$	S=2.2
Γ_{21} $\rho^0 \pi^+ \pi^-$	(2.2 $\pm$ 0.6) $\times 10^{-4}$	S=1.4
Γ_{22} $2(\pi^+ \pi^-) \pi^0$	(2.9 $\pm$ 1.0) $\times 10^{-3}$	S=4.7
Γ_{23} $\rho a_2(1320)$	(2.6 $\pm$ 0.9) $\times 10^{-4}$	
Γ_{24} $\pi^+ \pi^- \pi^0 \pi^0 \pi^0$	(5.3 $\pm$ 1.0) $\times 10^{-3}$	
Γ_{25} $\rho^\pm \pi^\mp \pi^0 \pi^0$	< 2.7 $\times 10^{-3}$	CL=90%
Γ_{26} $\pi^+ \pi^- 4\pi^0$	(1.4 $\pm$ 1.0) $\times 10^{-3}$	
Γ_{27} $3(\pi^+ \pi^-)$	(3.5 $\pm$ 2.0) $\times 10^{-4}$	S=2.8
Γ_{28} $2(\pi^+ \pi^- \pi^0)$	(4.8 $\pm$ 1.5) $\times 10^{-3}$	
Γ_{29} $3(\pi^+ \pi^-) \pi^0$	(3.5 $\pm$ 1.6) $\times 10^{-3}$	
Γ_{30} $2(\pi^+ \pi^-) 3\pi^0$	(1.42 $\pm$ 0.31) %	
Γ_{31} $\eta \pi^+ \pi^-$	< 1.6 $\times 10^{-4}$	CL=90%
Γ_{32} $\eta \pi^+ \pi^- \pi^0$	(9.5 $\pm$ 1.7) $\times 10^{-4}$	
Γ_{33} $\eta 2(\pi^+ \pi^-)$	(1.2 $\pm$ 0.6) $\times 10^{-3}$	
Γ_{34} $\eta \pi^+ \pi^- \pi^0 \pi^0$	< 4 $\times 10^{-4}$	CL=90%
Γ_{35} $\eta \pi^+ \pi^- 3\pi^0$	< 2.1 $\times 10^{-3}$	CL=90%
Γ_{36} $\eta 2(\pi^+ \pi^- \pi^0)$	< 2.1 $\times 10^{-3}$	CL=90%
Γ_{37} $\rho \eta$	(2.2 $\pm$ 0.6) $\times 10^{-5}$	S=1.1
Γ_{38} $\eta' \pi^+ \pi^- \pi^0$	(4.5 $\pm$ 2.1) $\times 10^{-4}$	
Γ_{39} $\eta' \rho$	(1.9 $\pm$ 1.7) $\times 10^{-5}$	
Γ_{40} $\omega \pi^0$	(2.1 $\pm$ 0.6) $\times 10^{-5}$	
Γ_{41} $\omega \pi^+ \pi^-$	(7.3 $\pm$ 1.2) $\times 10^{-4}$	S=2.1
Γ_{42} $\omega \pi^+ \pi^- 2\pi^0$	(8.7 $\pm$ 2.4) $\times 10^{-3}$	
Γ_{43} $b_1^\pm \pi^\mp$	(4.0 $\pm$ 0.6) $\times 10^{-4}$	S=1.1
Γ_{44} $\omega f_2(1270)$	(2.2 $\pm$ 0.4) $\times 10^{-4}$	
Γ_{45} $\omega \pi^0 \pi^0$	(1.11 $\pm$ 0.35) $\times 10^{-3}$	
Γ_{46} $\omega 3\pi^0$	< 8 $\times 10^{-4}$	CL=90%
Γ_{47} $b_1^0 \pi^0$	(2.4 $\pm$ 0.6) $\times 10^{-4}$	
Γ_{48} $\omega \eta$	< 1.1 $\times 10^{-5}$	CL=90%
Γ_{49} $\omega \eta'$	(3.2 $\pm$ 2.5) $\times 10^{-5}$	
Γ_{50} $\phi \pi^0$	< 4 $\times 10^{-7}$	CL=90%
Γ_{51} $\phi \pi^+ \pi^-$	(1.18 $\pm$ 0.26) $\times 10^{-4}$	S=1.5
Γ_{52} $\phi f_0(980) \rightarrow \pi^+ \pi^-$	(7.5 $\pm$ 3.3) $\times 10^{-5}$	S=1.6

NODE=M071;CLUMP=B
DESIG=21
DESIG=36
DESIG=22
DESIG=201
DESIG=24
DESIG=33
DESIG=25
DESIG=65
DESIG=312
DESIG=315
DESIG=332
DESIG=32
DESIG=221
DESIG=37
DESIG=329
DESIG=202
DESIG=203
DESIG=251
DESIG=313
DESIG=334
DESIG=328
DESIG=94
DESIG=204
DESIG=93
DESIG=92
DESIG=75
DESIG=327
DESIG=40
DESIG=64
DESIG=314
DESIG=333
DESIG=193
DESIG=95
DESIG=91
DESIG=96
DESIG=78
DESIG=81

Γ ₅₃	$\phi\eta$	$(3.10 \pm 0.31) \times 10^{-5}$		DESIG=89
Γ ₅₄	$\eta\phi(2170), \phi(2170) \rightarrow$ $\phi f_0(980), f_0 \rightarrow \pi^+\pi^-$	$< 2.2 \times 10^{-6}$	CL=90%	DESIG=316
Γ ₅₅	$\phi\eta'$	$(1.54 \pm 0.20) \times 10^{-5}$		DESIG=90
Γ ₅₆	$\phi\phi\phi$	$(1.46 \pm 0.18) \times 10^{-5}$		DESIG=354
Γ ₅₇	$\phi f_1(1285)$	$(3.0 \pm 1.3) \times 10^{-5}$		DESIG=319
Γ ₅₈	$\phi\eta(1405) \rightarrow \phi\pi^+\pi^-\eta$	$(8.5 \pm 1.7) \times 10^{-6}$		DESIG=320
Γ ₅₉	$\phi f'_2(1525)$	$(4.4 \pm 1.6) \times 10^{-5}$		DESIG=67
Γ ₆₀	K^+K^-	$(7.5 \pm 0.5) \times 10^{-5}$		DESIG=23
Γ ₆₁	$K^+K^-\pi^+\pi^-$	$(7.3 \pm 0.5) \times 10^{-4}$		DESIG=26
Γ ₆₂	$K^+K^-\pi^0$	$(4.07 \pm 0.31) \times 10^{-5}$		DESIG=38
Γ ₆₃	$K_S^0 K_S^0$	$< 4.6 \times 10^{-6}$		DESIG=86
Γ ₆₄	$K_S^0 K_L^0$	$(5.34 \pm 0.33) \times 10^{-5}$		DESIG=85
Γ ₆₅	$K_S^0 K_L^0 \pi^0$	$< 3.0 \times 10^{-4}$	CL=90%	DESIG=303
Γ ₆₆	$K^+K^-\pi^0\pi^0$	$(2.6 \pm 1.3) \times 10^{-4}$		DESIG=298
Γ ₆₇	$K^+K^-\pi^0\pi^0\pi^0$	$(6.6 \pm 2.8) \times 10^{-4}$		DESIG=341
Γ ₆₈	$K_S^0 K^\pm \pi^\mp \pi^0 \pi^0$	$(1.7 \pm 0.6) \times 10^{-3}$		DESIG=342
Γ ₆₉	$K_S^0 K^\pm \pi^\mp \pi^+ \pi^-$	$(2.2 \pm 0.4) \times 10^{-3}$		DESIG=343
Γ ₇₀	$K^+K^-\pi^+\pi^-\pi^0$	$(1.26 \pm 0.09) \times 10^{-3}$		DESIG=206
Γ ₇₁	$\omega f_0(1710) \rightarrow \omega K^+K^-$	$(5.9 \pm 2.2) \times 10^{-5}$		DESIG=216
Γ ₇₂	$K^*(892)^0 K^-\pi^+\pi^0 + \text{c.c.}$	$(8.6 \pm 2.2) \times 10^{-4}$		DESIG=217
Γ ₇₃	$K^*(892)^+ K^-\pi^+\pi^- + \text{c.c.}$	$(9.6 \pm 2.8) \times 10^{-4}$		DESIG=218
Γ ₇₄	$K^*(892)^+ K^-\rho^0 + \text{c.c.}$	$(7.3 \pm 2.6) \times 10^{-4}$		DESIG=219
Γ ₇₅	$K^*(892)^0 K^-\rho^+ + \text{c.c.}$	$(6.1 \pm 1.8) \times 10^{-4}$		DESIG=220
Γ ₇₆	$K_S^0 K_S^0 \pi^+\pi^-$	$(2.2 \pm 0.4) \times 10^{-4}$		DESIG=225
Γ ₇₇	$K_S^0 K_L^0 \pi^0 \pi^0$	$(1.3 \pm 0.6) \times 10^{-3}$		DESIG=304
Γ ₇₈	$K_S^0 K^*(892)^0 \pi^0 \pi^0$	$(3.0 \pm 1.3) \times 10^{-4}$		DESIG=348
Γ ₇₉	$K_S^0 K^\pm \rho(770)^\mp \pi^0$	$< 7 \times 10^{-4}$	CL=90%	DESIG=352
Γ ₈₀	$K_S^0 K^\pm \pi^\mp \rho(770)^0$	$< 7 \times 10^{-4}$	CL=90%	DESIG=353
Γ ₈₁	$K^\mp K^*(892)^\pm \pi^0 \pi^0$	$(7.0 \pm 2.9) \times 10^{-4}$		DESIG=349
Γ ₈₂	$K^*(892)^+ K^*(892)^- \pi^0$	$(3.6 \pm 1.8) \times 10^{-3}$		DESIG=350
Γ ₈₃	$K_S^0 K_L^0 \eta$	$(1.3 \pm 0.5) \times 10^{-3}$		DESIG=305
Γ ₈₄	$K^+K^-\rho^0$	$(2.2 \pm 0.4) \times 10^{-4}$		DESIG=205
Γ ₈₅	$K^*(892)^0 \bar{K}_2^*(1430)^0$	$(1.9 \pm 0.5) \times 10^{-4}$		DESIG=66
Γ ₈₆	$K^+K^-\pi^+\pi^-\eta$	$(1.3 \pm 0.7) \times 10^{-3}$		DESIG=252
Γ ₈₇	$K^+K^-\pi^+\pi^-\pi^0$	$(1.9 \pm 0.9) \times 10^{-3}$		DESIG=222
Γ ₈₈	$K^+K^-\pi^+\pi^-\pi^0$	$(1.00 \pm 0.31) \times 10^{-3}$		DESIG=240
Γ ₈₉	$K^+K^*(892)^- + \text{c.c.}$	$(2.9 \pm 0.4) \times 10^{-5}$	S=1.2	DESIG=39
Γ ₉₀	$2(K^+K^-)$	$(6.3 \pm 1.3) \times 10^{-5}$		DESIG=208
Γ ₉₁	$2(K^+K^-)\pi^0$	$(1.10 \pm 0.28) \times 10^{-4}$		DESIG=209
Γ ₉₂	$K^+K^-\phi$	$(7.0 \pm 1.6) \times 10^{-5}$		DESIG=79
Γ ₉₃	$K_S^0 K_S^0 \phi$	$(3.53 \pm 0.29) \times 10^{-5}$		DESIG=347
Γ ₉₄	$K_1(1270)^\pm K^\mp$	$(1.00 \pm 0.28) \times 10^{-3}$		DESIG=41
Γ ₉₅	$K^+ \bar{K}^*(892)^0 \pi^- + \text{c.c.}$	$(6.7 \pm 2.5) \times 10^{-4}$		DESIG=34
Γ ₉₆	$\eta K^+K^-, \text{ no } \eta\phi$	$(3.49 \pm 0.17) \times 10^{-5}$		DESIG=207
Γ ₉₇	ηK^+K^-	$< 2.6 \times 10^{-4}$	CL=90%	DESIG=351
Γ ₉₈	$X(1750)\eta \rightarrow K^+K^-\eta$	$(4.8 \pm 2.8) \times 10^{-6}$		DESIG=324
Γ ₉₉	$K_1(1400)^\pm K^\mp$	$< 3.1 \times 10^{-4}$	CL=90%	DESIG=42
Γ ₁₀₀	$K_2^*(1430)^\pm K^\mp$	$(7.1 \pm 1.3_{-0.9}) \times 10^{-5}$		DESIG=265
Γ ₁₀₁	$K^*(892)^0 \bar{K}^0 + \text{c.c.}$	$(1.09 \pm 0.20) \times 10^{-4}$		DESIG=194
Γ ₁₀₂	ωK^+K^-	$(1.62 \pm 0.11) \times 10^{-4}$	S=1.1	DESIG=76
Γ ₁₀₃	$\omega K_S^0 K_S^0$	$(7.0 \pm 0.5) \times 10^{-5}$		DESIG=330
Γ ₁₀₄	$\omega K^*(892)^+ K^- + \text{c.c.}$	$(2.07 \pm 0.26) \times 10^{-4}$		DESIG=276
Γ ₁₀₅	$\omega K_2^*(1430)^+ K^- + \text{c.c.}$	$(6.1 \pm 1.2) \times 10^{-5}$		DESIG=277
Γ ₁₀₆	$\omega \bar{K}^*(892)^0 K^0$	$(1.68 \pm 0.30) \times 10^{-4}$		DESIG=278
Γ ₁₀₇	$\omega \bar{K}_2^*(1430)^0 K^0$	$(5.8 \pm 2.2) \times 10^{-5}$		DESIG=279
Γ ₁₀₈	$\omega X(1440) \rightarrow \omega K_S^0 K^-\pi^+ +$ c.c.	$(1.6 \pm 0.4) \times 10^{-5}$		DESIG=282

Γ_{109}	$\omega X(1440) \rightarrow \omega K^+ K^- \pi^0$	$(1.09 \pm 0.26) \times 10^{-5}$		DESIG=283
Γ_{110}	$\omega f_1(1285) \rightarrow \omega K_S^0 K^- \pi^+ +$ c.c.	$(3.0 \pm 1.0) \times 10^{-6}$		DESIG=284
Γ_{111}	$\omega f_1(1285) \rightarrow \omega K^+ K^- \pi^0$	$(1.2 \pm 0.7) \times 10^{-6}$		DESIG=285
Γ_{112}	$\rho \bar{\rho}$	$(2.94 \pm 0.09) \times 10^{-4}$	S=1.3	DESIG=27
Γ_{113}	$n \bar{n}$	$(3.06 \pm 0.15) \times 10^{-4}$		DESIG=309
Γ_{114}	$\rho \bar{\rho} \pi^0$	$(1.53 \pm 0.07) \times 10^{-4}$		DESIG=35
Γ_{115}	$N(940) \bar{p} + \text{c.c.} \rightarrow \rho \bar{\rho} \pi^0$	$(6.4 \pm 1.8_{-1.3}) \times 10^{-5}$		DESIG=267
Γ_{116}	$N(1440) \bar{p} + \text{c.c.} \rightarrow \rho \bar{\rho} \pi^0$	$(7.3 \pm 1.7_{-1.5}) \times 10^{-5}$	S=2.5	DESIG=261
Γ_{117}	$N(1520) \bar{p} + \text{c.c.} \rightarrow \rho \bar{\rho} \pi^0$	$(6.4 \pm 2.3_{-1.8}) \times 10^{-6}$		DESIG=268
Γ_{118}	$N(1535) \bar{p} + \text{c.c.} \rightarrow \rho \bar{\rho} \pi^0$	$(2.5 \pm 1.0) \times 10^{-5}$		DESIG=269
Γ_{119}	$N(1650) \bar{p} + \text{c.c.} \rightarrow \rho \bar{\rho} \pi^0$	$(3.8 \pm 1.4_{-1.7}) \times 10^{-5}$		DESIG=270
Γ_{120}	$N(1720) \bar{p} + \text{c.c.} \rightarrow \rho \bar{\rho} \pi^0$	$(1.79 \pm 0.26_{-0.70}) \times 10^{-5}$		DESIG=271
Γ_{121}	$N(2300) \bar{p} + \text{c.c.} \rightarrow \rho \bar{\rho} \pi^0$	$(2.6 \pm 1.2_{-0.7}) \times 10^{-5}$		DESIG=272
Γ_{122}	$N(2570) \bar{p} + \text{c.c.} \rightarrow \rho \bar{\rho} \pi^0$	$(2.13 \pm 0.40_{-0.31}) \times 10^{-5}$		DESIG=273
Γ_{123}	$\rho \bar{\rho} \pi^+ \pi^-$	$(6.0 \pm 0.4) \times 10^{-4}$		DESIG=31
Γ_{124}	$\rho \bar{\rho} K^+ K^-$	$(2.7 \pm 0.7) \times 10^{-5}$		DESIG=212
Γ_{125}	$\rho \bar{\rho} \eta$	$(6.0 \pm 0.4) \times 10^{-5}$		DESIG=200
Γ_{126}	$N(1535) \bar{p} + \text{c.c.} \rightarrow \rho \bar{\rho} \eta$	$(4.5 \pm 0.7_{-0.6}) \times 10^{-5}$		DESIG=264
Γ_{127}	$\rho \bar{\rho} \pi^+ \pi^- \pi^0$	$(7.3 \pm 0.7) \times 10^{-4}$		DESIG=211
Γ_{128}	$\rho \bar{\rho} \rho^0$	$(5.0 \pm 2.2) \times 10^{-5}$		DESIG=210
Γ_{129}	$\rho \bar{\rho} \omega$	$(6.9 \pm 2.1) \times 10^{-5}$		DESIG=77
Γ_{130}	$\rho \bar{\rho} \eta'$	$(1.10 \pm 0.13) \times 10^{-5}$		DESIG=317
Γ_{131}	$\rho \bar{\rho} \phi$	$(6.1 \pm 0.6) \times 10^{-6}$		DESIG=80
Γ_{132}	$\phi X(1835) \rightarrow \rho \bar{\rho} \phi$	$< 1.82 \times 10^{-7}$	CL=90%	DESIG=318
Γ_{133}	$\rho \bar{n} \pi^- \text{ or c.c.}$	$(2.48 \pm 0.17) \times 10^{-4}$		DESIG=227
Γ_{134}	$\rho \bar{n} \pi^- \pi^0$	$(3.2 \pm 0.7) \times 10^{-4}$		DESIG=228
Γ_{135}	$\Lambda \bar{\Lambda}$	$(3.81 \pm 0.13) \times 10^{-4}$	S=1.4	DESIG=28
Γ_{136}	$\Lambda \bar{\Lambda} \pi^0$	$(1.4 \pm 0.7) \times 10^{-6}$		DESIG=238
Γ_{137}	$\Lambda \bar{\Lambda} \eta$	$(2.43 \pm 0.32) \times 10^{-5}$		DESIG=239
Γ_{138}	$\Lambda(1670) \bar{\Lambda} \rightarrow \Lambda \bar{\Lambda} \eta$	$(1.3 \pm 0.7) \times 10^{-5}$		DESIG=336
Γ_{139}	$\Lambda \bar{\Lambda} \eta'$	$(7.3 \pm 1.0) \times 10^{-6}$		DESIG=346
Γ_{140}	$\Lambda \bar{\Lambda} \omega(782)$	$(3.3 \pm 0.4) \times 10^{-5}$		DESIG=340
Γ_{141}	$\Lambda \bar{\Lambda} \pi^+ \pi^-$	$(2.8 \pm 0.6) \times 10^{-4}$		DESIG=213
Γ_{142}	$\Lambda \bar{p} K^+$	$(1.00 \pm 0.14) \times 10^{-4}$		DESIG=214
Γ_{143}	$\Lambda \bar{p} K^*(892)^+ + \text{c.c.}$	$(6.3 \pm 0.7) \times 10^{-5}$		DESIG=321
Γ_{144}	$\Lambda \bar{p} K^+ \pi^+ \pi^-$	$(1.8 \pm 0.4) \times 10^{-4}$		DESIG=215
Γ_{145}	$\bar{\Lambda} n K_S^0 + \text{c.c.}$	$(8.1 \pm 1.8) \times 10^{-5}$		DESIG=237
Γ_{146}	$\Delta^{++} \bar{\Delta}^{--}$	$(1.28 \pm 0.35) \times 10^{-4}$		DESIG=70
Γ_{147}	$\Lambda \bar{\Sigma}^+ \pi^- + \text{c.c.}$	$(1.40 \pm 0.13) \times 10^{-4}$		DESIG=280
Γ_{148}	$\Lambda \bar{\Sigma}^- \pi^+ + \text{c.c.}$	$(1.54 \pm 0.14) \times 10^{-4}$		DESIG=281
Γ_{149}	$\Lambda \bar{\Sigma}^0 + \text{c.c.}$	$(1.6 \pm 0.7) \times 10^{-6}$		DESIG=326
Γ_{150}	$\Lambda \bar{\Sigma}^0$			DESIG=307
Γ_{151}	$\Sigma^0 \bar{p} K^+ + \text{c.c.}$	$(1.67 \pm 0.18) \times 10^{-5}$		DESIG=274
Γ_{152}	$\Sigma^+ \bar{\Sigma}^-$	$(2.43 \pm 0.10) \times 10^{-4}$	S=1.4	DESIG=223
Γ_{153}	$\Sigma^0 \bar{\Sigma}^0$	$(2.35 \pm 0.09) \times 10^{-4}$	S=1.1	DESIG=71
Γ_{154}	$\Sigma^- \bar{\Sigma}^+$	$(2.82 \pm 0.09) \times 10^{-4}$		DESIG=335
Γ_{155}	$\Sigma^+ \bar{\Sigma}^- \eta$	$(9.6 \pm 2.4) \times 10^{-6}$		DESIG=339
Γ_{156}	$\Sigma^+ \bar{\Sigma}^- \omega$	$(1.89 \pm 0.28) \times 10^{-5}$		DESIG=344
Γ_{157}	$\Sigma^+ \bar{\Sigma}^- \phi$	$(3.0 \pm 0.7) \times 10^{-6}$		DESIG=345
Γ_{158}	$\Sigma(1385)^+ \bar{\Sigma}(1385)^-$	$(8.5 \pm 0.7) \times 10^{-5}$		DESIG=72
Γ_{159}	$\Sigma(1385)^- \bar{\Sigma}(1385)^+$	$(8.5 \pm 0.8) \times 10^{-5}$		DESIG=297
Γ_{160}	$\Sigma(1385)^0 \bar{\Sigma}(1385)^0$	$(6.9 \pm 0.7) \times 10^{-5}$		DESIG=299

Γ_{161}	$\Xi^- \Xi^+$	$(2.87 \pm 0.11) \times 10^{-4}$	S=1.1	DESIG=29
Γ_{162}	$\Xi^0 \Xi^0$	$(2.3 \pm 0.4) \times 10^{-4}$	S=4.2	DESIG=224
Γ_{163}	$\Xi(1530)^0 \Xi(1530)^0$	$(6.8 \pm 0.4) \times 10^{-5}$		DESIG=73
Γ_{164}	$\Lambda \Xi^+ K^- + \text{c.c.}$	$(3.67 \pm 0.22) \times 10^{-5}$		DESIG=293
Γ_{165}	$\Xi(1690)^- \Xi^+ \rightarrow K^- \Lambda \Xi^+ + \text{c.c.}$	$(6.2 \pm 2.1) \times 10^{-6}$	S=1.5	DESIG=294
Γ_{166}	$\Xi(1820)^- \Xi^+ \rightarrow K^- \Lambda \Xi^+ + \text{c.c.}$	$(1.48 \pm 0.29) \times 10^{-5}$	S=1.2	DESIG=295
Γ_{167}	$\Xi(1530)^- \Xi(1530)^+$	$(1.15 \pm 0.07) \times 10^{-4}$		DESIG=322
Γ_{168}	$\Xi(1530)^- \Xi^+$	$(7.0 \pm 1.2) \times 10^{-6}$		DESIG=323
Γ_{169}	$\Xi(1530)^0 \Xi^0$	$(5.3 \pm 0.5) \times 10^{-6}$		DESIG=331
Γ_{170}	$\Sigma^0 \Xi^+ K^- + \text{c.c.}$	$(3.7 \pm 0.4) \times 10^{-5}$		DESIG=296
Γ_{171}	$\Omega^- K^+ \Xi^0 + \text{c.c.}$	$(2.8 \pm 0.4) \times 10^{-6}$		DESIG=355
Γ_{172}	$\Omega^- \bar{\Omega}^+$	$(5.66 \pm 0.30) \times 10^{-5}$	S=1.3	DESIG=74
Γ_{173}	$\eta_c \pi^+ \pi^- \pi^0$	$< 1.0 \times 10^{-3}$	CL=90%	DESIG=229
Γ_{174}	$h_c(1P) \pi^0$	$(7.4 \pm 0.5) \times 10^{-4}$		DESIG=254
Γ_{175}	$\Lambda_c^+ \bar{p} e^+ e^- + \text{c.c.}$	$< 1.7 \times 10^{-6}$	CL=90%	DESIG=310
Γ_{176}	$\Theta(1540) \bar{\Theta}(1540) \rightarrow K_S^0 p K^- \bar{n} + \text{c.c.}$	$[a] < 8.8 \times 10^{-6}$	CL=90%	DESIG=195
Γ_{177}	$\Theta(1540) K^- \bar{n} \rightarrow K_S^0 p K^- \bar{n}$	$[a] < 1.0 \times 10^{-5}$	CL=90%	DESIG=196
Γ_{178}	$\Theta(1540) K_S^0 \bar{p} \rightarrow K_S^0 \bar{p} K^+ n$	$[a] < 7.0 \times 10^{-6}$	CL=90%	DESIG=197
Γ_{179}	$\bar{\Theta}(1540) K^+ n \rightarrow K_S^0 \bar{p} K^+ n$	$[a] < 2.6 \times 10^{-5}$	CL=90%	DESIG=198
Γ_{180}	$\bar{\Theta}(1540) K_S^0 p \rightarrow K_S^0 p K^- \bar{n}$	$[a] < 6.0 \times 10^{-6}$	CL=90%	DESIG=199

Radiative decays

NODE=M071;CLUMP=C

Γ_{181}	$\gamma \chi_{c0}(1P)$	$(9.75 \pm 0.22) \%$	S=1.1	DESIG=56
Γ_{182}	$\gamma \chi_{c1}(1P)$	$(9.75 \pm 0.27) \%$	S=1.1	DESIG=58
Γ_{183}	$\gamma \chi_{c2}(1P)$	$(9.38 \pm 0.23) \%$	S=1.2	DESIG=59
Γ_{184}	$\gamma \eta_c(1S)$	$(3.6 \pm 0.5) \times 10^{-3}$	S=1.3	DESIG=61
Γ_{185}	$\gamma \eta_c(2S)$	$(5.4 \pm 3.4) \times 10^{-4}$		DESIG=63
Γ_{186}	$\gamma \pi^0$			DESIG=52
Γ_{187}	$\gamma 2(\pi^+ \pi^-)$	$(4.0 \pm 0.6) \times 10^{-4}$		DESIG=241
Γ_{188}	$\gamma 3(\pi^+ \pi^-)$	$< 1.7 \times 10^{-4}$	CL=90%	DESIG=249
Γ_{189}	$\gamma \eta'(958)$	$(1.24 \pm 0.04) \times 10^{-4}$		DESIG=54
Γ_{190}	$\gamma f_2(1270)$	$(2.73 \pm 0.29) \times 10^{-4}$	S=1.8	DESIG=82
Γ_{191}	$\gamma f_0(1370) \rightarrow \gamma K \bar{K}$	$(3.1 \pm 1.7) \times 10^{-5}$		DESIG=286
Γ_{192}	$\gamma f_0(1500)$	$(9.3 \pm 1.9) \times 10^{-5}$		DESIG=287
Γ_{193}	$\gamma f'_2(1525)$	$(3.3 \pm 0.8) \times 10^{-5}$		DESIG=288
Γ_{194}	$\gamma f_0(1710)$	seen		DESIG=236;OUR EST;→ UNCHECKED ←
Γ_{195}	$\gamma f_0(1710) \rightarrow \gamma \pi \pi$	$(3.5 \pm 0.6) \times 10^{-5}$		DESIG=83
Γ_{196}	$\gamma f_0(1710) \rightarrow \gamma K \bar{K}$	$(6.6 \pm 0.7) \times 10^{-5}$		DESIG=84
Γ_{197}	$\gamma f_0(2100) \rightarrow \gamma \pi \pi$	$(4.8 \pm 1.0) \times 10^{-6}$		DESIG=289
Γ_{198}	$\gamma f_0(2200) \rightarrow \gamma K \bar{K}$	$(3.2 \pm 1.0) \times 10^{-6}$		DESIG=290
Γ_{199}	$\gamma f_J(2220) \rightarrow \gamma \pi \pi$	$< 5.8 \times 10^{-6}$	CL=90%	DESIG=291
Γ_{200}	$\gamma f_J(2220) \rightarrow \gamma K \bar{K}$	$< 9.5 \times 10^{-6}$	CL=90%	DESIG=292
Γ_{201}	$\gamma \eta$	$(9.2 \pm 1.8) \times 10^{-7}$		DESIG=53
Γ_{202}	$\gamma \eta \pi^+ \pi^-$	$(8.7 \pm 2.1) \times 10^{-4}$		DESIG=230
Γ_{203}	$\gamma \eta(1405)$	seen		DESIG=231;OUR EST;→ UNCHECKED ←
Γ_{204}	$\gamma \eta(1405) \rightarrow \gamma K \bar{K} \pi$	$< 9 \times 10^{-5}$	CL=90%	DESIG=62
Γ_{205}	$\gamma \eta(1405) \rightarrow \gamma \eta \pi^+ \pi^-$	$(3.6 \pm 2.5) \times 10^{-5}$		DESIG=232
Γ_{206}	$\gamma \eta(1405) \rightarrow \gamma f_0(980) \pi^0 \rightarrow \gamma \pi^+ \pi^- \pi^0$	$< 5.0 \times 10^{-7}$	CL=90%	DESIG=308
Γ_{207}	$\gamma \eta(1475)$	seen		DESIG=233;OUR EST;→ UNCHECKED ←
Γ_{208}	$\gamma \eta(1475) \rightarrow \gamma K \bar{K} \pi$	$< 1.4 \times 10^{-4}$	CL=90%	DESIG=234
Γ_{209}	$\gamma \eta(1475) \rightarrow \gamma \eta \pi^+ \pi^-$	$< 8.8 \times 10^{-5}$	CL=90%	DESIG=235
Γ_{210}	$\gamma K^{*0} K^+ \pi^- + \text{c.c.}$	$(3.7 \pm 0.9) \times 10^{-4}$		DESIG=242
Γ_{211}	$\gamma K^{*0} \bar{K}^{*0}$	$(2.4 \pm 0.7) \times 10^{-4}$		DESIG=243

Γ_{212}	$\gamma K_S^0 K^+ \pi^- + \text{c.c.}$	$(2.6 \pm 0.5) \times 10^{-4}$		DESIG=244
Γ_{213}	$\gamma K^+ K^- \pi^+ \pi^-$	$(1.9 \pm 0.5) \times 10^{-4}$		DESIG=245
Γ_{214}	$\gamma K^+ K^- 2(\pi^+ \pi^-)$	$< 2.2 \times 10^{-4}$	CL=90%	DESIG=248
Γ_{215}	$\gamma 2(K^+ K^-)$	$< 4 \times 10^{-5}$	CL=90%	DESIG=250
Γ_{216}	$\gamma p \bar{p}$	$(3.9 \pm 0.5) \times 10^{-5}$	S=2.0	DESIG=246
Γ_{217}	$\gamma f_2(1950) \rightarrow \gamma p \bar{p}$	$(1.20 \pm 0.22) \times 10^{-5}$		DESIG=257
Γ_{218}	$\gamma f_2(2150) \rightarrow \gamma p \bar{p}$	$(7.2 \pm 1.8) \times 10^{-6}$		DESIG=258
Γ_{219}	$\gamma X(1835) \rightarrow \gamma p \bar{p}$	$(4.6 \pm 1.8_{-4.0}^+) \times 10^{-6}$		DESIG=259
Γ_{220}	$\gamma X \rightarrow \gamma p \bar{p}$	$[b] < 2 \times 10^{-6}$	CL=90%	DESIG=260
Γ_{221}	$\gamma p \bar{p} \pi^+ \pi^-$	$(2.8 \pm 1.4) \times 10^{-5}$		DESIG=247
Γ_{222}	$\gamma \gamma$	$< 1.5 \times 10^{-4}$	CL=90%	DESIG=51
Γ_{223}	$\gamma \gamma J/\psi$	$(3.1 \pm 1.0_{-1.2}^+) \times 10^{-4}$		DESIG=266
Γ_{224}	$e^+ e^- \eta'$	$(1.90 \pm 0.26) \times 10^{-6}$		DESIG=311
Γ_{225}	$e^+ e^- \eta_c(1S)$	$(3.8 \pm 0.4) \times 10^{-5}$		DESIG=338
Γ_{226}	$e^+ e^- \chi_{c0}(1P)$	$(1.05 \pm 0.25) \times 10^{-3}$		DESIG=300
Γ_{227}	$e^+ e^- \chi_{c1}(1P)$	$(8.5 \pm 0.7) \times 10^{-4}$		DESIG=301
Γ_{228}	$e^+ e^- \chi_{c2}(1P)$	$(6.8 \pm 0.8) \times 10^{-4}$		DESIG=302
Weak decays				
Γ_{229}	$D^0 e^+ e^- + \text{c.c.}$	$< 1.4 \times 10^{-7}$	CL=90%	NODE=M071;CLUMP=E DESIG=306
Γ_{230}	$\Lambda_c^+ \bar{\Sigma}^- + \text{c.c.}$	$< 1.4 \times 10^{-5}$	CL=90%	DESIG=337
Other decays				
Γ_{231}	invisible	$< 1.6 \%$	CL=90%	NODE=M071;CLUMP=D DESIG=275

[a] $\Theta(1540)$ is a hypothetical pentaquark state of $1.54 \text{ GeV}/c^2$ mass and a width of less than $25 \text{ MeV}/c^2$.

LINKAGE=THT

[b] For a narrow resonance in the range $2.2 < M(X) < 2.8 \text{ GeV}$.

LINKAGE=NMR

CONSTRAINED FIT INFORMATION

A multiparticle fit to $\chi_{c1}(1P)$, $\chi_{c0}(1P)$, $\chi_{c2}(1P)$, and $\psi(2S)$ with 4 total widths, a partial width, 25 combinations of partial widths obtained from integrated cross section, and 88 branching ratios uses 255 measurements to determine 49 parameters. The overall fit has a $\chi^2 = 393.1$ for 206 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta p_i \delta p_j \rangle / (\delta p_i \delta p_j)$, in percent, from the fit to parameters p_i , including the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$.

x_8	3									
x_9	0	0								
x_{12}	21	13	2							
x_{13}	22	5	1	28						
x_{14}	11	6	1	44	11					
x_{112}	0	0	0	3	2	1				
x_{181}	0	0	0	2	0	1	0			
x_{182}	1	0	0	2	0	1	0	0		
x_{183}	1	1	0	4	0	2	0	0	0	
Γ	-85	-4	-1	-29	-31	-15	-4	0	-1	-1
	x_7	x_8	x_9	x_{12}	x_{13}	x_{14}	x_{112}	x_{181}	x_{182}	x_{183}

FIT INFORMATION

A multiparticle fit to $\eta_c(1S)$, $J/\psi(1S)$, $\psi(2S)$, $h_c(1P)$, and $B^\pm$ with the total width, 10 combinations of partial widths obtained from integrated cross section, and 38 branching ratios uses 113 measurements to determine 19 parameters. The overall fit has a $\chi^2 = 184.6$ for 94 degrees of freedom.

$\psi(2S)$ PARTIAL WIDTHS

NODE=M071225

 $\Gamma(\text{hadrons})$ Γ_1

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
258 ± 26	BAI	02B	BES2 e^+e^-
224 ± 56	LUTH	75	MRK1 e^+e^-

NODE=M071W3
NODE=M071W3 $\Gamma(e^+e^-)$ Γ_7

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
2.33 ± 0.04 OUR FIT	Error includes scale factor of 1.1.		
2.29 ± 0.06 OUR AVERAGE			
2.23 ± 0.10 ± 0.02	¹ ABLIKIM	15V	BES3 $4.0-4.4 e^+e^- \rightarrow \pi^+\pi^- J/\psi$
2.338 ± 0.037 ± 0.096	ABLIKIM	08B	BES2 $e^+e^- \rightarrow \text{hadrons}$
2.330 ± 0.036 ± 0.110	ABLIKIM	06L	BES2 $e^+e^- \rightarrow \text{hadrons}$
2.44 ± 0.21	² BAI	02B	BES2 e^+e^-
2.14 ± 0.21	ALEXANDER	89	RVUE See Υ mini-review
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2.279 ± 0.015 ± 0.042	³ ANASHIN	18	KEDR e^+e^-
2.282 ± 0.015 ± 0.042	⁴ ANASHIN	18	KEDR e^+e^-
2.0 ± 0.3	BRANDELIK	79C	DASP e^+e^-
2.1 ± 0.3	⁵ LUTH	75	MRK1 e^+e^-

NODE=M071W1
NODE=M071W1

OCCUR=2

¹ ABLIKIM 15V reports $2.213 \pm 0.018 \pm 0.099$ keV from a measurement of $[\Gamma(\psi(2S) \rightarrow e^+e^-)] \times [B(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-)]$ assuming $B(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-) = (34.95 \pm 0.45) \times 10^{-2}$, which we rescale to our best value $B(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-) = (34.69 \pm 0.34) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=M071W1;LINKAGE=A

² From a simultaneous fit to e^+e^- , $\mu^+\mu^-$, and hadronic channel, assuming $\Gamma_e = \Gamma_\mu = \Gamma_\tau/0.38847$.

NODE=M071W;LINKAGE=BB

³ Combining $\Gamma_{e^+e^-} \cdot B(\mu^+\mu^-)$ from ANASHIN 18 with $\Gamma_{e^+e^-} \cdot B(\text{hadrons})$ from ANASHIN 12 and assuming lepton universality.

NODE=M071W1;LINKAGE=B

⁴ From the sum of $\Gamma_{e^+e^-} \cdot B(\text{hadrons})$ from ANASHIN 12, $\Gamma_{e^+e^-} \cdot B(e^+e^-)$ and $\Gamma_{e^+e^-} \cdot B(\mu^+\mu^-)$ from ANASHIN 18, and $\Gamma_{e^+e^-} \cdot B(\tau^+\tau^-)$ from ANASHIN 07.

NODE=M071W1;LINKAGE=C

⁵ From a simultaneous fit to e^+e^- , $\mu^+\mu^-$, and hadronic channels assuming $\Gamma(e^+e^-) = \Gamma(\mu^+\mu^-)$.

NODE=M071W1;LINKAGE=F

 $\Gamma(\gamma\gamma)$ Γ_{222}

VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT
<43	90	BRANDELIK	79C	DASP e^+e^-

NODE=M071W51
NODE=M071W51 $\psi(2S) \Gamma(i) \Gamma(e^+e^-) / \Gamma(\text{total})$

NODE=M071230

This combination of a partial width with the partial width into e^+e^- and with the total width is obtained from the integrated cross section into channel(i) in the e^+e^- annihilation. We list only data that have not been used to determine the partial width $\Gamma(i)$ or the branching ratio $\Gamma(i)/\text{total}$.

NODE=M071230

 $\Gamma(\text{hadrons}) \times \Gamma(e^+e^-) / \Gamma_{\text{total}}$ $\Gamma_1 \Gamma_7 / \Gamma$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
2.233 ± 0.015 ± 0.042	¹ ANASHIN	12	KEDR $e^+e^- \rightarrow \text{hadrons}$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2.2 ± 0.4	ABRAMS	75	MRK1 e^+e^-

NODE=M071G3
NODE=M071G3

¹ ANASHIN 12 reports the value $2.233 \pm 0.015 \pm 0.037 \pm 0.020$ keV, where the third uncertainty is due to assumptions on the interference between the resonance and hadronic continuum. We combined the two systematic uncertainties.

NODE=M071G3;LINKAGE=AN

 $\Gamma(K_S^0 \text{ anything}) \times \Gamma(e^+e^-) / \Gamma_{\text{total}}$ $\Gamma_6 \Gamma_7 / \Gamma$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
0.3738 ± 0.0067 ± 0.0200	ABLIKIM	21S	BES3 $e^+e^- \rightarrow K_S^0 \text{ anything}$

NODE=M071P30
NODE=M071P30 $\Gamma(e^+e^-) \times \Gamma(e^+e^-) / \Gamma_{\text{total}}$ $\Gamma_7 \Gamma_7 / \Gamma$

VALUE (eV)	DOCUMENT ID	TECN	COMMENT
21.2 ± 0.7 ± 1.2	¹ ANASHIN	18	KEDR e^+e^-

NODE=M071P14
NODE=M071P14

¹ From the average of nine scans of the $\psi(2S)$.

NODE=M071P14;LINKAGE=A

$$\Gamma(\mu^+\mu^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$$

$$\Gamma_8\Gamma_7/\Gamma$$

VALUE (eV)	DOCUMENT ID	TECN	COMMENT
19.3±0.3±0.5	¹ ANASHIN	18	KEDR $\psi(2S) \rightarrow \mu^+\mu^-$

¹ From the average of nine scans of the $\psi(2S)$.

NODE=M071P13
NODE=M071P13

NODE=M071P13;LINKAGE=A

$$\Gamma(\tau^+\tau^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$$

$$\Gamma_9\Gamma_7/\Gamma$$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
9.0±2.6	79	¹ ANASHIN	07	KEDR $e^+e^- \rightarrow \psi(2S) \rightarrow \tau^+\tau^-$

¹ Using $\psi(2S)$ total width of 337 ± 13 keV. Systematic errors not evaluated.

NODE=M071G9
NODE=M071G9

NODE=M071G9;LINKAGE=AN

$$\Gamma(J/\psi(1S)\pi^+\pi^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$$

$$\Gamma_{12}\Gamma_7/\Gamma$$

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
0.808±0.014 OUR FIT		Error includes scale factor of 1.1.		
0.836±0.025 OUR AVERAGE		Error includes scale factor of 1.3. See the ideogram below.		
0.78 ±0.12 ±0.07		¹ LEES	23	BABR $e^+e^- \rightarrow \gamma_{ISR} \text{hadrons}$
0.837±0.028±0.005		² LEES	12E	BABR $10.6 e^+e^- \rightarrow 2\pi^+2\pi^-\gamma$
0.852±0.010±0.026	19.5k	ADAM	06	CLEO $3.773 e^+e^- \rightarrow \gamma\psi(2S)$
0.68 ±0.09		³ BAI	98E	BES e^+e^-
0.93 ±0.08 ±0.03	256	⁴ AUBERT	07AU	BABR $10.6 e^+e^- \rightarrow J/\psi\pi^+\pi^-\gamma$
0.755±0.048±0.004	544	⁵ AUBERT	05D	BABR $10.6 e^+e^- \rightarrow \pi^+\pi^-\mu^+\mu^-\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

¹ LEES 23 reports $[\Gamma(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-) \times \Gamma(\psi(2S) \rightarrow e^+e^-)/\Gamma_{\text{total}}] \times [B(J/\psi(1S) \rightarrow K_S^0 K^\pm\pi^\mp)] = (4.14 \pm 0.55 \pm 0.29) \times 10^{-3}$ keV which we divide by our best value $B(J/\psi(1S) \rightarrow K_S^0 K^\pm\pi^\mp) = (5.3 \pm 0.5) \times 10^{-3}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

² LEES 12E reports $[\Gamma(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-) \times \Gamma(\psi(2S) \rightarrow e^+e^-)/\Gamma_{\text{total}}] \times [B(J/\psi(1S) \rightarrow \mu^+\mu^-)] = (49.9 \pm 1.3 \pm 1.0) \times 10^{-3}$ keV which we divide by our best value $B(J/\psi(1S) \rightarrow \mu^+\mu^-) = (5.961 \pm 0.033) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

³ The value of $\Gamma(e^+e^-)$ quoted in BAI 98E is derived using $B(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-) = (32.4 \pm 2.6) \times 10^{-2}$ and $B(J/\psi(1S) \rightarrow \ell^+\ell^-) = 0.1203 \pm 0.0038$. Recalculated by us using $B(J/\psi(1S) \rightarrow \ell^+\ell^-) = 0.1181 \pm 0.0020$.

⁴ AUBERT 07AU reports $[\Gamma(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-) \times \Gamma(\psi(2S) \rightarrow e^+e^-)/\Gamma_{\text{total}}] \times [B(J/\psi(1S) \rightarrow \pi^+\pi^-\pi^0)] = 0.0186 \pm 0.0012 \pm 0.0011$ keV which we divide by our best value $B(J/\psi(1S) \rightarrow \pi^+\pi^-\pi^0) = (2.00 \pm 0.07) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

⁵ AUBERT 05D reports $[\Gamma(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-) \times \Gamma(\psi(2S) \rightarrow e^+e^-)/\Gamma_{\text{total}}] \times [B(J/\psi(1S) \rightarrow \mu^+\mu^-)] = 0.0450 \pm 0.0018 \pm 0.0022$ keV which we divide by our best value $B(J/\psi(1S) \rightarrow \mu^+\mu^-) = (5.961 \pm 0.033) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value. Superseded by LEES 12E.

NODE=M071G1;LINKAGE=B


NODE=M071G1;LINKAGE=LE

NODE=M071G1;LINKAGE=A

NODE=M071G1;LINKAGE=UB

NODE=M071G1;LINKAGE=AU

WEIGHTED AVERAGE
0.836±0.025 (Error scaled by 1.3)



$$\Gamma(J/\psi(1S)\pi^0\pi^0) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{13}\Gamma_7/\Gamma$$

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

0.425±0.012 OUR FIT Error includes scale factor of 1.4.

0.413±0.019 OUR AVERAGE

0.45 ±0.13 ±0.02		¹ LEES	23	BABR	$e^+e^- \rightarrow \gamma_{ISR} \text{hadrons}$
0.45 ±0.12 ±0.04		² LEES	23	BABR	$e^+e^- \rightarrow \gamma_{ISR} \text{hadrons}$
0.411±0.008±0.018	3.6k	ADAM	06	CLEO	$3.773 e^+e^- \rightarrow \gamma\psi(2S)$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.51 ±0.09 ±0.02	142	³ LEES	18E	BABR	$10.6 e^+e^- \rightarrow J/\psi\pi^0\pi^0\gamma$
------------------	-----	-------------------	-----	------	--

¹ LEES 23 reports $[\Gamma(\psi(2S) \rightarrow J/\psi(1S)\pi^0\pi^0) \times \Gamma(\psi(2S) \rightarrow e^+e^-)/\Gamma_{\text{total}}] \times [B(J/\psi(1S) \rightarrow K^+K^-\pi^0)] = (1.31 \pm 0.35 \pm 0.13) \times 10^{-3}$ keV which we divide by our best value $B(J/\psi(1S) \rightarrow K^+K^-\pi^0) = (2.88 \pm 0.12) \times 10^{-3}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

² LEES 23 reports $[\Gamma(\psi(2S) \rightarrow J/\psi(1S)\pi^0\pi^0) \times \Gamma(\psi(2S) \rightarrow e^+e^-)/\Gamma_{\text{total}}] \times [B(J/\psi(1S) \rightarrow K_S^0 K^\pm \pi^\mp)] = (2.36 \pm 0.59 \pm 0.24) \times 10^{-3}$ keV which we divide by our best value $B(J/\psi(1S) \rightarrow K_S^0 K^\pm \pi^\mp) = (5.3 \pm 0.5) \times 10^{-3}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

³ LEES 18E reports $[\Gamma(\psi(2S) \rightarrow J/\psi(1S)\pi^0\pi^0) \times \Gamma(\psi(2S) \rightarrow e^+e^-)/\Gamma_{\text{total}}] \times [B(J/\psi(1S) \rightarrow \pi^+\pi^-\pi^0)] = 0.0101 \pm 0.0015 \pm 0.0011$ keV which we divide by our best value $B(J/\psi(1S) \rightarrow \pi^+\pi^-\pi^0) = (2.00 \pm 0.07) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=M071G6
NODE=M071G6

OCCUR=2

NODE=M071G6;LINKAGE=C

NODE=M071G6;LINKAGE=D

NODE=M071G6;LINKAGE=A

$$\Gamma(J/\psi(1S)\eta) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{14}\Gamma_7/\Gamma$$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
------------	------	-------------	------	---------

78.6± 1.8 OUR FIT Error includes scale factor of 1.1.

87 ± 9 OUR AVERAGE

83 ±25 ±5		¹ AUBERT	07AU	BABR	$10.6 e^+e^- \rightarrow J/\psi\pi^+\pi^-\pi^0\gamma$
-----------	--	---------------------	------	------	---

88 ± 6 ±7	291 ± 24	ADAM	06	CLEO	$3.773 e^+e^- \rightarrow \gamma\psi(2S)$
-----------	----------	------	----	------	---

¹ AUBERT 07AU quotes $\Gamma_{ee}^{\psi(2S)} \cdot B(\psi(2S) \rightarrow J/\psi\eta) \cdot B(J/\psi \rightarrow \mu^+\mu^-) \cdot B(\eta \rightarrow \pi^+\pi^-\pi^0) = 1.11 \pm 0.33 \pm 0.07$ eV.

NODE=M071G7
NODE=M071G7

NODE=M071G7;LINKAGE=UB

$$\Gamma(J/\psi(1S)\pi^0) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{15}\Gamma_7/\Gamma$$

VALUE (eV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
------------	-----	------	-------------	------	---------

<8	90	<37	ADAM	06	CLEO $3.773 e^+e^- \rightarrow \gamma\psi(2S)$
----	----	-----	------	----	--

NODE=M071G8
NODE=M071G8

$$\Gamma(2(\pi^+\pi^-\pi^0)) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{22}\Gamma_7/\Gamma$$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
------------	------	-------------	------	---------

29.7±2.2±1.8	410	AUBERT	07AU	BABR	$10.6 e^+e^- \rightarrow 2(\pi^+\pi^-\pi^0)\gamma$
--------------	-----	--------	------	------	--

NODE=M071G01
NODE=M071G01

$$\Gamma(\pi^+\pi^-\pi^0\pi^0\pi^0) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{24}\Gamma_7/\Gamma$$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
------------	------	-------------	------	---------

12.4±1.8±1.2	177	LEES	18E	BABR	$10.6 e^+e^- \rightarrow \pi^+\pi^-\pi^0\gamma$
--------------	-----	------	-----	------	---

NODE=M071P16
NODE=M071P16

$$\Gamma(\pi^+\pi^-4\pi^0) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{26}\Gamma_7/\Gamma$$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
------------	------	-------------	------	---------

3.3±2.3±0.5	18	LEES	21C	BABR	$e^+e^- \rightarrow \gamma_{ISR}(\pi^+\pi^-4\pi^0)$
-------------	----	------	-----	------	---

NODE=M071P36
NODE=M071P36

$$\Gamma(\rho^\pm\pi^\mp\pi^0\pi^0) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{25}\Gamma_7/\Gamma$$

VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT
------------	-----	-------------	------	---------

<6.2	90	LEES	18E	BABR	$10.6 e^+e^- \rightarrow \pi^+\pi^-\pi^0\gamma$
------	----	------	-----	------	---

NODE=M071P18
NODE=M071P18

$$\Gamma(2(\pi^+\pi^-\pi^0)) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{28}\Gamma_7/\Gamma$$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
------------	------	-------------	------	---------

11.2±3.3±1.3	43	AUBERT	06D	BABR	$10.6 e^+e^- \rightarrow 2(\pi^+\pi^-\pi^0)\gamma$
--------------	----	--------	-----	------	--

NODE=M071G4
NODE=M071G4

$$\Gamma(2(\pi^+\pi^-)3\pi^0) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{30}\Gamma_7/\Gamma$$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
------------	------	-------------	------	---------

33±5±5	14k	LEES	21	BABR	$10.6 e^+e^- \rightarrow 2(\pi^+\pi^-)3\pi^0\gamma$
--------	-----	------	----	------	---

NODE=M071P31
NODE=M071P31

$$\Gamma(\eta 2(\pi^+ \pi^-)) \times \Gamma(e^+ e^-) / \Gamma_{\text{total}} \quad \Gamma_{33} \Gamma_7 / \Gamma$$

VALUE (eV)	CL%	EVTs	DOCUMENT ID	TECN	COMMENT
2.87±1.41±0.01		16	¹ AUBERT	07AU BABR	10.6 $e^+ e^- \rightarrow 2(\pi^+ \pi^-) \eta \gamma$

NODE=M071G03
NODE=M071G03

• • • We do not use the following data for averages, fits, limits, etc. • • •

<7	90	14k	² LEES	21 BABR	10.6 $e^+ e^- \rightarrow 2(\pi^+ \pi^-) 3\pi^0 \gamma$
----	----	-----	-------------------	---------	---

¹ AUBERT 07AU reports $[\Gamma(\psi(2S) \rightarrow \eta 2(\pi^+ \pi^-)) \times \Gamma(\psi(2S) \rightarrow e^+ e^-) / \Gamma_{\text{total}}] \times [B(\eta \rightarrow 2\gamma)] = 1.13 \pm 0.55 \pm 0.08$ eV which we divide by our best value $B(\eta \rightarrow 2\gamma) = (39.36 \pm 0.18) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=M071G03;LINKAGE=UB

² LEES 21 reports $[\Gamma(\psi(2S) \rightarrow \eta 2(\pi^+ \pi^-)) \times \Gamma(\psi(2S) \rightarrow e^+ e^-) / \Gamma_{\text{total}}] \times [B(\eta \rightarrow 3\pi^0)] < 2.3$ eV which we divide by our best value $B(\eta \rightarrow 3\pi^0) = 32.56 \times 10^{-2}$.

NODE=M071G03;LINKAGE=A

$$\Gamma(\eta \pi^+ \pi^- \pi^0 \pi^0) \times \Gamma(e^+ e^-) / \Gamma_{\text{total}} \quad \Gamma_{34} \Gamma_7 / \Gamma$$

VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT
<0.85	90	LEES	18E BABR	10.6 $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0 \pi^0 \eta \gamma$

NODE=M071P15
NODE=M071P15

$$\Gamma(\eta \pi^+ \pi^- 3\pi^0) \times \Gamma(e^+ e^-) / \Gamma_{\text{total}} \quad \Gamma_{35} \Gamma_7 / \Gamma$$

VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT
<5	90	¹ LEES	21C BABR	$e^+ e^- \rightarrow \gamma_{ISR}(\pi^+ \pi^- 3\pi^0 \gamma \gamma)$

NODE=M071P40
NODE=M071P40

¹ LEES 21C reports $[\Gamma(\psi(2S) \rightarrow \eta \pi^+ \pi^- 3\pi^0) \times \Gamma(\psi(2S) \rightarrow e^+ e^-) / \Gamma_{\text{total}}] \times [B(\eta \rightarrow 2\gamma)] < 1.9$ eV which we divide by our best value $B(\eta \rightarrow 2\gamma) = 39.36 \times 10^{-2}$.

NODE=M071P40;LINKAGE=A

$$\Gamma(\eta 2(\pi^+ \pi^- \pi^0)) \times \Gamma(e^+ e^-) / \Gamma_{\text{total}} \quad \Gamma_{36} \Gamma_7 / \Gamma$$

VALUE (eV)	CL%	EVTs	DOCUMENT ID	TECN	COMMENT
<5	90	14k	¹ LEES	21 BABR	10.6 $e^+ e^- \rightarrow 2(\pi^+ \pi^-) 3\pi^0 \gamma$

NODE=M071P33
NODE=M071P33

¹ LEES 21 reports $[\Gamma(\psi(2S) \rightarrow \eta 2(\pi^+ \pi^- \pi^0)) \times \Gamma(\psi(2S) \rightarrow e^+ e^-) / \Gamma_{\text{total}}] \times [B(\eta \rightarrow 2\gamma)] < 1.9$ eV which we divide by our best value $B(\eta \rightarrow 2\gamma) = 39.36 \times 10^{-2}$.

NODE=M071P33;LINKAGE=A

$$\Gamma(\omega \pi^+ \pi^-) \times \Gamma(e^+ e^-) / \Gamma_{\text{total}} \quad \Gamma_{41} \Gamma_7 / \Gamma$$

VALUE (eV)	EVTs	DOCUMENT ID	TECN	COMMENT
3.01±0.84±0.02	37	¹ AUBERT	07AU BABR	10.6 $e^+ e^- \rightarrow \omega \pi^+ \pi^- \gamma$

NODE=M071G02
NODE=M071G02

¹ AUBERT 07AU reports $[\Gamma(\psi(2S) \rightarrow \omega \pi^+ \pi^-) \times \Gamma(\psi(2S) \rightarrow e^+ e^-) / \Gamma_{\text{total}}] \times [B(\omega(782) \rightarrow \pi^+ \pi^- \pi^0)] = 2.69 \pm 0.73 \pm 0.16$ eV which we divide by our best value $B(\omega(782) \rightarrow \pi^+ \pi^- \pi^0) = (89.2 \pm 0.7) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=M071G02;LINKAGE=UB

$$\Gamma(\omega \pi^+ \pi^- 2\pi^0) \times \Gamma(e^+ e^-) / \Gamma_{\text{total}} \quad \Gamma_{42} \Gamma_7 / \Gamma$$

VALUE (eV)	EVTs	DOCUMENT ID	TECN	COMMENT
20.2±5.6±0.1	14k	¹ LEES	21 BABR	10.6 $e^+ e^- \rightarrow 2(\pi^+ \pi^-) 3\pi^0 \gamma$

NODE=M071P32
NODE=M071P32

¹ LEES 21 reports $[\Gamma(\psi(2S) \rightarrow \omega \pi^+ \pi^- 2\pi^0) \times \Gamma(\psi(2S) \rightarrow e^+ e^-) / \Gamma_{\text{total}}] \times [B(\omega(782) \rightarrow \pi^+ \pi^- \pi^0)] = 18 \pm 4 \pm 3$ eV which we divide by our best value $B(\omega(782) \rightarrow \pi^+ \pi^- \pi^0) = (89.2 \pm 0.7) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=M071P32;LINKAGE=A

$$\Gamma(\omega \pi^0 \pi^0) \times \Gamma(e^+ e^-) / \Gamma_{\text{total}} \quad \Gamma_{45} \Gamma_7 / \Gamma$$

VALUE (eV)	EVTs	DOCUMENT ID	TECN	COMMENT
2.58±0.82±0.02	33	¹ LEES	18E BABR	10.6 $e^+ e^- \rightarrow \pi^+ \pi^- 3\pi^0 \gamma$

NODE=M071P17
NODE=M071P17

¹ LEES 18E reports $[\Gamma(\psi(2S) \rightarrow \omega \pi^0 \pi^0) \times \Gamma(\psi(2S) \rightarrow e^+ e^-) / \Gamma_{\text{total}}] \times [B(\omega(782) \rightarrow \pi^+ \pi^- \pi^0)] = 2.3 \pm 0.7 \pm 0.2$ eV which we divide by our best value $B(\omega(782) \rightarrow \pi^+ \pi^- \pi^0) = (89.2 \pm 0.7) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=M071P17;LINKAGE=A

$$\Gamma(\omega 3\pi^0) \times \Gamma(e^+ e^-) / \Gamma_{\text{total}} \quad \Gamma_{46} \Gamma_7 / \Gamma$$

VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT
<1.8	90	¹ LEES	21C BABR	$e^+ e^- \rightarrow \gamma_{ISR}(\pi^+ \pi^- 4\pi^0)$

NODE=M071P39
NODE=M071P39

¹ LEES 21C reports $[\Gamma(\psi(2S) \rightarrow \omega 3\pi^0) \times \Gamma(\psi(2S) \rightarrow e^+ e^-) / \Gamma_{\text{total}}] \times [B(\omega(782) \rightarrow \pi^+ \pi^- \pi^0)] < 1.6$ eV which we divide by our best value $B(\omega(782) \rightarrow \pi^+ \pi^- \pi^0) = 89.2 \times 10^{-2}$.

NODE=M071P39;LINKAGE=A

$$\Gamma(\phi\pi^+\pi^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{51}\Gamma_7/\Gamma$$

VALUE (eV)	EVTs	DOCUMENT ID	TECN	COMMENT
0.54±0.18±0.01	19	¹ LEES	12F BABR	10.6 $e^+e^- \rightarrow K^+K^-\pi^+\pi^-\gamma$
0.56±0.22±0.01	10	² AUBERT,BE 06D	BABR	10.6 $e^+e^- \rightarrow K^+K^-\pi^+\pi^-\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

¹ LEES 12F reports $[\Gamma(\psi(2S) \rightarrow \phi\pi^+\pi^-) \times \Gamma(\psi(2S) \rightarrow e^+e^-)/\Gamma_{\text{total}}] \times [B(\phi(1020) \rightarrow K^+K^-)] = 0.27 \pm 0.09 \pm 0.02$ eV which we divide by our best value $B(\phi(1020) \rightarrow K^+K^-) = (49.9 \pm 0.5) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

² Superseded by LEES 12F. AUBERT,BE 06D reports $[\Gamma(\psi(2S) \rightarrow \phi\pi^+\pi^-) \times \Gamma(\psi(2S) \rightarrow e^+e^-)/\Gamma_{\text{total}}] \times [B(\phi(1020) \rightarrow K^+K^-)] = 0.28 \pm 0.11 \pm 0.02$ eV which we divide by our best value $B(\phi(1020) \rightarrow K^+K^-) = (49.9 \pm 0.5) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=M071G10
NODE=M071G10

NODE=M071G10;LINKAGE=A

NODE=M071G10;LINKAGE=AU

$$\Gamma(\phi f_0(980) \rightarrow \pi^+\pi^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{52}\Gamma_7/\Gamma$$

VALUE (eV)	EVTs	DOCUMENT ID	TECN	COMMENT
0.341±0.127±0.004	12	¹ LEES	12F BABR	10.6 $e^+e^- \rightarrow \pi^+\pi^-K^+K^-\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.341±0.165±0.004	6±3	² AUBERT	07AK BABR	10.6 $e^+e^- \rightarrow \pi^+\pi^-K^+K^-\gamma$
-------------------	-----	---------------------	-----------	--

¹ LEES 12F reports $[\Gamma(\psi(2S) \rightarrow \phi f_0(980) \rightarrow \pi^+\pi^-) \times \Gamma(\psi(2S) \rightarrow e^+e^-)/\Gamma_{\text{total}}] \times [B(\phi(1020) \rightarrow K^+K^-)] = 0.17 \pm 0.06 \pm 0.02$ eV which we divide by our best value $B(\phi(1020) \rightarrow K^+K^-) = (49.9 \pm 0.5) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

² Superseded by LEES 12F. AUBERT 07AK reports $[\Gamma(\psi(2S) \rightarrow \phi f_0(980) \rightarrow \pi^+\pi^-) \times \Gamma(\psi(2S) \rightarrow e^+e^-)/\Gamma_{\text{total}}] \times [B(\phi(1020) \rightarrow K^+K^-)] = 0.17 \pm 0.08 \pm 0.02$ eV which we divide by our best value $B(\phi(1020) \rightarrow K^+K^-) = (49.9 \pm 0.5) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=M071G13
NODE=M071G13

NODE=M071G13;LINKAGE=A

NODE=M071G13;LINKAGE=AU

$$\Gamma(K^+K^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{60}\Gamma_7/\Gamma$$

VALUE (eV)	EVTs	DOCUMENT ID	TECN	COMMENT
0.147±0.035±0.005	66	¹ LEES	15J BABR	$e^+e^- \rightarrow K^+K^-\gamma$
0.197±0.035±0.005	66	² LEES	15J BABR	$e^+e^- \rightarrow K^+K^-\gamma$
0.35 ±0.14 ±0.03	11	³ LEES	13Q BABR	$e^+e^- \rightarrow K^+K^-\gamma$

¹ $\sin\phi > 0$.
² $\sin\phi < 0$.
³ Interference with non-resonant K^+K^- production not taken into account.

NODE=M071G06
NODE=M071G06

OCCUR=2

NODE=M071G06;LINKAGE=A
 NODE=M071G06;LINKAGE=B
 NODE=M071G06;LINKAGE=BA

$$\Gamma(K^+K^-\pi^+\pi^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{61}\Gamma_7/\Gamma$$

VALUE (eV)	EVTs	DOCUMENT ID	TECN	COMMENT
1.92±0.30±0.06	133	LEES	12F BABR	10.6 $e^+e^- \rightarrow \pi^+\pi^-\pi^+\pi^-\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.56±0.42±0.16	85	¹ AUBERT	07AK BABR	10.6 $e^+e^- \rightarrow \pi^+\pi^-\pi^+\pi^-\gamma$
----------------	----	---------------------	-----------	--

¹ Superseded by LEES 12F.

NODE=M071G12
NODE=M071G12

NODE=M071G12;LINKAGE=A

$$\Gamma(K_S^0 K_L^0 \pi^0) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{65}\Gamma_7/\Gamma$$

VALUE (eV)	CL%	EVTs	DOCUMENT ID	TECN	COMMENT
<0.7	90	8	LEES	17A BABR	$e^+e^- \rightarrow K_S^0 K_L^0 \pi^0 \gamma$

NODE=M071G15
NODE=M071G15

$$\Gamma(K^+K^-\pi^0\pi^0) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{66}\Gamma_7/\Gamma$$

VALUE (eV)	EVTs	DOCUMENT ID	TECN	COMMENT
0.60±0.31±0.03	17	LEES	12F BABR	10.6 $e^+e^- \rightarrow \pi^0\pi^0 K^+K^-\gamma$

NODE=M071G08
NODE=M071G08

$$\Gamma(K^+K^-\pi^0\pi^0\pi^0) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{67}\Gamma_7/\Gamma$$

VALUE (eV)	DOCUMENT ID	TECN	COMMENT
1.54±0.63±0.15	LEES	23	BABR $e^+e^- \rightarrow \gamma_{ISR}$ hadrons

NODE=M071P47
NODE=M071P47

$$\Gamma(K_S^0 K^\pm \pi^\mp \pi^0 \pi^0) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{68}\Gamma_7/\Gamma$$

VALUE (eV)	DOCUMENT ID	TECN	COMMENT
4.0±1.4±0.4	LEES	23	BABR $e^+e^- \rightarrow \gamma_{ISR}$ hadrons

NODE=M071P48
NODE=M071P48

$$\Gamma(K_S^0 K^\pm \pi^\mp \pi^+ \pi^-) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}} \quad \Gamma_{69}\Gamma/\Gamma$$

VALUE (eV)	DOCUMENT ID	TECN	COMMENT
5.1±0.7±0.4	LEES	23	BABR $e^+ e^- \rightarrow \gamma_{ISR} \text{ hadrons}$

NODE=M071P49
NODE=M071P49

$$\Gamma(K^+ K^- \pi^+ \pi^- \pi^0) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}} \quad \Gamma_{70}\Gamma/\Gamma$$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
4.4±1.3±0.3	32	AUBERT	07AU	BABR 10.6 $e^+ e^- \rightarrow K^+ K^- \pi^+ \pi^- \pi^0 \gamma$

NODE=M071G04
NODE=M071G04

$$\Gamma(K_S^0 K_L^0 \pi^0 \pi^0) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}} \quad \Gamma_{77}\Gamma/\Gamma$$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
2.92±1.27±0.15	14	LEES	17A	BABR $e^+ e^- \rightarrow K_S^0 K_L^0 \pi^0 \pi^0 \gamma$

NODE=M071G14
NODE=M071G14

$$\Gamma(K_S^0 K^*(892)^0 \pi^0 \pi^0) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}} \quad \Gamma_{78}\Gamma/\Gamma$$

VALUE (eV)	DOCUMENT ID	TECN	COMMENT
0.71±0.29±0.07	LEES	23	BABR $e^+ e^- \rightarrow \gamma_{ISR} \text{ hadrons}$

NODE=M071P54
NODE=M071P54

$$\Gamma(K_S^0 K^\pm \rho(770)^\mp \pi^0) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}} \quad \Gamma_{79}\Gamma/\Gamma$$

VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT
<1.6	90	LEES	23	BABR $e^+ e^- \rightarrow \gamma_{ISR} \text{ hadrons}$

NODE=M071P58
NODE=M071P58

$$\Gamma(K_S^0 K^\pm \pi^\mp \rho(770)^0) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}} \quad \Gamma_{80}\Gamma/\Gamma$$

VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT
<1.6	90	LEES	23	BABR $e^+ e^- \rightarrow \gamma_{ISR} \text{ hadrons}$

NODE=M071P59
NODE=M071P59

$$\Gamma(K^*(892)^+ K^*(892)^- \pi^0) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}} \quad \Gamma_{82}\Gamma/\Gamma$$

VALUE (eV)	DOCUMENT ID	TECN	COMMENT
8.46±4.05±0.90	LEES	23	BABR $e^+ e^- \rightarrow \gamma_{ISR} \text{ hadrons}$

NODE=M071P56
NODE=M071P56

$$\Gamma(K^\mp K^*(892)^\pm \pi^0 \pi^0) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}} \quad \Gamma_{81}\Gamma/\Gamma$$

VALUE (eV)	DOCUMENT ID	TECN	COMMENT
1.62±0.66±0.15	LEES	23	BABR $e^+ e^- \rightarrow \gamma_{ISR} \text{ hadrons}$

NODE=M071P55
NODE=M071P55

$$\Gamma(K_S^0 K_L^0 \eta) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}} \quad \Gamma_{83}\Gamma/\Gamma$$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
3.14±1.08±0.16	16	LEES	17A	BABR $e^+ e^- \rightarrow K_S^0 K_L^0 \eta \gamma$

NODE=M071G16
NODE=M071G16

$$\Gamma(K^+ K^- \pi^+ \pi^- \eta) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}} \quad \Gamma_{86}\Gamma/\Gamma$$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
3.05±1.80±0.01	7	¹ AUBERT 07AU	BABR	10.6 $e^+ e^- \rightarrow K^+ K^- \pi^+ \pi^- \eta \gamma$

NODE=M071G05
NODE=M071G05

¹ AUBERT 07AU reports $[\Gamma(\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \eta) \times \Gamma(\psi(2S) \rightarrow e^+ e^-)/\Gamma_{\text{total}}] \times [B(\eta \rightarrow 2\gamma)] = 1.2 \pm 0.7 \pm 0.1$ eV which we divide by our best value $B(\eta \rightarrow 2\gamma) = (39.36 \pm 0.18) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=M071G05;LINKAGE=UB

$$\Gamma(K^+ K^- 2(\pi^+ \pi^-)) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}} \quad \Gamma_{87}\Gamma/\Gamma$$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
4.4±2.1±0.3	26	AUBERT	06D	BABR 10.6 $e^+ e^- \rightarrow K^+ K^- 2(\pi^+ \pi^-) \gamma$

NODE=M071G5
NODE=M071G5

$$\Gamma(2(K^+ K^-)) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}} \quad \Gamma_{90}\Gamma/\Gamma$$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
0.22±0.10±0.02	13	LEES	12F	BABR 10.6 $e^+ e^- \rightarrow K^+ K^- K^+ K^- \gamma$

NODE=M071G07
NODE=M071G07

$$\Gamma(p\bar{p}) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}} \quad \Gamma_{112}\Gamma/\Gamma$$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
0.686±0.024 OUR FIT	Error includes scale factor of 1.2.			
0.63 ±0.05 OUR AVERAGE	Error includes scale factor of 1.2.			

NODE=M071G2
NODE=M071G2

0.67 ±0.12 ±0.02	43	¹ LEES	130	BABR $e^+ e^- \rightarrow p\bar{p} \gamma$
0.74 ±0.07 ±0.04	142	² LEES	13Y	BABR $e^+ e^- \rightarrow p\bar{p} \gamma$
0.579 ±0.038 ±0.036	2.7k	ANDREOTTI	07	E835 $p\bar{p} \rightarrow e^+ e^-, J/\psi X$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.70 ±0.17 ±0.03	22	³ AUBERT	06B	BABR $e^+ e^- \rightarrow p\bar{p} \gamma$

¹ ISR photon reconstructed in the detector

² ISR photon undetected

³ Superseded by LEES 130

NODE=M071G2;LINKAGE=C
NODE=M071G2;LINKAGE=B
NODE=M071G2;LINKAGE=A

$$\Gamma(\Lambda\bar{\Lambda}) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$$

VALUE (eV)	DOCUMENT ID	TECN	COMMENT
1.5±0.4±0.1	AUBERT	07BD	BABR 10.6 $e^+e^- \rightarrow \Lambda\bar{\Lambda}\gamma$

$$\Gamma_{135}\Gamma_7/\Gamma$$

NODE=M071G11
NODE=M071G11

$\psi(2S)$ BRANCHING RATIOS

NODE=M071235

$$\Gamma(\text{hadrons})/\Gamma_{\text{total}}$$

VALUE	DOCUMENT ID	TECN	COMMENT
0.9785±0.0013 OUR AVERAGE			
0.9779±0.0015	¹ BAI	02B	BES2 e^+e^-
0.981 ±0.003	¹ LUTH	75	MRK1 e^+e^-

$$\Gamma_1/\Gamma$$

NODE=M071R3
NODE=M071R3

¹ Includes cascade decay into $J/\psi(1S)$.

NODE=M071R;LINKAGE=P

$$\Gamma(\text{virtual } \gamma \rightarrow \text{hadrons})/\Gamma_{\text{total}}$$

VALUE	DOCUMENT ID	TECN	COMMENT
0.0179±0.0004	¹ LIAO	23	RVUE e^+e^-
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.0166±0.0010	^{2,3} SETH	04	RVUE e^+e^-
0.0199±0.0019	² BAI	02B	BES2 e^+e^-
0.029 ±0.004	² LUTH	75	MRK1 e^+e^-

$$\Gamma_2/\Gamma$$

NODE=M071R5
NODE=M071R5

¹ Using $B(\psi(2S) \rightarrow \ell^+\ell^-) = (0.794 \pm 0.017)\%$ and $R = 2.26 \pm 0.01$ determined by a fit to data from Mark-I, DM2, BESII, KEDR, and BESIII.

² Included in $\Gamma(\text{hadrons})/\Gamma_{\text{total}}$.

³ Using $B(\psi(2S) \rightarrow \ell^+\ell^-) = (0.73 \pm 0.04)\%$ from RPP-2002 and $R = 2.28 \pm 0.04$ determined by a fit to data from BAI 00 and BAI 02c. Superseded by LIAO 23.

NODE=M071R5;LINKAGE=A

NODE=M071R;LINKAGE=Z
NODE=M071R5;LINKAGE=SE

$$\Gamma(ggg)/\Gamma_{\text{total}}$$

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
10.58±1.62	2.9 M	¹ LIBBY	09	CLEO $\psi(2S) \rightarrow \text{hadrons}$

$$\Gamma_3/\Gamma$$

NODE=M071S43
NODE=M071S43

¹ Calculated using $\Gamma(\gamma gg)/\Gamma(ggg) = 0.097 \pm 0.026 \pm 0.016$ from LIBBY 09, $B(\psi(2S) \rightarrow X J/\psi)$ relative and absolute branching fractions from MENDEZ 08, $B(\psi(2S) \rightarrow \gamma \eta_c)$ from MITCHELL 09, and $B(\psi(2S) \rightarrow \text{virtual } \gamma \rightarrow \text{hadrons})$, $B(\psi(2S) \rightarrow \gamma \chi_{cJ})$, and $B(\psi(2S) \rightarrow \ell^+\ell^-)$ from PDG 08. The statistical error is negligible and the systematic error is largely uncorrelated with that of $\Gamma(\gamma gg)/\Gamma_{\text{total}}$ LIBBY 09 measurement.

NODE=M071S43;LINKAGE=LI

$$\Gamma(\gamma gg)/\Gamma_{\text{total}}$$

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
1.025±0.288	200 k	¹ LIBBY	09	CLEO $\psi(2S) \rightarrow \gamma + \text{hadrons}$

$$\Gamma_4/\Gamma$$

NODE=M071S44
NODE=M071S44

¹ Calculated using $\Gamma(\gamma gg)/\Gamma(ggg) = 0.097 \pm 0.026 \pm 0.016$ from LIBBY 09. The statistical error is negligible and the systematic error is largely uncorrelated with that of $\Gamma(ggg)/\Gamma_{\text{total}}$ LIBBY 09 measurement.

NODE=M071S44;LINKAGE=LI

$$\Gamma(\gamma gg)/\Gamma(ggg)$$

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
9.7±2.6±1.6	2.9 M	LIBBY	09	CLEO $\psi(2S) \rightarrow (\gamma +) \text{hadrons}$

$$\Gamma_4/\Gamma_3$$

NODE=M071S45
NODE=M071S45

$$\Gamma(\text{light hadrons})/\Gamma_{\text{total}}$$

VALUE	DOCUMENT ID	TECN	COMMENT
0.154±0.015	¹ MENDEZ	08	CLEO $e^+e^- \rightarrow \psi(2S)$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.169±0.026	² ADAM	05A	CLEO $e^+e^- \rightarrow \psi(2S)$

$$\Gamma_5/\Gamma$$

NODE=M071S27
NODE=M071S27

¹ Uses $B(\psi(2S) \rightarrow J/\psi X)$ from MENDEZ 08 and other branching fractions from PDG 07.

² Uses $B(J/\psi X)$ from ADAM 05A, $B(\chi_{cJ}\gamma)$, $B(\eta_c\gamma)$ from ATHAR 04 and $B(\ell^+\ell^-)$ from PDG 04. Superseded by MENDEZ 08.

NODE=M071S27;LINKAGE=ME
NODE=M071S27;LINKAGE=AD

$$\Gamma(e^+e^-)/\Gamma_{\text{total}}$$

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
79.4± 2.2 OUR FIT			Error includes scale factor of 1.3.

$$\Gamma_7/\Gamma$$

NODE=M071R1
NODE=M071R1

• • • We do not use the following data for averages, fits, limits, etc. • • •

88 ±13	¹ FELDMAN	77	RVUE e^+e^-
--------	----------------------	----	---------------

¹ From an overall fit assuming equal partial widths for e^+e^- and $\mu^+\mu^-$. For a measurement of the ratio see the entry $\Gamma(\mu^+\mu^-)/\Gamma(e^+e^-)$ below. Includes LUTH 75, HILGER 75, BURMESTER 77.

NODE=M071R;LINKAGE=L

$$\Gamma(\mu^+\mu^-)/\Gamma_{\text{total}}$$

VALUE (units 10^{-4})

80±6 OUR FIT

DOCUMENT ID

$$\Gamma_8/\Gamma$$

NODE=M071R2
NODE=M071R2

$$\Gamma(\mu^+\mu^-)/\Gamma(e^+e^-)$$

VALUE

1.00±0.08 OUR FIT

DOCUMENT ID

TECN

COMMENT

$$\Gamma_8/\Gamma_7$$

NODE=M071R4
NODE=M071R4

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.89±0.16

BOYARSKI

75C

MRK1

e^+e^-

$$\Gamma(\tau^+\tau^-)/\Gamma_{\text{total}}$$

VALUE (units 10^{-4})

31 ±4 OUR FIT

DOCUMENT ID

TECN

COMMENT

$$\Gamma_9/\Gamma$$

NODE=M071R75
NODE=M071R75

30.8±2.1±3.8

¹ ABLIKIM

06W

BES

$e^+e^- \rightarrow \psi(2S)$

¹ Computed using PDG 02 value of $B(\psi(2S) \rightarrow \text{hadrons}) = 0.9810 \pm 0.0030$ to estimate the total number of $\psi(2S)$ events.

NODE=M071R75;LINKAGE=AB

DECAYS INTO $J/\psi(1S)$ AND ANYTHING

$$\Gamma(J/\psi(1S)\text{anything})/\Gamma_{\text{total}}$$

$$\Gamma_{10}/\Gamma = (\Gamma_{12} + \Gamma_{13} + \Gamma_{14} + 0.343\Gamma_{182} + 0.195\Gamma_{183})/\Gamma$$

VALUE

EVTS

DOCUMENT ID

TECN

COMMENT

0.615 ±0.007 OUR FIT

Error includes scale factor of 1.3.

0.55 ±0.07 OUR AVERAGE

0.51 ±0.12

BRANDELIK

79C

DASP

$e^+e^- \rightarrow \mu^+\mu^-X$

0.57 ±0.08

ABRAMS

75B

MRK1

$e^+e^- \rightarrow \mu^+\mu^-X$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.644 ±0.006 ±0.016

¹ ABLIKIM

21Z

BES3

$e^+e^- \rightarrow \ell^+\ell^-X$

0.6254±0.0016±0.0155

1.1M

² MENDEZ

08

CLEO

$\psi(2S) \rightarrow \ell^+\ell^-X$

0.5950±0.0015±0.0190

151k

ADAM

05A

CLEO

Repl. by MENDEZ 08

¹ From a fit to the $e^+e^- \rightarrow J/\psi X$ cross section between 3.645 and 3.891 GeV, with $\Gamma(ee)$ and Γ fixed to the PDG 20 values of the cross particle fit which are correlated to "OUR FIT" value for $B(\psi(2S) \rightarrow J/\psi X)$.

² Not independent from other measurements of MENDEZ 08.

NODE=M071R10;LINKAGE=A

NODE=M071R10;LINKAGE=ME

$$\Gamma(e^+e^-)/\Gamma(J/\psi(1S)\text{anything})$$

VALUE (units 10^{-2})

EVTS

DOCUMENT ID

TECN

COMMENT

1.291±0.035 OUR FIT

Error includes scale factor of 1.3.

1.28 ±0.04 OUR AVERAGE

Error includes scale factor of 1.6. See the ideogram below.

1.22 ±0.02 ±0.05

5097 ± 73

¹ ANDREOTTI

05

E835

$p\bar{p} \rightarrow \psi(2S) \rightarrow e^+e^-$

1.28 ±0.03 ±0.02

¹ AMBROGIANI

00A

E835

$p\bar{p} \rightarrow \psi(2S)$

1.44 ±0.08 ±0.02

¹ ARMSTRONG

97

E760


$p\bar{p} \rightarrow \psi(2S)$

¹ Using $B(J/\psi(1S) \rightarrow e^+e^-) = 0.0593 \pm 0.0010$.

NODE=M071R72
NODE=M071R72

NODE=M071R;LINKAGE=7A

WEIGHTED AVERAGE
1.28±0.04 (Error scaled by 1.6)



Values above of weighted average, error, and scale factor are based upon the data in this ideogram only. They are not necessarily the same as our 'best' values, obtained from a least-squares constrained fit utilizing measurements of other (related) quantities as additional information.

(Confidence Level = 0.082)

$\Gamma(e^+e^-)/\Gamma(J/\psi(1S)\text{anything})$
(units 10^{-2})

$$\Gamma_7/\Gamma_{10}$$

$\Gamma(\mu^+\mu^-)/\Gamma(J/\psi(1S)\text{anything})$ Γ_8/Γ_{10}

VALUE	DOCUMENT ID	TECN	COMMENT
0.0130$\pm$0.0010 OUR FIT			
0.014 $\pm$0.003	HILGER	75	SPEC e^+e^-

NODE=M071R74
 NODE=M071R74

 $\Gamma(J/\psi(1S)\text{neutrals})/\Gamma_{\text{total}}$ Γ_{11}/Γ

VALUE	DOCUMENT ID
0.254$\pm$0.005 OUR FIT	Error includes scale factor of 1.6.

NODE=M071R18
 NODE=M071R18

 $\Gamma(J/\psi(1S)\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{12}/Γ

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.3469$\pm$0.0034 OUR FIT				Error includes scale factor of 1.1.

NODE=M071R12
 NODE=M071R12

0.348 $\pm$ 0.005 OUR AVERAGE Error includes scale factor of 1.3. See the ideogram below.


0.3498 $\pm$ 0.0002 $\pm$ 0.0045	20M	ABLIKIM	13R	BES3	$\psi(2S) \rightarrow J/\psi\pi^+\pi^-$
0.3504 $\pm$ 0.0007 $\pm$ 0.0077	565k	MENDEZ	08	CLEO	$\psi(2S) \rightarrow \ell^+\ell^-\pi^+\pi^-$
0.323 $\pm$ 0.014		BAI	02B	BES2	e^+e^-
0.32 $\pm$ 0.04		ABRAMS	75B	MRK1	$e^+e^- \rightarrow J/\psi\pi^+\pi^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.3354 $\pm$ 0.0014 $\pm$ 0.0110	60k	¹ ADAM	05A	CLEO	Repl. by MENDEZ 08
----------------------------------	-----	-------------------	-----	------	--------------------

¹ Not independent from other values reported by ADAM 05A.

NODE=M071R;LINKAGE=AD

 $\Gamma(e^+e^-)/\Gamma(J/\psi(1S)\pi^+\pi^-)$ Γ_7/Γ_{12}

VALUE	DOCUMENT ID	TECN	COMMENT
0.0229$\pm$0.0006 OUR FIT			Error includes scale factor of 1.3.

NODE=M071R73
 NODE=M071R73

0.0252$\pm$0.0028$\pm$0.0011	¹ AUBERT	02B	BABR e^+e^-
---	---------------------	-----	---------------

¹ Using $B(J/\psi(1S) \rightarrow e^+e^-) = 0.0593 \pm 0.0010$.

NODE=M071R73;LINKAGE=7A

 $\Gamma(\mu^+\mu^-)/\Gamma(J/\psi(1S)\pi^+\pi^-)$ Γ_8/Γ_{12}

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

NODE=M071R63
 NODE=M071R63

0.0230 $\pm$ 0.0017 OUR FIT

0.0228 $\pm$ 0.0018 OUR AVERAGE

0.0230 $\pm$ 0.0020 $\pm$ 0.0012	¹ AAIJ	16Y	LHCB	$\Lambda_b^0 \rightarrow \psi(2S)X$
0.0216 $\pm$ 0.0026 $\pm$ 0.0014	² AUBERT	02B	BABR	e^+e^-
0.0327 $\pm$ 0.0077 $\pm$ 0.0072	² GRIBUSHIN	96	FMPS	515 $\pi^- \text{Be} \rightarrow 2\mu X$

¹ Using $B(J/\psi(1S) \rightarrow \mu^+\mu^-) = (5.961 \pm 0.033) \times 10^{-2}$.

² Using $B(J/\psi(1S) \rightarrow \mu^+\mu^-) = (5.88 \pm 0.10) \times 10^{-2}$.

NODE=M071R63;LINKAGE=A
 NODE=M071R;LINKAGE=Q2

 $\Gamma(\tau^+\tau^-)/\Gamma(J/\psi(1S)\pi^+\pi^-)$ Γ_9/Γ_{12}

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

NODE=M071R76
 NODE=M071R76

8.8 $\pm$ 1.1 OUR FIT

8.73$\pm$1.39$\pm$1.57	BAI	02	BES e^+e^-
---	-----	----	--------------

$$\Gamma(J/\psi(1S)\pi^+\pi^-)/\Gamma(J/\psi(1S)\text{anything}) \quad \Gamma_{12}/\Gamma_{10}$$


VALUE	EVTs	DOCUMENT ID	TECN	COMMENT
0.564 ± 0.004 OUR FIT				Error includes scale factor of 1.7.
0.554 ± 0.008 OUR AVERAGE				Error includes scale factor of 1.3. See the ideogram below.
0.5604 ± 0.0009 ± 0.0062	565k	MENDEZ	08	CLEO $\psi(2S) \rightarrow \ell^+ \ell^- \pi^+ \pi^-$
0.525 ± 0.009 ± 0.022	4k	ANDREOTTI	05	E835 $\psi(2S) \rightarrow J/\psi X$
0.536 ± 0.007 ± 0.016	20k	^{1,2} ABLIKIM	04B	BES $\psi(2S) \rightarrow J/\psi X$
0.496 ± 0.037		ARMSTRONG	97	E760 $\bar{p}p \rightarrow \psi(2S)$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.5637 ± 0.0027 ± 0.0046	60k	ADAM	05A	CLEO Repl. by MENDEZ 08

NODE=M071R70
NODE=M071R70

¹ From a fit to the J/ψ recoil mass spectra.

² ABLIKIM 04B quotes $B(\psi(2S) \rightarrow J/\psi X) / B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-)$.

NODE=M071R;LINKAGE=AB
NODE=M071R;LINKAGE=AL



$$\Gamma(J/\psi(1S)\text{neutrals})/\Gamma(J/\psi(1S)\pi^+\pi^-) \quad \Gamma_{11}/\Gamma_{12} = (0.9761\Gamma_{13} + 0.719\Gamma_{14} + 0.343\Gamma_{182} + 0.195\Gamma_{183})/\Gamma_{12}$$

VALUE	DOCUMENT ID	TECN	COMMENT
0.732 ± 0.013 OUR FIT			Error includes scale factor of 1.7.
0.73 ± 0.09	TANENBAUM 76	MRK1	e^+e^-

NODE=M071R11
NODE=M071R11

$$\Gamma(J/\psi(1S)\pi^0\pi^0)/\Gamma(J/\psi(1S)\text{anything}) \quad \Gamma_{13}/\Gamma_{10}$$

VALUE	EVTs	DOCUMENT ID	TECN	COMMENT
0.297 ± 0.005 OUR FIT				Error includes scale factor of 1.7.
0.320 ± 0.012 OUR AVERAGE				
0.300 ± 0.008 ± 0.022	1655 ± 44	ANDREOTTI	05	E835 $\psi(2S) \rightarrow J/\psi X$
0.328 ± 0.013 ± 0.008		AMBROGIANI	00A	E835 $p\bar{p} \rightarrow \psi(2S)$
0.323 ± 0.033		ARMSTRONG	97	E760 $\bar{p}p \rightarrow \psi(2S)$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.2829 ± 0.0012 ± 0.0056	61k	MENDEZ	08	CLEO $\psi(2S) \rightarrow \ell^+ \ell^- 2\pi^0$
0.2776 ± 0.0025 ± 0.0043	13.4k	ADAM	05A	CLEO Repl. by MENDEZ 08

NODE=M071R69
NODE=M071R69

$$\Gamma(J/\psi(1S)\pi^0\pi^0)/\Gamma(J/\psi(1S)\pi^+\pi^-) \quad \Gamma_{13}/\Gamma_{12}$$

VALUE	EVTs	DOCUMENT ID	TECN	COMMENT
0.526 ± 0.013 OUR FIT				Error includes scale factor of 1.7.
0.513 ± 0.022 OUR AVERAGE				Error includes scale factor of 2.2.
0.5047 ± 0.0022 ± 0.0102	61k	MENDEZ	08	CLEO $\psi(2S) \rightarrow \ell^+ \ell^- 2\pi^0$
0.570 ± 0.009 ± 0.026	14k	¹ ABLIKIM	04B	BES $\psi(2S) \rightarrow J/\psi X$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.4924 ± 0.0047 ± 0.0086	73k	^{2,3} ADAM	05A	CLEO Repl. by MENDEZ 08
0.571 ± 0.018 ± 0.044		⁴ ANDREOTTI	05	E835 $\psi(2S) \rightarrow J/\psi X$
0.53 ± 0.06		TANENBAUM	76	MRK1 e^+e^-
0.64 ± 0.15		⁵ HILGER	75	SPEC e^+e^-

NODE=M071R14
NODE=M071R14

- ¹ From a fit to the J/ψ recoil mass spectra.
² Not independent from other values reported by ADAM 05A.
³ Using 13,217 $J/\psi\pi^0\pi^0$ and 60,010 $J/\psi\pi^+\pi^-$ events.
⁴ Not independent from other values reported by ANDREOTTI 05.
⁵ Ignoring the $J/\psi(1S)\eta$ and $J/\psi(1S)\gamma\gamma$ decays.

NODE=M071R14;LINKAGE=AB
 NODE=M071R14;LINKAGE=AD
 NODE=M071R14;LINKAGE=AM
 NODE=M071R;LINKAGE=AN
 NODE=M071R;LINKAGE=I

$\Gamma(J/\psi(1S)\eta)/\Gamma_{\text{total}}$


Γ_{14}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
33.7 ± 0.6 OUR FIT	Error includes scale factor of 1.2.			
32.9 ± 1.7 OUR AVERAGE	Error includes scale factor of 2.1. See the ideogram below.			
$33.75 \pm 0.17 \pm 0.86$	68.2k	ABLIKIM	12M BES3	$e^+e^- \rightarrow \ell^+\ell^-2\gamma$
$29.8 \pm 0.9 \pm 2.3$	5.7k	BAI	04I BES2	$\psi(2S) \rightarrow J/\psi\gamma\gamma$
25.5 ± 2.9	386	¹ OREGLIA	80 CBAL	$e^+e^- \rightarrow J/\psi 2\gamma$
45 ± 12	17	² BRANDELIK	79B DASP	$e^+e^- \rightarrow J/\psi 2\gamma$
42 ± 6	164	² BARTEL	78B CNTR	e^+e^-
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$34.3 \pm 0.4 \pm 0.9$	18.4k	³ MENDEZ	08 CLEO	$\psi(2S) \rightarrow \ell^+\ell^-\eta$
$32.5 \pm 0.6 \pm 1.1$	2.8k	⁴ ADAM	05A CLEO	Repl. by MENDEZ 08
43 ± 8	44	TANENBAUM	76 MRK1	e^+e^-

NODE=M071R;LINKAGE=3Q
 NODE=M071R;LINKAGE=2Q
 NODE=M071R15;LINKAGE=ME
 NODE=M071R15;LINKAGE=AD

- ¹ Recalculated by us using $B(J/\psi(1S) \rightarrow \ell^+\ell^-) = 0.1181 \pm 0.0020$.
² Recalculated by us using $B(J/\psi(1S) \rightarrow \mu^+\mu^-) = 0.0588 \pm 0.0010$.
³ Not independent from other measurements of MENDEZ 08.
⁴ Not independent from other values reported by ADAM 05A.

WEIGHTED AVERAGE
 32.9 ± 1.7 (Error scaled by 2.1)



$\Gamma(J/\psi(1S)\eta)/\Gamma(J/\psi(1S)\text{anything})$

Γ_{14}/Γ_{10}


VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.0549 ± 0.0009 OUR FIT	Error includes scale factor of 1.2.			
0.058 ± 0.007 OUR AVERAGE	Error includes scale factor of 1.4. See the ideogram below.			
$0.050 \pm 0.006 \pm 0.003$	298 ± 20	ANDREOTTI	05 E835	$\psi(2S) \rightarrow J/\psi X$
0.072 ± 0.009		AMBROGIANI	00A E835	$p\bar{p} \rightarrow \psi(2S)$
0.061 ± 0.015		ARMSTRONG	97 E760	$p\bar{p} \rightarrow \psi(2S)$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$0.0549 \pm 0.0006 \pm 0.0009$	18.4k	¹ MENDEZ	08 CLEO	$\psi(2S) \rightarrow \ell^+\ell^-\eta$
$0.0546 \pm 0.0010 \pm 0.0007$	2.8k	ADAM	05A CLEO	Repl. by MENDEZ 08

NODE=M071R68
 NODE=M071R68

OCCUR=2

¹ Not independent from other measurements of MENDEZ 08.

NODE=M071R68;LINKAGE=ME



$\Gamma(J/\psi(1S)\eta)/\Gamma(J/\psi(1S)\pi^+\pi^-)$

Γ_{14}/Γ_{12}

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.0972±0.0016 OUR FIT	Error includes scale factor of 1.1.			
0.0979±0.0018 OUR AVERAGE				
0.0979±0.0010±0.0015	18.4k	MENDEZ	08	CLEO $\psi(2S) \rightarrow \ell^+\ell^-\eta$
0.098 ±0.005 ±0.010	2k	¹ ABLIKIM	04B	BES $\psi(2S) \rightarrow J/\psi X$
0.091 ±0.021		² HIMEL	80	MRK2 $e^+e^- \rightarrow \psi(2S)X$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.0968±0.0019±0.0013	2.8k	³ ADAM	05A	CLEO Repl. by MENDEZ 08
0.095 ±0.007 ±0.007		⁴ ANDREOTTI	05	E835 $\psi(2S) \rightarrow J/\psi X$

NODE=M071R71
NODE=M071R71

¹ From a fit to the J/ψ recoil mass spectra.

² The value for $B(\psi(2S) \rightarrow J/\psi(1S)\eta)$ reported in HIMEL 80 is derived using $B(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-) = (33 \pm 3)\%$ and $B(J/\psi(1S) \rightarrow \ell^+\ell^-) = 0.138 \pm 0.018$. Calculated by us using $B(J/\psi(1S) \rightarrow \ell^+\ell^-) = (0.1181 \pm 0.0020)$.

³ Not independent from other values reported by ADAM 05A.

⁴ Not independent from other values reported by ANDREOTTI 05.

NODE=M071R71;LINKAGE=AB
NODE=M071R;LINKAGE=8H

NODE=M071R71;LINKAGE=AD
NODE=M071R71;LINKAGE=AN

$\Gamma(J/\psi(1S)\pi^0)/\Gamma_{\text{total}}$

Γ_{15}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
12.68±0.32 OUR AVERAGE				
12.6 ±0.2 ±0.3	4.1k	ABLIKIM	12M	BES3 $e^+e^- \rightarrow \ell^+\ell^-2\gamma$
13.3 ±0.8 ±0.3	530	MENDEZ	08	CLEO $\psi(2S) \rightarrow \ell^+\ell^-2\gamma$
14.3 ±1.4 ±1.2	280	BAI	04i	BES2 $\psi(2S) \rightarrow J/\psi\gamma\gamma$
14 ±6	7	HIMEL	80	MRK2 e^+e^-
9 ±2 ±1	23	¹ OREGLIA	80	CBAL $\psi(2S) \rightarrow J/\psi2\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
13 ±1 ±1	88	ADAM	05A	CLEO Repl. by MENDEZ 08

¹ Recalculated by us using $B(J/\psi(1S) \rightarrow \ell^+\ell^-) = 0.1181 \pm 0.0020$.

NODE=M071R16;LINKAGE=3Q

$\Gamma(J/\psi(1S)\pi^0)/\Gamma(J/\psi(1S)\text{anything})$

$\Gamma_{15}/\Gamma_{10} = \Gamma_{15}/(\Gamma_{12}+\Gamma_{13}+\Gamma_{14}+0.343\Gamma_{182}+0.195\Gamma_{183})$

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.213±0.012±0.003	527	¹ MENDEZ	08	CLEO $e^+e^- \rightarrow J/\psi\gamma\gamma$
0.22 ±0.02 ±0.01		² ADAM	05A	CLEO $e^+e^- \rightarrow \psi(2S) \rightarrow J/\psi\gamma\gamma$

¹ Not independent from other values reported by MENDEZ 08. Supersedes ADAM 05A.

² Not independent from other values reported by ADAM 05A.

NODE=M071S25
NODE=M071S25

NODE=M071S25;LINKAGE=ME
NODE=M071S25;LINKAGE=AD

$\Gamma(J/\psi(1S)\pi^0)/\Gamma(J/\psi(1S)\pi^+\pi^-)$
 Γ_{15}/Γ_{12}

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.380 \pm 0.022 \pm 0.005$	527	¹ MENDEZ	08	CLEO	$e^+e^- \rightarrow J/\psi\gamma\gamma$
$0.39 \pm 0.04 \pm 0.01$		² ADAM	05A	CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow J/\psi\gamma\gamma$

¹ Not independent from other values reported by MENDEZ 08. Supersedes ADAM 05A.

² Not independent from other values reported by ADAM 05A.

NODE=M071S26
NODE=M071S26

NODE=M071S26;LINKAGE=ME
NODE=M071S26;LINKAGE=AD

NODE=M071310

HADRONIC DECAYS

 $\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$
 Γ_{16}/Γ

VALUE (units 10^{-5})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	------	-------------	------	---------

0.78 ± 0.26 OUR AVERAGE

$0.76 \pm 0.25 \pm 0.06$	30	¹ METREVELI	12		$\psi(2S) \rightarrow \pi^+\pi^-$
8 ± 5		BRANDELIK	79C	DASP	e^+e^-

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 2.1	90	DOBBS	06A	CLEO	$e^+e^- \rightarrow \psi(2S)$
< 5	90	FELDMAN	77	MRK1	e^+e^-

¹ Obtained by analyzing CLEO-c data but not authored by the CLEO Collaboration. Using $\psi(3770) \rightarrow \pi^+\pi^-$ for continuum subtraction.

NODE=M071R20
NODE=M071R20

NODE=M071R20;LINKAGE=ME

 $\Gamma(\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$
 Γ_{17}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

2.01 ± 0.17 OUR AVERAGE Error includes scale factor of 1.7. See the ideogram below.

$2.14 \pm 0.03^{+0.12}_{-0.11}$	7k	¹ ABLIKIM	12H	BES3	$e^+e^- \rightarrow \psi(2S)$
$1.81 \pm 0.18 \pm 0.19$	260 ± 19	² ABLIKIM	05J	BES2	$e^+e^- \rightarrow \psi(2S)$
$1.88^{+0.16}_{-0.15} \pm 0.28$	194	ADAM	05	CLEO	$e^+e^- \rightarrow \psi(2S)$
0.85 ± 0.46	4	FRANKLIN	83	MRK2	$e^+e^- \rightarrow \text{hadrons}$

¹ From $\psi(2S) \rightarrow \pi^+\pi^-\pi^0$ events directly. The quoted systematic error includes a contribution of 4% (added in quadrature) from the uncertainty on the number of $\psi(2S)$ events.


² From a PW analysis of $\psi(2S) \rightarrow \pi^+\pi^-\pi^0$.

NODE=M071R36
NODE=M071R36

NODE=M071R36;LINKAGE=AB

NODE=M071R;LINKAGE=AK

WEIGHTED AVERAGE
2.01 ± 0.17 (Error scaled by 1.7)


 $\Gamma(\rho(770)\pi \rightarrow \pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$
 Γ_{18}/Γ

VALUE (units 10^{-4})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	------	-------------	------	---------

0.32 ± 0.12 OUR AVERAGE Error includes scale factor of 1.8.

$0.51 \pm 0.07 \pm 0.11$		¹ ABLIKIM	05J	BES2	$\psi(2S) \rightarrow \rho(770)\pi \rightarrow \pi^+\pi^-\pi^0$
$0.24^{+0.08}_{-0.07} \pm 0.02$	22	ADAM	05	CLEO	$e^+e^- \rightarrow \psi(2S)$

NODE=M071R26
NODE=M071R26

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.83	90	1	FRANKLIN	83	MRK2	e^+e^-
<10	90		BARTEL	76	CNTR	e^+e^-
<10	90	2	ABRAMS	75	MRK1	e^+e^-

¹ From a PW analysis of $\psi(2S) \rightarrow \pi^+\pi^-\pi^0$.

² Final state $\rho^0\pi^0$.

NODE=M071R26;LINKAGE=AK
NODE=M071R;LINKAGE=N

$\Gamma(\rho(2150)\pi \rightarrow \pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$ Γ_{19}/Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
$1.94 \pm 0.25^{+1.15}_{-0.34}$	¹ ABLIKIM	05J BES2	$\psi(2S) \rightarrow \rho(2150)\pi \rightarrow \pi^+\pi^-\pi^0$

NODE=M071R57
NODE=M071R57

¹ From a PW analysis of $\psi(2S) \rightarrow \pi^+\pi^-\pi^0$.

NODE=M071R57;LINKAGE=AK

$\Gamma(2(\pi^+\pi^-))/\Gamma_{\text{total}}$ Γ_{20}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
2.4 ± 0.6 OUR AVERAGE	Error includes scale factor of 2.2.			
$2.2 \pm 0.2 \pm 0.2$	308	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow 2(\pi^+\pi^-)$
4.5 ± 1.0		TANENBAUM	78 MRK1	e^+e^-

NODE=M071R27
NODE=M071R27

$\Gamma(\rho^0\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{21}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
2.2 ± 0.6 OUR AVERAGE	Error includes scale factor of 1.4.			
$2.0 \pm 0.2 \pm 0.4$	285.5	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow 2(\pi^+\pi^-)$
4.2 ± 1.5		TANENBAUM	78 MRK1	e^+e^-

NODE=M071R33
NODE=M071R33


$\Gamma(2(\pi^+\pi^-)\pi^0)/\Gamma_{\text{total}}$ Γ_{22}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
29 ± 10 OUR AVERAGE	Error includes scale factor of 4.7. See the ideogram below.			
$24.9 \pm 0.7 \pm 3.6$	2173	ABLIKIM	07D BES2	$e^+e^- \rightarrow \psi(2S)$
$127 \pm 12 \pm 2$	410	¹ AUBERT	07AU BABR	$10.6 e^+e^- \rightarrow 2(\pi^+\pi^-)\pi^0\gamma$
$26.1 \pm 0.7 \pm 3.0$	1703	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow 2(\pi^+\pi^-)\pi^0$
30 ± 8	42	FRANKLIN	83 MRK2	e^+e^-

NODE=M071R22
NODE=M071R22

¹ AUBERT 07AU reports $[\Gamma(\psi(2S) \rightarrow 2(\pi^+\pi^-)\pi^0)/\Gamma_{\text{total}}] \times [\Gamma(\psi(2S) \rightarrow e^+e^-)] = (297 \pm 22 \pm 18) \times 10^{-4}$ keV which we divide by our best value $\Gamma(\psi(2S) \rightarrow e^+e^-) = 2.33 \pm 0.04$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=M071R22;LINKAGE=UB



$\Gamma(\rho a_2(1320))/\Gamma_{\text{total}}$ Γ_{23}/Γ

VALUE (units 10^{-4})	CL%	EVTs	DOCUMENT ID	TECN	COMMENT
$2.55 \pm 0.73 \pm 0.47$		112 ± 31	BAI	04C BES2	$\psi(2S) \rightarrow 2(\pi^+ \pi^-) \pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<2.3		90	BAI	98J BES	$e^+ e^-$

NODE=M071R65
 NODE=M071R65

 $\Gamma(3(\pi^+ \pi^-))/\Gamma_{\text{total}}$ Γ_{27}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTs</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3.5 ± 2.0 OUR AVERAGE	Error includes scale factor of 2.8.			
$5.45 \pm 0.42 \pm 0.87$	671	ABLIKIM	05H BES2	$e^+ e^- \rightarrow \psi(2S) \rightarrow 3(\pi^+ \pi^-)$
1.5 ± 1.0		¹ TANENBAUM	78 MRK1	$e^+ e^-$

¹ Assuming entirely strong decay.

NODE=M071R32
 NODE=M071R32

¹ Assuming entirely strong decay.

NODE=M071R32;LINKAGE=K

 $\Gamma(3(\pi^+ \pi^-) \pi^0)/\Gamma_{\text{total}}$ Γ_{29}/Γ

VALUE (units 10^{-4})	EVTs	DOCUMENT ID	TECN	COMMENT
35 ± 16	6	FRANKLIN	83 MRK2	$e^+ e^- \rightarrow \text{hadrons}$

NODE=M071R37
 NODE=M071R37

 $\Gamma(\eta \pi^+ \pi^-)/\Gamma_{\text{total}}$ Γ_{31}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
<1.6	90	BRIERE	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow 2(\pi^+ \pi^-) \pi^0$

NODE=M071S06
 NODE=M071S06

 $\Gamma(\eta \pi^+ \pi^- \pi^0)/\Gamma_{\text{total}}$ Γ_{32}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTs</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$9.5 \pm 0.7 \pm 1.5$		¹ BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow$ hadr
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
$10.3 \pm 0.8 \pm 1.4$	201.7	² BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow$ $\eta 3\pi(\eta \rightarrow \gamma\gamma)$
$8.1 \pm 1.4 \pm 1.6$	50.0	² BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow$ $\eta 3\pi(\eta \rightarrow 3\pi)$

NODE=M071S07
 NODE=M071S07

OCCUR=2

OCCUR=3

¹ Average of $\eta \rightarrow \gamma \gamma$ and $\eta \rightarrow 3\pi$.

² Not independent from other values reported by BRIERE 05.

NODE=M071S07;LINKAGE=BR
 NODE=M071S07;LINKAGE=BI

 $\Gamma(\rho \eta)/\Gamma_{\text{total}}$ Γ_{37}/Γ

<u>VALUE (units 10^{-5})</u>	<u>EVTs</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.2 $\pm$ 0.6 OUR AVERAGE	Error includes scale factor of 1.1.			
3.0 $\begin{smallmatrix} +1.1 \\ -0.9 \end{smallmatrix} \pm 0.2$	18	ADAM	05 CLEO	$e^+ e^- \rightarrow \psi(2S)$
1.78 $\begin{smallmatrix} +0.67 \\ -0.62 \end{smallmatrix} \pm 0.17$	13	ABLIKIM	04L BES	$e^+ e^- \rightarrow \psi(2S)$

NODE=M071R94
 NODE=M071R94

 $\Gamma(\eta' \pi^+ \pi^- \pi^0)/\Gamma_{\text{total}}$ Γ_{38}/Γ

VALUE (units 10^{-4})	EVTs	DOCUMENT ID	TECN	COMMENT
$4.5 \pm 1.6 \pm 1.3$	12.8	BRIERE	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow \text{hadr}$

NODE=M071S08
 NODE=M071S08

 $\Gamma(\eta' \rho)/\Gamma_{\text{total}}$ Γ_{39}/Γ

<i>VALUE (units 10⁻⁵)</i>	<i>EVTs</i>	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
1.87 ^{+1.64}_{-1.11} ±0.33	2	ABLIKIM	04L BES	$e^+e^- \rightarrow \psi(2S)$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
1.02 ±0.11 ±0.24	143	¹ ABLIKIM	17AK BES3	$e^+e^- \rightarrow \psi(2S)$
0.569 ±0.128 ±0.236	80	² ABLIKIM	17AK BES3	$e^+e^- \rightarrow \psi(2S)$

NODE=M071R93
 NODE=M071R93

OCCUR=2

¹ Destructive-interference solution of a partial wave analysis of the decay $\psi(2S) \rightarrow \pi^+ \pi^- \eta'$.

² Constructive-interference solution of a partial wave analysis of the decay $\psi(2S) \rightarrow \pi^+ \pi^- \eta'$.

NODE=M071R93;LINKAGE=A

NODE=M071R93;LINKAGE=B

 $\Gamma(\omega \pi^0)/\Gamma_{\text{total}}$ Γ_{40}/Γ

<u>VALUE (units 10^{-5})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.1 $\pm$ 0.6 OUR AVERAGE				
2.5 $^{+1.2}_{-1.0}$ $\pm$ 0.2	14	ADAM	05 CLEO	$e^+ e^- \rightarrow \psi(2S)$
1.87 $^{+0.68}_{-0.62}$ $\pm$ 0.28	14	ABLIKIM	04L BES	$e^+ e^- \rightarrow \psi(2S)$

NODE=M071R92
 NODE=M071R92

$\Gamma(\omega\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{41}/Γ


VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
7.3±1.2 OUR AVERAGE		Error includes scale factor of 2.1. See the ideogram below.		
8.4±0.5±1.2	386	ABLIKIM	07D BES2	$e^+e^- \rightarrow \psi(2S)$
12.2±2.2±0.7	37	¹ AUBERT	07AU BABR	10.6 $e^+e^- \rightarrow \omega\pi^+\pi^-\gamma$
8.2±0.5±0.7	391	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow 2(\pi^+\pi^-)\pi^0$
4.8±0.6±0.7	100 ± 22	² BAI	03B BES	$\psi(2S) \rightarrow 2(\pi^+\pi^-)\pi^0$
¹ AUBERT 07AU quotes $\Gamma_{ee}^{\psi(2S)} \cdot B(\psi(2S) \rightarrow \omega\pi^+\pi^-) \cdot B(\omega \rightarrow 3\pi) = 2.69 \pm 0.73 \pm 0.16$ eV.				
² Normalized to $B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-) = 0.305 \pm 0.016$.				

NODE=M071R77
 NODE=M071R77

NODE=M071R77;LINKAGE=UB

NODE=M071R77;LINKAGE=B3

WEIGHTED AVERAGE
 7.3±1.2 (Error scaled by 2.1)

 $\Gamma(b_1^\pm\pi^\mp)/\Gamma_{\text{total}}$ Γ_{43}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
4.0 ±0.6 OUR AVERAGE		Error includes scale factor of 1.1.		
5.1 ±0.6 ±0.8	202	ABLIKIM	07D BES2	$e^+e^- \rightarrow \psi(2S)$
4.18 ^{+0.43} _{-0.42} ±0.92	170	ADAM	05 CLEO	$e^+e^- \rightarrow \psi(2S)$
3.2 ±0.6 ±0.5	61 ± 11	^{1,2} BAI	03B BES	$\psi(2S) \rightarrow 2(\pi^+\pi^-)\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
5.2 ±0.8 ±1.0		¹ BAI	99C BES	Repl. by BAI 03B
¹ Assuming $B(b_1 \rightarrow \omega\pi)=1$.				
² Normalized to $B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-) = 0.305 \pm 0.016$.				

NODE=M071R40
 NODE=M071R40

NODE=M071R;LINKAGE=M1
 NODE=M071R40;LINKAGE=B3

 $\Gamma(\omega f_2(1270))/\Gamma_{\text{total}}$ Γ_{44}/Γ

VALUE (units 10^{-4})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
2.2 ±0.4 OUR AVERAGE					
2.3 ±0.5 ±0.4		57	ABLIKIM	07D BES2	$e^+e^- \rightarrow \psi(2S)$
2.05±0.41±0.38		62 ± 12	BAI	04C BES2	$\psi(2S) \rightarrow 2(\pi^+\pi^-)\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<1.5	90		¹ BAI	03B BES	$\psi(2S) \rightarrow 2(\pi^+\pi^-)\pi^0$
<1.7	90		BAI	98J BES	Repl. by BAI 03B
¹ Normalized to $B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-) = 0.305 \pm 0.016$.					

NODE=M071R64
 NODE=M071R64

NODE=M071R64;LINKAGE=B3

 $\Gamma(b_1^0\pi^0)/\Gamma_{\text{total}}$ Γ_{47}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
2.35^{+0.47}_{-0.42} ±0.40	45	ADAM	05 CLEO	$e^+e^- \rightarrow \psi(2S)$

NODE=M071R21
 NODE=M071R21

$\Gamma(\omega\eta)/\Gamma_{\text{total}}$ Γ_{48}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT
<1.1	90	ADAM	05 CLEO	$e^+e^- \rightarrow \psi(2S)$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<3.1	90	ABLIKIM	04K BES	$e^+e^- \rightarrow \psi(2S)$

NODE=M071R95
NODE=M071R95

$\Gamma(\omega\eta')/\Gamma_{\text{total}}$ Γ_{49}/Γ

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
$3.2^{+2.4}_{-2.0} \pm 0.7$	4	¹ ABLIKIM	04K BES	$e^+e^- \rightarrow \psi(2S)$

NODE=M071R91
NODE=M071R91

¹ Calculated combining $\eta' \rightarrow \gamma\rho$ and $\eta\pi^+\pi^-$ channels.

NODE=M071R91;LINKAGE=AI

$\Gamma(\phi\pi^0)/\Gamma_{\text{total}}$ Γ_{50}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT
<0.04	90	ABLIKIM	12L BES3	$e^+e^- \rightarrow \psi(2S)$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.7	90	ADAM	05 CLEO	$e^+e^- \rightarrow \psi(2S)$
<0.4	90	ABLIKIM	04K BES	$e^+e^- \rightarrow \psi(2S)$

NODE=M071R96
NODE=M071R96

$\Gamma(\phi\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{51}/Γ

VALUE (units 10^{-4})	EVTs	DOCUMENT ID	TECN	COMMENT
1.18 ± 0.26 OUR AVERAGE		Error includes scale factor of 1.5. See the ideogram below.		
$2.3 \pm 0.8 \pm 0.1$	19 ± 6	LEES	12F BABR	$10.6 e^+e^- \rightarrow \pi^+\pi^- K^+ K^- \gamma$
$0.9 \pm 0.2 \pm 0.1$	47.6	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow K^+ K^- \pi^+\pi^-$
$1.5 \pm 0.2 \pm 0.2$	51.5 ± 8.3	¹ BAI	03B BES	$\psi(2S) \rightarrow K^+ K^- \pi^+\pi^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$2.45 \pm 0.96 \pm 0.04$	10 ± 4	^{2,3} AUBERT	07AK BABR	$10.6 e^+e^- \rightarrow \pi^+\pi^- K^+ K^- \gamma$

NODE=M071R80
NODE=M071R80

¹ Normalized to $B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-) = 0.305 \pm 0.016$.


² Superseded by LEES 12F. AUBERT 07AK reports $[\Gamma(\psi(2S) \rightarrow \phi\pi^+\pi^-)/\Gamma_{\text{total}}] \times [\Gamma(\psi(2S) \rightarrow e^+e^-)] = (0.57 \pm 0.22 \pm 0.04) \times 10^{-3}$ keV which we divide by our best value $\Gamma(\psi(2S) \rightarrow e^+e^-) = 2.33 \pm 0.04$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

³ Using $B(\phi \rightarrow K^+K^-) = (49.3 \pm 0.6)\%$.

NODE=M071R80;LINKAGE=B3

NODE=M071R80;LINKAGE=BE

NODE=M071R80;LINKAGE=UB



$\Gamma(\phi f_0(980) \rightarrow \pi^+ \pi^-)/\Gamma_{\text{total}}$ Γ_{52}/Γ

VALUE (units 10^{-4})	EVTs	DOCUMENT ID	TECN	COMMENT
0.75$\pm$0.33 OUR AVERAGE		Error includes scale factor of 1.6.		
1.5 $\pm$ 0.5 $\pm$ 0.1	12 $\pm$ 4	LEES	12F BABR	10.6 $e^+e^- \rightarrow \pi^+\pi^-K^+K^-\gamma$
0.6 $\pm$ 0.2 $\pm$ 0.1	18.4 $\pm$ 6.4	¹ BAI	03B BES	$\psi(2S) \rightarrow K^+K^-\pi^+\pi^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1.46 $\pm$ 0.71 $\pm$ 0.02	6 $\pm$ 3	^{2,3} AUBERT	07AK BABR	10.6 $e^+e^- \rightarrow \pi^+\pi^-K^+K^-\gamma$

¹ Normalized to $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.305 \pm 0.016$.

² Superseded by LEES 12F. AUBERT 07AK reports $[\Gamma(\psi(2S) \rightarrow \phi f_0(980) \rightarrow \pi^+ \pi^-)/\Gamma_{\text{total}}] \times [\Gamma(\psi(2S) \rightarrow e^+e^-)] = (0.34 \pm 0.16 \pm 0.04) \times 10^{-3}$ keV which we divide by our best value $\Gamma(\psi(2S) \rightarrow e^+e^-) = 2.33 \pm 0.04$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

³ Using $B(\phi \rightarrow K^+K^-) = (49.3 \pm 0.6)\%$.

NODE=M071R83
NODE=M071R83

NODE=M071R83;LINKAGE=B3
NODE=M071R83;LINKAGE=BE

NODE=M071R83;LINKAGE=UB

 $\Gamma(\phi\eta)/\Gamma_{\text{total}}$ Γ_{53}/Γ

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
3.10$\pm$0.31 OUR AVERAGE				
3.14 $\pm$ 0.23 $\pm$ 0.23	0.2k	ABLIKIM	12L BES3	$e^+e^- \rightarrow \psi(2S)$
2.0 $^{+1.5}_{-1.1}$ $\pm$ 0.4	6	ADAM	05 CLEO	$e^+e^- \rightarrow \psi(2S)$
3.3 $\pm$ 1.1 $\pm$ 0.5	17	ABLIKIM	04K BES	$e^+e^- \rightarrow \psi(2S)$

NODE=M071R89
NODE=M071R89

 $\Gamma(\eta\phi(2170), \phi(2170) \rightarrow \phi f_0(980), f_0 \rightarrow \pi^+ \pi^-)/\Gamma_{\text{total}}$ Γ_{54}/Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<2.2 $\times 10^{-6}$	90	ABLIKIM	19I BES3	$e^+e^- \rightarrow \eta\phi f_0(980)$

NODE=M071P19
NODE=M071P19

 $\Gamma(\phi\eta')/\Gamma_{\text{total}}$ Γ_{55}/Γ

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
1.54$\pm$0.20 OUR AVERAGE				
1.51 $\pm$ 0.16 $\pm$ 0.12	201	ABLIKIM	19BA BES3	$e^+e^- \rightarrow \psi(2S)$
3.1 $\pm$ 1.4 $\pm$ 0.7	8	¹ ABLIKIM	04K BES	$e^+e^- \rightarrow \psi(2S)$

NODE=M071R90
NODE=M071R90

¹ Calculated combining $\eta' \rightarrow \gamma\rho$ and $\eta\pi^+\pi^-$ channels.

NODE=M071R;LINKAGE=AI

 $\Gamma(\phi\phi\phi)/\Gamma_{\text{total}}$ Γ_{56}/Γ

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
1.46$\pm$0.05$\pm$0.17	1.3k	¹ ABLIKIM	24O BES3	$e^+e^- \rightarrow \psi(2S)$

NODE=M071P60
NODE=M071P60

¹ Data at 3.773 GeV assumed to be $e^+e^- (3.773) \rightarrow 3\phi$ events yield an estimate for the continuum amplitude at the $\psi(2S)$. No interference between the $\psi(2S)$ and continuum amplitudes is assumed.

NODE=M071P60;LINKAGE=A

 $\Gamma(\phi f_1(1285))/\Gamma_{\text{total}}$ Γ_{57}/Γ

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
3.0$\pm$0.4$\pm$1.3	234	¹ ABLIKIM	19BA BES3	$e^+e^- \rightarrow \psi(2S)$

NODE=M071P22
NODE=M071P22

¹ ABLIKIM 19BA reports $[\Gamma(\psi(2S) \rightarrow \phi f_1(1285))/\Gamma_{\text{total}}] \times [B(f_1(1285) \rightarrow \eta\pi^+\pi^-)] = (1.03 \pm 0.10 \pm 0.09) \times 10^{-5}$ which we divide by our best value $B(f_1(1285) \rightarrow \eta\pi^+\pi^-) = (35 \pm 15) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=M071P22;LINKAGE=B

 $\Gamma(\phi\eta(1405) \rightarrow \phi\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{58}/Γ

VALUE (units 10^{-6})	EVTs	DOCUMENT ID	TECN	COMMENT
8.46$\pm$1.37$\pm$0.92	195	ABLIKIM	19BA BES3	$e^+e^- \rightarrow \psi(2S)$

NODE=M071P24
NODE=M071P24

 $\Gamma(\phi f'_2(1525))/\Gamma_{\text{total}}$ Γ_{59}/Γ

VALUE (units 10^{-4})	CL%	EVTs	DOCUMENT ID	TECN	COMMENT
0.44$\pm$0.12$\pm$0.11	20 $\pm$ 6	BAI	04C		$\psi(2S) \rightarrow 2(K^+K^-)$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.45	90	BAI	98J BES		$e^+e^- \rightarrow 2(K^+K^-)$

NODE=M071R67
NODE=M071R67

$\Gamma(K^+ K^-)/\Gamma_{\text{total}}$ Γ_{60}/Γ

VALUE (units 10^{-5})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
$7.48 \pm 0.23 \pm 0.39$		1.3k	¹ METREVELI	12	$\psi(2S) \rightarrow K^+ K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$6.2 \pm 1.5 \pm 0.2$		66	^{2,3} LEES	15J BABR	$e^+ e^- \rightarrow K^+ K^- \gamma$
$8.3 \pm 1.5 \pm 0.2$		66	^{3,4} LEES	15J BABR	$e^+ e^- \rightarrow K^+ K^- \gamma$
$6.3 \pm 0.6 \pm 0.3$			⁵ DOBBS	06A CLEO	$e^+ e^-$
10 ± 7			⁵ BRANDELIK	79C DASP	$e^+ e^-$
< 5	90		FELDMAN	77 MRK1	$e^+ e^-$

¹ Obtained by analyzing CLEO-c data but not authored by the CLEO Collaboration.² $\sin\phi > 0$.³ Using $\Gamma(\psi(2S) \rightarrow e^+ e^-) = (2.37 \pm 0.04) \text{ keV}$.⁴ $\sin\phi < 0$.⁵ Interference with non-resonant $K^+ K^-$ production not taken into account.NODE=M071R23
NODE=M071R23

OCCUR=2

NODE=M071R23;LINKAGE=ME
NODE=M071R23;LINKAGE=A
NODE=M071R23;LINKAGE=B
NODE=M071R23;LINKAGE=C
NODE=M071R23;LINKAGE=BA $\Gamma(K^+ K^- \pi^+ \pi^-)/\Gamma_{\text{total}}$ Γ_{61}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
7.3 ± 0.5 OUR AVERAGE				
$8.1 \pm 1.3 \pm 0.3$	133	LEES	12F BABR	$10.6 e^+ e^- \rightarrow \pi^+ \pi^- K^+ K^- \gamma$
$7.1 \pm 0.3 \pm 0.4$	817.2	BRIERE	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow K^+ K^- \pi^+ \pi^-$
16 ± 4		¹ TANENBAUM	78 MRK1	$e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$11.0 \pm 1.9 \pm 0.2$	85	² AUBERT	07AK BABR	$10.6 e^+ e^- \rightarrow \pi^+ \pi^- K^+ K^- \gamma$

¹ Assuming entirely strong decay.² Superseded by LEES 12F. AUBERT 07AK reports $[\Gamma(\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^-)/\Gamma_{\text{total}}] \times [\Gamma(\psi(2S) \rightarrow e^+ e^-)] = (2.56 \pm 0.42 \pm 0.16) \times 10^{-3} \text{ keV}$ which we divide by our best value $\Gamma(\psi(2S) \rightarrow e^+ e^-) = 2.33 \pm 0.04 \text{ keV}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.NODE=M071R24
NODE=M071R24NODE=M071R24;LINKAGE=K
NODE=M071R24;LINKAGE=BE $\Gamma(K^+ K^- \pi^0)/\Gamma_{\text{total}}$ Γ_{62}/Γ

VALUE (units 10^{-5})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
$4.07 \pm 0.16 \pm 0.26$		0.9k	ABLIKIM	12L BES3	$e^+ e^- \rightarrow \psi(2S)$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
< 8.9	90	1	FRANKLIN	83 MRK2	$e^+ e^- \rightarrow \text{hadrons}$

NODE=M071R38
NODE=M071R38 $\Gamma(K_S^0 K_S^0)/\Gamma_{\text{total}}$ Γ_{63}/Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
< 0.046	¹ BAI	04D BES	$e^+ e^-$

¹ Forbidden by CP.NODE=M071R88
NODE=M071R88

NODE=M071R;LINKAGE=BA

 $\Gamma(K_S^0 K_L^0)/\Gamma_{\text{total}}$ Γ_{64}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
5.34 ± 0.33 OUR AVERAGE				
$5.28 \pm 0.25 \pm 0.34$	478 ± 23	¹ METREVELI	12	$\psi(2S) \rightarrow K_S^0 K_L^0$
$5.8 \pm 0.8 \pm 0.4$		DOBBS	06A CLEO	$e^+ e^-$
$5.24 \pm 0.47 \pm 0.48$	156 ± 14	² BAI	04B BES2	$\psi(2S) \rightarrow K_S^0 K_L^0 \rightarrow \pi^+ \pi^- X$

¹ Obtained by analyzing CLEO-c data but not authored by the CLEO Collaboration.² Using $B(K_S^0 \rightarrow \pi^+ \pi^-) = 0.6860 \pm 0.0027$.NODE=M071R87
NODE=M071R87NODE=M071R87;LINKAGE=ME
NODE=M071R;LINKAGE=KZ $\Gamma(K^+ K^- \pi^+ \pi^- \pi^0)/\Gamma_{\text{total}}$ Γ_{70}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
12.6 ± 0.9 OUR AVERAGE				
$18.9 \pm 5.7 \pm 0.3$	32	¹ AUBERT	07AU BABR	$10.6 e^+ e^- \rightarrow K^+ K^- \pi^+ \pi^- \pi^0 \gamma$
$11.7 \pm 1.0 \pm 1.5$	597	ABLIKIM	06G BES2	$\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$
$12.7 \pm 0.5 \pm 1.0$	711.6	BRIERE	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

¹ AUBERT 07AU reports $[\Gamma(\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0)/\Gamma_{\text{total}}] \times [\Gamma(\psi(2S) \rightarrow e^+ e^-)] = (44 \pm 13 \pm 3) \times 10^{-4} \text{ keV}$ which we divide by our best value $\Gamma(\psi(2S) \rightarrow e^+ e^-) = 2.33 \pm 0.04 \text{ keV}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.NODE=M071S10
NODE=M071S10

NODE=M071S10;LINKAGE=UB

$\Gamma(\omega f_0(1710) \rightarrow \omega K^+ K^-)/\Gamma_{\text{total}}$ Γ_{71}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
$5.9 \pm 2.0 \pm 0.9$	19	ABLIKIM	06G BES2	$\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

NODE=M071S20
NODE=M071S20

 $\Gamma(K^*(892)^0 K^- \pi^+ \pi^0 + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{72}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
$8.6 \pm 1.3 \pm 1.8$	238	ABLIKIM	06G BES2	$\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

NODE=M071S21
NODE=M071S21

 $\Gamma(K^*(892)^+ K^- \pi^+ \pi^- + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{73}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
$9.6 \pm 2.2 \pm 1.7$	133	ABLIKIM	06G BES2	$\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

NODE=M071S22
NODE=M071S22

 $\Gamma(K^*(892)^+ K^- \rho^0 + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{74}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
$7.3 \pm 2.2 \pm 1.4$	78	ABLIKIM	06G BES2	$\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

NODE=M071S23
NODE=M071S23

 $\Gamma(K^*(892)^0 K^- \rho^+ + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{75}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
$6.1 \pm 1.3 \pm 1.2$	125	ABLIKIM	06G BES2	$\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

NODE=M071S24
NODE=M071S24

 $\Gamma(K_S^0 K_S^0 \pi^+ \pi^-)/\Gamma_{\text{total}}$ Γ_{76}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
$2.20 \pm 0.25 \pm 0.37$	83 ± 9	ABLIKIM	050 BES2	$e^+ e^- \rightarrow \psi(2S)$

NODE=M071R49
NODE=M071R49

 $\Gamma(K^+ K^- \rho^0)/\Gamma_{\text{total}}$ Γ_{84}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
$2.2 \pm 0.2 \pm 0.4$	223.8	BRIERE	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow K^+ K^- \pi^+ \pi^-$

NODE=M071S09
NODE=M071S09

 $\Gamma(K^*(892)^0 \bar{K}_2^*(1430)^0)/\Gamma_{\text{total}}$ Γ_{85}/Γ

VALUE (units 10^{-4})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
$1.86 \pm 0.32 \pm 0.43$	93 ± 16	BAI	04C		$\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
< 1.2	90	BAI	98J BES		$e^+ e^-$

NODE=M071R66
NODE=M071R66

 $\Gamma(K^+ K^- \pi^+ \pi^- \eta)/\Gamma_{\text{total}}$ Γ_{86}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
$1.3 \pm 0.7 \pm 0.1$	7	¹ AUBERT 07AU BABR	10.6	$e^+ e^- \rightarrow K^+ K^- \pi^+ \pi^- \eta \gamma$
¹ AUBERT 07AU quotes $\Gamma_{ee}^{\psi(2S)} \cdot B(\psi(2S) \rightarrow 2(\pi^+ \pi^- \eta)) \cdot B(\eta \rightarrow \gamma \gamma) = 1.2 \pm 0.7 \pm 0.1 \text{ eV}$.				

NODE=M071S39
NODE=M071S39

NODE=M071S39;LINKAGE=UB

 $\Gamma(K^+ K^- 2(\pi^+ \pi^-) \pi^0)/\Gamma_{\text{total}}$ Γ_{88}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
$10.0 \pm 2.5 \pm 1.8$	65	ABLIKIM	07D BES2	$e^+ e^- \rightarrow \psi(2S)$

NODE=M071R09
NODE=M071R09

 $\Gamma(K^+ K^*(892)^- + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{89}/Γ

VALUE (units 10^{-5})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
2.9 ± 0.4	OUR AVERAGE Error includes scale factor of 1.2.				
$3.18 \pm 0.30^{+0.26}_{-0.31}$	0.2k	ABLIKIM	12L BES3		$e^+ e^- \rightarrow \psi(2S)$
$2.9^{+1.3}_{-1.7} \pm 0.4$	9.6 ± 4.2	ABLIKIM	05I BES2		$e^+ e^- \rightarrow \psi(2S)$
$1.3^{+1.0}_{-0.7} \pm 0.3$	7	ADAM	05 CLEO		$e^+ e^- \rightarrow \psi(2S)$

NODE=M071R39
NODE=M071R39

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 5.4	90	FRANKLIN	83 MRK2		$e^+ e^- \rightarrow \text{hadrons}$
---------	----	----------	---------	--	--------------------------------------

$\Gamma(2(K^+ K^-))/\Gamma_{\text{total}}$ VALUE (units 10^{-4}) EVTS**0.63±0.13 OUR AVERAGE**

0.9 ±0.4 ±0.1 13

0.6 ±0.1 ±0.1 59.2

DOCUMENT ID

TECN

COMMENT

LEES

12F

BABR

10.6 $e^+e^- \rightarrow$ $2(K^+ K^-)\gamma$ $e^+e^- \rightarrow \psi(2S) \rightarrow$ $2(K^+ K^-)$ Γ_{90}/Γ NODE=M071S12
NODE=M071S12 $\Gamma(2(K^+ K^-)\pi^0)/\Gamma_{\text{total}}$ VALUE (units 10^{-4}) EVTS**1.1±0.2±0.2**

44.7

DOCUMENT ID

TECN

COMMENT

BRIERE

05

CLEO

 $e^+e^- \rightarrow \psi(2S) \rightarrow$ $2(K^+ K^-)\pi^0$ Γ_{91}/Γ NODE=M071S13
NODE=M071S13 $\Gamma(K^+ K^- \phi)/\Gamma_{\text{total}}$ VALUE (units 10^{-4}) EVTS**0.70±0.16 OUR AVERAGE**

0.8 ±0.2 ±0.1 36.8

0.6 ±0.2 ±0.1 16.1 ± 5.0

DOCUMENT ID

TECN

COMMENT

BRIERE

05

CLEO

 $e^+e^- \rightarrow \psi(2S) \rightarrow$ $2(K^+ K^-)$ $\psi(2S) \rightarrow 2(K^+ K^-)$ ¹ Normalized to $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.305 \pm 0.016$. Γ_{92}/Γ NODE=M071R81
NODE=M071R81 $\Gamma(K_S^0 K_S^0 \phi)/\Gamma_{\text{total}}$ VALUE (units 10^{-4}) EVTS**0.353±0.020±0.021**

687

DOCUMENT ID

TECN

COMMENT

¹ ABLIKIM

23BA

BES3

 $e^+e^- \rightarrow \psi(2S) \rightarrow$ $K_S^0 K_S^0 K^+ K^-$ Γ_{93}/Γ NODE=M071P53
NODE=M071P53¹ Solution with a constructive interference of the signal with the continuum background.

NODE=M071P53;LINKAGE=A

 $\Gamma(K_1(1270)^\pm K^\mp)/\Gamma_{\text{total}}$ VALUE (units 10^{-4})**10.0±1.8±2.1**

DOCUMENT ID

TECN

COMMENT

¹ BAI

99C

BES

 e^+e^- Γ_{94}/Γ NODE=M071R41
NODE=M071R41¹ Assuming $B(K_1(1270) \rightarrow K \rho) = 0.42 \pm 0.06$

NODE=M071R;LINKAGE=M2

 $\Gamma(K^+ \bar{K}^*(892)^0 \pi^- + \text{c.c.})/\Gamma_{\text{total}}$ VALUE (units 10^{-4})**6.7±2.5**

DOCUMENT ID

TECN

COMMENT

TANENBAUM

78

MRK1

 e^+e^- Γ_{95}/Γ NODE=M071R34
NODE=M071R34 $\Gamma(\eta K^+ K^- , \text{no } \eta \phi)/\Gamma_{\text{total}}$ VALUE (units 10^{-5}) CL% EVTS**3.49±0.09±0.15**

1.8k

DOCUMENT ID

TECN

COMMENT

¹ ABLIKIM

20F

BES3

 $\psi(2S) \rightarrow K^+ K^- \gamma \gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

3.08±0.29±0.25

0.3k

^{1,2} ABLIKIM

12L

BES3

 $\psi(2S) \rightarrow K^+ K^- \gamma \gamma$

<13

90

BRIERE

05

CLEO

 $e^+e^- \rightarrow \psi(2S) \rightarrow$ $K^+ K^- \pi^+ \pi^- \pi^0$ Γ_{96}/Γ NODE=M071S11
NODE=M071S11¹ Excluding $\eta \phi$.² Superseded by ABLIKIM 20F.NODE=M071S11;LINKAGE=AB
NODE=M071S11;LINKAGE=A $\Gamma(\eta K^+ K^-) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$

VALUE (eV) CL%

<0.6

90

DOCUMENT ID

TECN

COMMENT

¹ LEES

23

BABR

 $e^+e^- \rightarrow \gamma_{ISR} \text{ hadrons}$ $\Gamma_{97}\Gamma_7/\Gamma$ NODE=M071P57
NODE=M071P57¹ LEES 23 reports $[\Gamma(\psi(2S) \rightarrow \eta K^+ K^-) \times \Gamma(\psi(2S) \rightarrow e^+ e^-)/\Gamma_{\text{total}}] \times [B(\eta \rightarrow 3\pi^0)] < 0.2 \text{ eV}$ which we divide by our best value $B(\eta \rightarrow 3\pi^0) = 32.56 \times 10^{-2}$.

NODE=M071P57;LINKAGE=A

 $\Gamma(X(1750)\eta \rightarrow K^+ K^- \eta)/\Gamma_{\text{total}}$ VALUE (units 10^{-6})**4.8±1.0±2.6**

DOCUMENT ID

TECN

COMMENT

ABLIKIM

20F

BES3

 $\psi(2S) \rightarrow K^+ K^- \eta$ Γ_{98}/Γ NODE=M071P28
NODE=M071P28 $\Gamma(K_1(1400)^\pm K^\mp)/\Gamma_{\text{total}}$ VALUE (units 10^{-4}) CL%

<3.1

90

DOCUMENT ID

TECN

COMMENT

¹ BAI

99C

BES

 e^+e^- Γ_{99}/Γ NODE=M071R45
NODE=M071R45¹ Assuming $B(K_1(1400) \rightarrow K^* \pi) = 0.94 \pm 0.06$

NODE=M071R;LINKAGE=M3

$\Gamma(K_2^*(1430)^\pm K^\mp)/\Gamma_{\text{total}}$ Γ_{100}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
$7.12 \pm 0.62^{+1.13}_{-0.61}$	251 ± 22	ABLIKIM	12L BES3	$e^+ e^- \rightarrow \psi(2S)$

NODE=M071S54
 NODE=M071S54

 $\Gamma(K^*(892)^0 \bar{K}^0 + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{101}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
10.9 ± 2.0 OUR AVERAGE				
$13.3^{+2.4}_{-2.8} \pm 1.7$	65.6 ± 9.0	ABLIKIM	05I BES2	$e^+ e^- \rightarrow \psi(2S)$
$9.2^{+2.7}_{-2.2} \pm 0.9$	25	ADAM	05 CLEO	$e^+ e^- \rightarrow \psi(2S)$

NODE=M071R30
 NODE=M071R30

 $\Gamma(K^+ K^*(892)^- + \text{c.c.})/\Gamma(K^*(892)^0 \bar{K}^0 + \text{c.c.})$ Γ_{89}/Γ_{101}

VALUE	DOCUMENT ID	TECN	COMMENT
0.16 ± 0.06 OUR AVERAGE			
$0.22^{+0.10}_{-0.14}$	ABLIKIM	05I BES2	$e^+ e^- \rightarrow \psi(2S)$
$0.14^{+0.08}_{-0.06}$	ADAM	05 CLEO	$e^+ e^- \rightarrow \psi(2S)$

NODE=M071R46
 NODE=M071R46

 $\Gamma(\omega K^+ K^-)/\Gamma_{\text{total}}$ Γ_{102}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
1.62 ± 0.11 OUR AVERAGE				Error includes scale factor of 1.1.
$1.56 \pm 0.04 \pm 0.11$	2.8k	ABLIKIM	14G BES3	$\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$
$2.38 \pm 0.37 \pm 0.29$	78	ABLIKIM	06G BES2	$\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$
$1.9 \pm 0.3 \pm 0.3$	76.8	BRIERE	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow$ $K^+ K^- \pi^+ \pi^- \pi^0$
$1.5 \pm 0.3 \pm 0.2$	23	¹ BAI	03B BES	$\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

¹ Normalized to $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.305 \pm 0.016$.

NODE=M071R78
 NODE=M071R78

NODE=M071R78;LINKAGE=B3

 $\Gamma(\omega K_S^0 K_S^0)/\Gamma_{\text{total}}$ Γ_{103}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
7.04 ± 0.39 ± 0.36	1.5k	ABLIKIM	21AL BES3	$\psi(2S) \rightarrow \pi^+ \pi^- \pi^0 K_S^0 K_S^0$

NODE=M071P34
 NODE=M071P34

 $\Gamma(\omega K^*(892)^+ K^- + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{104}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
20.7 ± 2.6 OUR AVERAGE				
$18.9 \pm 2.9 \pm 2.2$	396	ABLIKIM	13M BES3	$\psi(2S) \rightarrow \omega K_S^0 K^- \pi^+$
$22.6 \pm 3.0 \pm 2.4$	535	ABLIKIM	13M BES3	$\psi(2S) \rightarrow \omega K^+ K^- \pi^0$

NODE=M071S67
 NODE=M071S67

OCCUR=2

 $\Gamma(\omega K_2^*(1430)^+ K^- + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{105}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
6.1 ± 1.2 OUR AVERAGE				
$6.39 \pm 1.50 \pm 0.78$	128	ABLIKIM	13M BES3	$\psi(2S) \rightarrow \omega K_S^0 K^- \pi^+$
$5.86 \pm 1.61 \pm 0.83$	143	ABLIKIM	13M BES3	$\psi(2S) \rightarrow \omega K^+ K^- \pi^0$

NODE=M071S68
 NODE=M071S68

OCCUR=2

 $\Gamma(\omega \bar{K}^*(892)^0 K^0)/\Gamma_{\text{total}}$ Γ_{106}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
16.8 ± 2.5 ± 1.6	356	ABLIKIM	13M BES3	$\psi(2S) \rightarrow \omega K_S^0 K^- \pi^+$

NODE=M071S69
 NODE=M071S69

 $\Gamma(\omega \bar{K}_2^*(1430)^0 K^0)/\Gamma_{\text{total}}$ Γ_{107}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
5.82 ± 2.08 ± 0.72	116	ABLIKIM	13M BES3	$\psi(2S) \rightarrow \omega K_S^0 K^- \pi^+$

NODE=M071S70
 NODE=M071S70

 $\Gamma(\omega X(1440) \rightarrow \omega K_S^0 K^- \pi^+ + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{108}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
1.60 ± 0.27 ± 0.24	109	¹ ABLIKIM	13M BES3	$\psi(2S) \rightarrow \omega K_S^0 K^- \pi^+$

¹ $X(1440)$ compatible with $\eta(1405)$ and $\eta(1475)$. A $f_1(1420)$ is also possible.

NODE=M071S71
 NODE=M071S71

NODE=M071S71;LINKAGE=AB

 $\Gamma(\omega X(1440) \rightarrow \omega K^+ K^- \pi^0)/\Gamma_{\text{total}}$ Γ_{109}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
1.09 ± 0.20 ± 0.16	82	¹ ABLIKIM	13M BES3	$\psi(2S) \rightarrow \omega K^+ K^- \pi^0$

¹ $X(1440)$ compatible with $\eta(1405)$ and $\eta(1475)$. A $f_1(1420)$ is also possible.

NODE=M071S72
 NODE=M071S72

NODE=M071S72;LINKAGE=AB

$$\Gamma(\omega f_1(1285) \rightarrow \omega K_S^0 K^- \pi^+ + \text{c.c.})/\Gamma_{\text{total}} \quad \Gamma_{110}/\Gamma$$

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
0.302±0.098±0.027	22	¹ ABLIKIM	13M BES3	$\psi(2S) \rightarrow \omega K_S^0 K^- \pi^+$

¹ Statistical significance 4.5 σ . This measurement is equivalent to a limit of $< 0.478 \times 10^{-5}$ at 90% C.L.

NODE=M071S73
NODE=M071S73

NODE=M071S73;LINKAGE=AB

$$\Gamma(\omega f_1(1285) \rightarrow \omega K^+ K^- \pi^0)/\Gamma_{\text{total}} \quad \Gamma_{111}/\Gamma$$

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
0.125±0.070±0.013	10	¹ ABLIKIM	13M BES3	$\psi(2S) \rightarrow \omega K^+ K^- \pi^0$

¹ Statistical significance 3.2 σ . This measurement is equivalent to a limit of $< 0.221 \times 10^{-5}$ at 90% C.L.

NODE=M071S74
NODE=M071S74

NODE=M071S74;LINKAGE=AB

$$\Gamma(p\bar{p})/\Gamma_{\text{total}} \quad \Gamma_{112}/\Gamma$$

VALUE (units 10^{-4})	EVTs	DOCUMENT ID	TECN	COMMENT
2.94±0.09 OUR FIT		Error includes scale factor of 1.3.		
3.02±0.08 OUR AVERAGE				

3.05±0.02±0.12	19k	ABLIKIM	18T BES3	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}$
3.08±0.05±0.18	4.5k	¹ DOBBS	14	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}$
3.36±0.09±0.25	1.6k	ABLIKIM	07C BES	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}$
2.87±0.12±0.15	557	PEDLAR	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}$
1.4 ±0.8	4	BRANDELIK	79C DASP	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}$
2.3 ±0.7		FELDMAN	77 MRK1	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}$

¹ Using CLEO-c data but not authored by the CLEO Collaboration.

NODE=M071R25
NODE=M071R25

NODE=M071R25;LINKAGE=A

$$\Gamma(p\bar{p})/\Gamma(J/\psi(1S)\pi^+\pi^-) \quad \Gamma_{112}/\Gamma_{12}$$

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
8.49±0.28 OUR FIT	Error includes scale factor of 1.3.		
6.98±0.49±0.97	BAI	01 BES	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}$

NODE=M071S40
NODE=M071S40

$$\Gamma(n\bar{n})/\Gamma_{\text{total}} \quad \Gamma_{113}/\Gamma$$

VALUE (units 10^{-4})	EVTs	DOCUMENT ID	TECN	COMMENT
3.06±0.06±0.14	6k	ABLIKIM	18T BES3	$e^+e^- \rightarrow \psi(2S) \rightarrow n\bar{n}$

NODE=M071P10
NODE=M071P10

$$\Gamma(p\bar{p}\pi^0)/\Gamma_{\text{total}} \quad \Gamma_{114}/\Gamma$$

VALUE (units 10^{-4})	EVTs	DOCUMENT ID	TECN	COMMENT
1.53±0.07 OUR AVERAGE				

1.65±0.03±0.15	4.5k	ABLIKIM	13A BES3	$\psi(2S) \rightarrow p\bar{p}\pi^0$
1.54±0.06±0.06	948	ALEXANDER	10 CLEO	$\psi(2S) \rightarrow \pi^0 p\bar{p}$
1.32±0.10±0.15	256	¹ ABLIKIM	05E BES2	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}\gamma\gamma$
1.4 ±0.5	9	FRANKLIN	83 MRK2	e^+e^-

¹ Computed using $B(\pi^0 \rightarrow \gamma\gamma) = (98.80 \pm 0.03)\%$.

NODE=M071R35
NODE=M071R35

NODE=M071R35;LINKAGE=AB

$$\Gamma(N(940)\bar{p} + \text{c.c.} \rightarrow p\bar{p}\pi^0)/\Gamma_{\text{total}} \quad \Gamma_{115}/\Gamma$$

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
6.42±0.20^{+1.78}_{-1.28}	1.9k	¹ ABLIKIM	13A BES3	$\psi(2S) \rightarrow p\bar{p}\pi^0$

¹ From a fit of $\pi^0 p\bar{p}$ data to eight distinct intermediate $N\bar{p}$ resonant states.

NODE=M071S56
NODE=M071S56

NODE=M071S56;LINKAGE=AB

$$\Gamma(N(1440)\bar{p} + \text{c.c.} \rightarrow p\bar{p}\pi^0)/\Gamma_{\text{total}} \quad \Gamma_{116}/\Gamma$$

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
7.3 ^{+1.7}_{-1.5} OUR AVERAGE		Error includes scale factor of 2.5.		

3.58±0.25 ^{+1.59} _{-0.84}	1.1k	¹ ABLIKIM	13A BES3	$\psi(2S) \rightarrow p\bar{p}\pi^0$
8.1 ±0.7 ±0.3	474	² ALEXANDER	10 CLEO	$\psi(2S) \rightarrow \pi^0 p\bar{p}$

¹ From a fit of $\pi^0 p\bar{p}$ data to eight distinct intermediate $N\bar{p}$ resonant states.

² From a fit of the $p\bar{p}$ and $p\pi^0$ mass distributions to a combination of $N(1440)\bar{p}$, a broad $p\bar{p}$ enhancement around 2100 MeV, and two other broad, unestablished resonances.

NODE=M071S50
NODE=M071S50

NODE=M071S50;LINKAGE=AB
NODE=M071S50;LINKAGE=AL

$$\Gamma(N(1520)\bar{p} + \text{c.c.} \rightarrow p\bar{p}\pi^0)/\Gamma_{\text{total}} \quad \Gamma_{117}/\Gamma$$

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
0.64±0.05^{+0.22}_{-0.17}	0.2k	¹ ABLIKIM	13A BES3	$\psi(2S) \rightarrow p\bar{p}\pi^0$

¹ From a fit of $\pi^0 p\bar{p}$ data to eight distinct intermediate $N\bar{p}$ resonant states.

NODE=M071S57
NODE=M071S57

NODE=M071S57;LINKAGE=AB

$\Gamma(N(1535)\bar{p} + c.c. \rightarrow p\bar{p}\pi^0)/\Gamma_{\text{total}}$ Γ_{118}/Γ

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
$2.47 \pm 0.28^{+0.99}_{-0.97}$	0.7k	¹ ABLIKIM	13A BES3	$\psi(2S) \rightarrow p\bar{p}\pi^0$

¹ From a fit of $\pi^0 p\bar{p}$ data to eight distinct intermediate $N\bar{p}$ resonant states.NODE=M071S58
NODE=M071S58

NODE=M071S58;LINKAGE=AB

 $\Gamma(N(1650)\bar{p} + c.c. \rightarrow p\bar{p}\pi^0)/\Gamma_{\text{total}}$ Γ_{119}/Γ

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
$3.76 \pm 0.28^{+1.37}_{-1.66}$	1.1k	¹ ABLIKIM	13A BES3	$\psi(2S) \rightarrow p\bar{p}\pi^0$

¹ From a fit of $\pi^0 p\bar{p}$ data to eight distinct intermediate $N\bar{p}$ resonant states.NODE=M071S59
NODE=M071S59

NODE=M071S59;LINKAGE=AB

 $\Gamma(N(1720)\bar{p} + c.c. \rightarrow p\bar{p}\pi^0)/\Gamma_{\text{total}}$ Γ_{120}/Γ

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
$1.79 \pm 0.10^{+0.24}_{-0.71}$	0.5k	¹ ABLIKIM	13A BES3	$\psi(2S) \rightarrow p\bar{p}\pi^0$

¹ From a fit of $\pi^0 p\bar{p}$ data to eight distinct intermediate $N\bar{p}$ resonant states.NODE=M071S60
NODE=M071S60

NODE=M071S60;LINKAGE=AB

 $\Gamma(N(2300)\bar{p} + c.c. \rightarrow p\bar{p}\pi^0)/\Gamma_{\text{total}}$ Γ_{121}/Γ

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
$2.62 \pm 0.28^{+1.12}_{-0.64}$	0.9k	¹ ABLIKIM	13A BES3	$\psi(2S) \rightarrow p\bar{p}\pi^0$

¹ From a fit of $\pi^0 p\bar{p}$ data to eight distinct intermediate $N\bar{p}$ resonant states.NODE=M071S61
NODE=M071S61

NODE=M071S61;LINKAGE=AB

 $\Gamma(N(2570)\bar{p} + c.c. \rightarrow p\bar{p}\pi^0)/\Gamma_{\text{total}}$ Γ_{122}/Γ

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
$2.13 \pm 0.08^{+0.40}_{-0.30}$	0.8k	¹ ABLIKIM	13A BES3	$\psi(2S) \rightarrow p\bar{p}\pi^0$

¹ From a fit of $\pi^0 p\bar{p}$ data to eight distinct intermediate $N\bar{p}$ resonant states.NODE=M071S62
NODE=M071S62

NODE=M071S62;LINKAGE=AB

 $\Gamma(p\bar{p}\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{123}/Γ

VALUE (units 10^{-4})	EVTs	DOCUMENT ID	TECN	COMMENT
6.0 ± 0.4 OUR AVERAGE				
$5.9 \pm 0.2 \pm 0.4$	904.5	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}\pi^+\pi^-$
8 ± 2		¹ TANENBAUM	78 MRK1	e^+e^-

¹ Assuming entirely strong decay.NODE=M071R31
NODE=M071R31

NODE=M071R;LINKAGE=K

 $\Gamma(p\bar{p}K^+K^-)/\Gamma_{\text{total}}$ Γ_{124}/Γ

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
2.7 ± 0.6 ± 0.4	30.1	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}K^+K^-$

NODE=M071S16
NODE=M071S16 $\Gamma(p\bar{p}\eta)/\Gamma_{\text{total}}$ Γ_{125}/Γ

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
6.0 ± 0.4 OUR AVERAGE				
$6.4 \pm 0.2 \pm 0.6$	679	¹ ABLIKIM	13S BES3	$\psi(2S) \rightarrow \eta p\bar{p}$
$5.6 \pm 0.6 \pm 0.3$	154	¹ ALEXANDER	10 CLEO	$\psi(2S) \rightarrow \eta p\bar{p}$
$5.8 \pm 1.1 \pm 0.7$	44.8 ± 8.5	² ABLIKIM	05E BES2	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}\gamma\gamma$
$8 \pm 3 \pm 3$	9.8	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}\pi^+\pi^-\pi^0$

¹ With $N(1535)$ decaying to $p\eta$.² Computed using $B(\eta \rightarrow \gamma\gamma) = (39.43 \pm 0.26)\%$.NODE=M071R56
NODE=M071R56NODE=M071R56;LINKAGE=A
NODE=M071R56;LINKAGE=AB $\Gamma(N(1535)\bar{p} + c.c. \rightarrow p\bar{p}\eta)/\Gamma_{\text{total}}$ Γ_{126}/Γ

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
4.5 ± 0.7 OUR AVERAGE				
$5.2 \pm 0.3^{+3.2}_{-1.2}$	527	¹ ABLIKIM	13S BES3	$\psi(2S) \rightarrow \eta p\bar{p}$
$4.4 \pm 0.6 \pm 0.3$	123	² ALEXANDER	10 CLEO	$\psi(2S) \rightarrow \eta p\bar{p}$

¹ With $N(1535)$ decaying to $p\eta$.² From a fit of the $p\bar{p}$ and $p\eta$ distributions to a combination of $N^*(1535)\bar{p}$ and a broad $p\bar{p}$ enhancement around 2100 MeV.NODE=M071S53
NODE=M071S53NODE=M071S53;LINKAGE=A
NODE=M071S53;LINKAGE=AL

$\Gamma(p\bar{p}\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$ Γ_{127}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
$7.3 \pm 0.4 \pm 0.6$	434.9	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}\pi^+\pi^-\pi^0$

NODE=M071S15
 NODE=M071S15

 $\Gamma(p\bar{p}\rho^0)/\Gamma_{\text{total}}$ Γ_{128}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
$0.5 \pm 0.1 \pm 0.2$	61.1	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}\pi^+\pi^-$

NODE=M071S14
 NODE=M071S14

 $\Gamma(p\bar{p}\omega)/\Gamma_{\text{total}}$ Γ_{129}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
0.69 ± 0.21 OUR AVERAGE				
0.6 ± 0.2 ± 0.2	21.2	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}\pi^+\pi^-\pi^0$
0.8 ± 0.3 ± 0.1	14.9 ± 0.1	¹ BAI	03B BES	$\psi(2S) \rightarrow p\bar{p}\pi^+\pi^-\pi^0$

¹ Normalized to $B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-) = 0.305 \pm 0.016$.

NODE=M071R79
 NODE=M071R79

NODE=M071R;LINKAGE=B3

 $\Gamma(p\bar{p}\eta')/\Gamma_{\text{total}}$ Γ_{130}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
$1.10 \pm 0.10 \pm 0.08$	491	¹ ABLIKIM	19N BES3	$\psi(2S) \rightarrow \eta' p\bar{p}$

¹ From the combination of $p\bar{p}\eta' \rightarrow p\bar{p}\pi^+\pi^-\eta$ and $p\bar{p}\eta' \rightarrow p\bar{p}\pi^+\pi^-\gamma$ channels.

NODE=M071P20
 NODE=M071P20

NODE=M071P20;LINKAGE=A

 $\Gamma(p\bar{p}\phi)/\Gamma_{\text{total}}$ Γ_{131}/Γ

VALUE (units 10^{-6})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
$6.06 \pm 0.38 \pm 0.48$		753	ABLIKIM	19AO BES3	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}K^+K^-$

NODE=M071R82
 NODE=M071R82

• • • We do not use the following data for averages, fits, limits, etc. • • •

<24	90	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}K^+K^-$
<26	90	¹ BAI	03B BES	$\psi(2S) \rightarrow K^+K^-p\bar{p}$

¹ Normalized to $B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-) = 0.305 \pm 0.016$.

NODE=M071R82;LINKAGE=B3

 $\Gamma(\phi X(1835) \rightarrow p\bar{p}\phi)/\Gamma_{\text{total}}$ Γ_{132}/Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
$<1.82 \times 10^{-7}$	90	ABLIKIM	19AO BES3	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}K^+K^-$

NODE=M071P21
 NODE=M071P21

 $\Gamma(p\bar{n}\pi^- \text{ or c.c. })/\Gamma_{\text{total}}$ Γ_{133}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
2.48 ± 0.17 OUR AVERAGE				
2.45 $\pm 0.11 \pm 0.21$	851	ABLIKIM	06I BES2	$e^+e^- \rightarrow p\pi^- X$
2.52 $\pm 0.12 \pm 0.22$	849	ABLIKIM	06I BES2	$e^+e^- \rightarrow \bar{p}\pi^+ X$

NODE=M071R01
 NODE=M071R01

OCCUR=2

 $\Gamma(p\bar{n}\pi^-\pi^0)/\Gamma_{\text{total}}$ Γ_{134}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
$3.18 \pm 0.50 \pm 0.50$	135 ± 21	ABLIKIM	06I BES2	$e^+e^- \rightarrow p\pi^-\pi^0 X$

NODE=M071R02
 NODE=M071R02

 $\Gamma(\Lambda\bar{\Lambda})/\Gamma_{\text{total}}$ Γ_{135}/Γ

VALUE (units 10^{-4})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
3.81 ± 0.13 OUR AVERAGE					Error includes scale factor of 1.4. See the ideogram below.
3.97 $\pm 0.02 \pm 0.12$	31k	ABLIKIM	17L BES3		$e^+e^- \rightarrow \Lambda\bar{\Lambda}$
3.71 $\pm 0.05 \pm 0.15$	6.5k	¹ DOBBS	17		$e^+e^- \rightarrow \Lambda\bar{\Lambda}$
3.39 $\pm 0.20 \pm 0.32$	337	ABLIKIM	07C BES		$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
6.4 $\pm 1.8 \pm 0.1$		² AUBERT	07BD BABR		10.6 $e^+e^- \rightarrow \Lambda\bar{\Lambda}\gamma$
3.28 $\pm 0.23 \pm 0.25$	208	PEDLAR	05 CLEO		$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
3.75 $\pm 0.09 \pm 0.23$	1.9k	^{1,3} DOBBS	14		$e^+e^- \rightarrow \Lambda\bar{\Lambda}$
1.81 $\pm 0.20 \pm 0.27$	80	⁴ BAI	01 BES		$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
< 4	90	FELDMAN	77 MRK1		$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

NODE=M071R28
 NODE=M071R28

¹ Using CLEO-c data but not authored by the CLEO Collaboration.


² AUBERT 07BD reports $[\Gamma(\psi(2S) \rightarrow \Lambda \bar{\Lambda})/\Gamma_{\text{total}}] \times [\Gamma(\psi(2S) \rightarrow e^+ e^-)] = (15 \pm 4 \pm 1) \times 10^{-4}$ keV which we divide by our best value $\Gamma(\psi(2S) \rightarrow e^+ e^-) = 2.33 \pm 0.04$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

³ Superseded by DOBBS 17.

⁴ Estimated using $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.310 \pm 0.028$.

NODE=M071R28;LINKAGE=A
NODE=M071R28;LINKAGE=AU

NODE=M071R28;LINKAGE=B
NODE=M071R28;LINKAGE=PP



$\Gamma(\Lambda \bar{\Lambda} \pi^0)/\Gamma_{\text{total}}$ Γ_{136}/Γ

VALUE (units 10^{-6})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
1.42±0.39±0.59		23	¹ ABLIKIM 22AP	BES3	$\psi(2S) \rightarrow p \bar{p} \pi^+ \pi^- \gamma \gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
< 2.9	90		² ABLIKIM 13F	BES3	$\psi(2S) \rightarrow p \bar{p} \pi^+ \pi^- \gamma \gamma$
<120	90		³ ABLIKIM 07H	BES2	$e^+ e^- \rightarrow \psi(2S)$

¹ With a significance of 3.7 σ . The corresponding 90% CL upper limit is 2.47×10^{-6} .

² Using $B(\Lambda \rightarrow \pi^- p) = 63.9\%$ and $B(\pi^0 \rightarrow \gamma \gamma) = 98.8\%$.

³ Using $B(\Lambda \rightarrow \pi^- p) = 63.9\%$ and $B(\eta \rightarrow \gamma \gamma) = 39.4\%$.

NODE=M071R6
NODE=M071R6

NODE=M071R6;LINKAGE=A
NODE=M071R6;LINKAGE=AL
NODE=M071R6;LINKAGE=AB

$\Gamma(\Lambda \bar{\Lambda} \eta)/\Gamma_{\text{total}}$ Γ_{137}/Γ

VALUE (units 10^{-5})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
2.43±0.32 OUR AVERAGE					
2.34±0.18±0.52		218	ABLIKIM 22AP	BES3	$\psi(2S) \rightarrow p \bar{p} \pi^+ \pi^- \gamma \gamma$
2.48±0.34±0.19		60	¹ ABLIKIM 13F	BES3	$\psi(2S) \rightarrow p \bar{p} \pi^+ \pi^- \gamma \gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<4.9	90		² ABLIKIM 07H	BES2	$e^+ e^- \rightarrow \psi(2S)$

¹ Using $B(\Lambda \rightarrow \pi^- p) = 63.9\%$ and $B(\eta \rightarrow \gamma \gamma) = 39.31\%$.

² Using $B(\Lambda \rightarrow \pi^- p) = 63.9\%$.

NODE=M071R7
NODE=M071R7

NODE=M071R7;LINKAGE=AL
NODE=M071R7;LINKAGE=AB

$\Gamma(\Lambda \bar{\Lambda} \eta')/\Gamma_{\text{total}}$ Γ_{139}/Γ

VALUE (units 10^{-6})	EVTS	DOCUMENT ID	TECN	COMMENT
7.34±0.94±0.43	218	ABLIKIM 23BV	BES3	$\psi(2S) \rightarrow p \bar{p} 2(\pi^+ \pi^-) \gamma(\gamma)$

NODE=M071P52
NODE=M071P52

$\Gamma(\Lambda \bar{\Lambda} \omega(782))/\Gamma_{\text{total}}$ Γ_{140}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
3.30±0.34±0.29	207	¹ ABLIKIM 22AZ	BES3	$e^+ e^- \rightarrow \psi(2S)$

¹ Using $B(\Lambda \rightarrow \pi^- p) = 0.639$ and $B(\omega \rightarrow \pi^+ \pi^- \pi^0) = 0.893$.

NODE=M071P46
NODE=M071P46

OCCUR=2

NODE=M071P46;LINKAGE=B

$\Gamma(\Lambda(1670) \bar{\Lambda} \rightarrow \Lambda \bar{\Lambda} \eta)/\Gamma_{\text{total}}$ Γ_{138}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
1.29±0.31±0.62	116	¹ ABLIKIM 22AP	BES3	$\psi(2S) \rightarrow p \bar{p} \pi^+ \pi^- \gamma \gamma$

¹ From a partial wave analysis of the $\Lambda \eta$ system.

NODE=M071P42
NODE=M071P42

NODE=M071P42;LINKAGE=A

$\Gamma(\Lambda\bar{\Lambda}\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{141}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
2.8±0.4±0.5	73.4	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}2(\pi^+\pi^-)$

NODE=M071S17
 NODE=M071S17

 $\Gamma(\Lambda\bar{p}K^+)/\Gamma_{\text{total}}$ Γ_{142}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
1.0±0.1±0.1	74.0	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}K^+\pi^-$

NODE=M071S18
 NODE=M071S18

 $\Gamma(\Lambda\bar{p}K^*(892)^+ + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{143}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
6.3±0.5±0.5	1011	ABLIKIM	19AU BES3	$e^+e^- \rightarrow \psi(2S)$

NODE=M071P25
 NODE=M071P25

 $\Gamma(\Lambda\bar{p}K^+\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{144}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
1.8±0.3±0.3	45.8	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}K^+\pi^+\pi^-\pi^-$

NODE=M071S19
 NODE=M071S19

 $\Gamma(\bar{\Lambda}nK_S^0 + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{145}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
0.81±0.11±0.14	50	¹ ABLIKIM	08C BES2	$e^+e^- \rightarrow J/\psi$

¹ Using $B(\bar{\Lambda} \rightarrow \bar{p}\pi^+) = 63.9\%$ and $B(K_S^0 \rightarrow \pi^+\pi^-) = 69.2\%$.

NODE=M071R08
 NODE=M071R08

NODE=M071R08;LINKAGE=AB

 $\Gamma(\Delta^{++}\bar{\Delta}^{--})/\Gamma_{\text{total}}$ Γ_{146}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
12.8±1.0±3.4	157	¹ BAI	01 BES	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

¹ Estimated using $B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-) = 0.310 \pm 0.028$.

NODE=M071R50
 NODE=M071R50

NODE=M071R50;LINKAGE=PP

 $\Gamma(\Lambda\bar{\Sigma}^+\pi^- + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{147}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
1.40±0.03±0.13	2.8k	ABLIKIM	13W BES3	$\psi(2S) \rightarrow \text{hadrons}$

NODE=M071S65
 NODE=M071S65

 $\Gamma(\Lambda\bar{\Sigma}^-\pi^+ + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{148}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
1.54±0.04±0.13	2.8k	ABLIKIM	13W BES3	$\psi(2S) \rightarrow \text{hadrons}$

NODE=M071S66
 NODE=M071S66

 $\Gamma(\Lambda\bar{\Sigma}^0 + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{149}/Γ

VALUE (units 10^{-6})	EVTS	DOCUMENT ID	TECN	COMMENT
1.60±0.31±0.59	60	ABLIKIM	21L BES3	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

NODE=M071P29
 NODE=M071P29

 $\Gamma(\Lambda\bar{\Sigma}^0)/\Gamma_{\text{total}}$ Γ_{150}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	COMMENT
--------------------------	------	-------------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.23±0.23±0.08 30 ¹ DOBBS 17 $e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

¹ Using CLEO-c data but not authored by the CLEO Collaboration.

NODE=M071P08
 NODE=M071P08

NODE=M071P08;LINKAGE=A

 $\Gamma(\Sigma^0\bar{p}K^+ + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{151}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
1.67±0.13±0.12	276	¹ ABLIKIM	13D BES3	$\psi(2S) \rightarrow \gamma\Lambda\bar{p}K^+$

¹ Using $B(\Lambda \rightarrow p\pi^-) = 63.9\%$, and $B(\Sigma^0 \rightarrow \Lambda\gamma) = 100\%$.

NODE=M071S63
 NODE=M071S63

NODE=M071S63;LINKAGE=AB

 $\Gamma(\Sigma^+\bar{\Sigma}^-)/\Gamma_{\text{total}}$ Γ_{152}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
2.43±0.10 OUR AVERAGE		Error includes scale factor of 1.4.		

2.52±0.04±0.09 5.4k ABLIKIM 21AT BES3 $\psi(2S) \rightarrow p\pi^0\bar{p}\pi^0$

2.31±0.06±0.10 1.9k ¹ DOBBS 17 $e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

2.57±0.44±0.68 35 PEDLAR 05 CLEO $e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.51±0.15±0.16 281 ^{1,2} DOBBS 14 $e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

¹ Using CLEO-c data but not authored by the CLEO Collaboration.

² Superseded by DOBBS 17.

NODE=M071R47
 NODE=M071R47

NODE=M071R47;LINKAGE=A
 NODE=M071R47;LINKAGE=B

$\Gamma(\Sigma^0 \bar{\Sigma}^0)/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
2.35±0.09 OUR AVERAGE		Error includes scale factor of 1.1.		
2.44±0.03±0.11	7k	ABLIKIM	17L BES3	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
2.22±0.05±0.11	2.6k	¹ DOBBS	17	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
2.35±0.36±0.32	59	ABLIKIM	07C BES	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
2.63±0.35±0.21	58	PEDLAR	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
2.25±0.11±0.16	439	^{1,2} DOBBS	14	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
1.2 ±0.4 ±0.4	8	³ BAI	01 BES	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

¹ Using CLEO-c data but not authored by the CLEO Collaboration.² Superseded by DOBBS 17.³ Estimated using $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.310 \pm 0.028$. Γ_{153}/Γ NODE=M071R51
NODE=M071R51 $\Gamma(\Sigma^- \bar{\Sigma}^+)/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
2.82±0.04±0.08	6.6k	ABLIKIM	22AV BES3	$\psi(2S) \rightarrow n \pi^- \bar{n} \pi^+$

 Γ_{154}/Γ NODE=M071P41
NODE=M071P41 $\Gamma(\Sigma^+ \bar{\Sigma}^- \eta)/\Gamma_{\text{total}}$

VALUE (units 10^{-6})	EVTS	DOCUMENT ID	TECN	COMMENT
9.59±2.37±0.61	21	ABLIKIM	22AY BES3	$\psi(2S) \rightarrow \Sigma^+ \bar{\Sigma}^- \eta$

 Γ_{155}/Γ NODE=M071P45
NODE=M071P45 $\Gamma(\Sigma^+ \bar{\Sigma}^- \omega)/\Gamma_{\text{total}}$

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
1.89±0.18±0.21	199	ABLIKIM	23BE BES3	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

 Γ_{156}/Γ NODE=M071P50
NODE=M071P50 $\Gamma(\Sigma^+ \bar{\Sigma}^- \phi)/\Gamma_{\text{total}}$

VALUE (units 10^{-6})	EVTS	DOCUMENT ID	TECN	COMMENT
2.96±0.54±0.41	55	ABLIKIM	23BE BES3	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

 Γ_{157}/Γ NODE=M071P51
NODE=M071P51 $\Gamma(\Sigma(1385)^+ \bar{\Sigma}(1385)^-)/\Gamma_{\text{total}}$

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
8.5±0.7 OUR AVERAGE				
8.4±0.5±0.5	1.5k	ABLIKIM	16L BES3	$\psi(2S) \rightarrow \Sigma(1385)^+ \bar{\Sigma}(1385)^-$
11 ±3 ±3	14	¹ BAI	01 BES	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

 Γ_{158}/Γ NODE=M071R52
NODE=M071R52¹ Estimated using $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.310 \pm 0.028$.

OCCUR=2

NODE=M071R52;LINKAGE=PP

 $\Gamma(\Sigma(1385)^- \bar{\Sigma}(1385)^+)/\Gamma_{\text{total}}$

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
8.5±0.6±0.6	1.4k	ABLIKIM	16L BES3	$\psi(2S) \rightarrow \Sigma(1385)^- \bar{\Sigma}(1385)^+$

 Γ_{159}/Γ NODE=M071R00
NODE=M071R00 $\Gamma(\Sigma(1385)^0 \bar{\Sigma}(1385)^0)/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
0.69±0.05±0.05	2.2k	ABLIKIM	17E BES3	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

 Γ_{160}/Γ NODE=M071P00
NODE=M071P00 $\Gamma(\Xi^- \bar{\Xi}^+)/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
2.87±0.11 OUR AVERAGE			Error includes scale factor of 1.1.		
3.03±0.05±0.14	3.6k	¹ DOBBS	17		$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
2.78±0.05±0.14	5k	ABLIKIM	16L BES3		$\psi(2S) \rightarrow \Xi^- \bar{\Xi}^+$
3.03±0.40±0.32	67	ABLIKIM	07C BES		$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
2.38±0.30±0.21	63	PEDLAR	05 CLEO		$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
2.66±0.12±0.20	548	^{1,2} DOBBS	14		$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
0.94±0.27±0.15	12	³ BAI	01 BES		$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
<2	90	FELDMAN	77 MRK1		$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

 Γ_{161}/Γ NODE=M071R29
NODE=M071R29¹ Using CLEO-c data but not authored by the CLEO Collaboration.² Superseded by DOBBS 17.³ Estimated using $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.310 \pm 0.028$.NODE=M071R29;LINKAGE=A
NODE=M071R29;LINKAGE=B
NODE=M071R29;LINKAGE=PP

$\Gamma(\Xi^0 \Xi^0)/\Gamma_{\text{total}}$ Γ_{162}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
2.3 $\pm$ 0.4 OUR AVERAGE		Error includes scale factor of 4.2.		
2.73 $\pm$ 0.03 $\pm$ 0.13	11k	ABLIKIM	17E BES3	$e^+ e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
1.97 $\pm$ 0.06 $\pm$ 0.11	1.2k	¹ DOBBS	17	$e^+ e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
2.75 $\pm$ 0.64 $\pm$ 0.61	19	PEDLAR	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
2.02 $\pm$ 0.19 $\pm$ 0.15	112	^{1,2} DOBBS	14	$e^+ e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

¹ Using CLEO-c data but not authored by the CLEO Collaboration.² Superseded by DOBBS 17.NODE=M071R48
NODE=M071R48NODE=M071R48;LINKAGE=A
NODE=M071R48;LINKAGE=B $\Gamma(\Xi(1530)^0 \Xi(1530)^0)/\Gamma_{\text{total}}$ Γ_{163}/Γ

VALUE (units 10^{-5})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
6.77 $\pm$ 0.14 $\pm$ 0.39		2951	ABLIKIM	21AO BES3	$e^+ e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
< 32	90		PEDLAR	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
< 8.1	90	¹ BAI	01 BES		$e^+ e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

¹ Estimated using $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.310 \pm 0.028$.NODE=M071R53
NODE=M071R53

NODE=M071R53;LINKAGE=PP

 $\Gamma(\Lambda \Xi^+ K^- + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{164}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
3.67 $\pm$ 0.22 OUR AVERAGE				
3.60 $\pm$ 0.10 $\pm$ 0.24	1572	ABLIKIM	24N BES3	$e^+ e^- \rightarrow \psi(2S) \rightarrow K^- \Lambda \Xi^+ + \text{c.c.}$
3.86 $\pm$ 0.27 $\pm$ 0.32	236	ABLIKIM	15I BES3	$e^+ e^- \rightarrow \psi(2S) \rightarrow K^- \Lambda \Xi^+ + \text{c.c.}$

NODE=M071S82
NODE=M071S82 $\Gamma(\Xi(1530)^- \Xi(1530)^+)/\Gamma_{\text{total}}$ Γ_{167}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
11.45 $\pm$ 0.40 $\pm$ 0.59	5k	ABLIKIM	19AT BES3	$e^+ e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

NODE=M071P26
NODE=M071P26 $\Gamma(\Xi(1530)^- \Xi^+)/\Gamma_{\text{total}}$ Γ_{168}/Γ

VALUE (units 10^{-6})	EVTS	DOCUMENT ID	TECN	COMMENT
7.0 $\pm$ 1.1 $\pm$ 0.4	399	ABLIKIM	19AT BES3	$e^+ e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

NODE=M071P27
NODE=M071P27 $\Gamma(\Xi(1530)^0 \Xi^0)/\Gamma_{\text{total}}$ Γ_{169}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
0.53 $\pm$ 0.04 $\pm$ 0.03	278	ABLIKIM	21AO BES3	$e^+ e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

NODE=M071P35
NODE=M071P35 $\Gamma(\Xi(1690)^- \Xi^+ \rightarrow K^- \Lambda \Xi^+ + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{165}/Γ

VALUE (units 10^{-6})	EVTS	DOCUMENT ID	TECN	COMMENT
6.2 $\pm$ 2.1 OUR AVERAGE		Error includes scale factor of 1.5.		
10.6 $\pm$ 1.0 $\pm$ 3.1	464	ABLIKIM	24N BES3	$e^+ e^- \rightarrow \psi(2S) \rightarrow K^- \Lambda \Xi^+ + \text{c.c.}$
5.21 $\pm$ 1.48 $\pm$ 0.57	74	ABLIKIM	15I BES3	$e^+ e^- \rightarrow \psi(2S) \rightarrow K^- \Lambda \Xi^+ + \text{c.c.}$

NODE=M071S83
NODE=M071S83 $\Gamma(\Xi(1820)^- \Xi^+ \rightarrow K^- \Lambda \Xi^+ + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{166}/Γ

VALUE (units 10^{-6})	EVTS	DOCUMENT ID	TECN	COMMENT
14.8 $\pm$ 2.9 OUR AVERAGE		Error includes scale factor of 1.2.		
17.8 $\pm$ 1.0 $\pm$ 3.2	776	ABLIKIM	24N BES3	$e^+ e^- \rightarrow \psi(2S) \rightarrow K^- \Lambda \Xi^+ + \text{c.c.}$
12.03 $\pm$ 2.94 $\pm$ 1.22	136	ABLIKIM	15I BES3	$e^+ e^- \rightarrow \psi(2S) \rightarrow K^- \Lambda \Xi^+ + \text{c.c.}$

NODE=M071S84
NODE=M071S84 $\Gamma(\Sigma^0 \Xi^+ K^- + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{170}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
3.67 $\pm$ 0.33 $\pm$ 0.28	142	ABLIKIM	15I BES3	$e^+ e^- \rightarrow \psi(2S) \rightarrow K^- \Sigma^0 \Xi^+ + \text{c.c.}$

NODE=M071S85
NODE=M071S85 $\Gamma(\Omega^- K^+ \Xi^0 + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{171}/Γ

VALUE (units 10^{-6})	EVTS	DOCUMENT ID	TECN	COMMENT
2.78 $\pm$ 0.40 $\pm$ 0.18	242	ABLIKIM	24AG BES3	$e^+ e^- \rightarrow \psi(2S)$

NODE=M071P62
NODE=M071P62

$\Gamma(\Omega^- \bar{\Omega}^+)/\Gamma_{\text{total}}$ Γ_{172}/Γ

VALUE (units 10^{-5})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
5.66 ± 0.30 OUR AVERAGE			Error includes scale factor of 1.3.		
$5.85 \pm 0.12 \pm 0.25$		4k	¹ ABLIKIM	21E BES3	$\psi(2S) \rightarrow \Omega^- \bar{\Omega}^+ \rightarrow$ $\Lambda K^- \bar{\Lambda} K^+$
$5.2 \pm 0.3 \pm 0.3$		326	^{1,2} DOBBS	17	$e^+ e^- \rightarrow \psi(2S) \rightarrow$ hadrons
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$4.7 \pm 0.9 \pm 0.5$		27	^{1,2,3} DOBBS	14	$e^+ e^- \rightarrow \psi(2S) \rightarrow$ hadrons
<15	90		ABLIKIM	12Q BES2	$e^+ e^- \rightarrow \psi(2S) \rightarrow$ hadrons
<16	90		PEDLAR	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow$ hadrons
< 7.3	90		⁴ BAI	01 BES	$e^+ e^- \rightarrow \psi(2S) \rightarrow$ hadrons

¹ Using $B(\Omega^- \rightarrow \Lambda K^-) = (67.8 \pm 0.7)\%$ and $B(\Lambda \rightarrow p \pi^-) = (63.9 \pm 0.5)\%$.² Using CLEO-c data but not authored by the CLEO Collaboration.³ Superseded by DOBBS 17.⁴ Estimated using $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.310 \pm 0.028$.NODE=M071R54
NODE=M071R54NODE=M071R54;LINKAGE=D
NODE=M071R54;LINKAGE=A
NODE=M071R54;LINKAGE=B
NODE=M071R54;LINKAGE=PP $\Gamma(\eta_c \pi^+ \pi^- \pi^0)/\Gamma_{\text{total}}$ Γ_{173}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID	TECN	COMMENT
<1.0	90	PEDLAR	07 CLEO	$e^+ e^- \rightarrow \psi(2S)$

NODE=M071R03
NODE=M071R03 $\Gamma(h_c(1P) \pi^0)/\Gamma_{\text{total}}$ Γ_{174}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
7.4 ± 0.5 OUR AVERAGE				
$7.32 \pm 0.34 \pm 0.41$	46k	ABLIKIM	22AQ BES3	$\psi(2S) \rightarrow \pi^0$ hadrons
$9.0 \pm 1.5 \pm 1.3$	3k	¹ GE	11 CLEO	$\psi(2S) \rightarrow \pi^0$ anything
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$8.4 \pm 1.3 \pm 1.0$	11k	² ABLIKIM	10B BES3	$\psi(2S) \rightarrow \pi^0 h_c$
seen	92^{+23}_{-22}	ADAMS	09 CLEO	$\psi(2S) \rightarrow 2\pi^+ 2\pi^- 2\pi^0$
seen	1282	DOBBS	08A CLEO	$\psi(2S) \rightarrow \pi^0 \eta_c \gamma$
seen	168 ± 40	ROSNER	05 CLEO	$\psi(2S) \rightarrow \pi^0 \eta_c \gamma$

NODE=M071S42
NODE=M071S42¹ Assuming a width $\Gamma(h_c(1P)) = 0.86 \text{ MeV} \equiv \Gamma_0$, a measured dependence of the central value of $B = (7.6 + 1.4 \times \Gamma(h_c(1P)/\Gamma_0) \times 10^{-4}$, and with a systematic error that accounts for the width variation range 0.43–1.29 MeV.² Superseded by ABLIKIM 22AQ

NODE=M071S42;LINKAGE=GE

NODE=M071S42;LINKAGE=A

 $\Gamma(\Lambda_c^+ \bar{p} e^+ e^- + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{175}/Γ

VALUE	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
$<1.7 \times 10^{-6}$	90	450M	ABLIKIM	18Q BES3	$e^+ e^- \rightarrow \psi(2S)$

NODE=M071P11
NODE=M071P11 $\Gamma(\Theta(1540) \bar{\Theta}(1540) \rightarrow K_S^0 p K^- \bar{n} + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{176}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT
<0.88	90	BAI	04G BES2	$e^+ e^-$

NODE=M071S01
NODE=M071S01 $\Gamma(\Theta(1540) K^- \bar{n} \rightarrow K_S^0 p K^- \bar{n})/\Gamma_{\text{total}}$ Γ_{177}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT
<1.0	90	BAI	04G BES2	$e^+ e^-$

NODE=M071S02
NODE=M071S02 $\Gamma(\Theta(1540) K_S^0 \bar{p} \rightarrow K_S^0 \bar{p} K^+ n)/\Gamma_{\text{total}}$ Γ_{178}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT
<0.70	90	BAI	04G BES2	$e^+ e^-$

NODE=M071S03
NODE=M071S03 $\Gamma(\bar{\Theta}(1540) K^+ n \rightarrow K_S^0 \bar{p} K^+ n)/\Gamma_{\text{total}}$ Γ_{179}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT
<2.6	90	BAI	04G BES2	$e^+ e^-$

NODE=M071S04
NODE=M071S04 $\Gamma(\bar{\Theta}(1540) K_S^0 p \rightarrow K_S^0 p K^- \bar{n})/\Gamma_{\text{total}}$ Γ_{180}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT
<0.60	90	BAI	04G BES2	$e^+ e^-$

NODE=M071S05
NODE=M071S05

RADIATIVE DECAYS

 $\Gamma(\gamma\chi_{c0}(1P))/\Gamma_{\text{total}}$
 Γ_{181}/Γ

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
9.75 $\pm$ 0.22	OUR FIT	Error includes scale factor of 1.1.		
9.33 $\pm$ 0.26	OUR AVERAGE			
9.389 $\pm$ 0.014 $\pm$ 0.332	4.7M	ABLIKIM	17U	BES3 $e^+e^- \rightarrow \gamma X$
9.22 $\pm$ 0.11 $\pm$ 0.46	72k	ATHAR	04	CLEO $e^+e^- \rightarrow \gamma X$
9.9 $\pm$ 0.5 $\pm$ 0.8		¹ GAISER	86	CBAL $e^+e^- \rightarrow \gamma X$
7.2 $\pm$ 2.3		¹ BIDDICK	77	CNTR $e^+e^- \rightarrow \gamma X$
7.5 $\pm$ 2.6		¹ WHITAKER	76	MRK1 e^+e^-

¹ Angular distribution $(1+\cos^2\theta)$ assumed.

 $\Gamma(\gamma\chi_{c1}(1P))/\Gamma_{\text{total}}$
 Γ_{182}/Γ

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
9.75 $\pm$ 0.27	OUR FIT	Error includes scale factor of 1.1.		
9.54 $\pm$ 0.29	OUR AVERAGE			
9.905 $\pm$ 0.011 $\pm$ 0.353	5.0M	ABLIKIM	17U	BES3 $e^+e^- \rightarrow \gamma X$
9.07 $\pm$ 0.11 $\pm$ 0.54	76k	ATHAR	04	CLEO $e^+e^- \rightarrow \gamma X$
9.0 $\pm$ 0.5 $\pm$ 0.7		¹ GAISER	86	CBAL $e^+e^- \rightarrow \gamma X$
7.1 $\pm$ 1.9		² BIDDICK	77	CNTR $e^+e^- \rightarrow \gamma X$

¹ Angular distribution $(1-0.189 \cos^2\theta)$ assumed.

² Valid for isotropic distribution of the photon.

 $\Gamma(\gamma\chi_{c0}(1P))/\Gamma(\gamma\chi_{c1}(1P))$
 $\Gamma_{181}/\Gamma_{182}$

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1.02 $\pm$ 0.01 $\pm$ 0.07	¹ ATHAR	04	CLEO $e^+e^- \rightarrow \gamma X$

¹ Not independent from ATHAR 04 measurements of $B(\gamma\chi_{cJ})$.


 $\Gamma(\gamma\chi_{c2}(1P))/\Gamma_{\text{total}}$
 Γ_{183}/Γ

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
9.38 $\pm$ 0.23	OUR FIT	Error includes scale factor of 1.2.		
9.42 $\pm$ 0.31	OUR AVERAGE	Error includes scale factor of 1.3. See the ideogram below.		
9.621 $\pm$ 0.013 $\pm$ 0.272	4.2M	ABLIKIM	17U	BES3 $e^+e^- \rightarrow \gamma X$
9.33 $\pm$ 0.14 $\pm$ 0.61	79k	ATHAR	04	CLEO $e^+e^- \rightarrow \gamma X$
8.0 $\pm$ 0.5 $\pm$ 0.7		¹ GAISER	86	CBAL $e^+e^- \rightarrow \gamma X$
7.0 $\pm$ 2.0		² BIDDICK	77	CNTR $e^+e^- \rightarrow \gamma X$

¹ Angular distribution $(1-0.052 \cos^2\theta)$ assumed.

² Valid for isotropic distribution of the photon.

WEIGHTED AVERAGE
9.42 $\pm$ 0.31 (Error scaled by 1.3)



NODE=M071315

NODE=M071R55
NODE=M071R55

NODE=M071R;LINKAGE=A

NODE=M071R58
NODE=M071R58NODE=M071R;LINKAGE=G
NODE=M071R;LINKAGE=BNODE=M071R97
NODE=M071R97

NODE=M071R97;LINKAGE=AH

NODE=M071R59
NODE=M071R59NODE=M071R;LINKAGE=F
NODE=M071R59;LINKAGE=B

$$\frac{[\Gamma(\gamma\chi_{c0}(1P)) + \Gamma(\gamma\chi_{c1}(1P)) + \Gamma(\gamma\chi_{c2}(1P))]}{\Gamma_{\text{total}}} \quad \frac{\Gamma_{181} + \Gamma_{182} + \Gamma_{183}}{\Gamma_{\text{total}}}$$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

27.6 ± 0.3 ± 2.0 ¹ ATHAR 04 CLEO e⁺e⁻ → γX

¹ Not independent from ATHAR 04 measurements of B(γχ_{cJ}).

NODE=M071R19
NODE=M071R19

NODE=M071R;LINKAGE=AH

$$\frac{\Gamma(\gamma\chi_{c0}(1P))}{\Gamma(\gamma\chi_{c2}(1P))} \quad \frac{\Gamma_{181}}{\Gamma_{183}}$$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.99 ± 0.02 ± 0.08 ¹ ATHAR 04 CLEO e⁺e⁻ → γX

¹ Not independent from ATHAR 04 measurements of B(γχ_{cJ}).

NODE=M071R99
NODE=M071R99

NODE=M071R99;LINKAGE=AH

$$\frac{\Gamma(\gamma\chi_{c2}(1P))}{\Gamma(\gamma\chi_{c1}(1P))} \quad \frac{\Gamma_{183}}{\Gamma_{182}}$$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.03 ± 0.02 ± 0.03 ¹ ATHAR 04 CLEO e⁺e⁻ → γX

¹ Not independent from ATHAR 04 measurements of B(γχ_{cJ}).

NODE=M071R98
NODE=M071R98

NODE=M071R98;LINKAGE=AH

$$\frac{\Gamma(\gamma\eta_c(1S))}{\Gamma_{\text{total}}} \quad \frac{\Gamma_{184}}{\Gamma_{\text{total}}}$$

VALUE (units 10 ⁻²)	EVTs	DOCUMENT ID	TECN	COMMENT
---------------------------------	------	-------------	------	---------

0.36 ± 0.05 OUR FIT Error includes scale factor of 1.3.

0.34 ± 0.05 OUR AVERAGE Error includes scale factor of 1.3. See the ideogram below.

0.432 ± 0.016 ± 0.060 MITCHELL 09 CLEO e⁺e⁻ → γX

0.32 ± 0.04 ± 0.06 2.5k ¹ ATHAR 04 CLEO e⁺e⁻ → γX

0.28 ± 0.06 ² GAISER 86 CBAL e⁺e⁻ → γX

¹ ATHAR 04 used Γ_{η_c(1S)} = 24.8 ± 4.9 MeV to obtain this result.


² GAISER 86 used Γ_{η_c(1S)} = 11.5 ± 4.5 MeV to obtain this result.

NODE=M071R60
NODE=M071R60

NODE=M071R60;LINKAGE=AT

NODE=M071R60;LINKAGE=GA

WEIGHTED AVERAGE
0.34 ± 0.05 (Error scaled by 1.3)



$$\frac{\Gamma(\gamma\eta_c(2S))}{\Gamma_{\text{total}}} \quad \frac{\Gamma_{185}}{\Gamma_{\text{total}}}$$

VALUE (units 10 ⁻⁴)	CL%	EVTs	DOCUMENT ID	TECN	COMMENT
---------------------------------	-----	------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

5.1 ± 0.6^{+2.7}_{-3.1} 1.6k ¹ ABLIKIM 24J BES3 ψ(2S) → γη_c → γK⁰K⁰π

7 ± 2 ± 4 ² ABLIKIM 12G BES3 ψ(2S) → γK⁰K⁰π, K⁰K⁰π⁰

< 8 90 ³ CRONIN-HEN..10 CLEO ψ(2S) → γK⁰K⁰π

< 20 90 ATHAR 04 CLEO e⁺e⁻ → γX

20-130 95 EDWARDS 82C CBAL e⁺e⁻ → γX

NODE=M071R62
NODE=M071R62

- ¹ ABLIKIM 24J reports $[\Gamma(\psi(2S) \rightarrow \gamma \eta_c(2S))/\Gamma_{\text{total}}] \times [B(\eta_c(2S) \rightarrow K \bar{K} \pi)] = (0.97 \pm 0.06 \pm 0.09) \times 10^{-5}$ which we divide by our best value $B(\eta_c(2S) \rightarrow K \bar{K} \pi) = (1.9^{+1.2}_{-1.0}) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.
- ² ABLIKIM 12G reports $[\Gamma(\psi(2S) \rightarrow \gamma \eta_c(2S))/\Gamma_{\text{total}}] \times [B(\eta_c(2S) \rightarrow K \bar{K} \pi)] = (1.30 \pm 0.20 \pm 0.30) \times 10^{-5}$ which we divide by our best value $B(\eta_c(2S) \rightarrow K \bar{K} \pi) = (1.9^{+1.2}_{-1.0}) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.
- ³ CRONIN-HENNESSY 10 reports $[\Gamma(\psi(2S) \rightarrow \gamma \eta_c(2S))/\Gamma_{\text{total}}] \times [B(\eta_c(2S) \rightarrow K \bar{K} \pi)] < 14.5 \times 10^{-6}$ which we divide by our best value $B(\eta_c(2S) \rightarrow K \bar{K} \pi) = 1.9 \times 10^{-2}$. This measurement assumes $\Gamma(\eta_c(2S)) = 14$ MeV. CRONIN-HENNESSY 10 gives the analytic dependence of limits on width.

NODE=M071R62;LINKAGE=A

NODE=M071R62;LINKAGE=AB

NODE=M071R62;LINKAGE=CR

$\Gamma(\gamma \pi^0)/\Gamma_{\text{total}}$ Γ_{186}/Γ

VALUE (units 10^{-7})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
2.7 to 9.7	68		¹ ABLIKIM	24BS BES3	$\psi(2S) \rightarrow \gamma \pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$9.5 \pm 1.6 \pm 0.5$		423	² ABLIKIM	17X BES3	$\psi(2S) \rightarrow \gamma \pi^0$
$15.8 \pm 4.0 \pm 1.3$		37	² ABLIKIM	10F BES3	$\psi(2S) \rightarrow \gamma \pi^0$
< 50	90		PEDLAR	09 CLE3	$\psi(2S) \rightarrow \gamma X$
< 54000	95		³ LIBERMAN	75 SPEC	$e^+ e^-$
< 100000	90		WIKK	75 DASP	$e^+ e^-$

NODE=M071R42
NODE=M071R42

- ¹ Taking into account interference between $\psi(2S)$ and continuum amplitudes. Range of the 1σ contour in the plane of $B(\psi(2S) \rightarrow \gamma \pi^0)$ versus ϕ , the relative phase of the amplitudes. The fit provides two solutions for $B(\psi(2S) \rightarrow \gamma \pi^0)$: 3.74×10^{-7} ($\phi = 3.93$ rad) and 7.87×10^{-7} ($\phi = 2.08$ rad).
- ² Interference between $\psi(2S)$ and the continuum is not taken into account.
- ³ Restated by us using $B(\psi(2S) \rightarrow \mu^+ \mu^-) = 0.0077$.

NODE=M071R42;LINKAGE=A

NODE=M071R42;LINKAGE=B
NODE=M071R;LINKAGE=U

$\Gamma(\gamma 2(\pi^+ \pi^-))/\Gamma_{\text{total}}$ Γ_{187}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
$39.6 \pm 2.8 \pm 5.0$	583	ABLIKIM	07D BES2	$e^+ e^- \rightarrow \psi(2S)$

NODE=M071S28
NODE=M071S28

$\Gamma(\gamma 3(\pi^+ \pi^-))/\Gamma_{\text{total}}$ Γ_{188}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT
< 17	90	ABLIKIM	07D BES2	$e^+ e^- \rightarrow \psi(2S)$

NODE=M071S36
NODE=M071S36

$\Gamma(\gamma \eta'(958))/\Gamma_{\text{total}}$ Γ_{189}/Γ

VALUE (units 10^{-4})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
1.24 ± 0.04 OUR AVERAGE					
$1.251 \pm 0.022 \pm 0.062$		56k	ABLIKIM	17X BES3	$\psi(2S) \rightarrow \gamma \pi^+ \pi^- \eta,$ $\gamma \pi^0 \pi^0 \eta$
$1.26 \pm 0.03 \pm 0.08$		2226	¹ ABLIKIM	10F BES3	$\psi(2S) \rightarrow 3\gamma \pi^+ \pi^-,$ $2\gamma \pi^+ \pi^-$
$1.19 \pm 0.08 \pm 0.03$			PEDLAR	09 CLE3	$\psi(2S) \rightarrow \gamma X$
$1.24 \pm 0.27 \pm 0.15$	23		ABLIKIM	06R BES2	$e^+ e^- \rightarrow \psi(2S)$
$1.54 \pm 0.31 \pm 0.20$	~ 43		BAI	98F BES	$\psi(2S) \rightarrow \pi^+ \pi^- 2\gamma,$ $\pi^+ \pi^- 3\gamma$

NODE=M071R44
NODE=M071R44

- • • We do not use the following data for averages, fits, limits, etc. • • •

< 60	90	² BRAUNSCH...	77 DASP	$e^+ e^-$
< 11	90	³ BARTEL	76 CNTR	$e^+ e^-$

- ¹ Combining the results from $\eta' \rightarrow \pi^+ \pi^- \eta$ and $\eta' \rightarrow \pi^+ \pi^- \gamma$ decay modes.

- ² Restated by us using total decay width 228 keV.

- ³ The value is normalized to the branching ratio for $\Gamma(J/\psi(1S)\eta)/\Gamma_{\text{total}}$.

NODE=M071R44;LINKAGE=AB
NODE=M071R;LINKAGE=R
NODE=M071R;LINKAGE=C

$\Gamma(\gamma f_2(1270))/\Gamma_{\text{total}}$ Γ_{190}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
$2.73^{+0.29}_{-0.25}$ OUR AVERAGE				Error includes scale factor of 1.8.

NODE=M071R84
NODE=M071R84

$2.84 \pm 0.15^{+0.03}_{-0.10}$	1.9k	^{1,2} DOBBS	15	$\psi(2S) \rightarrow \gamma \pi \pi$
$2.12 \pm 0.19 \pm 0.32$		^{3,4} BAI	03C BES	$\psi(2S) \rightarrow \gamma \pi \pi$

- • • We do not use the following data for averages, fits, limits, etc. • • •

$2.08 \pm 0.19 \pm 0.33$	200.6 ± 18.8	³ BAI	03C BES	$\psi(2S) \rightarrow \gamma \pi^+ \pi^-$
$2.90 \pm 1.08 \pm 1.07$	29.9 ± 11.1	³ BAI	03C BES	$\psi(2S) \rightarrow \gamma \pi^0 \pi^0$

OCCUR=2
OCCUR=3

¹ Using CLEO-c data but not authored by the CLEO Collaboration.

² DOBBS 15 reports $[\Gamma(\psi(2S) \rightarrow \gamma f_2(1270))/\Gamma_{\text{total}}] \times [B(f_2(1270) \rightarrow \pi\pi)] = (2.39 \pm 0.09 \pm 0.09) \times 10^{-4}$ which we divide by our best value $B(f_2(1270) \rightarrow \pi\pi) = (84.3^{+2.8}_{-1.0}) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

³ Normalized to $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.305 \pm 0.016$.

⁴ Combining the results from $\pi^+ \pi^-$ and $\pi^0 \pi^0$ decay modes.

NODE=M071R84;LINKAGE=A

NODE=M071R84;LINKAGE=B

NODE=M071R;LINKAGE=3B

NODE=M071R;LINKAGE=B9

$\Gamma(\gamma f_0(1370) \rightarrow \gamma K \bar{K})/\Gamma_{\text{total}}$ Γ_{191}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	COMMENT
3.1 ± 1.0 ± 1.4	175	¹ DOBBS 15	$\psi(2S) \rightarrow \gamma K \bar{K}$

¹ Using CLEO-c data but not authored by the CLEO Collaboration.

NODE=M071S75
NODE=M071S75

NODE=M071S75;LINKAGE=A

$\Gamma(\gamma f_0(1500))/\Gamma_{\text{total}}$ Γ_{192}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	COMMENT
9.3 ± 1.8 ± 0.6	274	^{1,2} DOBBS 15	$\psi(2S) \rightarrow \gamma \pi \pi$

¹ DOBBS 15 reports $[\Gamma(\psi(2S) \rightarrow \gamma f_0(1500))/\Gamma_{\text{total}}] \times [B(f_0(1500) \rightarrow \pi\pi)] = (3.2 \pm 0.6 \pm 0.2) \times 10^{-5}$ which we divide by our best value $B(f_0(1500) \rightarrow \pi\pi) = (34.5 \pm 2.2) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

² Using CLEO-c data but not authored by the CLEO Collaboration.

NODE=M071S76
NODE=M071S76

NODE=M071S76;LINKAGE=A

NODE=M071S76;LINKAGE=B

$\Gamma(\gamma f'_2(1525))/\Gamma_{\text{total}}$ Γ_{193}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	COMMENT
3.3 ± 0.8 ± 0.1	136	^{1,2} DOBBS 15	$\psi(2S) \rightarrow \gamma K \bar{K}$

¹ DOBBS 15 reports $[\Gamma(\psi(2S) \rightarrow \gamma f'_2(1525))/\Gamma_{\text{total}}] \times [B(f'_2(1525) \rightarrow K \bar{K})] = (2.9 \pm 0.6 \pm 0.3) \times 10^{-5}$ which we divide by our best value $B(f'_2(1525) \rightarrow K \bar{K}) = (88.8 \pm 2.2) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

² Using CLEO-c data but not authored by the CLEO Collaboration.

NODE=M071S77
NODE=M071S77

NODE=M071S77;LINKAGE=A

NODE=M071S77;LINKAGE=B

$\Gamma(\gamma f_0(1710) \rightarrow \gamma \pi \pi)/\Gamma_{\text{total}}$ Γ_{195}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
3.5 ± 0.6 OUR AVERAGE				
3.6 ± 0.4 ± 0.5	290	¹ DOBBS 15		$\psi(2S) \rightarrow \gamma \pi \pi$
3.01 ± 0.41 ± 1.24	35.6 ± 4.8	² BAI 03C	BES	$\psi(2S) \rightarrow \gamma \pi^+ \pi^-$

¹ Using CLEO-c data but not authored by the CLEO Collaboration.

² Normalized to $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.305 \pm 0.016$.

NODE=M071R85
NODE=M071R85

NODE=M071R85;LINKAGE=A

NODE=M071R85;LINKAGE=3B

$\Gamma(\gamma f_0(1710) \rightarrow \gamma K \bar{K})/\Gamma_{\text{total}}$ Γ_{196}/Γ

VALUE (units 10^{-5})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
6.6 ± 0.7 OUR AVERAGE					
6.7 ± 0.6 ± 0.6		375	¹ DOBBS 15		$\psi(2S) \rightarrow \gamma K \bar{K}$
6.04 ± 0.90 ± 1.32		39.6 ± 5.9	^{2,3} BAI 03C	BES	$\psi(2S) \rightarrow \gamma K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 15.6 90 6.8 ± 3.1 ^{2,3} BAI 03C BES $\psi(2S) \rightarrow \gamma K_S^0 K_S^0$

¹ Using CLEO-c data but not authored by the CLEO Collaboration.

² Includes unknown branching fractions to $K^+ K^-$ or $K_S^0 K_S^0$. We have multiplied the $K^+ K^-$ result by a factor of 2 and the $K_S^0 K_S^0$ result by a factor of 4 to obtain the $K \bar{K}$ result.

³ Normalized to $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.305 \pm 0.016$.

NODE=M071R86
NODE=M071R86

OCCUR=2

NODE=M071R86;LINKAGE=A

NODE=M071R;LINKAGE=CK

NODE=M071R86;LINKAGE=3B

$\Gamma(\gamma f_0(2100) \rightarrow \gamma \pi \pi)/\Gamma_{\text{total}}$ Γ_{197}/Γ

VALUE (units 10^{-6})	EVTS	DOCUMENT ID	COMMENT
4.8 ± 0.5 ± 0.9	373	¹ DOBBS 15	$\psi(2S) \rightarrow \gamma \pi \pi$

¹ Using CLEO-c data but not authored by the CLEO Collaboration.

NODE=M071S78
NODE=M071S78

NODE=M071S78;LINKAGE=A

$\Gamma(\gamma f_0(2200) \rightarrow \gamma K \bar{K})/\Gamma_{\text{total}}$ Γ_{198}/Γ

VALUE (units 10^{-6})	EVTS	DOCUMENT ID	COMMENT
3.2 ± 0.6 ± 0.8	207	¹ DOBBS 15	$\psi(2S) \rightarrow \gamma K \bar{K}$

¹ Using CLEO-c data but not authored by the CLEO Collaboration.

NODE=M071S79
NODE=M071S79

NODE=M071S79;LINKAGE=A

$\Gamma(\gamma f_J(2220) \rightarrow \gamma \pi \pi) / \Gamma_{\text{total}}$ Γ_{199} / Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
$< 5.8 \times 10^{-6}$	90	^{1,2} DOBBS 15		$\psi(2S) \rightarrow \gamma \pi \pi$

¹ Using CLEO-c data but not authored by the CLEO Collaboration.

² For $\Gamma = 20/50$ MeV, the 90% CL upper limits for $\pi^+ \pi^-$ and $\pi^0 \pi^0$ are $3.2/4.3 \times 10^{-6}$ and $2.6/4.0 \times 10^{-6}$, respectively.

NODE=M071S80
NODE=M071S80

NODE=M071S80;LINKAGE=A
NODE=M071S80;LINKAGE=DO

 $\Gamma(\gamma f_J(2220) \rightarrow \gamma K \bar{K}) / \Gamma_{\text{total}}$ Γ_{200} / Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
$< 9.5 \times 10^{-6}$	90	^{1,2} DOBBS 15		$\psi(2S) \rightarrow \gamma K \bar{K}$

¹ Using CLEO-c data but not authored by the CLEO Collaboration.

² For $\Gamma = 20/50$ MeV, the 90% CL upper limits for $K^+ K^-$ and $K_S^0 \bar{K}_S^0$ are $2.1/4.3 \times 10^{-6}$ and $3.7/5.5 \times 10^{-6}$, respectively.

NODE=M071S81
NODE=M071S81

NODE=M071S81;LINKAGE=A
NODE=M071S81;LINKAGE=DO

 $\Gamma(\gamma \eta) / \Gamma_{\text{total}}$ Γ_{201} / Γ

VALUE (units 10^{-6})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
0.92 ± 0.18 OUR AVERAGE					
0.85 ± 0.18 ± 0.04		382	¹ ABLIKIM 17X	BES3	$\psi(2S) \rightarrow \gamma \pi^+ \pi^- \pi^0,$ $\gamma 3\pi^0$
1.38 ± 0.48 ± 0.09		13	¹ ABLIKIM 10F	BES3	$\psi(2S) \rightarrow \gamma \pi^+ \pi^- \pi^0,$ $\gamma 3\pi^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 2	90	PEDLAR 09	CLE3		$\psi(2S) \rightarrow \gamma X$
< 90	90	BAI 98F	BES		$\psi(2S) \rightarrow \pi^+ \pi^- 3\gamma$
< 200	90	YAMADA 77	DASP		$e^+ e^- \rightarrow 3\gamma$

¹ Combining the results from $\eta \rightarrow \pi^+ \pi^- \pi^0$ and $\eta \rightarrow 3\pi^0$ decay modes.

NODE=M071R43
NODE=M071R43

NODE=M071R43;LINKAGE=AB

 $\Gamma(\gamma \eta \pi^+ \pi^-) / \Gamma_{\text{total}}$ Γ_{202} / Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
8.71 ± 1.25 ± 1.64	418	ABLIKIM 06R	BES2	$\psi(2S) \rightarrow \gamma \eta \pi^+ \pi^-$

NODE=M071R04
NODE=M071R04

 $\Gamma(\gamma \eta(1405) \rightarrow \gamma K \bar{K} \pi) / \Gamma_{\text{total}}$ Γ_{204} / Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
< 0.9	90	ABLIKIM 06R	BES2	$\psi(2S) \rightarrow \gamma K_S^0 K^+ \pi^- + \text{c.c.}$

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 1.3	90	ABLIKIM 06R	BES2		$\psi(2S) \rightarrow \gamma K^+ K^- \pi^0$
< 1.2	90	¹ SCHARRE 80	MRK1		$e^+ e^-$

¹ Includes unknown branching fraction $\eta(1405) \rightarrow K \bar{K} \pi$.

NODE=M071R61
NODE=M071R61

OCCUR=2

NODE=M071R;LINKAGE=E

 $\Gamma(\gamma \eta(1405) \rightarrow \gamma \eta \pi^+ \pi^-) / \Gamma_{\text{total}}$ Γ_{205} / Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
0.36 ± 0.25 ± 0.05	10	ABLIKIM 06R	BES2	$\psi(2S) \rightarrow \gamma \eta \pi^+ \pi^-$

NODE=M071R05
NODE=M071R05

 $\Gamma(\gamma \eta(1405) \rightarrow \gamma f_0(980) \pi^0 \rightarrow \gamma \pi^+ \pi^- \pi^0) / \Gamma_{\text{total}}$ Γ_{206} / Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
< 5.0 × 10⁻⁷	90	ABLIKIM 17AJ	BES3	$\psi(2S) \rightarrow \gamma \pi^+ \pi^- \pi^0$

NODE=M071P09
NODE=M071P09

 $\Gamma(\gamma \eta(1475) \rightarrow \gamma K \bar{K} \pi) / \Gamma_{\text{total}}$ Γ_{208} / Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
< 1.4	90	ABLIKIM 06R	BES2	$\psi(2S) \rightarrow \gamma K^+ K^- \pi^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 1.5	90	ABLIKIM 06R	BES2		$\psi(2S) \rightarrow \gamma K_S^0 K^+ \pi^- + \text{c.c.}$
-------	----	-------------	------	--	---

NODE=M071R06
NODE=M071R06

OCCUR=2

 $\Gamma(\gamma \eta(1475) \rightarrow \gamma \eta \pi^+ \pi^-) / \Gamma_{\text{total}}$ Γ_{209} / Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
< 0.88	90	ABLIKIM 06R	BES2	$\psi(2S) \rightarrow \gamma \eta \pi^+ \pi^-$

NODE=M071R07
NODE=M071R07

 $\Gamma(\gamma K^{*0} K^+ \pi^- + \text{c.c.}) / \Gamma_{\text{total}}$ Γ_{210} / Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
37.0 ± 6.1 ± 7.2	237	ABLIKIM 07D	BES2	$e^+ e^- \rightarrow \psi(2S)$

NODE=M071S29
NODE=M071S29

$\Gamma(\gamma K^*0 \bar{K}^*0)/\Gamma_{\text{total}}$ Γ_{211}/Γ NODE=M071S30
NODE=M071S30

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
24.0$\pm$4.5$\pm$5.0	41	ABLIKIM	07D BES2	$e^+e^- \rightarrow \psi(2S)$

 $\Gamma(\gamma K_S^0 K^+ \pi^- + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{212}/Γ NODE=M071S31
NODE=M071S31

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
25.6$\pm$3.6$\pm$3.6	115	ABLIKIM	07D BES2	$e^+e^- \rightarrow \psi(2S)$

 $\Gamma(\gamma K^+ K^- \pi^+ \pi^-)/\Gamma_{\text{total}}$ Γ_{213}/Γ NODE=M071S32
NODE=M071S32

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
19.1$\pm$2.7$\pm$4.3	132	ABLIKIM	07D BES2	$e^+e^- \rightarrow \psi(2S)$

 $\Gamma(\gamma K^+ K^- 2(\pi^+ \pi^-))/\Gamma_{\text{total}}$ Γ_{214}/Γ NODE=M071S35
NODE=M071S35

VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT
<22	90	ABLIKIM	07D BES2	$e^+e^- \rightarrow \psi(2S)$

 $\Gamma(\gamma 2(K^+ K^-))/\Gamma_{\text{total}}$ Γ_{215}/Γ NODE=M071S37
NODE=M071S37

VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT
<4	90	ABLIKIM	07D BES2	$e^+e^- \rightarrow \psi(2S)$

 $\Gamma(\gamma p \bar{p})/\Gamma_{\text{total}}$ Γ_{216}/Γ NODE=M071S33
NODE=M071S33

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
3.9 $\pm$0.5 OUR AVERAGE		Error includes scale factor of 2.0.		
4.18 $\pm$ 0.26 $\pm$ 0.18	348	¹ ALEXANDER	10 CLEO	$\psi(2S) \rightarrow \gamma p \bar{p}$
2.9 $\pm$ 0.4 $\pm$ 0.4	142	ABLIKIM	07D BES2	$e^+e^- \rightarrow \psi(2S)$

¹ From a fit of the $p\bar{p}$ mass distribution to a combination of $\gamma f_2(1950)$, $\gamma f_2(2150)$, and $\gamma p\bar{p}$ phase space, for $M(p\bar{p}) < 2.85$ GeV, and accounting for backgrounds from $\psi(2S) \rightarrow \pi^0 p\bar{p}$ and continuum.

NODE=M071S33;LINKAGE=AL

 $\Gamma(\gamma f_2(1950) \rightarrow \gamma p \bar{p})/\Gamma_{\text{total}}$ Γ_{217}/Γ NODE=M071S46
NODE=M071S46

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
1.2$\pm$0.2$\pm$0.1	111	¹ ALEXANDER	10 CLEO	$\psi(2S) \rightarrow \gamma p \bar{p}$

¹ From a fit of the $p\bar{p}$ mass distribution to a combination of $\gamma f_2(1950)$, $\gamma f_2(2150)$, and $\gamma p\bar{p}$ phase space, for $M(p\bar{p}) < 2.85$ GeV, and accounting for backgrounds from $\psi(2S) \rightarrow \pi^0 p\bar{p}$ and continuum.

NODE=M071S46;LINKAGE=AL

 $\Gamma(\gamma f_2(2150) \rightarrow \gamma p \bar{p})/\Gamma_{\text{total}}$ Γ_{218}/Γ NODE=M071S47
NODE=M071S47

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
0.72$\pm$0.18$\pm$0.03	73	¹ ALEXANDER	10 CLEO	$\psi(2S) \rightarrow \gamma p \bar{p}$

¹ From a fit of the $p\bar{p}$ mass distribution to a combination of $\gamma f_2(1950)$, $\gamma f_2(2150)$, and $\gamma p\bar{p}$ phase space, for $M(p\bar{p}) < 2.85$ GeV, and accounting for backgrounds from $\psi(2S) \rightarrow \pi^0 p\bar{p}$ and continuum.

NODE=M071S47;LINKAGE=AL

 $\Gamma(\gamma X(1835) \rightarrow \gamma p \bar{p})/\Gamma_{\text{total}}$ Γ_{219}/Γ NODE=M071S48
NODE=M071S48

VALUE (units 10^{-6})	CL%	DOCUMENT ID	TECN	COMMENT
4.57$\pm$0.36$\pm$1.77 -4.26		ABLIKIM	12D BES3	$J/\psi \rightarrow \gamma p \bar{p}$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<1.6	90	ALEXANDER	10 CLEO	$\psi(2S) \rightarrow \gamma p \bar{p}$
<5.4	90	ABLIKIM	07D BES	$\psi(2S) \rightarrow \gamma p \bar{p}$

 $\Gamma(\gamma X \rightarrow \gamma p \bar{p})/\Gamma_{\text{total}}$ Γ_{220}/Γ

NODE=M071S49

For a narrow resonance in the range $2.2 < M(X) < 2.8$ GeV.

NODE=M071S49
NODE=M071S49

VALUE (units 10^{-6})	CL%	DOCUMENT ID	TECN	COMMENT
<2	90	ALEXANDER	10 CLEO	$\psi(2S) \rightarrow \gamma p \bar{p}$

 $\Gamma(\gamma p \bar{p} \pi^+ \pi^-)/\Gamma_{\text{total}}$ Γ_{221}/Γ NODE=M071S34
NODE=M071S34

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
2.8$\pm$1.2$\pm$0.7	17	ABLIKIM	07D BES2	$e^+e^- \rightarrow \psi(2S)$

$\Gamma(\gamma\gamma J/\psi)/\Gamma_{\text{total}}$ Γ_{223}/Γ

VALUE (units 10^{-4})	EVTs	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

$3.1 \pm 0.6^{+0.8}_{-1.0}$	1.1k	ABLIKIM	120 BES3	$e^+e^- \rightarrow \psi(2S)$
-----------------------------	------	---------	----------	-------------------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

3.2 ± 0.6	1.1k	¹ ABLIKIM	17N BES3	$\psi(2S) \rightarrow \gamma\gamma J/\psi$
---------------	------	----------------------	----------	--

¹ Uses $B(J/\psi \rightarrow e^+e^-) = (5.971 \pm 0.032)\%$ and $B(J/\psi \rightarrow \mu^+\mu^-) = (5.961 \pm 0.033)\%$. No systematic error estimation.

NODE=M071S55
NODE=M071S55

NODE=M071S55;LINKAGE=A

 $\Gamma(e^+e^-\eta')/\Gamma_{\text{total}}$ Γ_{224}/Γ

VALUE (units 10^{-6})	EVTs	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

1.90±0.26 OUR AVERAGE

$1.99 \pm 0.33 \pm 0.12$	57	ABLIKIM	18Z BES3	$\psi(2S) \rightarrow \eta' e^+e^-$, $\eta' \rightarrow \gamma\pi^+\pi^-$
--------------------------	----	---------	----------	---

$1.79 \pm 0.38 \pm 0.11$	20	ABLIKIM	18Z BES3	$\psi(2S) \rightarrow \eta' e^+e^-$, $\eta' \rightarrow \eta\pi^+\pi^-$
--------------------------	----	---------	----------	---

NODE=M071P12
NODE=M071P12

OCCUR=2

 $\Gamma(e^+e^-\eta_c(1S))/\Gamma_{\text{total}}$ Γ_{225}/Γ

VALUE (units 10^{-5})	EVTs	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

3.77±0.40±0.18	3k	¹ ABLIKIM	22AX BES3	$e^+e^- \rightarrow \psi(2S)$
-----------------------	----	----------------------	-----------	-------------------------------

¹ From a fit to the recoil mass distribution of e^+e^- with inclusive $\eta_c(1S)$ decays.

NODE=M071P44
NODE=M071P44

NODE=M071P44;LINKAGE=A

 $\Gamma(e^+e^-\chi_{c0}(1P))/\Gamma_{\text{total}}$ Γ_{226}/Γ

VALUE (units 10^{-4})	EVTs	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

10.5±2.4±0.7	48	¹ ABLIKIM	17I BES3	$\psi(2S) \rightarrow e^+e^-\gamma J/\psi$
---------------------	----	----------------------	----------	--

¹ ABLIKIM 17I reports $(11.7 \pm 2.5 \pm 1.0) \times 10^{-4}$ from a measurement of $[\Gamma(\psi(2S) \rightarrow e^+e^-\chi_{c0}(1P))/\Gamma_{\text{total}}] \times [B(\chi_{c0}(1P) \rightarrow \gamma J/\psi(1S))]$ assuming $B(\chi_{c0}(1P) \rightarrow \gamma J/\psi(1S)) = (1.27 \pm 0.06) \times 10^{-2}$, which we rescale to our best value $B(\chi_{c0}(1P) \rightarrow \gamma J/\psi(1S)) = (1.41 \pm 0.09) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=M071P01
NODE=M071P01

NODE=M071P01;LINKAGE=B

 $\Gamma(e^+e^-\chi_{c0}(1P))/\Gamma(\gamma\chi_{c0}(1P))$ $\Gamma_{226}/\Gamma_{181}$

VALUE (units 10^{-3})	EVTs	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

9.4±1.9±0.6	48	¹ ABLIKIM	17I BES3	$\psi(2S) \rightarrow e^+e^-\gamma J/\psi$
--------------------	----	----------------------	----------	--

¹ Uses $B(\psi(2S) \rightarrow \gamma\chi_{c0}(1P)) \times B(\chi_{c0}(1P) \rightarrow \gamma J/\psi(1S)) = (15.8 \pm 0.3 \pm 0.6) \times 10^{-4}$ from ABLIKIM 17N and accounts for common systematic errors.

NODE=M071P04
NODE=M071P04

NODE=M071P04;LINKAGE=A

 $\Gamma(e^+e^-\chi_{c1}(1P))/\Gamma_{\text{total}}$ Γ_{227}/Γ

VALUE (units 10^{-4})	EVTs	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

8.5±0.6±0.3	873	¹ ABLIKIM	17I BES3	$\psi(2S) \rightarrow e^+e^-\gamma J/\psi$
--------------------	-----	----------------------	----------	--

¹ ABLIKIM 17I reports $(8.6 \pm 0.3 \pm 0.6) \times 10^{-4}$ from a measurement of $[\Gamma(\psi(2S) \rightarrow e^+e^-\chi_{c1}(1P))/\Gamma_{\text{total}}] \times [B(\chi_{c1}(1P) \rightarrow \gamma J/\psi(1S))]$ assuming $B(\chi_{c1}(1P) \rightarrow \gamma J/\psi(1S)) = (33.9 \pm 1.2) \times 10^{-2}$, which we rescale to our best value $B(\chi_{c1}(1P) \rightarrow \gamma J/\psi(1S)) = (34.3 \pm 1.3) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=M071P02
NODE=M071P02

NODE=M071P02;LINKAGE=B

 $\Gamma(e^+e^-\chi_{c1}(1P))/\Gamma(\gamma\chi_{c1}(1P))$ $\Gamma_{227}/\Gamma_{182}$

VALUE (units 10^{-3})	EVTs	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

8.3±0.3±0.4	873	¹ ABLIKIM	17I BES3	$\psi(2S) \rightarrow e^+e^-\gamma J/\psi$
--------------------	-----	----------------------	----------	--

¹ Uses $B(\psi(2S) \rightarrow \gamma\chi_{c1}(1P)) \times B(\chi_{c1}(1P) \rightarrow \gamma J/\psi(1S)) = (351.8 \pm 1.0 \pm 12.0) \times 10^{-4}$ from ABLIKIM 17N and accounts for common systematic errors.

NODE=M071P05
NODE=M071P05

NODE=M071P05;LINKAGE=A

 $\Gamma(e^+e^-\chi_{c2}(1P))/\Gamma_{\text{total}}$ Γ_{228}/Γ

VALUE (units 10^{-4})	EVTs	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

6.8±0.7±0.3	227	¹ ABLIKIM	17I BES3	$\psi(2S) \rightarrow e^+e^-\gamma J/\psi$
--------------------	-----	----------------------	----------	--

¹ ABLIKIM 17I reports $(6.9 \pm 0.5 \pm 0.6) \times 10^{-4}$ from a measurement of $[\Gamma(\psi(2S) \rightarrow e^+e^-\chi_{c2}(1P))/\Gamma_{\text{total}}] \times [B(\chi_{c2}(1P) \rightarrow \gamma J/\psi(1S))]$ assuming $B(\chi_{c2}(1P) \rightarrow \gamma J/\psi(1S)) = (19.2 \pm 0.7) \times 10^{-2}$, which we rescale to our best value $B(\chi_{c2}(1P) \rightarrow \gamma J/\psi(1S)) = (19.5 \pm 0.7) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=M071P03
NODE=M071P03

NODE=M071P03;LINKAGE=B

$\Gamma(e^+e^- \chi_{c2}(1P))/\Gamma(\gamma\chi_{c2}(1P))$ $\Gamma_{228}/\Gamma_{183}$

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
$6.6 \pm 0.5 \pm 0.4$	227	¹ ABLIKIM	17I BES3	$\psi(2S) \rightarrow e^+e^- \gamma J/\psi$

¹ Uses $B(\psi(2S) \rightarrow \gamma\chi_{c2}(1P)) \times B(\chi_{c2}(1P) \rightarrow \gamma J/\psi(1S)) = (199.6 \pm 0.8 \pm 7.0) \times 10^{-4}$ from ABLIKIM 17N and accounts for common systematic errors.

NODE=M071P06
NODE=M071P06

NODE=M071P06;LINKAGE=A

WEAK DECAYS

 $\Gamma(D^0 e^+ e^- + c.c.)/\Gamma_{\text{total}}$ Γ_{229}/Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
$<1.4 \times 10^{-7}$	90	¹ ABLIKIM	17AF BES3	$e^+e^- \rightarrow \psi(2S)$

¹ Using D^0 decays to $K^-\pi^+$, $K^-\pi^+\pi^0$, and $K^-\pi^+\pi^+\pi^-$.

NODE=M071330

NODE=M071P07
NODE=M071P07

NODE=M071P07;LINKAGE=A

 $\Gamma(\Lambda_c^+ \bar{\Sigma}^- + c.c.)/\Gamma_{\text{total}}$ Γ_{230}/Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
$<1.4 \times 10^{-5}$	90	¹ ABLIKIM	23 BES3	$e^+e^- \rightarrow \psi(2S)$

¹ Using $\Lambda_c^+ \rightarrow pK^-\pi^+$ and $\bar{\Sigma}^- \rightarrow \bar{p}\pi^0$.

NODE=M071P43
NODE=M071P43

NODE=M071P43;LINKAGE=A

NODE=M071320

OTHER DECAYS

 $\Gamma(\text{invisible})/\Gamma(e^+e^-)$ Γ_{231}/Γ_7

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<2.0	90	LEES	13I BABR	$B \rightarrow K^{(*)}\psi(2S)$

NODE=M071S64
NODE=M071S64

 $\psi(2S)$ CROSS-PARTICLE BRANCHING RATIOS

NODE=M071240

For measurements involving $B(\psi(2S) \rightarrow \gamma\eta_c(2S)) \times B(\eta_c(2S) \rightarrow X)$ see the corresponding entries in the $\eta_c(2S)$ sections.

NODE=M071240

MULTIPOLE AMPLITUDE RATIOS IN RADIATIVE DECAYS

 $\psi(2S) \rightarrow \gamma\chi_{cJ}(1P)$ and $\chi_{cJ} \rightarrow \gamma J/\psi(1S)$

NODE=M071250

 $a_2(\chi_{c1})/a_2(\chi_{c2})$ Magnetic quadrupole transition amplitude ratio

NODE=M071QAR
NODE=M071QAR

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
63 ± 7 OUR AVERAGE				
61.7 ± 8.3	253k	¹ ABLIKIM	17N BES3	$\psi(2S) \rightarrow \gamma\gamma\ell^+\ell^-$
67^{+19}_{-13}	59k	² ARTUSO	09 CLEO	$\psi(2S) \rightarrow \gamma\gamma\ell^+\ell^-$

¹ Statistical and systematic errors combined.

² Statistical and systematic errors combined. Using values from fits with floating $M2$ amplitudes $a_2(\chi_{c1})$, $a_2(\chi_{c2})$, $b_2(\chi_{c1})$, $b_2(\chi_{c2})$ and fixed $E3$ amplitudes of $a_3(\chi_{c2}) = b_3(\chi_{c2}) = 0$. Not independent of values for $a_2(\chi_{c1}(1P))$ and $a_2(\chi_{c2}(1P))$ from ARTUSO 09.

NODE=M071QAR;LINKAGE=A
NODE=M071QAR;LINKAGE=AR

 $b_2(\chi_{c2})/b_2(\chi_{c1})$ Magnetic quadrupole transition amplitude ratio

NODE=M071QBR
NODE=M071QBR

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
60 ± 31 OUR AVERAGE				
74 ± 40	253k	¹ ABLIKIM	17N BES3	$\psi(2S) \rightarrow \gamma\gamma\ell^+\ell^-$
37^{+53}_{-47}	59k	² ARTUSO	09 CLEO	$\psi(2S) \rightarrow \gamma\gamma\ell^+\ell^-$

¹ Statistical and systematic errors combined. Derived from the reported measurement of $b_2(\chi_{c1})/b_2(\chi_{c2}) = 1.35 \pm 0.72$.

² Statistical and systematic errors combined. Using values from fits with floating $M2$ amplitudes $a_2(\chi_{c1})$, $a_2(\chi_{c2})$, $b_2(\chi_{c1})$, $b_2(\chi_{c2})$ and fixed $E3$ amplitudes of $a_3(\chi_{c2}) = b_3(\chi_{c2}) = 0$. Not independent of values for $b_2(\chi_{c1}(1P))$ and $b_2(\chi_{c2}(1P))$ from ARTUSO 09.

NODE=M071QBR;LINKAGE=A

NODE=M071QBR;LINKAGE=AR

 $\psi(2S)$ REFERENCES

NODE=M071

ABLIKIM	24AG	JHEP 2404 013	M. Ablikim <i>et al.</i>	(BESIII Collab.)
ABLIKIM	24BS	PR D110 052011	M. Ablikim <i>et al.</i>	(BESIII Collab.)
ABLIKIM	24J	PR D109 032004	M. Ablikim <i>et al.</i>	(BESIII Collab.)
ABLIKIM	24N	PR D109 072008	M. Ablikim <i>et al.</i>	(BESIII Collab.)
ABLIKIM	24O	PR D109 072015	M. Ablikim <i>et al.</i>	(BESIII Collab.)
AAIJ	23AP	JHEP 2307 084	R. Aaij <i>et al.</i>	(LHCb Collab.)
ABLIKIM	23	CP C47 013002	M. Ablikim <i>et al.</i>	(BESIII Collab.)
ABLIKIM	23BA	PR D108 052001	M. Ablikim <i>et al.</i>	(BESIII Collab.)
ABLIKIM	23BE	PR D108 092011	M. Ablikim <i>et al.</i>	(BESIII Collab.)
ABLIKIM	23BV	PR D108 112014	M. Ablikim <i>et al.</i>	(BESIII Collab.)
LEES	23	PR D107 072001	J.P. Lees <i>et al.</i>	(BABAR Collab.)
LIAO	23	PR D107 112007	L. Liao <i>et al.</i>	
ABLIKIM	22AP	PR D106 072006	M. Ablikim <i>et al.</i>	(BESIII Collab.)

REFID=62687
REFID=63022
REFID=62660
REFID=62664
REFID=62666
REFID=62412
REFID=61897
REFID=62421
REFID=62427
REFID=62518
REFID=62061
REFID=62279
REFID=61888

ABLIKIM	22AQ	PR D106 072007	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=61889
ABLIKIM	22AV	JHEP 2212 016	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=61899
ABLIKIM	22AX	PR D106 112002	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=61901
ABLIKIM	22AY	PR D106 112007	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=61902
ABLIKIM	22AZ	PR D106 112011	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=61903
PDG	22	PTEP 2022 083C01	R.L. Workman <i>et al.</i>	(PDG Collab.)	REFID=61634
ABLIKIM	21AL	PR D104 092003	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=61444
ABLIKIM	21AO	PR D104 092012	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=61447
ABLIKIM	21AT	JHEP 2111 226	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=61463
ABLIKIM	21E	PRL 126 092002	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=61033
ABLIKIM	21L	PR D103 112004	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=61117
ABLIKIM	21S	PL B820 136576	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=61152
ABLIKIM	21Z	PRL 127 082002	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=61265
LEES	21	PR D103 092001	J.P. Lees <i>et al.</i>	(BABAR Collab.)	REFID=61113
LEES	21C	PR D104 112004	J.P. Lees <i>et al.</i>	(BABAR Collab.)	REFID=61451
ABLIKIM	20F	PR D101 032008	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=60256
PDG	20	PTEP 2020 083C01	P.A. Zyla <i>et al.</i>	(PDG Collab.)	REFID=60676
ABLIKIM	19AO	PR D99 112010	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=59892
ABLIKIM	19AT	PR D100 051101	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=59989
ABLIKIM	19AU	PR D100 052010	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=59996
ABLIKIM	19BA	PR D100 092003	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=60024
ABLIKIM	19I	PR D99 012014	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=59605
ABLIKIM	19N	PR D99 032006	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=59615
ABLIKIM	18Q	PR D97 091102	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=58933
ABLIKIM	18T	PR D98 032006	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=58975
ABLIKIM	18Z	PL B783 452	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=59038
ANASHIN	18	PL B781 174	V.V. Anashin <i>et al.</i>	(KEDR Collab.)	REFID=59013
LEES	18E	PR D98 112015	J.P. Lees <i>et al.</i>	(BABAR Collab.)	REFID=59505
ABLIKIM	17AF	PR D96 111101	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=58315
ABLIKIM	17AJ	PR D96 112008	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=58322
ABLIKIM	17AK	PR D96 112012	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=58324
ABLIKIM	17E	PL B770 217	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=57903
ABLIKIM	17I	PRL 118 221802	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=57931
ABLIKIM	17L	PR D95 052003	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=57967
ABLIKIM	17N	PR D95 072004	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=57978
ABLIKIM	17U	PR D96 032001	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=58026
ABLIKIM	17X	PR D96 052003	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=58216
DOBBS	17	PR D96 092004	S. Dobbs <i>et al.</i>	(NWES, WAYN)	REFID=58670
LEES	17A	PR D95 052001	J.P. Lees <i>et al.</i>	(BABAR Collab.)	REFID=57966
AAIJ	16Y	JHEP 1605 132	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=57333
ABLIKIM	16L	PR D93 072003	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=57510
ABLIKIM	15I	PR D91 092006	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=56774
ABLIKIM	15V	PL B749 414	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=56787
ANASHIN	15	PL B749 50	V.V. Anashin <i>et al.</i>	(KEDR Collab.)	REFID=56792
DOBBS	15	PR D91 052006	S. Dobbs <i>et al.</i>	(NWES)	REFID=56805
LEES	15J	PR D92 072008	J.P. Lees <i>et al.</i>	(BABAR Collab.)	REFID=56988
ABLIKIM	14G	PR D89 112006	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=55898
DOBBS	14	PL B739 90	S. Dobbs <i>et al.</i>	(NWES, WAYN)	REFID=56333
ABLIKIM	13A	PRL 110 022001	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=54834
ABLIKIM	13D	PR D87 012007	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=54879
ABLIKIM	13F	PR D87 052007	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=54920
ABLIKIM	13M	PR D87 092006	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=55386
ABLIKIM	13R	PR D88 032007	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=55402
ABLIKIM	13S	PR D88 032010	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=55403
ABLIKIM	13W	PR D88 112007	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=55634
LEES	13I	PR D87 112005	J.P. Lees <i>et al.</i>	(BABAR Collab.)	REFID=55161
LEES	13O	PR D87 092005	J.P. Lees <i>et al.</i>	(BABAR Collab.)	REFID=55293
LEES	13Q	PR D88 032013	J.P. Lees <i>et al.</i>	(BABAR Collab.)	REFID=55404
LEES	13Y	PR D88 072009	J.P. Lees <i>et al.</i>	(BABAR Collab.)	REFID=55589
AAIJ	12H	EPJ C72 1972	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=54056
ABLIKIM	12D	PRL 108 112003	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=54269
ABLIKIM	12G	PRL 109 042003	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=54272
ABLIKIM	12H	PL B710 594	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=54273
ABLIKIM	12L	PR D86 072011	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=54739
ABLIKIM	12M	PR D86 092008	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=54740
ABLIKIM	12O	PRL 109 172002	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=54742
ABLIKIM	12Q	CP C36 1040	M. Ablikim <i>et al.</i>	(BES II Collab.)	REFID=54864
ANASHIN	12	PL B711 280	V.V. Anashin <i>et al.</i>	(KEDR Collab.)	REFID=54038
LEES	12E	PR D85 112009	J.P. Lees <i>et al.</i>	(BABAR Collab.)	REFID=54297
LEES	12F	PR D86 012008	J.P. Lees <i>et al.</i>	(BABAR Collab.)	REFID=54298
METREVELI	12	PR D85 092007	Z. Metreveli <i>et al.</i>	(NWES, FLOR, WAYN+)	REFID=54304
GE	11	PR D84 032008	J.Y. Ge <i>et al.</i>	(CLEO Collab.)	REFID=53960
ABLIKIM	10B	PRL 104 132002	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=53348
ABLIKIM	10F	PRL 105 261801	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=53630
ALEXANDER	10	PR D82 092002	J.P. Alexander <i>et al.</i>	(CLEO Collab.)	REFID=53525
CRONIN-HEN...	10	PR D81 052002	D. Cronin-Hennessey <i>et al.</i>	(CLEO Collab.)	REFID=53233
ADAMS	09	PR D80 051106	G.S. Adams <i>et al.</i>	(CLEO Collab.)	REFID=53103
ARTUSO	09	PR D80 112003	M. Artuso <i>et al.</i>	(CLEO Collab.)	REFID=53206
LIBBY	09	PR D80 072002	J. Libby <i>et al.</i>	(CLEO Collab.)	REFID=53124
MITCHELL	09	PRL 102 011801	R.E. Mitchell <i>et al.</i>	(CLEO Collab.)	REFID=52676
PEDLAR	09	PR D79 111101	T.K. Pedlar <i>et al.</i>	(CLEO Collab.)	REFID=52998
ABLIKIM	08B	PL B659 74	M. Ablikim <i>et al.</i>	(BES Collab.)	REFID=52129
ABLIKIM	08C	PL B659 789	M. Ablikim <i>et al.</i>	(BES Collab.)	REFID=52130
DOBBS	08A	PRL 101 182003	S. Dobbs <i>et al.</i>	(CLEO Collab.)	REFID=52579
MENDEZ	08	PR D78 011102	H. Mendez <i>et al.</i>	(CLEO Collab.)	REFID=52684
PDG	08	PL B667 1	C. Amsler <i>et al.</i>	(PDG Collab.)	REFID=52166
ABLIKIM	07C	PL B648 149	M. Ablikim <i>et al.</i>	(BES Collab.)	REFID=51636
ABLIKIM	07D	PRL 99 011802	M. Ablikim <i>et al.</i>	(BES II Collab.)	REFID=51725
ABLIKIM	07H	PR D76 092003	M. Ablikim <i>et al.</i>	(BES Collab.)	REFID=52046
ANASHIN	07	JETPL 85 347	V.V. Anashin <i>et al.</i>	(KEDR Collab.)	REFID=51655

Translated from ZETFP 85 429.

ANDREOTTI	07	PL B654 74	M. Andreotti <i>et al.</i>	(Femilab E835 Collab.)	REFID=51944
AUBERT	07AK	PR D76 012008	B. Aubert <i>et al.</i>	(BABAR Collab.)	REFID=51908
AUBERT	07AU	PR D76 092005	B. Aubert <i>et al.</i>	(BABAR Collab.)	REFID=52049
Also		PR D77 119902E (errat.)	B. Aubert <i>et al.</i>	(BABAR Collab.)	REFID=52266
AUBERT	07BD	PR D76 092006	B. Aubert <i>et al.</i>	(BABAR Collab.)	REFID=52050
PDG	07	Unofficial 2007 WWW edition		(PDG Collab.)	REFID=52717; ERROR=1
PEDLAR	07	PR D75 011102	T.K. Pedlar <i>et al.</i>	(CLEO Collab.)	REFID=51630
ABLIKIM	06G	PR D73 052004	M. Ablikim <i>et al.</i>	(BES Collab.)	REFID=51048
ABLIKIM	06I	PR D74 012004	M. Ablikim <i>et al.</i>	(BES Collab.)	REFID=51126
ABLIKIM	06L	PRL 97 121801	M. Ablikim <i>et al.</i>	(BES Collab.)	REFID=51129
ABLIKIM	06R	PR D74 072001	M. Ablikim <i>et al.</i>	(BES Collab.)	REFID=51447
ABLIKIM	06W	PR D74 112003	M. Ablikim <i>et al.</i>	(BES Collab.)	REFID=51560
ADAM	06	PRL 96 082004	N.E. Adam <i>et al.</i>	(CLEO Collab.)	REFID=50989
AUBERT	06B	PR D73 012005	B. Aubert <i>et al.</i>	(BABAR Collab.)	REFID=51026
AUBERT	06D	PR D73 052003	B. Aubert <i>et al.</i>	(BABAR Collab.)	REFID=51047
AUBERT,BE	06D	PR D74 091103	B. Aubert <i>et al.</i>	(BABAR Collab.)	REFID=51511
DOBBS	06A	PR D74 011105	S. Dobbs <i>et al.</i>	(CLEO Collab.)	REFID=51158
ABLIKIM	05E	PR D71 072006	M. Ablikim <i>et al.</i>	(BES Collab.)	REFID=50757
ABLIKIM	05H	PR D72 012002	M. Ablikim <i>et al.</i>	(BES Collab.)	REFID=50759
ABLIKIM	05I	PL B614 37	M. Ablikim <i>et al.</i>	(BES Collab.)	REFID=50758
ABLIKIM	05J	PL B619 247	M. Ablikim <i>et al.</i>	(BES Collab.)	REFID=50760
ABLIKIM	05O	PL B630 21	M. Ablikim <i>et al.</i>	(BES Collab.)	REFID=50846
ADAM	05	PRL 94 012005	N.E. Adam <i>et al.</i>	(CLEO Collab.)	REFID=50451
ADAM	05A	PRL 94 232002	N.E. Adam <i>et al.</i>	(CLEO Collab.)	REFID=50763
ANDREOTTI	05	PR D71 032006	M. Andreotti <i>et al.</i>	(FNAL E835 Collab.)	REFID=50497
AUBERT	05D	PR D71 052001	B. Aubert <i>et al.</i>	(BABAR Collab.)	REFID=50509
BRIERE	05	PRL 95 062001	R.A. Briere <i>et al.</i>	(CLEO Collab.)	REFID=50785
PEDLAR	05	PR D72 051108	T.K. Pedlar <i>et al.</i>	(CLEO Collab.)	REFID=50808
ROSNER	05	PRL 95 102003	J.L. Rosner <i>et al.</i>	(CLEO Collab.)	REFID=50812
ABLIKIM	04B	PR D70 012003	M. Ablikim <i>et al.</i>	(BES Collab.)	REFID=49741
ABLIKIM	04K	PR D70 112003	M. Ablikim <i>et al.</i>	(BES Collab.)	REFID=50327
ABLIKIM	04L	PR D70 112007	M. Ablikim <i>et al.</i>	(BES Collab.)	REFID=50328
ATHAR	04	PR D70 112002	S.B. Athar <i>et al.</i>	(CLEO Collab.)	REFID=50331
BAI	04B	PRL 92 052001	J.Z. Bai <i>et al.</i>	(BES Collab.)	REFID=49608
BAI	04C	PR D69 072001	J.Z. Bai <i>et al.</i>	(BES Collab.)	REFID=49749
BAI	04D	PL B589 7	J.Z. Bai <i>et al.</i>	(BES Collab.)	REFID=49750
BAI	04G	PR D70 012004	J.Z. Bai <i>et al.</i>	(BES Collab.)	REFID=49753
BAI	04I	PR D70 012006	J.Z. Bai <i>et al.</i>	(BES Collab.)	REFID=49755
PDG	04	PL B592 1	S. Eidelman <i>et al.</i>	(PDG Collab.)	REFID=49653
SETH	04	PR D69 097503	K.K. Seth		REFID=49779
AULCHENKO	03	PL B573 63	V.M. Aulchenko <i>et al.</i>	(KEDR Collab.)	REFID=49579
BAI	03B	PR D67 052002	J.Z. Bai <i>et al.</i>	(BES Collab.)	REFID=49186
BAI	03C	PR D67 032004	J.Z. Bai <i>et al.</i>	(BES Collab.)	REFID=49190
AUBERT	02B	PR D65 031101	B. Aubert <i>et al.</i>	(BABAR Collab.)	REFID=48548
BAI	02	PR D65 052004	J.Z. Bai <i>et al.</i>	(BES Collab.)	REFID=48578
BAI	02B	PL B550 24	J.Z. Bai <i>et al.</i>	(BES Collab.)	REFID=49171
BAI	02C	PRL 88 101802	J.Z. Bai <i>et al.</i>	(BES Collab.)	REFID=50506
PDG	02	PR D66 010001	K. Hagiwara <i>et al.</i>	(PDG Collab.)	REFID=48632
BAI	01	PR D63 032002	J.Z. Bai <i>et al.</i>	(BES Collab.)	REFID=48003
AMBROGIANI	00A	PR D62 032004	M. Ambrogiani <i>et al.</i>	(FNAL E835 Collab.)	REFID=47939
ARTAMONOV	00	PL B474 427	A.S. Artamonov <i>et al.</i>		REFID=47424
BAI	00	PRL 84 594	J.Z. Bai <i>et al.</i>	(BES Collab.)	REFID=50503
BAI	99C	PRL 83 1918	J.Z. Bai <i>et al.</i>	(BES Collab.)	REFID=47420
BAI	98E	PR D57 3854	J.Z. Bai <i>et al.</i>	(BES Collab.)	REFID=46339
BAI	98F	PR D58 097101	J.Z. Bai <i>et al.</i>	(BES Collab.)	REFID=46340
BAI	98J	PRL 81 5080	J.Z. Bai <i>et al.</i>	(BES Collab.)	REFID=46554
ARMSTRONG	97	PR D55 1153	T.A. Armstrong <i>et al.</i>	(E760 Collab.)	REFID=45416
GRIBUSHIN	96	PR D53 4723	A. Gribushin <i>et al.</i>	(E672 and E706 Collab.)	REFID=44739
ARMSTRONG	93B	PR D47 772	T.A. Armstrong <i>et al.</i>	(FNAL E760 Collab.)	REFID=43307
ALEXANDER	89	NP B320 45	J.P. Alexander <i>et al.</i>	(LBL, MICH, SLAC)	REFID=40345
COHEN	87	RMP 59 1121	E.R. Cohen, B.N. Taylor	(RISC, NBS)	REFID=11616
GAISER	86	PR D34 711	J. Gaiser <i>et al.</i>	(Crystal Ball Collab.)	REFID=22012
KURAEV	85	SJNP 41 466	E.A. Kuraev, V.S. Fadin	(NOVO)	REFID=40033
FRANKLIN	83	Translated from YAF 41 733			
EDWARDS	82C	PRL 51 963	M.E.B. Franklin <i>et al.</i>	(LBL, SLAC)	REFID=22216
LEMOIGNE	82	PL 113B 509	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)	REFID=22173
HIMEL	80	PRL 44 920	Y. Lemoigne <i>et al.</i>	(SACL, LOIC, SHMP+)	REFID=22084
OREGLIA	80	PRL 45 959	T. Himel <i>et al.</i>	(LBL, SLAC)	REFID=22119
SCHARRE	80	PL 97B 329	M.J. Oreglia <i>et al.</i>	(SLAC, CIT, HARV+)	REFID=22207
ZHOLENTZ	80	PL 96B 214	D.L. Scharre <i>et al.</i>	(SLAC, LBL)	REFID=21329
Also		SJNP 34 814	A.A. Zholents <i>et al.</i>	(NOVO)	REFID=10320
		Translated from YAF 34 1471	A.A. Zholents <i>et al.</i>	(NOVO)	REFID=10321
BRANDELIK	79B	NP B160 426	R. Brandelik <i>et al.</i>	(DASP Collab.)	REFID=22115
BRANDELIK	79C	ZPHY C1 233	R. Brandelik <i>et al.</i>	(DASP Collab.)	REFID=22114
BARTEL	78B	PL 79B 492	W. Bartel <i>et al.</i>	(DESY, HEIDP)	REFID=22111
TANENBAUM	78	PR D17 1731	W.M. Tanenbaum <i>et al.</i>	(SLAC, LBL)	REFID=22112
BIDDICK	77	PRL 38 1324	C.J. Biddick <i>et al.</i>	(UCSD, UMD, PAVI+)	REFID=22059
BRAUNSCH...	77	PL 67B 249	W. Braunschweig <i>et al.</i>	(DASP Collab.)	REFID=22197
BURMESTER	77	PL 66B 395	J. Burmester <i>et al.</i>	(DESY, HAMB, SIEG+)	REFID=22198
FELDMAN	77	PRPL 33C 285	G.J. Feldman, M.L. Perl	(LBL, SLAC)	REFID=22062
YAMADA	77	Hamburg Conf. 69	S. Yamada	(DASP Collab.)	REFID=22064
BARTEL	76	PL 64B 483	W. Bartel <i>et al.</i>	(DESY, HEIDP)	REFID=22192
TANENBAUM	76	PRL 36 402	W.M. Tanenbaum <i>et al.</i>	(SLAC, LBL) IG	REFID=22194
WHITAKER	76	PRL 37 1596	J.S. Whitaker <i>et al.</i>	(SLAC, LBL)	REFID=22151
ABRAMS	75	Stanford Symp. 25	G.S. Abrams	(LBL)	REFID=22176
ABRAMS	75B	PRL 34 1181	G.S. Abrams <i>et al.</i>	(LBL, SLAC)	REFID=22177
BOYARSKI	75C	Palermo Conf. 54	A.M. Boyarski <i>et al.</i>	(SLAC, LBL)	REFID=22179
HILGER	75	PRL 35 625	E. Hilger <i>et al.</i>	(STAN, PENN)	REFID=22186
LIBERMAN	75	Stanford Symp. 55	A.D. Liberman	(STAN)	REFID=22046
LUTH	75	PRL 35 1124	V. Luth <i>et al.</i>	(SLAC, LBL) JPC	REFID=22188
WIIK	75	Stanford Symp. 69	B.H. Wiik	(DESY)	REFID=22050