

**$f_2(1565)$** 

$$I^G(J^{PC}) = 0^+(2^{++})$$

Seen mostly in antinucleon-nucleon annihilation. See the review on "Spectroscopy of Light Meson Resonances."

NODE=M123

NODE=M123

 **$f_2(1565)$  T-MATRIX POLE  $\sqrt{s}$** 

Note that  $\Gamma = -2 \text{Im}(\sqrt{s})$ .

NODE=M123PP

NODE=M123PP

NODE=M123PP

→ UNCHECKED ←

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>(1495–1560) – <math>i</math> (40–110) OUR ESTIMATE</b>			
$(1560 \pm 15) - i(140 \pm 20)$	<sup>1</sup> ANISOVICH	09	RVUE 0.0 $\bar{p}p, \pi N$
$(1552 \pm 13) - i(57 \pm 12)$	AMSLER	02	CBAR 0.9 $\bar{p}p \rightarrow \pi^0 \eta \eta,$ $\pi^0 \pi^0 \pi^0$
$(1507 \pm 15) - i(65 \pm 10)$	BERTIN	97C	OBLX 0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
$(1534 \pm 20) - i(90 \pm 30)$	<sup>2</sup> ABELE	96C	RVUE Compilation
$(\sim 1552) - i(\sim 71)$	<sup>3</sup> AMSLER	95D	CBAR 0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \pi^0,$ $\pi^0 \eta \eta, \pi^0 \pi^0 \eta$

<sup>1</sup> On sheet II in a two-pole solution.

<sup>2</sup> T-matrix pole, large coupling to  $\rho\rho$  and  $\omega\omega$ , could be  $f_2(1640)$ .

<sup>3</sup> Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AMSLER 94D.

NODE=M123PP;LINKAGE=A

NODE=M123PP;LINKAGE=D

NODE=M123PP;LINKAGE=E

 **$f_2(1565)$  MASS**

NODE=M123M

NODE=M123M

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>1571 ± 13 OUR AVERAGE</b>			
1575 ± 18	<sup>1</sup> BERTIN	98	OBLX 0.05–0.405 $\bar{p}p \rightarrow \pi^+ \pi^+ \pi^-$
1565 ± 20	<sup>1</sup> MAY	90	ASTE 0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1590 ± 10	AMELIN	06	VES 36 $\pi^- p \rightarrow \omega \omega n$
1550 ± 10 ± 20	AMELIN	00	VES 37 $\pi^- p \rightarrow \eta \pi^+ \pi^- n$
1598 ± 11 ± 9	BAKER	99B	SPEC 0 $\bar{p}p \rightarrow \omega \omega \pi^0$
1598 ± 72	BALOSHIN	95	SPEC 40 $\pi^- C \rightarrow K_S^0 K_S^0 X$
1566 <sup>+80</sup> <sub>-50</sub>	<sup>2</sup> ANISOVICH	94	CBAR 0.0 $\bar{p}p \rightarrow 3\pi^0, \eta \eta \pi^0$
1502 ± 9	ADAMO	93	OBLX $\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
1488 ± 10	<sup>3</sup> ARMSTRONG	93C	E760 $\bar{p}p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$
1508 ± 10	<sup>3</sup> ARMSTRONG	93D	E760 $\bar{p}p \rightarrow 3\pi^0 \rightarrow 6\gamma$
1525 ± 10	<sup>3</sup> ARMSTRONG	93D	E760 $\bar{p}p \rightarrow \eta \pi^0 \pi^0 \rightarrow 6\gamma$
~ 1504	<sup>4</sup> WEIDENAUER	93	ASTE 0.0 $\bar{p}N \rightarrow 3\pi^- 2\pi^+$
1540 ± 15	<sup>3</sup> ADAMO	92	OBLX $\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
1515 ± 10	<sup>5</sup> AKER	91	CBAR 0.0 $\bar{p}p \rightarrow 3\pi^0$
1477 ± 5	BRIDGES	86C	DBC 0.0 $\bar{p}N \rightarrow 3\pi^- 2\pi^+$

OCCUR=2

<sup>1</sup> Breit-Wigner mass.

<sup>2</sup> From a simultaneous analysis of the annihilations  $\bar{p}p \rightarrow 3\pi^0, \pi^0 \eta \eta$  including AKER 91 data.

<sup>3</sup>  $J^P$  not determined, could be partly  $f_0(1500)$ .

<sup>4</sup>  $J^P$  not determined.

<sup>5</sup> Superseded by AMSLER 95B.

NODE=M123M;LINKAGE=G

NODE=M123M;LINKAGE=C

NODE=M123M;LINKAGE=E

NODE=M123M;LINKAGE=F

NODE=M123M;LINKAGE=BA

 **$f_2(1565)$  WIDTH**

NODE=M123W

NODE=M123W

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>132 ± 23 OUR AVERAGE</b> Error includes scale factor of 1.1.			
119 ± 24	<sup>1</sup> BERTIN	98	OBLX 0.05–0.405 $\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
170 ± 40	<sup>1</sup> MAY	90	ASTE 0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
140 ± 11	<sup>1,2</sup> AMELIN	06	VES 36 $\pi^- p \rightarrow \omega \omega n$
130 ± 20 ± 40	<sup>1</sup> AMELIN	00	VES 37 $\pi^- p \rightarrow \eta \pi^+ \pi^- n$
263 ± 101	BALOSHIN	95	SPEC 40 $\pi^- C \rightarrow K_S^0 K_S^0 X$
166 <sup>+80</sup> <sub>-20</sub>	<sup>3</sup> ANISOVICH	94	CBAR 0.0 $\bar{p}p \rightarrow 3\pi^0, \eta \eta \pi^0$
130 ± 10	<sup>4</sup> ADAMO	93	OBLX $\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
148 ± 27	<sup>5</sup> ARMSTRONG	93C	E760 $\bar{p}p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$
103 ± 15	<sup>5</sup> ARMSTRONG	93D	E760 $\bar{p}p \rightarrow 3\pi^0 \rightarrow 6\gamma$

111 ± 10	<sup>5</sup> ARMSTRONG 93D	E760	$\bar{p}p \rightarrow \eta\pi^0\pi^0 \rightarrow 6\gamma$
~ 206	<sup>6</sup> WEIDENAUER 93	ASTE	$0.0 \bar{p}N \rightarrow 3\pi^- 2\pi^+$
132 ± 37	<sup>5</sup> ADAMO	92	OBLX $\bar{n}p \rightarrow \pi^+\pi^+\pi^-$
120 ± 10	<sup>7</sup> AKER	91	CBAR $0.0 \bar{p}p \rightarrow 3\pi^0$
116 ± 9	BRIDGES	86C	DBC $0.0 \bar{p}N \rightarrow 3\pi^- 2\pi^+$

OCCUR=2

<sup>1</sup> Breit-Wigner width.<sup>2</sup> Supersedes the  $\omega\omega$  state of BELADIDZE 92B earlier assigned to the  $f_2(1640)$ .<sup>3</sup> From a simultaneous analysis of the annihilations  $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta\eta$  including AKER 91 data.<sup>4</sup> Supersedes ADAMO 92.<sup>5</sup>  $J^P$  not determined, could be partly  $f_0(1500)$ .<sup>6</sup>  $J^P$  not determined.<sup>7</sup> Superseded by AMSLER 95B.

NODE=M123W;LINKAGE=G  
 NODE=M123W;LINKAGE=AM  
 NODE=M123W;LINKAGE=D

NODE=M123W;LINKAGE=C  
 NODE=M123W;LINKAGE=E  
 NODE=M123W;LINKAGE=F  
 NODE=M123W;LINKAGE=BA

 **$f_2(1565)$  DECAY MODES**

NODE=M123215;NODE=M123

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $\pi\pi$	seen
$\Gamma_2$ $\pi^+\pi^-$	seen
$\Gamma_3$ $\pi^0\pi^0$	seen
$\Gamma_4$ $\rho^0\rho^0$	seen
$\Gamma_5$ $2\pi^+ 2\pi^-$	seen
$\Gamma_6$ $\eta\eta$	seen
$\Gamma_7$ $\omega\omega$	seen
$\Gamma_8$ $K\bar{K}$	seen
$\Gamma_9$ $\gamma\gamma$	seen

DESIG=6;OUR EST;→ UNCHECKED ←  
 DESIG=1;OUR EST;→ UNCHECKED ←  
 DESIG=3;OUR EST;→ UNCHECKED ←  
 DESIG=2;OUR EST;→ UNCHECKED ←  
 DESIG=5;OUR EST;→ UNCHECKED ←  
 DESIG=4;OUR EST;→ UNCHECKED ←  
 DESIG=7;OUR EST;→ UNCHECKED ←  
 DESIG=9;OUR EST;→ UNCHECKED ←  
 DESIG=10;OUR EST;→ UNCHECKED ←

 **$f_2(1565)$  PARTIAL WIDTHS**

NODE=M123225

 **$\Gamma(\eta\eta)$**  **$\Gamma_6$** 

VALUE (MeV)	EVTs	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

NODE=M123W3  
 NODE=M123W3

● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●

1.2 ± 0.3	870	<sup>1</sup> SCHEGELSKY 06A	RVUE	$\gamma\gamma \rightarrow K_S^0 K_S^0$
-----------	-----	-----------------------------	------	--

<sup>1</sup> From analysis of L3 data at 91 and 183–209 GeV, using  $f_2(1565)$  mass of 1570 MeV, width of 160 MeV,  $\Gamma(\pi\pi) = 25$  MeV, and SU(3) relations.

NODE=M123W3;LINKAGE=SC

 **$\Gamma(K\bar{K})$**  **$\Gamma_8$** 

VALUE (MeV)	EVTs	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

NODE=M123W1  
 NODE=M123W1

● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●

2.0 ± 1.0	870	<sup>1</sup> SCHEGELSKY 06A	RVUE	$\gamma\gamma \rightarrow K_S^0 K_S^0$
-----------	-----	-----------------------------	------	--

<sup>1</sup> From analysis of L3 data at 91 and 183–209 GeV, using  $f_2(1565)$  mass of 1570 MeV, width of 160 MeV,  $\Gamma(\pi\pi) = 25$  MeV, and SU(3) relations.

NODE=M123W1;LINKAGE=SC

 **$\Gamma(\gamma\gamma)$**  **$\Gamma_9$** 

VALUE (keV)	EVTs	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

NODE=M123W2  
 NODE=M123W2

● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●

0.70 ± 0.14	870	<sup>1</sup> SCHEGELSKY 06A	RVUE	$\gamma\gamma \rightarrow K_S^0 K_S^0$
-------------	-----	-----------------------------	------	--

<sup>1</sup> From analysis of L3 data at 91 and 183–209 GeV, using  $f_2(1565)$  mass of 1570 MeV, width of 160 MeV,  $\Gamma(\pi\pi) = 25$  MeV, and SU(3) relations.

NODE=M123W2;LINKAGE=SC

 **$f_2(1565)$  BRANCHING RATIOS**

NODE=M123220

 **$\Gamma(\pi\pi)/\Gamma_{\text{total}}$**  **$\Gamma_1/\Gamma$** 

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

NODE=M123R5  
 NODE=M123R5

● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●

seen	BAKER	99B	SPEC $0 \bar{p}p \rightarrow \omega\omega\pi^0$
------	-------	-----	---

$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$  $\Gamma_2/\Gamma$ 

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
seen	BERTIN	98	OBLX 0.05–0.405 $\bar{n}p \rightarrow \pi^+\pi^+\pi^-$
not seen	<sup>1</sup> ANISOVICH	94B	RVUE $\bar{p}p \rightarrow \pi^+\pi^-\pi^0$
seen	MAY	89	ASTE $\bar{p}p \rightarrow \pi^+\pi^-\pi^0$

NODE=M123R1  
 NODE=M123R1

<sup>1</sup> ANISOVICH 94B is from a reanalysis of MAY 90.

NODE=M123R1;LINKAGE=A

 $\Gamma(\pi^0\pi^0)/\Gamma_{\text{total}}$  $\Gamma_3/\Gamma$ 

VALUE	DOCUMENT ID	TECN	COMMENT
seen	AMSLER	95B	CBAR 0.0 $\bar{p}p \rightarrow 3\pi^0$

NODE=M123R3  
 NODE=M123R3

 $\Gamma(\pi^+\pi^-)/\Gamma(\rho^0\rho^0)$  $\Gamma_2/\Gamma_4$ 

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.042±0.013	BRIDGES	86B	DBC $\bar{p}N \rightarrow 3\pi^-2\pi^+$

NODE=M123R2  
 NODE=M123R2

 $\Gamma(\eta\eta)/\Gamma(\pi^0\pi^0)$  $\Gamma_6/\Gamma_3$ 

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.024±0.005±0.012	<sup>1</sup> ARMSTRONG	93C	E760 $\bar{p}p \rightarrow \pi^0\eta\eta \rightarrow 6\gamma$

NODE=M123R4  
 NODE=M123R4

<sup>1</sup>  $J^P$  not determined, could be partly  $f_0(1500)$ .

NODE=M123R4;LINKAGE=E

 $\Gamma(\omega\omega)/\Gamma_{\text{total}}$  $\Gamma_7/\Gamma$ 

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
seen	BAKER	99B	SPEC 0 $\bar{p}p \rightarrow \omega\omega\pi^0$

NODE=M123R6  
 NODE=M123R6

 $f_2(1565)$  REFERENCES

ANISOVICH	09	IJMP A24 2481	V.V. Anisovich, A.V. Sarantsev	(PNPI)
AMELIN	06	PAN 69 690	D.V. Amelin <i>et al.</i>	(VES Collab.)
		Translated from YAF 69 715.		
SCHEGELSKY	06A	EPJ A27 207	V.A. Schegelsky <i>et al.</i>	
AMSLER	02	EPJ C23 29	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMELIN	00	NP A668 83	D. Amelin <i>et al.</i>	(VES Collab.)
BAKER	99B	PL B467 147	C.A. Baker <i>et al.</i>	
BERTIN	98	PR D57 55	A. Bertin <i>et al.</i>	(OBELIX Collab.)
BERTIN	97C	PL B408 476	A. Bertin <i>et al.</i>	(OBELIX Collab.)
ABELE	96C	NP A609 562	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95B	PL B342 433	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95C	PL B353 571	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95D	PL B355 425	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
BALOSHIN	95	PAN 58 46	O.N. Baloshin <i>et al.</i>	(ITEP)
		Translated from YAF 58 50.		
AMSLER	94D	PL B333 277	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH	94	PL B323 233	V.V. Anisovich <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH	94B	PR D50 1972	V.V. Anisovich <i>et al.</i>	(LOQM)
ADAMO	93	NP A558 13C	A. Adamo <i>et al.</i>	(OBELIX Collab.)
ARMSTRONG	93C	PL B307 394	T.A. Armstrong <i>et al.</i>	(FNAL, FERR, GENO+)
ARMSTRONG	93D	PL B307 399	T.A. Armstrong <i>et al.</i>	(FNAL, FERR, GENO+)
WEIDENAUER	93	ZPHY C59 387	P. Weidenauer <i>et al.</i>	(ASTERIX Collab.)
ADAMO	92	PL B287 368	A. Adamo <i>et al.</i>	(OBELIX Collab.)
BELADIDZE	92B	ZPHY C54 367	G.M. Beladidze <i>et al.</i>	(VES Collab.)
AKER	91	PL B260 249	E. Aker <i>et al.</i>	(Crystal Barrel Collab.)
MAY	90	ZPHY C46 203	B. May <i>et al.</i>	(ASTERIX Collab.)
MAY	89	PL B225 450	B. May <i>et al.</i>	(ASTERIX Collab.) IJP
BRIDGES	86B	PRL 56 215	D.L. Bridges <i>et al.</i>	(SYRA, CASE)
BRIDGES	86C	PRL 57 1534	D.L. Bridges <i>et al.</i>	(SYRA)

NODE=M123

REFID=52719  
 REFID=51574

REFID=51185  
 REFID=48580  
 REFID=47432  
 REFID=47398  
 REFID=45782  
 REFID=45701  
 REFID=45076  
 REFID=44377  
 REFID=44440  
 REFID=44441  
 REFID=44621

REFID=44093  
 REFID=43659  
 REFID=44071  
 REFID=43657  
 REFID=43587  
 REFID=43596  
 REFID=43585  
 REFID=42177  
 REFID=42172  
 REFID=41587  
 REFID=41365  
 REFID=40921  
 REFID=21376  
 REFID=21377