

NODE=M159

$\chi_{c0}(3915)$

$I^G(J^{PC}) = 0^+(0^{++})$

was $X(3915)$

The $\chi_{c0}(3915)$ was originally seen by BELLE in its $\omega J/\psi$ decay mode and was produced in both B decays in CHOI 05 and $\gamma\gamma$ collisions in UEHARA 10. The J^{PC} was determined to be 0^{++} by BABAR in LEES 12AD but this assignment was questioned by ZHOU 15C. In AAIJ 20AI LHCb found the $D^+ D^-$ decay mode of the $\chi_{c0}(3915)$ using B decays and determined its J^{PC} to be 0^{++} . Based on their compatible mass, width, and J^{PC} , we assume the state decaying to $\omega J/\psi$ and the state decaying to $D^+ D^-$ are both the $\chi_{c0}(3915)$. See also the $\chi_{c2}(3930)$.

NODE=M159

$\chi_{c0}(3915)$ MASS

NODE=M159M

NODE=M159M


VALUE (MeV)	EVTs	DOCUMENT ID	TECN	COMMENT
3922.1 ± 1.8 OUR AVERAGE		Error includes scale factor of 1.5. See the ideogram below.		
3956 ± 5 ± 10	360	¹ AAIJ	23AA LHCb	$B^+ \rightarrow D_s^+ D_s^- K^+$
3923.8 ± 1.5 ± 0.4	1.2k	² AAIJ	20AI LHCb	$B^+ \rightarrow D^+ D^- K^+$
3919.4 ± 2.2 ± 1.6	59 ± 10	LEES	12AD BABR	$e^+ e^- \rightarrow e^+ e^- \omega J/\psi$
3919.1 ⁺ _{−3.4} ± 2.0		DEL-AMO-SA...10B	BABR	$B \rightarrow \omega J/\psi K$
3915 ± 3 ± 2	49 ± 15	UEHARA	10 BELL	10.6 $e^+ e^- \rightarrow e^+ e^- \omega J/\psi$
3943 ± 11 ± 13	58 ± 11	³ CHOI	05 BELL	$B \rightarrow \omega J/\psi K$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
3920.9 ± 0.9		⁴ LI	24 RVUE	$\omega J/\psi$ invariant mass
3922.4 ± 6.5 ± 2.0		⁵ WANG	22A BELL	$\gamma\gamma \rightarrow \gamma\psi(2S)$
3926.4 ± 2.2 ± 1.2		⁶ ABLIKIM	19V BES	$e^+ e^- \rightarrow \gamma\omega J/\psi$
3914.6 ⁺ _{−3.4} ± 2.0		³ AUBERT	08W BABR	Superseded by DEL-AMO-SANCHEZ 10B

- ¹ $D_s^+ D_s^-$ near-threshold enhancement parameterized with a Flatte-like function .
- ² Obtained from the full amplitude analysis. Parameterized with the relativistic Breit-Wigner line shape.
- ³ $\omega J/\psi$ threshold enhancement fitted as an S-wave Breit-Wigner resonance.
- ⁴ From a simultaneous χ^2 fit to the distributions of the $\omega J/\psi$ invariant mass measured by BaBar and Belle in the processes $\gamma\gamma \rightarrow \omega J/\psi$ and $B \rightarrow \omega J/\psi K$. LHCb results also taken into account as an additional constraint in the χ^2 calculation.
- ⁵ Not distinguished from the $\chi_{c2}(3930)$.
- ⁶ Could also be $X(3940)$. Significance 3.1σ . Fit with additional resonance at 3963.7 ± 5.7 MeV, significance 3.4σ .

NODE=M159M;LINKAGE=D
NODE=M159M;LINKAGE=B

NODE=M159M;LINKAGE=CH
NODE=M159M;LINKAGE=E

NODE=M159M;LINKAGE=C
NODE=M159M;LINKAGE=A



$\chi_{c0}(3915)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
20 ± 4 OUR AVERAGE		Error includes scale factor of 1.1.		
43 ±13 ± 8 360		¹ AAIJ	23AA LHCB	$B^+ \rightarrow D_s^+ D_s^- K^+$
17.4 ± 5.1 ± 0.8 1.2k		² AAIJ	20AI LHCB	$B^+ \rightarrow D^+ D^- K^+$
13 ± 6 ± 3 59		LEES	12AD BABR	$e^+ e^- \rightarrow e^+ e^- \omega J/\psi$
31 $^{+10}_{-8}$ ± 5		DEL-AMO-SA..10B	BABR	$B \rightarrow \omega J/\psi K$
17 ±10 ± 3 49		UEHARA	10 BELL	10.6 $e^+ e^- \rightarrow e^+ e^- \omega J/\psi$
87 ±22 ±26 58		³ CHOI	05 BELL	$B \rightarrow \omega J/\psi K$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
18.2 ± 2.4		⁴ LI	24 RVUE	$\omega J/\psi$ invariant mass
22 ±17 ± 4		⁵ WANG	22A BELL	$\gamma\gamma \rightarrow \gamma\psi(2S)$
3.8 ± 7.5 ± 2.6		⁶ ABLIKIM	19V BES	$e^+ e^- \rightarrow \gamma\omega J/\psi$
34 $^{+12}_{-8}$ ± 5		³ AUBERT	08W BABR	Superseded by DEL-AMO-SANCHEZ 10B
¹ $D_s^+ D_s^-$ near-threshold enhancement parameterized with a Flatte-like function . ² Obtained from the full amplitude analysis. Parameterized with the relativistic Breit-Wigner line shape. ³ $\omega J/\psi$ threshold enhancement fitted as an S-wave Breit-Wigner resonance. ⁴ From a simultaneous χ^2 fit to the distributions of the $\omega J/\psi$ invariant mass measured by BaBar and Belle in the processes $\gamma\gamma \rightarrow \omega J/\psi$ and $B \rightarrow \omega J/\psi K$. LHCb results also taken into account as an additional constraint in the χ^2 calculation. ⁵ Not distinguished from the $\chi_{c2}(3930)$. ⁶ Could also be $X(3940)$. Significance 3.1 σ . Fit with additional resonance at 3963.7 ± 5.7 MeV, significance 3.4 σ .				

NODE=M159W

NODE=M159W

NODE=M159W;LINKAGE=D
NODE=M159W;LINKAGE=BNODE=M159W;LINKAGE=CH
NODE=M159W;LINKAGE=ENODE=M159W;LINKAGE=C
NODE=M159W;LINKAGE=A $\chi_{c0}(3915)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $\omega J/\psi$	seen
Γ_2 $\bar{D}^{*0} D^0$	not seen
Γ_3 $D^+ D^-$	seen
Γ_4 $D_s^+ D_s^-$	seen
Γ_5 $\pi^+ \pi^- \eta_c(1S)$	not seen
Γ_6 $\eta_c \eta$	not seen
Γ_7 $\eta_c \pi^0$	not seen
Γ_8 $K \bar{K}$	not seen
Γ_9 $\gamma\gamma$	seen
Γ_{10} $\gamma\psi(2S)$	not seen
Γ_{11} $\pi^0 \chi_{c1}$	not seen

NODE=M159215;NODE=M159

DESIG=1;OUR EST;→ UNCHECKED ←
DESIG=3;OUR EVAL;→ UNCHECKED ←
DESIG=9
DESIG=11;OUR EST;→ UNCHECKED ←
DESIG=4;OUR EVAL;→ UNCHECKED ←
DESIG=6
DESIG=7
DESIG=5;OUR EVAL;→ UNCHECKED ←
DESIG=2
DESIG=10;OUR EST;→ UNCHECKED ←
DESIG=8
 $\chi_{c0}(3915)$ $\Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(\omega J/\psi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$				$\Gamma_1\Gamma_9/\Gamma$
VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
54± 9 OUR AVERAGE				
52±10±3	59 ± 10	¹ LEES	12AD BABR	$e^+e^- \rightarrow e^+e^-\omega J/\psi$
61±17±8	49 ± 15	¹ UEHARA	10 BELL	10.6 $e^+e^- \rightarrow e^+e^-\omega J/\psi$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
18± 5±2	49 ± 15	² UEHARA	10 BELL	10.6 $e^+e^- \rightarrow e^+e^-\omega J/\psi$
¹ For $J^P = 0^+$.				
² For $J^P = 2^+$, helicity-2.				

NODE=M159220

NODE=M159G01
NODE=M159G01

OCCUR=2

NODE=M159G01;LINKAGE=UH
NODE=M159G01;LINKAGE=UR

$\Gamma(\gamma\psi(2S)) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$		$\Gamma_{10} \Gamma_9/\Gamma$	
VALUE (eV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
9.8 ± 3.6 ± 1.3	¹ WANG	22A BELL	$\gamma\gamma \rightarrow \gamma\psi(2S)$
¹ Not distinguished from the $\chi_{c2}(3930)$.			

NODE=M159R07
NODE=M159R07

NODE=M159R07;LINKAGE=A

$\Gamma(\pi^+\pi^-\eta_c(1S)) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$				$\Gamma_5\Gamma_9/\Gamma$
VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT
<16	90	LEES	12AE BABR	$e^+e^- \rightarrow e^+e^-\pi^+\pi^-\eta_c$

NODE=M159G02
NODE=M159G02

$\Gamma(K\bar{K}) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$					$\Gamma_8\Gamma_9/\Gamma$
VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT	
<1.96	90	UEHARA	13	BELL	$\gamma\gamma \rightarrow K_S^0 K_S^0$

NODE=M159G03
NODE=M159G03

$\chi_{c0}(3915)$ BRANCHING RATIOS

NODE=M159225

$\Gamma(\omega J/\psi)/\Gamma_{\text{total}}$					Γ_1/Γ
VALUE		DOCUMENT ID	TECN	COMMENT	
seen		¹ DEL-AMO-SA...10B	BABR	$B \rightarrow \omega J/\psi K$	
seen		² CHOI	05	BELL	$B \rightarrow \omega J/\psi K$

NODE=M159R03
NODE=M159R03

¹ DEL-AMO-SANCHEZ 10B reports $B(B^{\pm} \rightarrow \chi_{c0}(3915) K^{\pm}) \times B(\chi_{c0}(3915) \rightarrow J/\psi \omega)$
 $= (3.0^{+0.7+0.5}_{-0.6-0.3}) \times 10^{-5}$ and $B(B^0 \rightarrow \chi_{c0}(3915) K^0) \times B(\chi_{c0}(3915) \rightarrow J/\psi \omega)$
 $= (2.1 \pm 0.9 \pm 0.3) \times 10^{-5}$.

NODE=M159R03;LINKAGE=DE

² CHOI 05 reports $B(B \rightarrow \chi_{c0}(3915) K) \times B(\chi_{c0}(3915) \rightarrow J/\psi \omega) = (7.1 \pm 1.3 \pm 3.1) \times 10^{-5}$.

NODE=M159R03;LINKAGE=CH

$\Gamma(\omega J/\psi)/\Gamma(\bar{D}^{*0} D^0)$					Γ_1/Γ_2
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
>0.71	90	¹ AUSHEV	10	BELL	$B \rightarrow \bar{D}^{*0} D^0 K$

NODE=M159R02
NODE=M159R02

¹ By combining the upper limit $B(B \rightarrow \chi_{c0}(3915) K) \times B(\chi_{c0}(3915) \rightarrow D^{*0} \bar{D}^0)$
 $< 0.67 \times 10^{-4}$ from AUSHEV 10 with the average of CHOI 05 and AUBERT 08w
measurements $B(B \rightarrow \chi_{c0}(3915) K) \times B(\chi_{c0}(3915) \rightarrow \omega J/\psi) = (0.51 \pm 0.11) \times 10^{-4}$.

NODE=M159R02;LINKAGE=AU

$\Gamma(D^+ D^-)/\Gamma_{\text{total}}$					Γ_3/Γ
VALUE		DOCUMENT ID	TECN	COMMENT	
seen		AAIJ	20AI	LHCB	$B^+ \rightarrow D^+ D^- K^+$

NODE=M159R06
NODE=M159R06

$\Gamma(D^+ D^-)/\Gamma(D_s^+ D_s^-)$					Γ_3/Γ_4
VALUE		DOCUMENT ID	TECN	COMMENT	
$0.29 \pm 0.09 \pm 0.10 \pm 0.08$		¹ AAIJ	23AA	LHCB	$B^+ \rightarrow D_s^+ D_s^- K^+$

NODE=M159R08
NODE=M159R08

¹ Assuming that AAIJ 20AI reporting on $B^+ \rightarrow D^+ D^- K^+$ also refers to $\chi_{c0}(3915)$.
The last uncertainty is due to the values of $B(D^+ \rightarrow K^- \pi^+ \pi^+)$ and $B(D_s^+ \rightarrow K^- K^+ \pi^+)$ from PDG 22.

NODE=M159R08;LINKAGE=A

$\Gamma(\eta_c \eta)/\Gamma_{\text{total}}$					Γ_6/Γ
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
not seen	90	¹ VINOKUROVA 15	BELL	$B^+ \rightarrow K^+ \eta_c \eta$	

NODE=M159R00
NODE=M159R00

OCCUR=2

¹ VINOKUROVA 15 reports $B(B^+ \rightarrow K^+ \chi_{c0}(3915)) \times B(\chi_{c0}(3915) \rightarrow \eta_c \eta) < 4.7 \times 10^{-5}$ at 90% CL.

NODE=M159R00;LINKAGE=A

$\Gamma(\eta_c \pi^0)/\Gamma_{\text{total}}$					Γ_7/Γ
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
not seen	90	¹ VINOKUROVA 15	BELL	$B^+ \rightarrow K^+ \eta_c \pi^0$	

NODE=M159R04
NODE=M159R04

OCCUR=2

¹ VINOKUROVA 15 reports $B(B^+ \rightarrow K^+ \chi_{c0}(3915)^0) \times B(\chi_{c0}(3915) \rightarrow \eta_c \pi^0) < 1.7 \times 10^{-5}$ at 90% CL.

NODE=M159R04;LINKAGE=A

$\Gamma(\gamma\gamma)/\Gamma_{\text{total}}$					Γ_9/Γ
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	
seen	59 ± 10	LEES	12AD	BABR	$e^+ e^- \rightarrow e^+ e^- \omega J/\psi$
seen		UEHARA	10	BELL	$10.6 e^+ e^- \rightarrow e^+ e^- \omega J/\psi$

NODE=M159R01
NODE=M159R01

$\Gamma(\pi^0 \chi_{c1})/\Gamma_{\text{total}}$					Γ_{11}/Γ
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	
not seen	42 ± 14	¹ BHARDWAJ	19	BELL	$B^{\pm} \rightarrow \chi_{c1} \pi^0 K^{\pm}$

NODE=M159R05
NODE=M159R05

¹ BHARDWAJ 19 reports $B(B^+ \rightarrow K^+ \chi_{c0}(3915)) \times B(\chi_{c0}(3915) \rightarrow \chi_{c1} \pi^0) < 3.8 \times 10^{-5}$ at 90% CL. A signal significance 2.3 standard deviations.

NODE=M159R05;LINKAGE=A

$\chi_{c0}(3915)$ REFERENCES

NODE=M159

LI	24	CP C48 063001	C. Li, X. Wang, C. Wu	(LNUDA)	REFID=62694
AAIJ	23AA	PRL 131 071901	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=62314
PDG	22	PTEP 2022 083C01	R.L. Workman <i>et al.</i>	(PDG Collab.)	REFID=61634
WANG	22A	PR D105 112011	X.L. Wang <i>et al.</i>	(BELLE Collab.)	REFID=61640
AAIJ	20AI	PR D102 112003	R. Aaij <i>et al.</i>	(LHCb Collab.) JPC	REFID=60739
ABLIKIM	19V	PRL 122 232002	M. Ablikim <i>et al.</i>	(BESIII Collab.)	REFID=59796
BHARDWAJ	19	PR D99 111101	V. Bhardwaj <i>et al.</i>	(BELLE Collab.)	REFID=59884
VINOKUROVA	15	JHEP 1506 132	A. Vinokurova <i>et al.</i>	(BELLE Collab.)	REFID=56706
Also		JHEP 1702 088 (errat.)	A. Vinokurava <i>et al.</i>	(BELLE Collab.)	REFID=57795
ZHOU	15C	PRL 115 022001	Z.-Y. Zhou, Z. Xiao, H.-Q. Zhou	(BEIJT, NANJ)	REFID=56842
UEHARA	13	PTEP 2013 123C01	S. Uehara <i>et al.</i>	(BELLE Collab.)	REFID=55592
LEES	12AD	PR D86 072002	J.P. Lees <i>et al.</i>	(BABAR Collab.)	REFID=54751
LEES	12AE	PR D86 092005	J.P. Lees <i>et al.</i>	(BABAR Collab.)	REFID=54752
AUSHEV	10	PR D81 031103	T. Aushev <i>et al.</i>	(BELLE Collab.)	REFID=53225
DEL-AMO-SA...	10B	PR D82 011101	P. del Amo Sanchez <i>et al.</i>	(BABAR Collab.)	REFID=53362
UEHARA	10	PRL 104 092001	S. Uehara <i>et al.</i>	(BELLE Collab.)	REFID=53232
AUBERT	08W	PRL 101 082001	B. Aubert <i>et al.</i>	(BABAR Collab.)	REFID=52263
CHOI	05	PRL 94 182002	S.-K. Choi <i>et al.</i>	(BELLE Collab.)	REFID=50737
