



$$I(J^P) = \frac{1}{2}(\frac{1}{2}^+) \text{ Status: } ***$$

We have omitted some results that have been superseded by later experiments. See our earlier editions.

Anyone interested in the neutron should look at these two review articles: D. Dubbers and M.G. Schmidt, "The neutron and its role in cosmology and particle physics," Reviews of Modern Physics **83** 1111 (2011); and F.E. Wietfeldt and G.L. Greene, "The neutron lifetime," Reviews of Modern Physics **83** 1173 (2011).

n MASS (atomic mass units)

The mass is known much more precisely in u (atomic mass units) than in MeV. See the next data block.

VALUE (u)	DOCUMENT ID	TECN	COMMENT
1.00866491595 ± 0.00000000049	TIESINGA	21	RVUE 2018 CODATA value
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1.00866491588 ± 0.00000000049	MOHR	16	RVUE 2014 CODATA value
1.00866491600 ± 0.00000000043	MOHR	12	RVUE 2010 CODATA value
1.00866491597 ± 0.00000000043	MOHR	08	RVUE 2006 CODATA value
1.00866491560 ± 0.00000000055	MOHR	05	RVUE 2002 CODATA value
1.00866491578 ± 0.00000000055	MOHR	99	RVUE 1998 CODATA value
1.008665904 ± 0.000000014	COHEN	87	RVUE 1986 CODATA value

n MASS (MeV)

The mass is known more precisely in u (atomic mass units) than in MeV.
The conversion is: 1 u = 931.494 102 42(28) MeV/c² (2018 CODATA value, TIESINGA 21).

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
939.56542052 ± 0.00000054	TIESINGA	21	RVUE 2018 CODATA value
• • • We do not use the following data for averages, fits, limits, etc. • • •			
939.5654133 ± 0.0000058	MOHR	16	RVUE 2014 CODATA value
939.565379 ± 0.000021	MOHR	12	RVUE 2010 CODATA value
939.565346 ± 0.000023	MOHR	08	RVUE 2006 CODATA value
939.565360 ± 0.000081	MOHR	05	RVUE 2002 CODATA value
939.565331 ± 0.000037	¹ KESSLER	99	SPEC $np \rightarrow d\gamma$
939.565330 ± 0.000038	MOHR	99	RVUE 1998 CODATA value
939.56565 ± 0.00028	^{2,3} DIFILIPPO	94	TRAP Penning trap
939.56563 ± 0.00028	COHEN	87	RVUE 1986 CODATA value
939.56564 ± 0.00028	^{3,4} GREENE	86	SPEC $np \rightarrow d\gamma$
939.5731 ± 0.0027	³ COHEN	73	RVUE 1973 CODATA value

¹ We use the 1998 CODATA u-to-MeV conversion factor (see the heading above) to get this mass in MeV from the much more precisely measured KESSLER 99 value of 1.00866491637 ± 0.00000000082 u.

² The mass is known much more precisely in u: $m = 1.0086649235 \pm 0.00000000023$ u. We use the 1986 CODATA conversion factor to get the mass in MeV.

³ These determinations are not independent of the $m_n - m_p$ measurements below.

⁴ The mass is known much more precisely in u: $m = 1.008664919 \pm 0.000000014$ u.

$\bar{n}$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
939.485 ± 0.051	59	¹ CRESTI	86	HBC $\bar{p}p \rightarrow \bar{n}n$

¹ This is a corrected result (see the erratum). The error is statistical. The maximum systematic error is 0.029 MeV.

$$(m_n - m_{\bar{n}}) / m_n$$

A test of CPT invariance. Calculated from the n and $\bar{n}$ masses, above.

VALUE	DOCUMENT ID
(9 ± 5) × 10⁻⁵ OUR EVALUATION	

NODE=S017

NODE=S017

NODE=S017AMU

NODE=S017AMU

NODE=S017AMU

NODE=S017M

NODE=S017M

NODE=S017M

NODE=S017M;LINKAGE=C

NODE=S017M;LINKAGE=B

NODE=S017M;LINKAGE=T

NODE=S017M;LINKAGE=Q

NODE=S017M1

NODE=S017M1

NODE=S017M1;LINKAGE=V

NODE=S017DMM

NODE=S017DMM

NODE=S017DMM

→ UNCHECKED ←

$m_n - m_p$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1.29333236 ± 0.00000046	¹ TIESINGA	21	RVUE 2018 CODATA value
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1.29333205 ± 0.00000051	² MOHR	16	RVUE 2014 CODATA value
1.29333217 ± 0.00000042	³ MOHR	12	RVUE 2010 CODATA value
1.29333214 ± 0.00000043	⁴ MOHR	08	RVUE 2006 CODATA value
1.2933317 ± 0.00000005	⁵ MOHR	05	RVUE 2002 CODATA value
1.2933318 ± 0.00000005	⁶ MOHR	99	RVUE 1998 CODATA value
1.293318 ± 0.0000009	⁷ COHEN	87	RVUE 1986 CODATA value
1.2933328 ± 0.0000072	GREENE	86	SPEC $np \rightarrow d\gamma$
1.293429 ± 0.000036	COHEN	73	RVUE 1973 CODATA value

¹ The 2018 CODATA mass difference in u is $m_n - m_p = 1.388\,449\,33(49) \times 10^{-3} u$.

² The 2014 CODATA mass difference in u is $m_n - m_p = 1.388\,449\,00(51) \times 10^{-3} u$.

³ The 2010 CODATA mass difference in u is $m_n - m_p = 1.388\,449\,19(45) \times 10^{-3} u$.

⁴ Calculated by us from the MOHR 08 ratio $m_n/m_p = 1.00137841918(46)$. In u , $m_n - m_p = 1.38844920(46) \times 10^{-3} u$.

⁵ Calculated by us from the MOHR 05 ratio $m_n/m_p = 1.00137841870 \pm 0.00000000058$. In u , $m_n - m_p = (1.3884487 \pm 0.00000006) \times 10^{-3} u$.

⁶ Calculated by us from the MOHR 99 ratio $m_n/m_p = 1.00137841887 \pm 0.00000000058$. In u , $m_n - m_p = (1.3884489 \pm 0.00000006) \times 10^{-3} u$.

⁷ Calculated by us from the COHEN 87 ratio $m_n/m_p = 1.001378404 \pm 0.000000009$. In u , $m_n - m_p = 0.001388434 \pm 0.000000009 u$.

 n MEAN LIFE

Limits on lifetimes for *bound* neutrons are given in the section “p PARTIAL MEAN LIVES.”

We average eight of the best nine measurements, those made with ultra-cold neutrons (UCN's). If we include the one in-beam measurement with a comparable error (YUE 13), we get 878.6 ± 0.6 s, where the scale factor is now 2.2.

For a recent discussion of the long-standing disagreement between in-beam and UCN results, see CZARNECKI 18 (Physical Review Letters **120** 202002 (2018)). For a full review of all matters concerning the neutron lifetime until about 2010, see WIETFELDT 11, F.E. Wietfeldt and G.L. Greene, “The neutron lifetime,” Reviews of Modern Physics **83** 1173 (2011).

VALUE (s)	DOCUMENT ID	TECN	COMMENT
878.4 ± 0.5 OUR AVERAGE	Error includes scale factor of 1.8. See the ideogram below.		
877.75 ± 0.28 ⁺ 0.22 _− 0.16	GONZALEZ	21	CNTR UCN asym. magnetic trap
878.3 ± 1.6 ± 1.0	EZHOV	18	CNTR UCN magneto-gravit. trap
877.7 ± 0.7 ⁺ 0.4 _− 0.2	¹ PATTIE	18	CNTR UCN asym. magnetic trap
881.5 ± 0.7 ± 0.6	SEREBROV	18	CNTR UCN gravitational trap
880.2 ± 1.2	² ARZUMANOV	15	CNTR UCN double bottle
882.5 ± 1.4 ± 1.5	³ STEYERL	12	CNTR UCN material bottle
880.7 ± 1.3 ± 1.2	PICHLMAIER	10	CNTR UCN material bottle
878.5 ± 0.7 ± 0.3	SEREBROV	05	CNTR UCN gravitational trap
• • • We do not use the following data for averages, fits, limits, etc. • • •			
887 ± 14 ⁺ 7 _− 3	⁴ WILSON	21	CNTR space-based n rate
887.7 ± 1.2 ± 1.9	⁵ YUE	13	CNTR In-beam n , trapped p
881.6 ± 0.8 ± 1.9	⁶ ARZUMANOV	12	CNTR See ARZUMANOV 15
886.3 ± 1.2 ± 3.2	NICO	05	CNTR See YUE 13
886.8 ± 1.2 ± 3.2	DEWEY	03	CNTR See NICO 05
885.4 ± 0.9 ± 0.4	ARZUMANOV	00	CNTR See ARZUMANOV 12
889.2 ± 3.0 ± 3.8	BYRNE	96	CNTR Penning trap
882.6 ± 2.7	⁷ MAMPE	93	CNTR UCN material bottle
888.4 ± 3.1 ± 1.1	⁸ NESVIZHEV...	92	CNTR UCN material bottle
888.4 ± 2.9	ALFIMENKOV	90	CNTR See NESVIZHEVSKII 92
893.6 ± 3.8 ± 3.7	BYRNE	90	CNTR See BYRNE 96

NODE=S017D

NODE=S017D

NODE=S017D;LINKAGE=B

NODE=S017D;LINKAGE=A

NODE=S017D;LINKAGE=MH

NODE=S017D;LINKAGE=MO

NODE=S017D;LINKAGE=MD

NODE=S017D;LINKAGE=M9

NODE=S017D;LINKAGE=C

NODE=S017T

NODE=S017T

NODE=S017T

878 ±27 ±14	KOSSAKOW...	89	TPC	Pulsed beam
887.6 ± 3.0	MAMPE	89	CNTR	See STEYERL 12
877 ±10	PAUL	89	CNTR	Magnetic storage ring
876 ±10 ±19	LAST	88	SPEC	Pulsed beam
891 ± 9	SPIVAK	88	CNTR	Beam
903 ±13	KOSVINTSEV	86	CNTR	UCN material bottle
937 ±18	9 BYRNE	80	CNTR	
875 ±95	KOSVINTSEV	80	CNTR	
881 ± 8	BONDAREN...	78	CNTR	See SPIVAK 88
918 ±14	CHRISTENSEN72		CNTR	

- ¹ PATTIE 18 uses a new technique, with a semi-toroidal magneto-gravitational asymmetric trap and a novel in situ *n*-detector.
- ² ARZUMANOV 15 is a reanalysis of their 2008–2010 dataset, with improved systematic corrections of ARZUMANOV 00 and ARZUMANOV 12.
- ³ STEYERL 12 is a detailed reanalysis of neutron storage loss corrections to the raw data of MAMPE 89, and it replaces that value.
- ⁴ WILSON 21 extract the value from the flux of *n* escaping the moon using data from the Lunar Prospector Neutron Spectrometer.
- ⁵ YUE 13 differs from NICO 05 in that a different and better method was used to measure the neutron density in the fiducial volume. This shifted the lifetime by +1.4 seconds and reduced the previously largest source of systematic uncertainty by a factor of five.
- ⁶ ARZUMANOV 12 reanalyzes its systematic corrections in ARZUMANOV 00 and obtains this corrected value.
- ⁷ IGNATOVICH 95 calls into question some of the corrections and averaging procedures used by MAMPE 93. The response, BONDARENKO 96, denies the validity of the criticisms.
- ⁸ The NESVIZHEVSKII 92 measurement has been withdrawn by A. Serebrov.
- ⁹ The BYRNE 80 measurement has been withdrawn (J. Byrne, private communication, 1990).

NODE=S017T;LINKAGE=I

NODE=S017T;LINKAGE=H

NODE=S017T;LINKAGE=ST

NODE=S017T;LINKAGE=J


NODE=S017T;LINKAGE=G

NODE=S017T;LINKAGE=AR

NODE=S017T;LINKAGE=E

NODE=S017T;LINKAGE=NE

NODE=S017T;LINKAGE=D



***n* MAGNETIC MOMENT**

See the “Quark Model” review.

NODE=S017MM

NODE=S017MM

NODE=S017MM

VALUE (μ_N)	DOCUMENT ID	TECN	COMMENT
−1.91304273±0.00000045	TIESINGA	21	RVUE 2018 CODATA value
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
−1.91304273±0.00000045	MOHR	16	RVUE 2014 CODATA value
−1.91304272±0.00000045	MOHR	12	RVUE 2010 CODATA value
−1.91304273±0.00000045	MOHR	08	RVUE 2006 CODATA value
−1.91304273±0.00000045	MOHR	05	RVUE 2002 CODATA value
−1.91304272±0.00000045	MOHR	99	RVUE 1998 CODATA value
−1.91304275±0.00000045	COHEN	87	RVUE 1986 CODATA value
−1.91304277±0.00000048	¹ GREENE	82	MRS

¹ GREENE 82 measures the moment to be $(1.04187564 \pm 0.00000026) \times 10^{-3}$ Bohr magnetons. The value above is obtained by multiplying this by $m_p/m_e = 1836.152701 \pm 0.000037$ (the 1986 CODATA value from COHEN 87).

***n* ELECTRIC DIPOLE MOMENT**

A nonzero value is forbidden by both *T* invariance and *P* invariance. A number of early results have been omitted. See RAMSEY 90, GOLUB 94, and LAMOREAUX 09 for reviews.

The results are upper limits on $|d_n|$.

VALUE (10^{-25} e cm)	CL%	DOCUMENT ID	TECN	COMMENT
< 0.18	90	¹ ABEL 20	MRS	UCN
• • • We do not use the following data for averages, fits, limits, etc. • • •				
< 0.22	95	² SAHOO 17		¹⁹⁹ Hg atom EDM + theory
< 0.16	95	GRANER 16	MRS	¹⁹⁹ Hg atom EDM + theory
< 0.30	90	³ PENDLEBURY 15	MRS	Supersedes BAKER 06
< 0.55	90	SEREBROV 15	MRS	UCN's, $h\nu = 2\mu_n B \pm 2d_n E$
< 0.55	90	⁴ SEREBROV 14	MRS	See SEREBROV 15
< 0.29	90	⁵ BAKER 06	MRS	See PENDLEBURY 15
< 0.63	90	⁶ HARRIS 99	MRS	$d = (-0.1 \pm 0.36) \times 10^{-25}$
< 0.97	90	ALTAREV 96	MRS	See SEREBROV 14
< 1.1	95	ALTAREV 92	MRS	See ALTAREV 96
< 1.2	95	SMITH 90	MRS	See HARRIS 99
< 2.6	95	ALTAREV 86	MRS	$d = (-1.4 \pm 0.6) \times 10^{-25}$
0.3 $\pm$ 4.8		PENDLEBURY 84	MRS	Ultracold neutrons
< 6	90	ALTAREV 81	MRS	$d = (2.1 \pm 2.4) \times 10^{-25}$
< 16	90	ALTAREV 79	MRS	$d = (4.0 \pm 7.5) \times 10^{-25}$

¹ ABEL 20 reports $d = (0.0 \pm 1.1 \pm 0.2) \times 10^{-26}$ e cm value corresponding to the listed limit.

² SAHOO 17 develops theory to calculate this limit from the measured limit by GRANER 16 of the ¹⁹⁹Hg atom EDM.

³ PENDLEBURY 15 reports $d = (-0.21 \pm 1.82) \times 10^{-26}$ e cm value corresponding to the listed limit.

⁴ SEREBROV 14 includes the data of ALTAREV 96.

⁵ LAMOREAUX 07 faults BAKER 06 for not including in the estimate of systematic error an effect due to the Earth's rotation. BAKER 07 replies (1) that the effect was included implicitly in the analysis and (2) that further analysis confirms that the BAKER 06 limit is correct as is. See also SILENKO 07.

⁶ This HARRIS 99 result includes the result of SMITH 90. However, the averaging of the results of these two experiments has been criticized by LAMOREAUX 00.

***n* MEAN-SQUARE CHARGE RADIUS**

The mean-square charge radius of the neutron, $\langle r_n^2 \rangle$, is related to the neutron-electron scattering length b_{ne} by $\langle r_n^2 \rangle = 3(m_e a_0 / m_n) b_{ne}$, where m_e and m_n are the masses of the electron and neutron, and a_0 is the Bohr radius. Numerically, $\langle r_n^2 \rangle = 86.34 b_{ne}$, if we use a_0 for a nucleus with infinite mass.

VALUE (fm ²)	DOCUMENT ID	COMMENT
-0.1155 $\pm$ 0.0017 OUR AVERAGE		
-0.115 $\pm$ 0.002 $\pm$ 0.003	KOPECKY 97	<i>ne</i> scattering (Pb)
-0.124 $\pm$ 0.003 $\pm$ 0.005	KOPECKY 97	<i>ne</i> scattering (Bi)
-0.114 $\pm$ 0.003	KOESTER 95	<i>ne</i> scattering (Pb, Bi)
-0.115 $\pm$ 0.003	¹ KROHN 73	<i>ne</i> scattering (Ne, Ar, Kr, Xe)
• • • We do not use the following data for averages, fits, limits, etc. • • •		
-0.1101 $\pm$ 0.0089	² HEACOCK 21	<i>n</i> interferometry
-0.106 $\pm$ 0.007 $\pm$ 0.005	³ FILIN 20	chiral EFT analysis
-0.117 $\pm$ 0.007 $\pm$ 0.011	BELUSHKIN 07	Dispersion analysis
-0.113 $\pm$ 0.003 $\pm$ 0.004	KOPECKY 95	<i>ne</i> scattering (Pb)
-0.134 $\pm$ 0.009	ALEKSANDR...86	<i>ne</i> scattering (Bi)
-0.114 $\pm$ 0.003	KOESTER 86	<i>ne</i> scattering (Pb, Bi)
-0.118 $\pm$ 0.002	KOESTER 76	<i>ne</i> scattering (Pb)
-0.120 $\pm$ 0.002	KOESTER 76	<i>ne</i> scattering (Bi)
-0.116 $\pm$ 0.003	KROHN 66	<i>ne</i> scattering (Ne, Ar, Kr, Xe)

NODE=S017MM;LINKAGE=A

NODE=S017EDM

NODE=S017EDM

NODE=S017EDM

NODE=S017EDM;LINKAGE=E

NODE=S017EDM;LINKAGE=C

NODE=S017EDM;LINKAGE=D

NODE=S017EDM;LINKAGE=A
NODE=S017EDM;LINKAGE=BA

NODE=S017EDM;LINKAGE=B

NODE=S017MCR

NODE=S017MCR

NODE=S017MCR

OCCUR=2

OCCUR=2

- ¹KROHN 73 measured $-0.112 \pm 0.003 \text{ fm}^2$. This value is as corrected by KOESTER 76.
²HEACOCK 21 extract the value from Pendelloesung interferometry to measure the neutron structure factors of silicon. This value is strongly anti-correlated with the mean-square thermal atomic displacement.
³FILIN 20 extract the value based on their chiral-EFT calculation of the deuteron structure radius and use as input the atomic data for the difference of the deuteron and proton charge radii.

NODE=S017MCR;LINKAGE=A
 NODE=S017MCR;LINKAGE=C

NODE=S017MCR;LINKAGE=B

n MAGNETIC RADIUS

This is the rms magnetic radius, $\sqrt{\langle r_M^2 \rangle}$.

VALUE (fm)	DOCUMENT ID	TECN	COMMENT
0.864^{+0.009}_{-0.008} OUR AVERAGE			
0.89 ± 0.03	EPSTEIN	14	Using ep , en , $\pi\pi$ data
0.862 ^{+0.009} _{-0.008}	BELUSHKIN	07	Dispersion analysis

NODE=S017MRD

NODE=S017MRD
 NODE=S017MRD

n ELECTRIC POLARIZABILITY α_n

Following is the electric polarizability α_n defined in terms of the induced electric dipole moment by $\mathbf{D} = 4\pi\epsilon_0\alpha_n\mathbf{E}$. For a review, see SCHMIED-MAYER 89.

For a very complete reviews of the polarizability of the nucleon and Compton scattering, see SCHUMACHER 05, updated in SCHUMACHER 19, and GRIESSHAMMER 12.

NODE=S017EPL

NODE=S017EPL

VALUE (10^{-4} fm^3)	DOCUMENT ID	TECN	COMMENT
11.8 ± 1.1 OUR AVERAGE			
11.55 ± 1.25 ± 0.8	MYERS	14	CNTR $\gamma d \rightarrow \gamma d$
12.5 ± 1.8 ^{+1.6} _{-1.3}	¹ KOSSERT	03	CNTR $\gamma d \rightarrow \gamma pn$
12.0 ± 1.5 ± 2.0	SCHMIEDM...	91	CNTR n Pb transmission
10.7 ^{+3.3} _{-10.7}	ROSE	90B	CNTR $\gamma d \rightarrow \gamma np$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
8.8 ± 2.4 ± 3.0	² LUNDIN	03	CNTR $\gamma d \rightarrow \gamma d$
13.6	³ KOLB	00	CNTR $\gamma d \rightarrow \gamma np$
0.0 ± 5.0	⁴ KOESTER	95	CNTR n Pb, n Bi transmission
11.7 ^{+4.3} _{-11.7}	ROSE	90	CNTR See ROSE 90B
8 ± 10	KOESTER	88	CNTR n Pb, n Bi transmission
12 ± 10	SCHMIEDM...	88	CNTR n Pb, n C transmission

NODE=S017EPL

¹ KOSSERT 03 gets $\alpha_n - \beta_n = (9.8 \pm 3.6^{+2.1}_{-1.1} \pm 2.2) \times 10^{-4} \text{ fm}^3$, and uses $\alpha_n + \beta_n = (15.2 \pm 0.5) \times 10^{-4} \text{ fm}^3$ from LEVCHUK 00. Thus the errors on α_n and β_n are anti-correlated.

² LUNDIN 03 measures $\alpha_N - \beta_N = (6.4 \pm 2.4) \times 10^{-4} \text{ fm}^3$ and uses accurate values for α_p and α_p and a precise sum-rule result for $\alpha_n + \beta_n$. The second error is a model uncertainty, and errors on α_n and β_n are anticorrelated. The data from this paper aer included in the analysis of MYERS 14.

³ KOLB 00 obtains this value with a lower limit of $7.6 \times 10^{-4} \text{ fm}^3$ but no upper limit from this experiment alone. Combined with results of ROSE 90, the 1- σ range is $(7.6\text{--}14.0) \times 10^{-4} \text{ fm}^3$.

⁴ KOESTER 95 uses natural Pb and the isotopes 208, 207, and 206. See this paper for a discussion of methods used by various groups to extract α_n from data.

NODE=S017EPL;LINKAGE=KS

NODE=S017EPL;LINKAGE=LN

NODE=S017EPL;LINKAGE=KL

NODE=S017EPL;LINKAGE=A

n MAGNETIC POLARIZABILITY β_n

VALUE (10^{-4} fm^3)	DOCUMENT ID	TECN	COMMENT
3.7 ± 1.2 OUR AVERAGE			
3.65 ± 1.25 ± 0.8	MYERS	14	CNTR $\gamma d \rightarrow \gamma d$
2.7 ± 1.8 ^{+1.3} _{-1.6}	¹ KOSSERT	03	CNTR $\gamma d \rightarrow \gamma pn$
6.5 ± 2.4 ± 3.0	² LUNDIN	03	CNTR $\gamma d \rightarrow \gamma d$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1.6	³ KOLB	00	CNTR $\gamma d \rightarrow \gamma np$

NODE=S017MPL

NODE=S017MPL

- ¹ KOSSERT 03 gets $\alpha_n - \beta_n = (9.8 \pm 3.6^{+2.1}_{-1.1} \pm 2.2) \times 10^{-4} \text{ fm}^3$, and uses $\alpha_n + \beta_n = (15.2 \pm 0.5) \times 10^{-4} \text{ fm}^3$ from LEVCHUK 00. Thus the errors on α_n and β_n are anti-correlated.
- ² LUNDIN 03 measures $\alpha_N - \beta_N = (6.4 \pm 2.4) \times 10^{-4} \text{ fm}^3$ and uses accurate values for α_p and $\alpha_{\bar{p}}$ and a precise sum-rule result for $\alpha_n + \beta_n$. The second error is a model uncertainty, and errors on α_n and β_n are anticorrelated.
- ³ KOLB 00 obtains this value with an upper limit of $7.6 \times 10^{-4} \text{ fm}^3$ but no lower limit from this experiment alone. Combined with results of ROSE 90, the $1\text{-}\sigma$ range is $(1.2\text{--}7.6) \times 10^{-4} \text{ fm}^3$.

***n* CHARGE**

See also " $|q_p + q_e|/e$ " in the proton Listings.

VALUE ($10^{-21} e$)	DOCUMENT ID	TECN	COMMENT
= 0.2 ± 0.8 OUR AVERAGE			
– 0.1 ± 1.1	¹ BRESSI	11	Neutrality of SF ₆
– 0.4 ± 1.1	² BAUMANN	88	Cold <i>n</i> deflection
• • • We do not use the following data for averages, fits, limits, etc. • • •			
– 15 ± 22	³ GAEHLER	82 CNTR	Cold <i>n</i> deflection
¹ As a limit, this BRESSI 11 value is $< 1 \times 10^{-21} e$.			
² The BAUMANN 88 error ± 1.1 gives the 68% CL limits about the the value -0.4 .			
³ The GAEHLER 82 error ± 22 gives the 90% CL limits about the the value -15 .			

LIMIT ON $n\bar{n}$ OSCILLATIONS

Mean Time for $n\bar{n}$ Transition

A test of $\Delta B=2$ baryon number nonconservation. MOHAPATRA 80 and MOHAPATRA 89 discuss the theoretical motivations for looking for $n\bar{n}$ oscillations. DOVER 83 and DOVER 85 give phenomenological analyses. The best limits come from looking for the decay of neutrons bound in nuclei. However, these analyses require model-dependent corrections for nuclear effects. See KABIR 83, DOVER 89, ALBERICO 91, and GAL 00 for discussions. Direct searches for $n \rightarrow \bar{n}$ transitions using reactor neutrons are cleaner but give somewhat poorer limits. We include limits for both free and bound neutrons in the Summary Table. See MOHAPATRA 09 and PHILLIPS 16 for recent reviews.

VALUE (s)	CL%	DOCUMENT ID	TECN	COMMENT
$>4.7 \times 10^8$	90	¹ ABE	21 CNTR	<i>n</i> bound in oxygen
$>8.6 \times 10^7$	90	BALDO-...	94 CNTR	Reactor (free) neutrons
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$>1.37 \times 10^8$	90	² AHARMIM	17 SNO	<i>n</i> bound in deuteron
$>2.7 \times 10^8$	90	ABE	15C CNTR	<i>n</i> bound in oxygen
$>1.3 \times 10^8$	90	CHUNG	02B SOU2	<i>n</i> bound in iron
$>1 \times 10^7$	90	BALDO-...	90 CNTR	See BALDO-CEOLIN 94
$>1.2 \times 10^8$	90	BERGER	90 FREJ	<i>n</i> bound in iron
$>4.9 \times 10^5$	90	BRESSI	90 CNTR	Reactor neutrons
$>4.7 \times 10^5$	90	BRESSI	89 CNTR	See BRESSI 90
$>1.2 \times 10^8$	90	TAKITA	86 CNTR	<i>n</i> bound in oxygen
$>1 \times 10^6$	90	FIDECARO	85 CNTR	Reactor neutrons
$>8.8 \times 10^7$	90	PARK	85B CNTR	
$>3 \times 10^7$		BATTISTONI	84 NUSX	
$>0.27\text{--}1.1 \times 10^8$		JONES	84 CNTR	
$>2 \times 10^7$		CHERRY	83 CNTR	

¹ ABE 21 supersedes ABE 15C.

² The AHARMIM 17 value is an unbounded limit (it does not assume a positive lifetime). The bounded limit is 1.23×10^8 sec.

LIMIT ON $n\bar{n}'$ OSCILLATIONS

Lee and Yang (LEE 56) proposed the existence of mirror world in an attempt to restore global parity symmetry. A possible candidate for dark matter. Limits depend on assumptions about fields B and B' . See the papers for details. See BEREZHIANI 18 for a recent discussion.

VALUE (s)	CL%	DOCUMENT ID	TECN	COMMENT
>448	90	SEREBROV	09A CNTR	Assumes $B' < 100 \text{ nT}$

NODE=S017MPL;LINKAGE=KS

NODE=S017MPL;LINKAGE=LN

NODE=S017MPL;LINKAGE=KL

NODE=S017Q

NODE=S017Q

NODE=S017Q

NODE=S017Q;LINKAGE=BR

NODE=S017Q;LINKAGE=B

NODE=S017Q;LINKAGE=A

NODE=S017240

NODE=S017NAN

NODE=S017NAN

NODE=S017NAN;CHECK LIMITS

NODE=S017NAN;LINKAGE=B

NODE=S017NAN;LINKAGE=A

NODE=S017NOS

NODE=S017NOS

NODE=S017NOS

• • • We do not use the following data for averages, fits, limits, etc. • • •

> 1	95	¹ BAN	23	CNTR	UCN, scan of B field
		² ALMAZAN	22	CNTR	STEREO, hidden neutron search $ m_n - m_{n'} \geq 0$.
> 9	95	³ ABEL	21	CNTR	UCN, scan of B field
> 17	95	⁴ BEREZHIANI	18	CNTR	UCN, scan of B field
> 12	95	⁵ ALTAREV	09A	CNTR	UCN, scan $0 \leq B \leq 12.5 \mu\text{T}$
>414	90	SEREBROV	08	CNTR	UCN, B field on & off
>103	95	BAN	07	CNTR	UCN, B field on & off

¹ BAN 23 determine limits on the oscillation time for the $|\delta m(nn')|$ range of 2–59 peV.

The quoted value is $\tau_{nn'}/\sqrt{\cos(\beta)} > 1$ sec. for B in 30–1143 μT , for the case $\beta = 0$.

² ALMAZAN 22 reports an experimental constraint on the probability for neutron conversion into a hidden neutron, $p < 3.1 \times 10^{-11}$ at 95% CL, which may be used to set a limit on the nn' oscillation time.

³ ABEL 21 determine several limits on the oscillation time as a function of the mirror magnetic field B' , and of the fixed angle, β , between the applied magnetic field and B' . The latter is assumed to be bound to Earth. Two values are quoted from two analysis methods: (i) $\tau_{nn'}/\sqrt{\cos(\beta)} > 9$ sec for B' in 5–25.4 μT , and (ii) for any angle β , $\tau_{nn'} > 6$ sec for B' in 0.4–25.7 μT . The authors also quote a limit of 352 sec for the case $B' = 0$ T.

⁴ The B field was set to (0.09, 0.12, 0.21) G. Limits on oscillation time are valid for any mirror field B' in (0.08–0.17) G, and for aligned fields B and B' . For larger values of B' , the limits are significantly reduced.

⁵ Losses of neutrons due to oscillations to mirror neutrons would be maximal when the magnetic fields B and B' in the two worlds were equal. Hence the scan over B by ALTAREV 09A: the limit applies for any B' over the given range. At $B' = 0$, the limit is 141 s (95% CL).

NODE=S017NOS;LINKAGE=D

NODE=S017NOS;LINKAGE=C

NODE=S017NOS;LINKAGE=B

NODE=S017NOS;LINKAGE=A

NODE=S017NOS;LINKAGE=AL

n DECAY MODES

See the proton listings for many other neutron decay modes.

NODE=S017245;NODE=S017

NODE=S017

Mode	Fraction (Γ_i/Γ)	Confidence level
Γ_1 $p e^- \bar{\nu}_e$	100 %	
Γ_2 $p e^- \bar{\nu}_e \gamma$	[a] $(9.2 \pm 0.7) \times 10^{-3}$	
Γ_3 hydrogen-atom $\bar{\nu}_e$	$< 2.7 \times 10^{-3}$	95%

Charge conservation (Q) violating mode

Γ_4 $p \nu_e \bar{\nu}_e$	Q	$< 8 \times 10^{-27}$	68%
----------------------------------	-----	-----------------------	-----

NODE=S017;CLUMP=A

DESIG=2

Baryon number violating decay

Γ_5 $e^+ e^-$ invisible
Γ_6 γ invisible

NODE=S017;CLUMP=B

DESIG=5

DESIG=6

[a] This limit is for γ energies between 0.4 and 782 keV.

LINKAGE=GL

n BRANCHING RATIOS

NODE=S017250

$\Gamma(pe^- \bar{\nu}_e \gamma)/\Gamma_{\text{total}}$				Γ_2/Γ
VALUE (units 10^{-3})	CL%	DOCUMENT ID	TECN	COMMENT
$9.17 \pm 0.24 \pm 0.64$		¹ BALES	16	RDK2 Two different set-ups

NODE=S017R3

NODE=S017R3

OCCUR=3

• • • We do not use the following data for averages, fits, limits, etc. • • •

$3.09 \pm 0.11 \pm 0.30$		² COOPER	10	CNTR See BALES 16
$3.13 \pm 0.11 \pm 0.33$		NICO	06	CNTR See COOPER 10
< 6.9	90	³ BECK	02	CNTR γ, p, e^- coincidence

¹ BALES 16 gets a branching fraction of $(5.82 \pm 0.23 \pm 0.62) \times 10^{-3}$ for a photon energy range 0.4 to 14.0 keV, and with a different detector array, $(3.35 \pm 0.05 \pm 0.15) \times 10^{-3}$ for 14.1 to 782 keV. Our result above is the sum; the error on the sum is completely dominated by the error on the lower range.

² This COOPER 10 result is for γ energies between 15 and 340 keV.

³ This BECK 02 limit is for γ energies between 35 and 100 keV.

NODE=S017R3;LINKAGE=B

NODE=S017R3;LINKAGE=CO

NODE=S017R3;LINKAGE=A

$\Gamma(\text{hydrogen-atom } \bar{\nu}_e)/\Gamma_{\text{total}}$ Γ_3/Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
$<0.27 \times 10^{-2}$	95	¹ CZARNECKI	18	Lifetime analysis
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$<3 \times 10^{-2}$	95	² GREEN	90	RVUE

¹ CZARNECKI 18 limit from an analysis of experimental discrepancies on the neutron lifetime and axial coupling applies as well to other possible exotic neutron decays.

² GREEN 90 infers that $\tau(\text{hydrogen-atom } \bar{\nu}_e) > 3 \times 10^4$ s by comparing neutron lifetime measurements made in storage experiments with those made in β -decay experiments. However, the result depends sensitively on the lifetime measurements, and does not of course take into account more recent measurements of same.

NODE=S017R2
NODE=S017R2

NODE=S017R2;LINKAGE=B

NODE=S017R2;LINKAGE=A

 $\Gamma(p\nu_e\bar{\nu}_e)/\Gamma_{\text{total}}$ Γ_4/Γ

Forbidden by charge conservation.

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
$<8 \times 10^{-27}$	68	¹ NORMAN	96	RVUE $^{71}\text{Ga} \rightarrow ^{71}\text{Ge}$ neutrals
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$<9.7 \times 10^{-18}$	90	ROY	83	CNTR $^{113}\text{Cd} \rightarrow ^{113m}\text{In}$ neut.
$<7.9 \times 10^{-21}$		VAIDYA	83	CNTR $^{87}\text{Rb} \rightarrow ^{87m}\text{Sr}$ neut.
$<9 \times 10^{-24}$	90	BARABANOV	80	CNTR $^{71}\text{Ga} \rightarrow ^{71}\text{GeX}$
$<3 \times 10^{-19}$		NORMAN	79	CNTR $^{87}\text{Rb} \rightarrow ^{87m}\text{Sr}$ neut.

¹ NORMAN 96 gets this limit by attributing SAGE and GALLEX counting rates to the charge-nonconserving transition $^{71}\text{Ga} \rightarrow ^{71}\text{Ge} + \text{neutrals}$ rather than to solar-neutrino reactions.

NODE=S017R1
NODE=S017R1
NODE=S017R1

NODE=S017R1;LINKAGE=A

 $\Gamma(e^+e^- \text{ invisible})/\Gamma_{\text{total}}$ Γ_5/Γ

Baryon number violating decay

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.01	90	¹ KLOPF	19	CNTR re-interpretation of MUND 13
$<1 \times 10^{-4}$	90	² SUN	18	SPEC Ultracold n , polarized

¹ KLOPF 19 value is for baryon number violating decay of neutron to electrons plus an invisible state, χ . The limit is valid for $\text{KE}(e^+e^-)$ range between 32 keV and 664 keV, strengthening to $\text{few} \times 10^{-4}$ above approximately 100 keV.

² SUN 18 value is for baryon number violating decay of neutron to electrons plus an invisible state, χ . The limit is valid for $100 \text{ keV} < \text{KE}(e^+e^-) < 644 \text{ keV}$. Assuming this decay $\chi e e$ is the only allowed χ decay channel, a 0.01 BR is ruled out for $100 \text{ keV} < E(e^+e^-) < 644 \text{ keV}$ at over 5σ .

NODE=S017R00
NODE=S017R00
NODE=S017R00

NODE=S017R00;LINKAGE=A

NODE=S017R00;LINKAGE=B

 $\Gamma(\gamma \text{ invisible})/\Gamma_{\text{total}}$ Γ_6/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
not seen	¹ LE-JOUBIOUX 24	SPEC	$^6\text{He} \rightarrow ^4\text{He} + n$
not seen	² TANG 18	SPEC	Ultracold n , in NiP-coated bottle

¹ LE-JOUBIOUX 24 search for the baryon number violating decay of n to invisible dark matter candidate, using the $^6\text{He} \rightarrow ^4\text{He} + n + \chi$ reaction, looking for a coincident neutron signal.

² TANG 18 search for the baryon number violating decay of n to γ plus an invisible dark matter candidate. They exclude the presence of a monoenergetic γ ray in the $E(\gamma)$ range 782–1664 keV with branching ratio $\simeq 1\%$ at 97% CL or greater.

NODE=S017R01
NODE=S017R01

NODE=S017R01;LINKAGE=B

NODE=S017R01;LINKAGE=A

See the related review(s):

[Baryon Decay Parameters](#)

 $n \rightarrow p e^- \bar{\nu}_e$ DECAY PARAMETERS

NODE=S017255

See the above “Note on Baryon Decay Parameters.” For discussions of recent results, see the references cited at the beginning of the section on the neutron mean life. For discussions of the values of the weak coupling constants g_A and g_V obtained using the neutron lifetime and asymmetry parameter A , comparisons with other methods of obtaining these constants, and implications for particle physics and for astrophysics, see DUBBERS 91 and WOOLCOCK 91. For tests of the $V-A$ theory of

NODE=S017255

neutron decay, see EROZOLIMSKII 91B, MOSTOVOI 96, NICO 05, SEV-
ERIJNS 06, and ABELE 08.

$$\lambda \equiv g_A / g_V$$

In the Standard Model $\lambda \equiv g_A / g_V$ is related to parameter a , $e-\bar{\nu}_e$ angular correlation coefficient, by $a = (1 - \lambda^2) / (1 + 3\lambda^2)$; this assumes that g_A and g_V are real. The relationship between a and λ is further modified once recoil corrections are included, see WIETFELDT 24.

VALUE	DOCUMENT ID	TECN	COMMENT
-1.2753 ± 0.0013 OUR AVERAGE	Error includes scale factor of 2.7. See the ideogram below.		
-1.2712 ± 0.0061	¹ WIETFELDT	24	SPEC Cold n , unpolarized
-1.2677 ± 0.0028	² BECK	20	SPEC Proton recoil spectrum
$-1.27641 \pm 0.00045 \pm 0.00033$	³ MAERKISCH	19	SPEC pulsed cold n , polarized
-1.2772 ± 0.0020	⁴ BROWN	18	UCNA Ultracold n , polarized
$-1.2748 \pm 0.0008 \begin{smallmatrix} +0.0010 \\ -0.0011 \end{smallmatrix}$	⁵ MUND	13	SPEC Cold n , polarized
$-1.275 \pm 0.006 \pm 0.015$	SCHUMANN	08	CNTR Cold n , polarized
$-1.2686 \pm 0.0046 \pm 0.0007$	⁶ MOSTOVOI	01	CNTR A and $B \times$ polariza- tions
-1.266 ± 0.004	LIAUD	97	TPC Cold n , polarized, A
-1.2594 ± 0.0038	⁷ YEROZLIM...	97	CNTR Cold n , polarized, A
-1.262 ± 0.005	BOPP	86	SPEC Cold n , polarized, A
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-1.2796 ± 0.0062	⁸ HASSAN	21	SPEC Cold n , unpolarized
-1.27607 ± 0.00068	⁹ SAUL	20	SPEC Cold n , polarized, A
-1.284 ± 0.014	¹⁰ DARIUS	17	SPEC Cold n , unpolarized
-1.2755 ± 0.0030	¹¹ MENDENHALL	13	UCNA See BROWN 18
$-1.27590 \pm 0.00239 \begin{smallmatrix} +0.00331 \\ -0.00377 \end{smallmatrix}$	¹² PLASTER	12	UCNA See MENDENHALL 13
$-1.27590 \begin{smallmatrix} +0.00409 \\ -0.00445 \end{smallmatrix}$	LIU	10	UCNA See PLASTER 12
-1.2739 ± 0.0019	¹³ ABELE	02	SPEC See MUND 13
-1.274 ± 0.003	ABELE	97D	SPEC Cold n , polarized, A
-1.266 ± 0.004	SCHRECK...	95	TPC See LIAUD 97
-1.2544 ± 0.0036	EROZOLIM...	91	CNTR See YEROZOLIM- SKY 97
-1.226 ± 0.042	MOSTOVOY	83	RVUE
-1.261 ± 0.012	EROZOLIM...	79	CNTR Cold n , polarized, A
-1.259 ± 0.017	¹⁴ STRATOWA	78	CNTR p recoil spectrum, a
-1.263 ± 0.015	EROZOLIM...	77	CNTR See EROZOLIMSKII 79
-1.250 ± 0.036	¹⁴ DOBROZE...	75	CNTR See STRATOWA 78
-1.258 ± 0.015	¹⁵ KROHN	75	CNTR Cold n , polarized, A
-1.263 ± 0.016	¹⁶ KROPF	74	RVUE n decay alone
-1.250 ± 0.009	¹⁶ KROPF	74	RVUE n decay + nuclear ft

¹ WIETFELDT 24 updates HASSAN 21, see footnote to HASSAN 21. The value is extracted from the angular correlation coefficient.

² BECK 20 calculates this value from the measurement of the β -decay $e-\bar{\nu}_e$ angular correlation coefficient a .

³ MAERKISCH 19 gets $A = -0.11985 \pm 0.00017 \pm 0.00012$.

⁴ BROWN 18 gets $A = -0.12054 \pm 0.00044 \pm 0.00068$ and $\lambda = -1.2783 \pm 0.0022$. We quote the combined values that include the earlier UCNA measurements (MENDENHALL 13).

⁵ This MUND 13 value includes earlier PERKEO II measurements (ABELE 02 and ABELE 97D).

⁶ MOSTOVOI 01 measures the two P -odd correlations A and B , or rather SA and SB , where S is the n polarization, in free neutron decay.

⁷ YEROZOLIMSKY 97 makes a correction to the EROZOLIMSKII 91 value.

⁸ HASSAN 21 include earlier data of DARIUS 17. The value is extracted from the angular correlation coefficient a .

⁹ SAUL 20 quote this value of λ under the SM assumption of the Fierz term $b = 0$. In a combined fit authors extract a value of $\lambda = -1.2792 \pm 0.0060$.

¹⁰ DARIUS 17 calculates this value from the measurement of the a parameter (see below). Data is included in HASSAN 21.

¹¹ MENDENHALL 13 gets $A = -0.11954 \pm 0.00055 \pm 0.00098$ and $\lambda = -1.2756 \pm 0.0030$. We quote the nearly identical values that include the earlier UCNA measurement (PLASTER 12), with a correction to that result.

¹² This PLASTER 12 value is identical with that given in LIU 10, but the experiment is now described in detail.

¹³ This is the combined result of ABELE 02 and ABELE 97D.

¹⁴ These experiments measure the absolute value of g_A/g_V only.

¹⁵ KROHN 75 includes events of CHRISTENSEN 70.

¹⁶ KROPF 74 reviews all data through 1972.

NODE=S017AV

NODE=S017AV

NODE=S017AV

OCCUR=2

NODE=S017AV;LINKAGE=L

NODE=S017AV;LINKAGE=H

NODE=S017AV;LINKAGE=G

NODE=S017AV;LINKAGE=F

NODE=S017AV;LINKAGE=A

NODE=S017AV;LINKAGE=MO

NODE=S017AV;LINKAGE=YZ

NODE=S017AV;LINKAGE=J

NODE=S017AV;LINKAGE=I

NODE=S017AV;LINKAGE=D

NODE=S017AV;LINKAGE=ME


NODE=S017AV;LINKAGE=PL

NODE=S017AV;LINKAGE=VB

NODE=S017AV;LINKAGE=E

NODE=S017AV;LINKAGE=K

NODE=S017AV;LINKAGE=Q



e^- ASYMMETRY PARAMETER A

This is the neutron-spin electron-momentum correlation coefficient. The coefficient itself is not well defined in any measurement once higher-order radiative and recoil corrections, which are experiment dependent, are included. By contrast, measurements of the ratio $\lambda \equiv g_A/g_V$ (see data block above) incorporate such higher-order effects. For this reason, and in order to meaningfully compare results from different measurements, we list here the zero-recoil-order A -coefficient, which in the Standard Model and at zero recoil order, is related to $\lambda \equiv g_A/g_V$ by $A = -2 \lambda (\lambda + 1) / (1 + 3\lambda^2)$; this assumes that g_A and g_V are real. See e.g. MAERKISCH 19 and BROWN 18.

NODE=S017BA
 NODE=S017BA

VALUE	DOCUMENT ID	TECN	COMMENT
-0.11958 ± 0.00021 OUR AVERAGE	Error includes scale factor of 1.2. See the ideogram below.		
$-0.11985 \pm 0.00017 \pm 0.00012$	1 MAERKISCH 19	SPEC	pulsed cold n , polarized
$-0.12015 \pm 0.00034 \pm 0.00063$	2 BROWN 18	UCNA	Ultracold n , polarized
$-0.11926 \pm 0.00031 \pm 0.00036$ -0.00042	3 MUND 13	SPEC	Cold n , polarized
$-0.1160 \pm 0.0009 \pm 0.0012$	LIAUD 97	TPC	Cold n , polarized
-0.1135 ± 0.0014	4 YEROZLIM... 97	CNTR	Cold n , polarized
-0.1146 ± 0.0019	BOPP 86	SPEC	Cold n , polarized
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.11972 ± 0.00025	5 SAUL 20	SPEC	Cold n , polarized
-0.11952 ± 0.00110	6 MENDENHALL 13	UCNA	See BROWN 18
$-0.11966 \pm 0.00089 \pm 0.00123$ -0.00140	7 PLASTER 12	UCNA	See MENDENHALL 13
$-0.11966 \pm 0.00089 \pm 0.00123$ -0.00140	LIU 10	UCNA	See PLASTER 12
$-0.1138 \pm 0.0046 \pm 0.0021$	PATTIE 09	SPEC	Ultracold n , polarized
-0.1189 ± 0.0007	8 ABELE 02	SPEC	See MUND 13
-0.1168 ± 0.0017	9 MOSTOVOI 01	CNTR	Inferred
-0.1189 ± 0.0012	ABELE 97D	SPEC	Cold n , polarized
$-0.1160 \pm 0.0009 \pm 0.0011$	SCHRECK... 95	TPC	See LIAUD 97
-0.1116 ± 0.0014	EROZOLIM... 91	CNTR	See YEROZOLIM-SKY 97
-0.114 ± 0.005	10 EROZOLIM... 79	CNTR	Cold n , polarized
-0.113 ± 0.006	10 KROHN 75	CNTR	Cold n , polarized

NODE=S017BA

¹ MAERKISCH 19 further derive a value for the CKM-element $|V_{ud}| = 0.97351 \pm 0.00060$, using $\tau_n = 879.7(8)$ sec and the relation from CZARNECKI 18.

NODE=S017BA;LINKAGE=F

² BROWN 18 gets $A = -0.12054 \pm 0.00044 \pm 0.00068$ and $\lambda = -1.2783 \pm 0.0022$. We quote the combined values that include the earlier UCNA measurements (MENDENHALL 13).

NODE=S017BA;LINKAGE=E

³ This MUND 13 value includes earlier PERKEO II measurements (ABELE 02 and ABELE 97D), with a correction to those results.

NODE=S017BA;LINKAGE=B

⁴ YEROZOLIMSKY 97 makes a correction to the EROZOLIMSKII 91 value.

NODE=S017BA;LINKAGE=YZ

⁵ Under the SM assumption that the Fierz term $b = 0$, SAUL 20 obtain the quoted asymmetry parameter A and $\lambda = -1.27607 \pm 0.00068$. In a combined fit authors extract the values $A = -0.1209 \pm 0.0015$, $\lambda = -1.2792 \pm 0.0060$, and $b = 0.017 \pm 0.021$.

NODE=S017BA;LINKAGE=G

⁶ MENDENHALL 13 gets $A = -0.11954 \pm 0.00055 \pm 0.00098$ and $\lambda = -1.2756 \pm 0.0030$. We quote the nearly identical values that include the earlier UCNA measurement (PLASTER 12), with a correction to that result.

⁷ This PLASTER 12 value is identical with that given in LIU 10, but the experiment is now described in detail.

⁸ This is the combined result of ABELE 02 and ABELE 97D.

⁹ MOSTOVOI 01 calculates this from its measurement of $\lambda = g_A/g_V$ above.

¹⁰ These results are not corrected for radiative effects and weak magnetism, but the corrections are small compared to the errors.


NODE=S017BA;LINKAGE=ME

NODE=S017BA;LINKAGE=PL

NODE=S017BA;LINKAGE=VB

NODE=S017BA;LINKAGE=MV

NODE=S017BA;LINKAGE=A



$\bar{\nu}_e$ ASYMMETRY PARAMETER B

This is the neutron-spin antineutrino-momentum correlation coefficient. In the Standard Model, B is related to $\lambda \equiv g_A/g_V$ by $B = 2\lambda(\lambda - 1) / (1 + 3\lambda^2)$; this assumes that g_A and g_V are real.

VALUE	DOCUMENT ID	TECN	COMMENT
0.9807 ± 0.0030 OUR AVERAGE			
$0.9802 \pm 0.0034 \pm 0.0036$	SCHUMANN 07	CNTR	Cold n , polarized
$0.967 \pm 0.006 \pm 0.010$	KREUZ 05	CNTR	Cold n , polarized
0.9801 ± 0.0046	SEREBROV 98	CNTR	Cold n , polarized
0.9894 ± 0.0083	KUZNETSOV 95	CNTR	Cold n , polarized
1.00 ± 0.05	CHRISTENSEN70	CNTR	Cold n , polarized
0.995 ± 0.034	EROZOLIM... 70C	CNTR	Cold n , polarized
0.9876 ± 0.0004	¹ MOSTOVOI 01	CNTR	Inferred

• • • We do not use the following data for averages, fits, limits, etc. • • •

¹ MOSTOVOI 01 calculates this from its measurement of $\lambda = g_A/g_V$ above.

NODE=S017NA

NODE=S017NA

NODE=S017NA

NODE=S017NA;LINKAGE=MV

PROTON ASYMMETRY PARAMETER C

Describes the correlation between the neutron spin and the proton momentum. In the Standard Model, C is related to $\lambda \equiv g_A/g_V$ by $C = -x_c (A + B) = x_c 4\lambda / (1 + 3\lambda^2)$, where $x_c = 0.27484$ is a kinematic factor; this assumes that g_A and g_V are real.

VALUE	DOCUMENT ID	TECN	COMMENT
$-0.2377 \pm 0.0010 \pm 0.0024$	SCHUMANN 08	CNTR	Cold n , polarized

NODE=S017APC

NODE=S017APC

NODE=S017APC

$e-\bar{\nu}_e$ ANGULAR CORRELATION COEFFICIENT a_0

For a review of past measurements of the a -coefficient, see WIETFELDT 05. The a -coefficient itself is not well defined in any measurement once higher-order radiative and recoil corrections, which are experiment dependent, are included. By contrast, measurements of the ratio $\lambda \equiv g_A/g_V$ (see data block above) incorporate such higher-order effects. For this reason, and in order to meaningfully compare results for the angular correlation coefficient from measurements of different observables, we list here the zero-recoil-order a -coefficient, denoted a_0 , which in the Standard Model and

NODE=S017BNC

NODE=S017BNC

at zero recoil order, is related to λ by $a_0 = (1 - \lambda^2) / (1 + 3\lambda^2)$; this assumes that g_A and g_V are real. See also the discussion in WIETFELDT 24.

VALUE	DOCUMENT ID	TECN	COMMENT
-0.1044 ± 0.0007 OUR AVERAGE			
-0.1053 ± 0.0018	¹ WIETFELDT	24	SPEC Cold n , unpolarized
-0.10430 ± 0.00084	BECK	20	SPEC Proton recoil spectrum
-0.1054 ± 0.0055	BYRNE	02	SPEC Proton recoil spectrum
-0.1017 ± 0.0051	STRATOWA	78	CNTR Proton recoil spectrum
-0.091 ± 0.039	GRIGOREV	68	SPEC Proton recoil spectrum
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.10782 ± 0.00124 ± 0.00133	² HASSAN	21	SPEC Cold n , unpolarized
-0.1090 ± 0.0030 ± 0.0028	³ DARIUS	17	SPEC Cold n , unpolarized
-0.1045 ± 0.0014	⁴ MOSTOVOI	01	CNTR Inferred

¹ WIETFELDT 24 updates HASSAN 21. Includes radiative and recoil corrections to first order, and is averaged over the full Fermi neutron beta spectrum. Supersedes HASSAN 21.

² HASSAN 21 includes the data of DARIUS 17. Uses the asymmetry in time-of-flight between the beta electron and recoil proton in delayed coincidence. Supersedes DARIUS 17.

³ DARIUS 17 exploits a "wishbone" correlation, where the p time of flight is correlated with the momentum of the electron in delayed coincidence. Data is included in HASSAN 21.

⁴ MOSTOVOI 01 calculates this from its measurement of $\lambda = g_A/g_V$ above.

ϕ_{AV} , PHASE OF g_A RELATIVE TO g_V

Time reversal invariance requires this to be 0 or 180°. This is related to D given in the next data block and $\lambda \equiv g_A/g_V$ by $\sin(\phi_{AV}) \equiv D(1+3\lambda^2)/2|\lambda|$; this assumes that g_A and g_V are real.

VALUE (°)	CL%	DOCUMENT ID	TECN	COMMENT
180.017 ± 0.026 OUR AVERAGE				
180.012 ± 0.028	68	CHUPP	12	CNTR Cold n , polarized > 91%
180.04 ± 0.09		SOLDNER	04	CNTR Cold n , polarized
180.08 ± 0.13		LISING	00	CNTR Polarized > 93%
• • • We do not use the following data for averages, fits, limits, etc. • • •				
180.013 ± 0.028		MUMM	11	CNTR See CHUPP 12
179.71 ± 0.39		EROZOLIM...	78	CNTR Cold n , polarized
180.35 ± 0.43		EROZOLIM...	74	CNTR Cold n , polarized
181.1 ± 1.3		¹ KROPF	74	RVUE n decay
180.14 ± 0.22		STEINBERG	74	CNTR Cold n , polarized

¹ KROPF 74 reviews all data through 1972.

TRIPLE CORRELATION COEFFICIENT D

These are measurements of the component of n spin perpendicular to the decay plane in β decay. Should be zero if T invariance is not violated.

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
- 1.2 ± 2.0 OUR AVERAGE			
- 0.94 ± 1.89 ± 0.97	CHUPP	12	CNTR Cold n , polarized > 91%
- 2.8 ± 6.4 ± 3.0	SOLDNER	04	CNTR Cold n , polarized
- 6 ± 12 ± 5	LISING	00	CNTR Polarized > 93%
• • • We do not use the following data for averages, fits, limits, etc. • • •			
- 0.96 ± 1.89 ± 1.01	MUMM	11	CNTR See CHUPP 12
+22 ± 30	EROZOLIM...	78	CNTR Cold n , polarized
-27 ± 50	¹ EROZOLIM...	74	CNTR Cold n , polarized
-11 ± 17	STEINBERG	74	CNTR Cold n , polarized

¹ EROZOLIMSKII 78 says asymmetric proton losses and nonuniform beam polarization may give a systematic error up to 30×10^{-4} , thus increasing the EROZOLIMSKII 74 error to 50×10^{-4} . STEINBERG 74 and STEINBERG 76 estimate these systematic errors to be insignificant in their experiment.

TRIPLE CORRELATION COEFFICIENT R

Another test of time-reversal invariance. R measures the polarization of the electron in the direction perpendicular to the plane defined by the neutron spin and the electron momentum. $R = 0$ for T invariance.

VALUE	DOCUMENT ID	TECN	COMMENT
+0.004 ± 0.012 ± 0.005			
• • • We do not use the following data for averages, fits, limits, etc. • • •			
+0.008 ± 0.015 ± 0.005	KOZELA	09	CNTR See KOZELA 12

¹ KOZELA 12 also measures the polarization of the electron along the direction of the neutron spin. This is nonzero in the Standard Model; the correlation coefficient is $N = +0.067 \pm 0.011 \pm 0.004$.

NODE=S017BNC

NODE=S017BNC;LINKAGE=D

NODE=S017BNC;LINKAGE=B

NODE=S017BNC;LINKAGE=A

NODE=S017BNC;LINKAGE=MV

NODE=S017F

NODE=S017F

NODE=S017F

NODE=S017F;LINKAGE=Q

NODE=S017D1

NODE=S017D1

NODE=S017D1

NODE=S017D1;LINKAGE=E

NODE=S017TCC

NODE=S017TCC

NODE=S017TCC

NODE=S017TCC;LINKAGE=KO

FIERZ INTERFERENCE TERM b

The coefficient of the Fierz interference term, b , probes additional contributions to the differential decay rate of the neutron from scalar or tensor current interactions, beyond the Standard Model.

VALUE	DOCUMENT ID	TECN	COMMENT
0.017 ± 0.020 ± 0.003	¹ SAUL	20 SPEC	Cold n , polarized

¹ In a combined fit SAUL 20 extract this best fit value of the Fierz interference term b and the values $A = -0.1209 \pm 0.0015$ and $\lambda = -1.2792 \pm 0.0060$. For b it translates into a 90% CL region of $-0.018 \leq b \leq 0.052$ as a function of A .

n REFERENCES

We have omitted some papers that have been superseded by later experiments. See our earlier editions.

LE-JOUBIOUX	24	PRL 132 132501	M. Le Joubiou <i>et al.</i>	(GANIL)
WIETFELDT	24	PR C110 015502	F.E. Wietfeldt <i>et al.</i>	(aCORN Collab.)
BAN	23	PRL 131 191801	G. Ban <i>et al.</i>	(CAEN, ZURI, ISNG, SORB+)
ALMAZAN	22	PRL 128 061801	H. Almazan <i>et al.</i>	(STEREO Collab.)
ABE	21	PR D103 012008	K. Abe <i>et al.</i>	(Super-Kamiokande Collab.)
ABEL	21	PL B812 135993	C. Abel <i>et al.</i>	(nEDM Collab.)
GONZALEZ	21	PRL 127 162501	F.M. Gonzalez <i>et al.</i>	(UCNtau Collab.)
HASSAN	21	PR C103 045502	M.T. Hassan <i>et al.</i>	(aCORN Collab.)
HEACOCK	21	SCI 373 1239	B. Heacock <i>et al.</i>	(NIST, RIKEN, NAGO+)
TIESINGA	21	RMP 93 025010	E. Tiesinga <i>et al.</i>	(NIST)
WILSON	21	PR C104 045501	J.T. Wilson <i>et al.</i>	(JHU, DURH)
ABEL	20	PRL 124 081803	C. Abel <i>et al.</i>	(nEDM Collab.)
BECK	20	PR C101 055506	M. Beck <i>et al.</i>	(aSPECT Collab.)
FILIN	20	PRL 124 082501	A.A. Filin <i>et al.</i>	
SAUL	20	PRL 125 112501	H. Saul <i>et al.</i>	(PERKEO III Collab.)
KLOPF	19	PRL 122 222503	M. Klopff <i>et al.</i>	(PERKEO II Collab.)
MAERKISCH	19	PRL 122 242501	B. Maerkisch <i>et al.</i>	(TUM, ILL, +)
SCHUMACHER	19	LHEP 4 4	M. Schumacher	(GOET)
BEREZHIANI	18	EPJ C78 717	Z. Bereziani <i>et al.</i>	(AQUI, INFN, ILLG+)
BROWN	18	PR C97 035505	M.A.-P. Brown <i>et al.</i>	(UCNA Collab.)
CZARNECKI	18	PRL 120 202002	A. Czarnecki, W.J. Marciano, A. Sirlin	(ALBE+)
EZHOF	18	JETPL 107 671	V.F. Ezhov <i>et al.</i>	(PNPI, LENSU, CAEN+)
PATTIE	18	SCI 360 627	R.W. Pattie Jr. <i>et al.</i>	(LASL, IND, NCSU+)
SEREBROV	18	PR C97 055503	A.P. Serebrov <i>et al.</i>	(PNPI, ILLG, RAL)
Also		JETPL 106 623	A.P. Serebrov <i>et al.</i>	(PNPI, ILLG, RAL)
SUN	18	PR C97 052501	X. Sun <i>et al.</i>	(UCNA Collab.)
TANG	18	PRL 121 022505	Z. Tang <i>et al.</i>	(Los Alamos UCNtau Collab.)
AHARMIM	17	PR D96 092005	B. Aharmim <i>et al.</i>	(SNO Collab.)
DARIUS	17	PRL 119 042502	G. Darius <i>et al.</i>	(aCORN at NIST)
SAHOO	17	PR D95 013002	B.K. Sahoo	(AHMEB)
BALES	16	PRL 116 242501	M.J. Bales <i>et al.</i>	(RDK II Collab.)
GRANER	16	PRL 116 161601	B. Graner <i>et al.</i>	(WASH)
Also		PRL 119 119901 (errat.)	B. Graner <i>et al.</i>	(WASH)
MOHR	16	RMP 88 035009	P.J. Mohr, D.B. Newell, B.N. Taylor	(NIST)
PHILLIPS	16	PRPL 612 1	D.G. Phillips II <i>et al.</i>	
ABE	15C	PR D91 072006	K. Abe <i>et al.</i>	(Super-Kamiokande Collab.)
ARZUMANOV	15	PL B745 79	S. Arzumanov <i>et al.</i>	(ILLG, KIAE)
PENDLEBURY	15	PR D92 092003	J.M. Pendlebury <i>et al.</i>	(ETHZ, PSI, SUSS)
SEREBROV	15	PR C92 055501	A.P. Serebrov <i>et al.</i>	(PNPI, ILLG, IOFF)
EPSTEIN	14	PR D90 074027	Z. Epstein, G. Paz, J. Roy	(UMD, WAYN)
MYERS	14	PRL 113 262506	L.S. Myers <i>et al.</i>	(COMPTON/MAX-lab Collab.)
SEREBROV	14	JETPL 99 4	A.P. Serebrov <i>et al.</i>	(PNPI, ILL, IOFF)
MENDENHALL	13	PR C87 032501	M.P. Mendenhall <i>et al.</i>	(UCNA Collab.)
MUND	13	PRL 110 172502	D. Mund <i>et al.</i>	(HEID, ILLG)
YUE	13	PRL 111 222501	A.T. Yue <i>et al.</i>	(UMD, NIST, TENN, ORNL+)
ARZUMANOV	12	JETPL 95 224	S.S. Arzumanov <i>et al.</i>	(KIAE)
Translated from ZETFP 95 248.				
CHUPP	12	PR C86 035505	T.E. Chupp <i>et al.</i>	(MICH, UCB, WASH+)
GRIESSHAM...	12	PPNP 67 841	H.W. Griesshammer <i>et al.</i>	(GWU, MCHS+)
KOZELA	12	PR C85 045501	A. Kozela <i>et al.</i>	(nTRV Collab.)
MOHR	12	RMP 84 1527	P.J. Mohr, B.N. Taylor, D.B. Newell	(NIST)
PLASTER	12	PR C86 055501	B. Plaster <i>et al.</i>	(UCNA Collab.)
STEYERL	12	PR C85 065503	A. Steyerl <i>et al.</i>	(URI, SUSS)
BRESSI	11	PR A83 052101	G. Bressi <i>et al.</i>	(LEGN, PAVII, PADO, TRST+)
DUBBERS	11	RMP 83 1111	D. Dubbers, M.G. Schmidt	(HEID)
MUMM	11	PRL 107 102301	H.P. Mumm <i>et al.</i>	(NIST, WASH, MICH, LBL+)
WIETFELDT	11	RMP 83 1173	F.E. Wietfeldt, G.L. Greene	(TULA, TENN)
COOPER	10	PR C81 035503	R.L. Cooper <i>et al.</i>	(MICH, NIST, TULA+)
LIU	10	PRL 105 181803	J. Liu <i>et al.</i>	(UCNA Collab.)
Also		PRL 105 219903 (errat.)	J. Liu <i>et al.</i>	(UCNA Collab.)
PICHLMAIER	10	PL B693 221	A. Pichlmaier <i>et al.</i>	(TUM, PNPI, ILLG)
ALTAREV	09A	PR D80 032003	I. Altarev <i>et al.</i>	(TUM, RAL, CAEN+)
KOZELA	09	PRL 102 172301	A. Kozela <i>et al.</i>	(JAGL, CRAC, PSI, CAEN+)
LAMOREAUX	09	JP G36 104002	S.K. Lamoreaux, R. Golub	(YALE, NCSU)
MOHAPATRA	09	JP G36 104006	R.N. Mohapatra	(UMD)
PATTIE	09	PRL 102 012301	R.W. Pattie Jr. <i>et al.</i>	(Los Alamos UCNA Collab.)
SEREBROV	09A	NIM A611 137	A.P. Serebrov <i>et al.</i>	(PNPI, IOFF, ILLG+)
ABELE	08	PPNP 60 1	H. Abele	(HEID)
MOHR	08	RMP 80 633	P.J. Mohr, B.N. Taylor, D.B. Newell	(NIST)
SCHUMANN	08	PRL 100 151801	M. Schumann <i>et al.</i>	(HEID, ILLG, KARL+)
SEREBROV	08	PL B663 181	A.P. Serebrov <i>et al.</i>	(PNPI, IOFF, ILLG+)
BAKER	07	PRL 98 149102	C.A. Baker <i>et al.</i>	(RAL, SUSS, ILLG)
BAN	07	PRL 99 161603	G. Ban <i>et al.</i>	(CAEN, JAGL, PSI, JINR+)
BELUSHKIN	07	PR C75 035202	M.A. Belushkin, H.W. Hammer, U.-G. Meissner	(BONN+)
LAMOREAUX	07	PRL 98 149101	S.K. Lamoreaux, R. Golub	(YALE, NCSU)
SCHUMANN	07	PRL 99 191803	M. Schumann <i>et al.</i>	(HEID, ILLG, KARL+)
SILENKO	07	PPNL 4 468	A.Ya. Silenko	(Belarussian U.)
Translated from PFECAY 6 784.				

NODE=S017A00

NODE=S017A00

NODE=S017A00

NODE=S017A00;LINKAGE=A

NODE=S017

NODE=S017

REFID=62722

REFID=62648

REFID=62463

REFID=61666

REFID=61032

REFID=60711

REFID=61423

REFID=61081

REFID=61546

REFID=61422

REFID=61545

REFID=60225

REFID=60587

REFID=60535

REFID=60943

REFID=59790

REFID=59797

REFID=61618

REFID=59256

REFID=59046

REFID=58826

REFID=59265

REFID=59043

REFID=59049

REFID=59261

REFID=59047

REFID=58852

REFID=58308

REFID=57787

REFID=57749

REFID=57449

REFID=57444

REFID=58261

REFID=57148

REFID=58795

REFID=56565

REFID=56509

REFID=56908

REFID=56874

REFID=56141

REFID=56357

REFID=55705

REFID=55107

REFID=55210

REFID=55495

REFID=54075

REFID=54626

REFID=56404

REFID=54330

REFID=53956

REFID=54674

REFID=54484

REFID=53785

REFID=53871

REFID=53756

REFID=53884

REFID=53290

REFID=53460

REFID=53461

REFID=53426

REFID=52962

REFID=52878

REFID=53047

REFID=53051

REFID=52614

REFID=59296

REFID=53234

REFID=52197

REFID=52190

REFID=52457

REFID=51751

REFID=52010

REFID=53687

REFID=51750

REFID=52019

REFID=52108

BAKER	06	PRL 97 131801	C.A. Baker <i>et al.</i>	(RAL, SUSS, ILLG)	REFID=51418
NICO	06	NAT 444 1059	J.S. Nico <i>et al.</i>	(NIST, TULN, MICH, UMD+)	REFID=52083
SEVERIJNS	06	RMP 78 991	N. Severijns, M. Beck, O. Naviliat-Cuncic	(LEUV+)	REFID=51580
KREUZ	05	PL B619 263	M. Kreuz <i>et al.</i>	(HEID, ILLG, MAINZ, KARL+)	REFID=50655
MOHR	05	RMP 77 1	P.J. Mohr, B.N. Taylor	(NIST)	REFID=49695
NICO	05	PR C71 055502	J.S. Nico <i>et al.</i>	(NIST, TULN, IND, TENN+)	REFID=50671
SCHUMACHER	05	PPNP 55 567	M. Schumacher	(GOET)	REFID=51658
SEREBROV	05	PL B605 72	A.P. Serebrov <i>et al.</i>	(PNPI, JINR, ILLG)	REFID=50382
Also		SPU 48 867	A.P. Serebrov <i>et al.</i>	(PPNI, JINR, ILLG)	REFID=51385
WIETFELDT	05	Translated from UFN 175 905			
SOLDNER	04	MPL A20 1783	F.E. Wietfeldt	(TULN)	REFID=50974
DEWEY	03	PL B581 49	T. Soldner <i>et al.</i>	(ILLG, TUM)	REFID=49817
KOSSERT	03	PRL 91 152302	M.S. Dewey <i>et al.</i>	(NIST, TULN, IND+)	REFID=49656
Also		EPJ A16 259	K. Kossert <i>et al.</i>	(Mainz MAMI Collab.)	REFID=49288
LUNDIN	03	PRL 88 162301	K. Kossert <i>et al.</i>	(Mainz MAMI Collab.)	REFID=48922
ABELE	02	PRL 90 192501	M. Lundin <i>et al.</i>		REFID=49388
BECK	02	PRL 88 211801	H. Abele <i>et al.</i>	(PERKEO-II Collab.)	REFID=48707
		JETPL 76 332	M. Beck <i>et al.</i>	(LEUV, SUSS, KIAE, PNPI)	REFID=49035
		Translated from ZETFP 76 392			
BYRNE	02	JP G28 1325	J. Byrne <i>et al.</i>		REFID=48711
CHUNG	02B	PR D66 032004	J. Chung <i>et al.</i>	(SOUDAN-2 Collab.)	REFID=48903
MOSTOVOI	01	PAN 64 1955	Yu.A. Mostovoi <i>et al.</i>		REFID=48470
		Translated from YAF 64 2040			
ARZUMANOV	00	PL B483 15	S. Arzumanov <i>et al.</i>		REFID=47653
GAL	00	PR C61 028201	A. Gal		REFID=47571
KOLB	00	PRL 85 1388	N.R. Kolb <i>et al.</i>		REFID=47741
LAMOREAUX	00	PR D61 051301	S.K. Lamoreaux, R. Golub		REFID=47503
LEVCHUK	00	NP A674 449	M.I. Levchuk, A.I. L'vov	(BELA, LEBD)	REFID=50532
LISING	00	PR C62 055501	L.J. Lising <i>et al.</i>	(NIST emit Collab.)	REFID=47812
HARRIS	99	PRL 82 904	P.G. Harris <i>et al.</i>		REFID=46737
KESSLER	99	PL A255 221	E.G. Kessler Jr <i>et al.</i>		REFID=47182
MOHR	99	JPCRD 28 1713	P.J. Mohr, B.N. Taylor	(NIST)	REFID=47256
Also		RMP 72 351	P.J. Mohr, B.N. Taylor	(NIST)	REFID=47373
SEREBROV	98	JETP 86 1074	A.P. Serebrov <i>et al.</i>		REFID=46038
		Translated from ZETF 113 1963			
ABELE	97D	PL B407 212	H. Abele <i>et al.</i>	(HEIDP, ILLG)	REFID=45627
KOPECKY	97	PR C56 2229	S. Kopecky <i>et al.</i>		REFID=48491
LIAUD	97	NP A612 53	P. Liaud <i>et al.</i>	(ILLG, LAPP)	REFID=45335
YEROZLIM...	97	PL B412 240	B.G. Eroziolmsky <i>et al.</i>	(HARV, PNPI, KIAE)	REFID=45826
ALTAREV	96	PAN 59 1152	I.S. Altarev <i>et al.</i>	(PNPI)	REFID=44778
		Translated from YAF 59 1204			
BONDAREN...	96	JETPL 64 416	L.N. Bondarenko <i>et al.</i>	(KIAE)	REFID=44943
		Translated from ZETFP 64 382			
BYRNE	96	EPL 33 187	J. Byrne <i>et al.</i>	(SUSS, ILLG)	REFID=44766
MOSTOVOI	96	PAN 59 968	Y.A. Mostovoy	(KIAE)	REFID=44777
		Translated from YAF 59 1013			
NORMAN	96	PR D53 4086	E.B. Norman, J.N. Bahcall, M. Goldhaber	(LBL+)	REFID=44783
IGNATOVICH	95	JETPL 62 1	V.K. Ignatovich	(JINR)	REFID=44448
		Translated from ZETFP 62 3			
KOESTER	95	PR C51 3363	L. Koester <i>et al.</i>	(TUM, JINR, LATV)	REFID=44275
KOPECKY	95	PRL 74 2427	S. Kopecky <i>et al.</i>		REFID=48492
KUZNETSOV	95	PRL 75 794	I.A. Kuznetsov <i>et al.</i>	(PNPI, KIAE, HARV+)	REFID=44348
SCHRECK...	95	PL B349 427	K. Schreckenbach <i>et al.</i>	(TUM, ILLG, LAPP)	REFID=44266
BALDO...	94	ZPHY C63 409	M. Baldo-Ceolin <i>et al.</i>	(HEID, ILLG, PADO+)	REFID=43997
DIFILIPPO	94	PRL 73 1481	F. DiFilippo <i>et al.</i>	(MIT)	REFID=43992
Also		PRL 71 1998	V. Natarajan <i>et al.</i>	(MIT)	REFID=43510
GOLUB	94	PRPL 237C 1	R. Golub, K. Lamoreaux	(HAHN, WASH)	REFID=44002
MAMPE	93	JETPL 57 82	B. Mampe <i>et al.</i>	(KIAE)	REFID=43324
		Translated from ZETFP 57 77			
ALTAREV	92	PL B276 242	I.S. Altarev <i>et al.</i>	(PNPI)	REFID=41980
NESVIZHEV...	92	JETP 75 405	V.V. Nesvizhevsky <i>et al.</i>	(PNPI, JINR)	REFID=42187
		Translated from ZETF 102 740			
ALBERICO	91	NP A523 488	W.M. Alberico, A. de Pace, M. Pignone	(TORI)	REFID=41492
DUBBERS	91	NP A527 239c	D. Dubbers	(ILLG)	REFID=41565
Also		EPL 11 195	D. Dubbers, W. Mampe, J. Dohner	(ILLG, HEID)	REFID=41232
EROZOLIM...	91	PL B263 33	B.G. Eroziolmsky <i>et al.</i>	(PNPI, KIAE)	REFID=41538
Also		SJNP 52 999	B.G. Eroziolmsky <i>et al.</i>	(PNPI, KIAE)	REFID=41490
		Translated from YAF 52 1583			
EROZOLIM...	91B	SJNP 53 260	B.G. Eroziolmsky, Y.A. Mostovoy	(KIAE)	REFID=41564
		Translated from YAF 53 418			
SCHMIEDM...	91	PRL 66 1015	J. Schmiedmayer <i>et al.</i>	(TUW, ORNL)	REFID=41471
WOOLCOCK	91	MPL A6 2579	W.S. Woolcock	(CANB)	REFID=41594
ALFIMENKOV	90	JETPL 52 373	V.P. Alfimenkov <i>et al.</i>	(PNPI, JINR)	REFID=41473
		Translated from ZETFP 52 984			
BALDO...	90	PL B236 95	M. Baldo-Ceolin <i>et al.</i>	(PADO, PAVI, HEIDP+)	REFID=41200
BERGER	90	PL B240 237	C. Berger <i>et al.</i>	(FREJUS Collab.)	REFID=41210
BRESSI	90	NC 103A 731	G. Bressi <i>et al.</i>	(PAVI, ROMA, MILA)	REFID=41308
BYRNE	90	PRL 65 289	J. Byrne <i>et al.</i>	(SUSS, NBS, SCOT, CBNM)	REFID=41191
GREEN	90	JP G16 L75	K. Green, D. Thompson	(RAL)	REFID=41280
RAMSEY	90	ARNPS 40 1	N.F. Ramsey	(HARV)	REFID=41615
ROSE	90	PL B234 460	K.W. Rose <i>et al.</i>	(GOET, MPCM, MAINZ)	REFID=41101
ROSE	90B	NP A514 621	K.W. Rose <i>et al.</i>	(GOET, MPCM)	REFID=41290
SMITH	90	PL B234 191	K.F. Smith <i>et al.</i>	(SUSS, RAL, HARV+)	REFID=41103
BRESSI	89	ZPHY C43 175	G. Bressi <i>et al.</i>	(INFN, MILA, PAVI, ROMA)	REFID=40856
DOVER	89	NIM A284 13	C.B. Dover, A. Gal, J.M. Richard	(BNL, HEBR+)	REFID=41125
KOSSAKOW...	89	NP A503 473	R. Kossakowski <i>et al.</i>	(LAPP, SAVO, ISNG+)	REFID=41043
MAMPE	89	PRL 63 593	W. Mampe <i>et al.</i>	(ILLG, RISL, SUSS, URI)	REFID=40746
MOHAPATRA	89	NIM A284 1	R.N. Mohapatra	(UMD)	REFID=41124
PAUL	89	ZPHY C45 25	W. Paul <i>et al.</i>	(BONN, WUPP, MPIK, ILLG)	REFID=41042
SCHMIEDM...	89	NIM A284 137	J. Schmiedmayer, H. Rauch, P. Riehs	(WIEN)	REFID=41045
BAUMANN	88	PR D37 3107	J. Baumann <i>et al.</i>	(BAYR, MUNI, ILLG)	REFID=40592
KOESTER	88	ZPHY A329 229	L. Koester, W. Waschkowski, J. Meier	(MUNI, TUM)	REFID=41026
LAST	88	PRL 60 995	I. Last <i>et al.</i>	(HEIDP, ILLG, ANL)	REFID=40411
SCHMIEDM...	88	PRL 61 1065	J. Schmiedmayer, H. Rauch, P. Riehs	(TUW)	REFID=40616
Also		PRL 61 2509 (err.)	J. Schmiedmayer, H. Rauch, P. Riehs	(TUW)	REFID=40945
SPIVAK	88	JETP 67 1735	P.E. Spivak	(KIAE)	REFID=40777
		Translated from ZETF 94 1			
COHEN	87	RMP 59 1121	E.R. Cohen, B.N. Taylor	(RISC, NBS)	REFID=11616
ALEKSANDR...	86	SJNP 44 900	Yu.A. Aleksandrov <i>et al.</i>		REFID=48497
		Translated from YAF 44 1384			

ALTAREV	86	JETPL 44 460	I.S. Altarev <i>et al.</i>	(PNPI)	REFID=40279
		Translated from ZETFP 44 360.			
BOPP	86	PRL 56 919	P. Bopp <i>et al.</i>	(HEIDP, ANL, ILLG)	REFID=11718
Also		ZPHY C37 179	E. Klempt <i>et al.</i>	(HEIDP, ANL, ILLG)	REFID=40404
CRESTI	86	PL B177 206	M. Cresti <i>et al.</i>	(PADO)	REFID=11720
Also		PL B200 587 (errat.)	M. Cresti <i>et al.</i>	(PADO)	REFID=40343
GREENE	86	PRL 56 819	G.L. Greene <i>et al.</i>	(NBS, ILLG)	REFID=11722
KOESTER	86	Physica B137 282	L. Koester <i>et al.</i>		REFID=48493
KOSVINTSEV	86	JETPL 44 571	Y.Y. Kosvintsev, V.I. Morozov, G.I. Terekhov	(KIAE)	REFID=40303
		Translated from ZETFP 44 444.			
TAKITA	86	PR D34 902	M. Takita <i>et al.</i>	(KEK, TOKY+)	REFID=11723
DOVER	85	PR C31 1423	C.B. Dover, A. Gal, J.M. Richard	(BNL)	REFID=41128
FIDECARO	85	PL 156B 122	G. Fidecaro <i>et al.</i>	(CERN, ILLG, PADO+)	REFID=11716
PARK	85B	NP B252 261	H.S. Park <i>et al.</i>	(IMB Collab.)	REFID=11717
BATTISTONI	84	PL 133B 454	G. Battistoni <i>et al.</i>	(NUSEX Collab.)	REFID=11714
JONES	84	PRL 52 720	T.W. Jones <i>et al.</i>	(IMB Collab.)	REFID=11715
PENDLEBURY	84	PL 136B 327	J.M. Pendlebury <i>et al.</i>	(SUSS, HARV, RAL+)	REFID=40278
CHERRY	83	PRL 50 1354	M.L. Cherry <i>et al.</i>	(PENN, BNL)	REFID=11709
DOVER	83	PR D27 1090	C.B. Dover, A. Gal, J.M. Richard	(BNL)	REFID=40097
KABIR	83	PRL 51 231	P.K. Kabir	(HARV)	REFID=41127
MOSTOVOY	83	JETPL 37 196	Y.A. Mostovoy	(KIAE)	REFID=11710
		Translated from ZETFP 37 162.			
ROY	83	PR D28 1770	A. Roy <i>et al.</i>	(TATA)	REFID=11712
VAIDYA	83	PR D27 486	S.C. Vaidya <i>et al.</i>	(TATA)	REFID=11713
GAEHLER	82	PR D25 2887	R. Gahler, J. Kalus, W. Mampe	(BAYR, ILLG)	REFID=11706
GREENE	82	Metrologia 18 93	G.L. Greene <i>et al.</i>	(YALE, HARV, ILLG+)	REFID=11707
ALTAREV	81	PL 102B 13	I.S. Altarev <i>et al.</i>	(PNPI)	REFID=11702
BARABANOV	80	JETPL 32 359	I.R. Barabanov <i>et al.</i>	(PNPI)	REFID=11698
		Translated from ZETFP 32 384.			
BYRNE	80	PL 92B 274	J. Byrne <i>et al.</i>	(SUSS, RL)	REFID=11699
KOSVINTSEV	80	JETPL 31 236	Y.Y. Kosvintsev <i>et al.</i>	(JINR)	REFID=11701
		Translated from ZETFP 31 257.			
MOHAPATRA	80	PRL 44 1316	R.N. Mohapatra, R.E. Marshak	(CUNY, VPI)	REFID=41126
ALTAREV	79	JETPL 29 730	I.S. Altarev <i>et al.</i>	(PNPI)	REFID=11694
		Translated from ZETFP 29 794.			
EROZOLIM...	79	SJNP 30 356	B.G. Erozolimsky <i>et al.</i>	(KIAE)	REFID=11695
		Translated from YAF 30 692.			
NORMAN	79	PRL 43 1226	E.B. Norman, A.G. Seamster	(WASH)	REFID=11697
BONDAREN...	78	JETPL 28 303	L.N. Bondarenko <i>et al.</i>	(KIAE)	REFID=11691
		Translated from ZETFP 28 328.			
Also		Smolenice Conf.	P.G. Bondarenko	(KIAE)	REFID=11692
EROZOLIM...	78	SJNP 28 48	B.G. Erozolimsky <i>et al.</i>	(KIAE)	REFID=11689
		Translated from YAF 28 98.			
STRATOWA	78	PR D18 3970	C. Stratowa, R. Dobrozemsky, P. Weinzierl	(SEIB)	REFID=11690
EROZOLIM...	77	JETPL 23 663	B.G. Erozolimsky <i>et al.</i>	(KIAE)	REFID=11687
		Translated from ZETFP 23 720.			
KOESTER	76	PRL 36 1021	L. Koester <i>et al.</i>		REFID=48494
STEINBERG	76	PR D13 2469	R.I. Steinberg <i>et al.</i>	(YALE, ISNG)	REFID=11683
DOBROZE...	75	PR D11 510	R. Dobrozemsky <i>et al.</i>	(SEIB)	REFID=11684
KROHN	75	PL 55B 175	V.E. Krohn, G.R. Ringo	(ANL)	REFID=11685
EROZOLIM...	74	JETPL 20 345	B.G. Erozolimsky <i>et al.</i>		REFID=11681
		Translated from ZETFP 20 745.			
KROPF	74	ZPHY 267 129	H. Kropf, E. Paul	(LINZ)	REFID=11679
Also		NP A154 160	H. Paul	(VIEN)	REFID=11680
STEINBERG	74	PRL 33 41	R.I. Steinberg <i>et al.</i>	(YALE, ISNG)	REFID=11682
COHEN	73	JPCRD 2 664	E.R. Cohen, B.N. Taylor	(RISC, NBS)	REFID=10098
KROHN	73	PR D8 1305	V.E. Krohn, G.R. Ringo		REFID=48495
CHRISTENSEN	72	PR D5 1628	C.J. Christensen <i>et al.</i>	(RISO)	REFID=11676
CHRISTENSEN	70	PR C1 1693	C.J. Christensen, V.E. Krohn, G.R. Ringo	(ANL)	REFID=11672
EROZOLIM...	70C	PL 33B 351	B.G. Erozolimsky <i>et al.</i>	(KIAE)	REFID=41111
GRIGOREV	68	SJNP 6 239	V.K. Grigoriev <i>et al.</i>	(ITEP)	REFID=11668
		Translated from YAF 6 329.			
KROHN	66	PR 148 1303	V.E. Krohn, G.R. Ringo		REFID=48496
LEE	56	PR 104 254	T.D. Lee, C.N. Yang	(COLU, BNL)	REFID=52162