## B-particle organization

NODE=S741

NODE=S741205

Many measurements of B decays involve admixtures of B hadrons. Previously we arbitrarily included such admixtures in the  $B^\pm$  section, but because of their importance we have created two new sections: " $B^\pm/B^0$  Admixture" for  $\Upsilon(4S)$  results and " $B^\pm/B^0/B_s^0/b$ -baryon Admixture" for results at higher energies. Most inclusive decay branching fractions and  $\chi_b$  at high energy are found in the Admixture sections.  $B^0-\overline{B}^0$  mixing data are found in the  $B^0$  section, while  $B_s^0-\overline{B}_s^0$  mixing data and  $B-\overline{B}$  mixing data for a  $B^0/B_s^0$  admixture are found in the  $B_s^0$  section. CP-violation data are found in the  $B^\pm$ ,  $B^0$ , and  $B^\pm$   $B^0$  Admixture sections. b-baryons are found near the end of the Baryon section. Recently, we also created a new section: " $V_{C\,b}$  and  $V_{u\,b}$  CKM Matrix Elements."

The organization of the B sections is now as follows, where bullets indicate particle sections and brackets indicate reviews.

NODE=\$741205 NODE=\$741305

```
[Production and Decay of b-flavored Hadrons]
[A Short Note on HFLAV Activities]
• B<sup>±</sup>
     mass, mean life
     branching fractions
     polarization in B^{\pm} decay
     CP violation
• B<sup>0</sup>
     mass, mean life
     branching fractions
     [Polarization in B decay]
     polarization in B^0 decay
     [B-\overline{B} \text{ Mixing}]
     B^0 - \overline{B}^0 mixing
     CP violation
• B^{\pm} B^{0} Admixture
     branching fractions, CP violation
     CP violation
• B^{\pm}/B^0/B_{\epsilon}^0/b-baryon Admixture
     mean life
     production fractions
     branching fractions
     \chi_h at high energy
     production fractions in hadronic Z decay
\bullet V_{c\,b} and V_{u\,b} CKM Matrix Elements
     [Determination of V_{c\,b} and V_{u\,b}]
• B^*, B_1(5721), B_1^*(5732), B_2^*(5747), B_1(5840), B_1(5970)
     mass, width, branching fracions
• B<sub>s</sub>0
     mass, mean life
     branching fractions
     polarization in B_s^0 decay
     B_s^0 - \overline{B}_s^0 mixing
\bullet \ B_{s}^{*}, \ B_{s1}(5830)^{0}, \ B_{s2}^{*}(5840)^{0}, \ B_{sJ}^{*}(5850), \ B_{sJ}(6063)^{0}, \ B_{sJ}(6114)^{0}
     mass, width, branching fractions
     mass, mean life
     branching fractions
• B_c(2S)^{\pm}
```

NODE=\$741305 NODE=\$741310

NODE=\$741310 NODE=\$741315

At the end of Baryon Listings:

Λ<sub>b</sub>

mass, mean life

branching fractions

- $\Lambda_b(5912)^0$ ,  $\Lambda_b(5920)^0$ ,  $\Lambda_b(6070)^0$ ,  $\Lambda_b(6146)^0$ ,  $\Lambda_b(6152)^0$  mass, width, branchibg fractions
- $\bullet \Sigma_b$

mass, width, branching fractions

•  $\Sigma_b^*$ ,  $\Sigma_b$ (6097)<sup>+</sup>,  $\Sigma_b$ (6097)<sup>-</sup>

mass, width, branching fractions

•  $\Xi_b^0$ ,  $\Xi_b^-$ 

mass, mean life

branching fractions, P, CP violation

$$\begin{split} \bullet \; & \Xi_b'(5935)^-, \; \Xi_b(5945)^0, \; \Xi_b(5955)^-, \; \Xi_b(6100)^-, \; \Xi_b(6227)^-, \\ & \Xi_b(6227)^0, \; \Xi_b(6327)^0, \; \Xi_b(6333)^0 \\ & \text{mass, width, branching fractions} \end{split}$$

 $\bullet \Omega_b^-$ 

mass, mean life

branching fractions

•  $\Omega_b$ (6316) $^-$ ,  $\Omega_b$ (6330) $^-$ ,  $\Omega_b$ (6340) $^-$ ,  $\Omega_b$ (6350) $^-$  mass, width, branching fractions

• b-baryon Admixture mean life

branching fractions

NODE=S741315