

$\rho(2150)$

$$I^G(J^{PC}) = 1^+(1^{--})$$

OMITTED FROM SUMMARY TABLE

This entry was previously called $T_1(2190)$. **$\rho(2150)$ MASS** **e^+e^- PRODUCED**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2149±17 OUR AVERAGE	Includes data from the datablock that follows this one.		
2150±40±50	AUBERT	07AU BABR	10.6 $e^+e^- \rightarrow f_1(1285)\pi^+\pi^-\gamma$
2153±37	BIAGINI	91 RVUE	$e^+e^- \rightarrow \pi^+\pi^-, K^+K^-$
2110±50	¹ CLEGG	90 RVUE	$e^+e^- \rightarrow 3(\pi^+\pi^-), 2(\pi^+\pi^-\pi^0)$
●●● We do not use the following data for averages, fits, limits, etc. ●●●			
1990±80	AUBERT	07AU BABR	10.6 $e^+e^- \rightarrow \eta'\pi^+\pi^-\gamma$

 $\bar{p}p \rightarrow \pi\pi$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
●●● We do not use the following data for averages, fits, limits, etc. ●●●			
~ 2191	HASAN	94 RVUE	$\bar{p}p \rightarrow \pi\pi$
~ 1988	HASAN	94 RVUE	$\bar{p}p \rightarrow \pi\pi$
~ 2070	² OAKDEN	94 RVUE	0.36–1.55 $\bar{p}p \rightarrow \pi\pi$
~ 2170	³ MARTIN	80B RVUE	
~ 2100	³ MARTIN	80C RVUE	

S-CHANNEL $\bar{N}N$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
●●● We do not use the following data for averages, fits, limits, etc. ●●●			
2110±35	⁴ ANISOVICH	02 SPEC	0.6–1.9 $p\bar{p} \rightarrow \omega\pi^0, \omega\eta\pi^0, \pi^+\pi^-$
~ 2190	⁵ CUTTS	78B CNTR	0.97–3 $\bar{p}p \rightarrow \bar{N}N$
2155±15	^{5,6} COUPLAND	77 CNTR	0.7–2.4 $\bar{p}p \rightarrow \bar{p}p$
2193± 2	^{5,7} ALSPECTOR	73 CNTR	$\bar{p}p$ S channel
2190±10	⁸ ABRAMS	70 CNTR	S channel $\bar{p}N$

 $\pi^-p \rightarrow \omega\pi^0n$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
The data in this block is included in the average printed for a previous datablock.			

2155±21 OUR AVERAGE

2140±30	ALDE	95 GAM2	38 $\pi^-p \rightarrow \omega\pi^0n$
2170±30	ALDE	92C GAM4	100 $\pi^-p \rightarrow \omega\pi^0n$

¹ Includes ATKINSON 85.² See however KLOET 96 who fit $\pi^+\pi^-$ only and find waves only up to $J = 3$ to be important but not significantly resonant.³ $I(J^P) = 1(1^-)$ from simultaneous analysis of $p\bar{p} \rightarrow \pi^-\pi^+$ and $\pi^0\pi^0$.⁴ From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.⁵ Isospins 0 and 1 not separated.⁶ From a fit to the total elastic cross section.⁷ Referred to as T or T region by ALSPECTOR 73.⁸ Seen as bump in $I = 1$ state. See also COOPER 68. PEASLEE 75 confirm $\bar{p}p$ results of ABRAMS 70, no narrow structure.

$\rho(2150)$ WIDTH

e^+e^- PRODUCED

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
359 ± 40 OUR AVERAGE	Includes data from the datablock that follows this one.		
$350 \pm 40 \pm 50$	AUBERT	07AU BABR	$10.6 e^+e^- \rightarrow f_1(1285)\pi^+\pi^-\gamma$
389 ± 79	BIAGINI	91 RVUE	$e^+e^- \rightarrow \pi^+\pi^-, K^+K^-$
410 ± 100	⁹ CLEGG	90 RVUE	$e^+e^- \rightarrow 3(\pi^+\pi^-), 2(\pi^+\pi^-\pi^0)$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
310 ± 140	AUBERT	07AU BABR	$10.6 e^+e^- \rightarrow \eta'\pi^+\pi^-\gamma$

$\bar{p}p \rightarrow \pi\pi$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
~ 296	HASAN	94 RVUE	$\bar{p}p \rightarrow \pi\pi$
~ 244	HASAN	94 RVUE	$\bar{p}p \rightarrow \pi\pi$
~ 40	¹⁰ OAKDEN	94 RVUE	$0.36-1.55 \bar{p}p \rightarrow \pi\pi$
~ 250	¹¹ MARTIN	80B RVUE	
~ 200	¹¹ MARTIN	80C RVUE	

S-CHANNEL $\bar{N}N$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
230 ± 50	¹² ANISOVICH	02 SPEC	$0.6-1.9 p\bar{p} \rightarrow \omega\pi^0, \omega\eta\pi^0, \pi^+\pi^-$
135 ± 75	^{13,14} COUPLAND	77 CNTR	$0.7-2.4 \bar{p}p \rightarrow \bar{p}p$
98 ± 8	¹⁴ ALSPECTOR	73 CNTR	$\bar{p}p$ S channel
~ 85	¹⁵ ABRAMS	70 CNTR	S channel $\bar{p}N$

$\pi^-p \rightarrow \omega\pi^0n$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
The data in this block is included in the average printed for a previous datablock.			

320 ± 70	ALDE	95 GAM2	$38 \pi^-p \rightarrow \omega\pi^0n$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
~ 300	ALDE	92C GAM4	$100 \pi^-p \rightarrow \omega\pi^0n$

⁹Includes ATKINSON 85.
¹⁰See however KLOET 96 who fit $\pi^+\pi^-$ only and find waves only up to $J = 3$ to be important but not significantly resonant.
¹¹ $I(J^P) = 1(1^-)$ from simultaneous analysis of $p\bar{p} \rightarrow \pi^-\pi^+$ and $\pi^0\pi^0$.
¹²From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.
¹³From a fit to the total elastic cross section.
¹⁴Isospins 0 and 1 not separated.
¹⁵Seen as bump in $I = 1$ state. See also COOPER 68. PEASLEE 75 confirm $\bar{p}p$ results of ABRAMS 70, no narrow structure.

$\rho(2150)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $e^+ e^-$	
Γ_2 $\pi^+ \pi^-$	seen
Γ_3 $K^+ K^-$	seen
Γ_4 $3(\pi^+ \pi^-)$	seen
Γ_5 $2(\pi^+ \pi^- \pi^0)$	seen
Γ_6 $\eta' \pi^+ \pi^-$	seen
Γ_7 $f_1(1285) \pi^+ \pi^-$	seen
Γ_8 $\omega \pi^0$	seen
Γ_9 $\omega \pi^0 \eta$	seen
Γ_{10} $\rho \bar{\rho}$	

$\rho(2150) \Gamma(i)\Gamma(e^+ e^-)/\Gamma^2(\text{total})$

$$\Gamma(f_1(1285)\pi^+\pi^-)/\Gamma_{\text{total}} \times \Gamma(e^+ e^-)/\Gamma_{\text{total}} \qquad \Gamma_7/\Gamma \times \Gamma_1/\Gamma$$

VALUE (units 10^{-7})	DOCUMENT ID	TECN	COMMENT
$3.1 \pm 0.6 \pm 0.5$	¹⁶ AUBERT	07AU BABR	$10.6 e^+ e^- \rightarrow f_1(1285) \pi^+ \pi^- \gamma$

¹⁶ Calculated by us from the reported value of cross section at the peak.

$$\Gamma(\eta' \pi^+ \pi^-)/\Gamma_{\text{total}} \times \Gamma(e^+ e^-)/\Gamma_{\text{total}} \qquad \Gamma_6/\Gamma \times \Gamma_1/\Gamma$$

VALUE (units 10^{-8})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

4.9 ± 1.9	¹⁷ AUBERT	07AU BABR	$10.6 e^+ e^- \rightarrow \eta' \pi^+ \pi^- \gamma$
---------------	----------------------	-----------	---

¹⁷ Calculated by us from the reported value of cross section at the peak.

$\rho(2150)$ REFERENCES

AUBERT	07AU PR D76 092005	B. Aubert <i>et al.</i>	(BABAR Collab.)
ANISOVICH	02 PL B542 8	A.V. Anisovich <i>et al.</i>	
ANISOVICH	01D PL B508 6	A.V. Anisovich <i>et al.</i>	
ANISOVICH	01E PL B513 281	A.V. Anisovich <i>et al.</i>	
ANISOVICH	00J PL B491 47	A.V. Anisovich <i>et al.</i>	
KLOET	96 PR D53 6120	W.M. Kloet, F. Myhrer	(RUTG, NORD)
ALDE	95 ZPHY C66 379	D.M. Alde <i>et al.</i>	(GAMS Collab.) JP
HASAN	94 PL B334 215	A. Hasan, D.V. Bugg	(LOQM)
OAKDEN	94 NP A574 731	M.N. Oakden, M.R. Pennington	(DURH)
ALDE	92C ZPHY C54 553	D.M. Alde <i>et al.</i>	(BELG, SERP, KEK, LANL+)
BIAGINI	91 NC 104A 363	M.E. Biagini <i>et al.</i>	(FRAS, PRAG)
CLEGG	90 ZPHY C45 677	A.B. Clegg, A. Donnachie	(LANC, MCHS)
ATKINSON	85 ZPHY C29 333	M. Atkinson <i>et al.</i>	(BONN, CERN, GLAS+)
MARTIN	80B NP B176 355	B.R. Martin, D. Morgan	(LOUC, RHEL) JP
MARTIN	80C NP B169 216	A.D. Martin, M.R. Pennington	(DURH) JP
CUTTS	78B PR D17 16	D. Cutts <i>et al.</i>	(STON, WISC)
COUPLAND	77 PL 71B 460	M. Coupland <i>et al.</i>	(LOQM, RHEL)
PEASLEE	75 PL 57B 189	D.C. Peaslee <i>et al.</i>	(CANB, BARI, BROW+)
ALSPECTOR	73 PRL 30 511	J. Alspector <i>et al.</i>	(RUTG, UPNJ)
ABRAMS	70 PR D1 1917	R.J. Abrams <i>et al.</i>	(BNL)
COOPER	68 PRL 20 1059	W.A. Cooper <i>et al.</i>	(ANL)

————— **OTHER RELATED PAPERS** —————

AMELIN	00	NP A668 83	D. Amelin <i>et al.</i>	(VES Collab.)
EISENHAND...	75	NP B96 109	E. Eisenhandler <i>et al.</i>	(LOQM, LVP, DARE+)
BRICMAN	69	PL 29B 451	C. Bricman <i>et al.</i>	(CERN, CAEN, SACL)
ABRAMS	67C	PRL 18 1209	R.J. Abrams <i>et al.</i>	(BNL)
