

$\Delta(1600) \ 3/2^+$  $I(J^P) = \frac{3}{2}(\frac{3}{2}^+)$  Status: \*\*\*Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014). **$\Delta(1600)$  POLE POSITION****REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1460 to 1560 (<math>\approx</math> 1510) OUR ESTIMATE</b>			
1515 $\pm$ 20	SOKHOYAN	15A	DPWA Multichannel
1469 $\pm$ 10 $\pm$ 5	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
1457	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1550	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
1550 $\pm$ 40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1498 $\pm$ 25	ANISOVICH	12A	DPWA Multichannel
1599	SHRESTHA	12A	DPWA Multichannel
1599	VRANA	00	DPWA Multichannel

**–2×IMAGINARY PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>200 to 350 (<math>\approx</math> 275) OUR ESTIMATE</b>			
250 $\pm$ 30	SOKHOYAN	15A	DPWA Multichannel
314 $\pm$ 18 $\pm$ 8	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
400	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
200 $\pm$ 60	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
230 $\pm$ 50	ANISOVICH	12A	DPWA Multichannel
211	SHRESTHA	12A	DPWA Multichannel
312	VRANA	00	DPWA Multichannel

 **$\Delta(1600)$  ELASTIC POLE RESIDUE****MODULUS  $|r|$** 

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>10 to 40 (<math>\approx</math> 25) OUR ESTIMATE</b>			
13 $\pm$ 3	SOKHOYAN	15A	DPWA Multichannel
38 $\pm$ 2 $\pm$ 2	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
44	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
17 $\pm$ 4	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
11 $\pm$ 6	ANISOVICH	12A	DPWA Multichannel

**PHASE  $\theta$** 

<u>VALUE (<math>^{\circ}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>150 to 210 (<math>\approx</math> 180) OUR ESTIMATE</b>			
$-155 \pm 20$	SOKHOYAN	15A	DPWA Multichannel
$173 \pm 5 \pm 5$	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
+147	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
$-150 \pm 30$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$-160 \pm 33$	ANISOVICH	12A	DPWA Multichannel

 **$\Delta(1600)$  INELASTIC POLE RESIDUE**

The "normalized residue" is the residue divided by  $\Gamma_{pole}/2$ .

**Normalized residue in  $N\pi \rightarrow \Delta(1600) \rightarrow \Delta\pi$ , P-wave**

<u>MODULUS (%)</u>	<u>PHASE (<math>^{\circ}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$15 \pm 4$	$30 \pm 35$	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$14 \pm 10$	$154 \pm 40$	ANISOVICH	12A	DPWA Multichannel

**Normalized residue in  $N\pi \rightarrow \Delta(1600) \rightarrow \Delta\pi$ , F-wave**

<u>MODULUS (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$1.0 \pm 0.5$	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$1.0 \pm 0.5$	ANISOVICH	12A	DPWA Multichannel

 **$\Delta(1600)$  BREIT-WIGNER MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1500 to 1700 (<math>\approx</math> 1600) OUR ESTIMATE</b>			
$1520 \pm 20$	SOKHOYAN	15A	DPWA Multichannel
$1600 \pm 50$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
$1522 \pm 13$	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$1510 \pm 20$	ANISOVICH	12A	DPWA Multichannel
$1626 \pm 8$	SHRESTHA	12A	DPWA Multichannel
$1667 \pm 1$	PENNER	02C	DPWA Multichannel
$1687 \pm 44$	VRANA	00	DPWA Multichannel

 **$\Delta(1600)$  BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>220 to 420 (<math>\approx</math> 320) OUR ESTIMATE</b>			
$235 \pm 30$	SOKHOYAN	15A	DPWA Multichannel
$300 \pm 100$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
$220 \pm 40$	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

220 ± 45	ANISOVICH	12A	DPWA	Multichannel
225 ± 18	SHRESTHA	12A	DPWA	Multichannel
397 ± 10	PENNER	02C	DPWA	Multichannel
493 ± 75	VRANA	00	DPWA	Multichannel

## Δ(1600) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $N\pi$	10–25 %
$\Gamma_2$ $N\pi\pi$	75–90 %
$\Gamma_3$ $\Delta(1232)\pi$	73–83 %
$\Gamma_4$ $\Delta(1232)\pi$ , <i>P</i> -wave	72–82 %
$\Gamma_5$ $\Delta(1232)\pi$ , <i>F</i> -wave	<2 %
$\Gamma_6$ $N(1440)\pi$	
$\Gamma_7$ $N(1440)\pi$ , <i>P</i> -wave	seen
$\Gamma_8$ $N\gamma$	0.001–0.035 %
$\Gamma_9$ $N\gamma$ , helicity=1/2	0.0–0.02 %
$\Gamma_{10}$ $N\gamma$ , helicity=3/2	0.001–0.015 %

## Δ(1600) BRANCHING RATIOS

### $\Gamma(N\pi)/\Gamma_{\text{total}}$ $\Gamma_1/\Gamma$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
-----------	-------------	------	---------

#### 10 to 25 OUR ESTIMATE

14 ± 4	SOKHOYAN	15A	DPWA	Multichannel
18 ± 4	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
21 ± 6	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

12 ± 5	ANISOVICH	12A	DPWA	Multichannel
8 ± 2	SHRESTHA	12A	DPWA	Multichannel
13 ± 1	PENNER	02C	DPWA	Multichannel
28 ± 5	VRANA	00	DPWA	Multichannel

### $\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}}$ $\Gamma_4/\Gamma$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
-----------	-------------	------	---------

77 ± 5	SOKHOYAN	15A	DPWA	Multichannel
--------	----------	-----	------	--------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

78 ± 6	ANISOVICH	12A	DPWA	Multichannel
70 ± 3	SHRESTHA	12A	DPWA	Multichannel
59 ± 10	VRANA	00	DPWA	Multichannel

### $\Gamma(\Delta(1232)\pi, F\text{-wave})/\Gamma_{\text{total}}$ $\Gamma_5/\Gamma$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
-----------	-------------	------	---------

<2	SOKHOYAN	15A	DPWA	Multichannel
----	----------	-----	------	--------------

$\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$   $\Gamma_6/\Gamma$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
22±3	SHRESTHA	12A	DPWA Multichannel
13±4	VRANA	00	DPWA Multichannel

**$\Delta(1600)$  PHOTON DECAY AMPLITUDES AT THE POLE**

**$\Delta(1600) \rightarrow N\gamma$ , helicity-1/2 amplitude  $A_{1/2}$**

MODULUS ( $\text{GeV}^{-1/2}$ )	PHASE ( $^\circ$ )	DOCUMENT ID	TECN	COMMENT
0.053±0.010	130 ± 15	SOKHOYAN	15A	DPWA Multichannel
0.193 <sup>+0.023</sup> <sub>-0.024</sub>	151 <sup>+9</sup> <sub>-15</sub>	ROENCHEN	14	DPWA

**$\Delta(1600) \rightarrow N\gamma$ , helicity-3/2 amplitude  $A_{3/2}$**

MODULUS ( $\text{GeV}^{-1/2}$ )	PHASE ( $^\circ$ )	DOCUMENT ID	TECN	COMMENT
0.055±0.010	152 ± 15	SOKHOYAN	15A	DPWA Multichannel
-0.254 <sup>+0.085</sup> <sub>-0.086</sub>	110 <sup>+10</sup> <sub>-6</sub>	ROENCHEN	14	DPWA

**$\Delta(1600)$  BREIT-WIGNER PHOTON DECAY AMPLITUDES**

**$\Delta(1600) \rightarrow N\gamma$ , helicity-1/2 amplitude  $A_{1/2}$**

VALUE ( $\text{GeV}^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
<b>-0.045±0.015 OUR ESTIMATE</b>			
-0.051±0.010	SOKHOYAN	15A	DPWA Multichannel
-0.018±0.015	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.050±0.009	ANISOVICH	12A	DPWA Multichannel
0.006±0.005	SHRESTHA	12A	DPWA Multichannel
0.0	PENNER	02D	DPWA Multichannel

**$\Delta(1600) \rightarrow N\gamma$ , helicity-3/2 amplitude  $A_{3/2}$**

VALUE ( $\text{GeV}^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
<b>-0.035±0.015 OUR ESTIMATE</b>			
-0.055±0.010	SOKHOYAN	15A	DPWA Multichannel
-0.025±0.015	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.040±0.012	ANISOVICH	12A	DPWA Multichannel
0.052±0.008	SHRESTHA	12A	DPWA Multichannel
-0.024	PENNER	02D	DPWA Multichannel

**$\Delta(1600)$  FOOTNOTES**

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

## $\Delta(1600)$ REFERENCES

For early references, see *Physics Letters* **111B** 1 (1982).

SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
ROENCHEN	14	EPJ A50 101	D. Roenchen <i>et al.</i>	
Also		EPJ A51 63 (errat.)	D. Roenchen <i>et al.</i>	
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
ARNDT	96	PR C53 430	R.A. Arndt, I.I. Strakovsky, R.L. Workman	(VPI)
HOEHLER	93	$\pi N$ Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP

---