

$T_{c\bar{c}}(4055)^+$

$I^G(J^{PC}) = 1^+ (?^-)$
 I, G, C need confirmation.

OMMITTED FROM SUMMARY TABLE
was $X(4055)^\pm$

Properties incompatible with a $q\bar{q}$ structure (exotic state). See the review on non- $q\bar{q}$ states.

Needs confirmation. Seen by WANG 15A in the $\psi(2S)\pi^+$ invariant mass distribution in $\psi(4360) \rightarrow \psi(2S)\pi^+\pi^-$ decay.

 $T_{c\bar{c}}(4055)^+$ MASS

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|---|----------------------|----------|--|
| 4054 ±3 ±1 | ¹ WANG | 15A BELL | $10.58 e^+ e^- \rightarrow \gamma\pi^+\pi^-\psi(2S)$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 4039.3±6.0 | ² ABLIKIM | 18K BES3 | $e^+ e^- \rightarrow \pi^0\pi^0\psi(2S)$ |
| 4032.1±2.4 | ³ ABLIKIM | 17V BES3 | $e^+ e^- \rightarrow \pi^+\pi^-\psi(2S)$ |

¹ Statistical significance of 3.5 σ .

² Statistical error only, with significance of 5.9 σ (from a fit with a 19% CL). Identified as the same structure observed in ABLIKIM 17V in $e^+ e^- \rightarrow \pi^+\pi^-\psi(2S)$ decays.

³ Statistical error only, with significance of 9.2 σ . From an unbinned maximum likelihood fit of the $\pi^+\pi^-\psi(2S)$ Dalitz plot from data collected at $\sqrt{s} = 4.416$ GeV for a $J^C = 1^+$ state. The fit does not match the detailed structure of the data, having a C.L. of only 8%.

 $T_{c\bar{c}}(4055)^+$ WIDTH

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|---|----------------------|----------|--|
| 45 ±11 ±6 | ¹ WANG | 15A BELL | $10.58 e^+ e^- \rightarrow \gamma\pi^+\pi^-\psi(2S)$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 31.9±14.8 | ² ABLIKIM | 18K BES3 | $e^+ e^- \rightarrow \pi^0\pi^0\psi(2S)$ |
| 26.1± 5.3 | ³ ABLIKIM | 17V BES3 | $e^+ e^- \rightarrow \pi^+\pi^-\psi(2S)$ |

¹ Statistical significance of 3.5 σ .

² Statistical error only, with significance of 5.9 σ (from a fit with a 19% CL). Identified as the same structure observed in ABLIKIM 17V in $e^+ e^- \rightarrow \pi^+\pi^-\psi(2S)$ decays.

³ Statistical error only, with significance of 9.2 σ . From an unbinned maximum likelihood fit of the $\pi^+\pi^-\psi(2S)$ Dalitz plot from data collected at $\sqrt{s} = 4.416$ GeV for a $J^C = 1^+$ state. The fit does not match the detailed structure of the data, having a C.L. of only 8%.

 $T_{c\bar{c}}(4055)^+$ DECAY MODES

| Mode | Fraction (Γ_i/Γ) |
|------------------------------------|--------------------------------|
| $\Gamma_1 \quad \pi^+\psi(2S)$ | seen |
| $\Gamma_2 \quad \pi^\pm\psi(3770)$ | not seen |

$T_{c\bar{c}}(4055)^+$ BRANCHING RATIOS **$\Gamma(\pi^+ \psi(2S))/\Gamma_{\text{total}}$**

| VALUE | DOCUMENT ID | TECN | COMMENT | Γ_1/Γ |
|-------------|-------------------|------|---------|---|
| seen | ¹ WANG | 15A | BELL | $10.58 e^+ e^- \rightarrow \gamma \pi^+ \pi^- \psi(2S)$ |

¹ Statistical significance of 3.5 σ .

 $\Gamma(\pi^\pm \psi(3770))/\Gamma_{\text{total}}$

| VALUE | DOCUMENT ID | TECN | COMMENT | Γ_2/Γ |
|-----------------|----------------------|------|---------|--|
| not seen | ¹ ABLIKIM | 19AR | BES3 | $e^+ e^- \rightarrow \pi^+ \pi^- D\bar{D}$ |

¹ From a measurement of $\sigma(e^+ e^- \rightarrow \pi^+ \pi^- D\bar{D})$ between $\sqrt{s} = 4.08$ and 4.6 GeV.

 $T_{c\bar{c}}(4055)^+$ REFERENCES

| | | | | |
|---------|------|------------------------|--------------------------|------------------|
| ABLIKIM | 19AR | PR D100 032005 | M. Ablikim <i>et al.</i> | (BESIII Collab.) |
| ABLIKIM | 18K | PR D97 052001 | M. Ablikim <i>et al.</i> | (BESIII Collab.) |
| ABLIKIM | 17V | PR D96 032004 | M. Ablikim <i>et al.</i> | (BESIII Collab.) |
| Also | | PR D99 019903 (errat.) | M. Ablikim <i>et al.</i> | (BESIII Collab.) |
| WANG | 15A | PR D91 112007 | X.L. Wang <i>et al.</i> | (BELLE Collab.) |