

$N(2000) \ 5/2^+$ $I(J^P) = \frac{1}{2}(\frac{5}{2}^+)$ Status: $\ast\ast$

OMITTED FROM SUMMARY TABLE
was $N(1900)$

Before the 2012 Review, all the evidence for a $J^P = 5/2^+$ state with a mass above 1800 MeV was filed under a two-star $N(2000)$. There is now some evidence from ANISOVICH 12A for two $5/2^+$ states in this region, so we have split the older data (according to mass) between two two-star $5/2^+$ states, an $N(1860)$ and an $N(2000)$.

 $N(2000)$ POLE POSITION**REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2030 ± 40	SOKHOYAN	15A	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
1900	SHKLYAR	13	DPWA Multichannel
2030 ± 110	ANISOVICH	12A	DPWA Multichannel

 $-2 \times$ IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
380 ± 60	SOKHOYAN	15A	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
123	SHKLYAR	13	DPWA Multichannel
480 ± 100	ANISOVICH	12A	DPWA Multichannel

 $N(2000)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
18 ± 8	SOKHOYAN	15A	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
11	SHKLYAR	13	DPWA Multichannel
35^{+80}_{-15}	ANISOVICH	12A	DPWA Multichannel

PHASE θ

VALUE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
-150 ± 40	SOKHOYAN	15A	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
- 6	SHKLYAR	13	DPWA Multichannel
-100 ± 40	ANISOVICH	12A	DPWA Multichannel

N(2000) INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(2000) \rightarrow \Delta(1232)\pi$, *P*-wave

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.16 ± 0.06	100 ± 50	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2000) \rightarrow \Delta(1232)\pi$, *F*-wave

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.20 ± 0.10	-20 ± 45	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2000) \rightarrow N\sigma$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.12 ± 0.06	80 ± 40	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2000) \rightarrow N(1520)\pi$, *D*-wave

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.17 ± 0.09	-60 ± 35	SOKHOYAN	15A	DPWA Multichannel

N(2000) BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2060 ± 30	SOKHOYAN	15A	DPWA Multichannel
1946 ± 4	¹ SHKLYAR	13	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2090 ± 120	ANISOVICH	12A	DPWA Multichannel

¹ Statistical error only.

N(2000) BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
390 ± 55	SOKHOYAN	15A	DPWA Multichannel
198 ± 2	² SHKLYAR	13	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
460 ± 100	ANISOVICH	12A	DPWA Multichannel

² Statistical error only.

N(2000) DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 N\pi$	6–10 %
$\Gamma_2 N\eta$	<4 %
$\Gamma_3 N\omega$	<2 %
$\Gamma_4 N\pi\pi$	35–90 %
$\Gamma_5 \Delta(1232)\pi$	30–80 %
$\Gamma_6 \Delta(1232)\pi$, <i>P</i> -wave	12–32 %
$\Gamma_7 \Delta(1232)\pi$, <i>F</i> -wave	19–49 %

Γ_8	$N\sigma$	5–15 %
Γ_9	$N(1520)\pi$, <i>D</i> -wave	11–31 %
Γ_{10}	$N(1680)\pi$, <i>P</i> -wave	17–25 %
Γ_{11}	$\Lambda K^*(892)$	1–3 %
Γ_{12}	$p\gamma$	0.01–0.08 %
Γ_{13}	$p\gamma$, helicity=1/2	0.003–0.031 %
Γ_{14}	$p\gamma$, helicity=3/2	0.008–0.048 %
Γ_{15}	$n\gamma$	0.002–0.07 %
Γ_{16}	$n\gamma$, helicity=1/2	<0.017 %
Γ_{17}	$n\gamma$, helicity=3/2	0.001–0.056 %

 $N(2000)$ BRANCHING RATIOS **$\Gamma(N\pi)/\Gamma_{\text{total}}$**

VALUE (%)	DOCUMENT ID	TECN	COMMENT
6 to 10 (≈ 8) OUR ESTIMATE			

8±4	SOKHOYAN	15A	DPWA	Multichannel
10±1	³ SHKLYAR	13	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
9±4	ANISOVICH	12A	DPWA	Multichannel

³ Statistical error only. **$\Gamma(N\eta)/\Gamma_{\text{total}}$**

VALUE (%)	DOCUMENT ID	TECN	COMMENT	
2±2	MUELLER	20	DPWA	Multichannel
2±2	⁴ SHKLYAR	13	DPWA	Multichannel

⁴ Statistical error only. **$\Gamma(N\omega)/\Gamma_{\text{total}}$**

VALUE (%)	DOCUMENT ID	TECN	COMMENT	
18±8	DENISENKO	16	DPWA	Multichannel
1±1	⁵ SHKLYAR	13	DPWA	Multichannel

⁵ Statistical error only. **$\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}}$**

VALUE (%)	DOCUMENT ID	TECN	COMMENT	
22±10	SOKHOYAN	15A	DPWA	Multichannel

 $\Gamma(\Delta(1232)\pi, F\text{-wave})/\Gamma_{\text{total}}$

VALUE (%)	DOCUMENT ID	TECN	COMMENT	
34±15	SOKHOYAN	15A	DPWA	Multichannel

 $\Gamma(N\sigma)/\Gamma_{\text{total}}$

VALUE (%)	DOCUMENT ID	TECN	COMMENT	
10±5	SOKHOYAN	15A	DPWA	Multichannel

 Γ_1/Γ **Γ_2/Γ** **Γ_3/Γ** **Γ_6/Γ** **Γ_7/Γ** **Γ_8/Γ**

$\Gamma(N(1520)\pi, D\text{-wave})/\Gamma_{\text{total}}$	Γ_9/Γ			
<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
21 \pm 10	SOKHOYAN	15A	DPWA	Multichannel
$\Gamma(N(1680)\pi, P\text{-wave})/\Gamma_{\text{total}}$	Γ_{10}/Γ			
<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
16 \pm 9	SOKHOYAN	15A	DPWA	Multichannel
$\Gamma(\Lambda K^*(892))/\Gamma_{\text{total}}$	Γ_{11}/Γ			
<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
1–3 % OUR EVALUATION				
2.2 \pm 1.0	ANISOVICH	17B	DPWA	Multichannel

N(2000) PHOTON DECAY AMPLITUDES AT THE POLE

$N(2000) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>MODULUS (GeV$^{-1/2}$)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.033 \pm 0.010	15 \pm 25	SOKHOYAN	15A	DPWA Multichannel

$N(2000) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>MODULUS (GeV$^{-1/2}$)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.045 \pm 0.008	-140 \pm 25	SOKHOYAN	15A	DPWA Multichannel

$N(2000) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>MODULUS (GeV$^{-1/2}$)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.019 \pm 0.010	-80 \pm 40	ANISOVICH	17E	DPWA Multichannel

$N(2000) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>MODULUS (GeV$^{-1/2}$)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.011 \pm 0.005	82 \pm 30	ANISOVICH	17E	DPWA Multichannel

N(2000) BREIT-WIGNER PHOTON DECAY AMPLITUDES

$N(2000) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>VALUE (GeV$^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.031 \pm 0.010	SOKHOYAN	15A	DPWA Multichannel
0.011 \pm 0.001	⁶ SHKLYAR	13	DPWA Multichannel

⁶ Statistical error only.

$N(2000) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>VALUE (GeV$^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.043 \pm 0.008	SOKHOYAN	15A	DPWA Multichannel
0.025 \pm 0.001	⁷ SHKLYAR	13	DPWA Multichannel

⁷ Statistical error only.

$N(2000) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>VALUE (GeV$^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.018 \pm 0.012	ANISOVICH	13B	DPWA Multichannel

$N(2000) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.035 ± 0.020	ANISOVICH	13B	DPWA Multichannel

$N(2000)$ REFERENCES

MUELLER	20	PL B803 135323	J. Mueller <i>et al.</i>	(CBELSA/TAPS Collab.)
ANISOVICH	17B	PL B771 142	A.V. Anisovich <i>et al.</i>	
ANISOVICH	17E	PR C96 055202	A.V. Anisovich <i>et al.</i>	(BONN, PNPI, JLAB+)
DENISENKO	16	PL B755 97	I. Denisenko <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
SHKLYAR	13	PR C87 015201	V. Shklyar, H. Lenske, U. Mosel	(GIES)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)